Report

Informazioni generali

Strumento usato: Nmap 7.99

Target scansionato: 192.168.50.152 (Metasploitable)

Tempo di scansione: 22.56 secondi

Porte scansionate: 200 porte (comando --top-ports 200)

Risultato: 182 porte chiuse, 18 porte aperte

Vulnerabilità critica

Porta	Servizio	Versione	Perché è pericolosa
21	FTP	vsftpd **2.3.4**	**BACKDOOR CONOSCIUTA!** Questa versione ha una backdoor intenzionale. Se invii un username che finisce con :), si apre una shell sulla porta 6200
139/445	Samba	3.0.20-Debian	**CVE-2007-2447** - Permette esecuzione di codice remoto tramite username malevoli
2121	FTP	ProFTPD 1.3.1	Ha vulnerabilità note di directory traversal

Vulnerabilità alta

Porta	Servizio	Versione	Problema
22	SSH	OpenSSH 4.7p1	Versione molto vecchia, vulnerabile a brute force
23	Telnet	Linux telnetd	⚠️ **NON CRITTOGRAFATO** - Le password viaggiano in chiaro
25	SMTP	Postfix	Versione vecchia, possibile relay aperto
53	DNS	ISC BIND 9.4.2	Versione vecchia con vulnerabilità note
80	HTTP	Apache 2.2.8	⚠️ **Versione obsoleta** con molte CVE note
3306	MySQL	5.0.51a	Database esposto, versione vecchia
5432	PostgreSQL	8.3.0-8.3.7	Database esposto, versione vecchia

Vulnerabilità medie

Porta	Servizio	Note
111	RPC	rpcbind 2 - servizio vecchio
513	login	Servizio di login remoto
514	tcpwrapped	Shell remota
2049	NFS	Network File System - condivisione file
5900	VNC	Desktop remoto - possibile accesso non autorizzato
6000	X11	Server grafico - accesso negato ma presente
8009	AJP13	Apache Jserv - connettore Tomcat

Rilevazione sistema operativo

Nmap ha identificato:

- **OS:** Linux 2.6.9 - 2.6.33 (100% di certezza)
- **Hostname:** metasploitable.localdomain
- **Workgroup:** WORKGROUP

Questo conferma che è **Metasploitable 2**, che usa un kernel Linux molto vecchio (2.6.x).

Host Script Output (informazioni aggiuntive)

Nmap ha eseguito script automatici che hanno rivelato:

smb-os-discovery


- **OS:** Unix (Samba 3.0.20-Debian)
- **Computer name:** metasploitable
- **Domain:** localdomain
- **System time:** 2026-11-05T10:39:25-05:00

clock-skew

- **mean:** 1h14m59s - L'orologio di Metasploitable è sfasato di oltre 1 ora rispetto a Kali!

smb-security-mode

- **message_signing:** disabled (dangerous, but default)
- **authentication_level:** user
- **account_used:** <blank> - Nessuna autenticazione richiesta!



Nmap Scan Report - Scanned at Thu Nov 5 10:39:12 2026

Scan Summary | 192.168.50.152

Scan Summary

Nmap 7.99 was initiated at Thu Nov 5 10:39:12 2026 with these arguments:
/usr/lib/nmap/nmap -A --top-ports 200 -oA scan 192.168.50.152

Verbosity: 0; Debug level 0

Nmap done at Thu Nov 5 10:39:35 2026; 1 IP address (1 host up) scanned in 22.56 seconds

192.168.50.152

Address

- 192.168.50.152 (ipv4)
- 08:00:27:C3:05:27 - Oracle VirtualBox virtual NIC (mac)

Ports

The 182 ports scanned but not shown below are in state: **closed**

- 182 ports replied with: **reset**

Port		State (toggle closed [0] | filtered [0])	Service	Reason	Product	Version	Extra info
21	tcp	open	ftp	syn-ack	vsftpd	2.3.4	
	ftp-anon	Anonymous FTP login allowed (FTP code 230)					
	ftp-syst	STAT: FTP server status: Connected to 192.168.50.100 Logged in as ftp TYPE: ASCII No session bandwidth limit Session timeout in seconds is 300 Control connection is plain text Data connections will be plain text vsFTPd 2.3.4 - secure, fast, stable End of status					
22	tcp	open	ssh	syn-ack	OpenSSH	4.7p1 Debian 8ubuntu1	protocol 2.0
	ssh-hostkey	1024 60:0f:cf:e1:c0:5f:6a:74:d6:90:24:fa:c4:d5:6c:cd (DSA) 2048 56:56:24:0f:21:1d:de:a7:2b:ae:61:b1:24:3d:e8:f3 (RSA)					

23	tcp	open	telnet	syn-ack	Linux telnetd		
25	tcp	open	smtp	syn-ack	Postfix smtpd		
	ssl-cert	Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing outside US/countryName=XX Not valid before: 2010-03-17T14:07:45 Not valid after: 2010-04-16T14:07:45					
	ssl-date	2026-11-05T15:39:34+00:00; 0s from scanner time.					
	sslv2	SSLv2 supported ciphers: SSL2_DES_64_CBC_WITH_MD5 SSL2_RC4_128_WITH_MD5 SSL2_RC2_128_CBC_WITH_MD5 SSL2_RC2_128_CBC_EXPORT40_WITH_MD5 SSL2_RC4_128_EXPORT40_WITH_MD5 SSL2_DES_192_EDE3_CBC_WITH_MD5					
	smtp-commands	metasploitable.localdomain, PIPELINING, SIZE 10240000, VRFY, ETRN, STARTTLS, ENHANCEDSTATUSCODES, 8BITMIME, DSN					
53	tcp	open	domain	syn-ack	ISC BIND	9.4.2	
	dns-nsid	bind.version: 9.4.2					
80	tcp	open	http	syn-ack	Apache httpd	2.2.8	(Ubuntu) DAV/2
	http-title	Metasploitable2 - Linux					
	http-server-header	Apache/2.2.8 (Ubuntu) DAV/2					
111	tcp	open	rpcbind	syn-ack		2	RPC #100000
	rpcinfo	program version port/proto service 100000 2 111/tcp rpcbind 100000 2 111/udp rpcbind 100003 2,3,4 2049/tcp nfs 100003 2,3,4 2049/udp nfs 100005 1,2,3 47486/udp mountd 100005 1,2,3 55875/tcp mountd 100021 1,3,4 50390/tcp nlockmgr 100021 1,3,4 58599/udp nlockmgr 100024 1 33304/udp status 100024 1 35000/tcp status					
139	tcp	open	netbios-ssn	syn-ack	Samba smbd	3.X - 4.X	workgroup: WORKGROUP
445	tcp	open	netbios-ssn	syn-ack	Samba smbd	3.0.20-Debian	workgroup: WORKGROUP
513	tcp	open	login	syn-ack			
514	tcp	open	tcpwrapped	syn-ack			

445	tcp	open	netbios-ssn	syn-ack	Samba smbd	3.0.20-Debian	workgroup: WORKGROUP
513	tcp	open	login	syn-ack			
514	tcp	open	tcpwrapped	syn-ack			
2049	tcp	open	nfs	syn-ack		2-4	RPC #100003
2121	tcp	open	ftp	syn-ack	ProFTPD	1.3.1	
3306	tcp	open	mysql	syn-ack	MySQL	5.0.51a-3ubuntu5	
	mysql-info	Protocol: 10 Version: 5.0.51a-3ubuntu5 Thread ID: 8 Capabilities flags: 43564 Some Capabilities: Speaks41ProtocolNew, SupportsTransactions, LongColumnFlag, SwitchToSSLAfterHandshake, Support41Auth, ConnectWithDatabase, SupportsCompre Status: Autocommit Salt: iHiYa].jO,.A;D'2d$#"					
5432	tcp	open	postgresql	syn-ack	PostgreSQL DB	8.3.0 - 8.3.7	
	ssl-cert	Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing outside US/countryName=XX Not valid before: 2010-03-17T14:07:45 Not valid after: 2010-04-16T14:07:45					
	ssl-date	2026-11-05T15:39:34+00:00; 0s from scanner time.					
5900	tcp	open	vnc	syn-ack	VNC		protocol 3.3
	vnc-info	Protocol version: 3.3 Security types: VNC Authentication (2)					
6000	tcp	open	X11	syn-ack			access denied
8009	tcp	open	ajp13	syn-ack	Apache Jserv		Protocol v1.3
	ajp-methods	Failed to get a valid response for the OPTION request					

Remote Operating System Detection

- Used port: **21/tcp** (**open**)
- Used port: **1/tcp** (**closed**)
- Used port: **33852/udp** (**closed**)
- OS match: **Linux 2.6.9 - 2.6.33** (**100%**)

Host Script Output

Script Name	Output
smb-os-discovery	OS: Unix (Samba 3.0.20-Debian) Computer name: metasploitable NetBIOS computer name: Domain name: localdomain FQDN: metasploitable.localdomain

Remote Operating System Detection

- Used port: **21/tcp** (**open**)
- Used port: **1/tcp** (**closed**)
- Used port: **33852/udp** (**closed**)
- OS match: **Linux 2.6.9 - 2.6.33** (**100%**)

Host Script Output

Script Name	Output
smb-os-discovery	OS: Unix (Samba 3.0.20-Debian) Computer name: metasploitable NetBIOS computer name: Domain name: localdomain FQDN: metasploitable.localdomain System time: 2026-11-05T10:39:25-05:00
clock-skew	mean: 1h14m59s, deviation: 2h30m00s, median: 0s
smb2-time	Protocol negotiation failed (SMB2)
nbstat	NetBIOS name: METASPLOITABLE, NetBIOS user: <unknown>, NetBIOS MAC: <unknown> (unknown)
smb-security-mode	account_used: <blank> authentication_level: user challenge_response: supported message_signing: disabled (dangerous, but default)