

**NOAA
FISHERIES**

Vessel presence in Two Rocks Marine Park assessed using passive acoustic monitoring

*Report prepared by NOAA Northeast Fisheries Science Center for Parks
Australia*

Rochelle Gordon^{1,2}, Jessica A. McCordic¹
and Sofie M. Van Parijs¹

1. Northeast Fisheries Science Center, Protected Species Division, 166
Water Street Woods Hole, Massachusetts 02543

2. Azura Consulting, LLC.

Table of contents

Citation	1
1 Site description and recording effort	2
2 Results	3
2.1 Detector Performance	3
2.2 Overall Patterns of Vessel Presence	4
2.3 Weekday Vessel Presence	5
2.4 Diel Vessel Presence	6
2.5 Propagation modeling and detection range	8
2.6 Total Vessel Presence within Park Boundaries	9
2.7 Weekday Vessel Presence within Park Boundaries	10
2.8 Diel Vessel Presence within Park Boundaries	11
3 Discussion and Recommendations	13
3.1 Patterns of vessel presence	13
3.2 Recommendations for monitoring	13
References	15

List of Figures

2.1	Detection matrix for automated ship detector used in Two Rocks East site. The predicted condition indicates the number of events the detector identified as either “ship” or “ambient”, and the true condition indicates the number of events identified by manually reviewing the detections and the LTSA.	4
2.2	Figure 2: Daily vessel duration (hour) separated by site. Left: Total deployment length, Right: Two-week subset of dates highlighting vessel presence surrounding Christmas and New Year’s Day holidays. TRE = Two Rocks East; TRW = Two Rocks West.	5
2.3	Figure 3: Vessel activity by day of week at each site. TRE = Two Rocks East, TRW = Two Rocks West.	6
2.4	Figure 4: Counts of vessel signatures per hour at each site. Hourly presence counts reflect the start time of each vessel signature. Times are reported in local time (AWST, UTC +8).	7
2.5	Figure 5: Regression line of received levels measured from acoustic recordings versus deployment vessel ranges taken from GPS points taken from Two Rocks East (TRE) sites. Color scale indicates peak frequency value of sound for each sound clip.	8
2.6	Table 4: Summary of vessel presence and vessels at each recording site estimated to occur within the park boundaries surrounding Two Rocks East and Two Rocks West sites.	9
2.7	Figure 6: Daily vessel duration (hour) of vessels estimated within park boundaries($P_{in} > 0.75$) T = transit, M = maneuver.	10
2.8	Figure 7: Vessel activity by day of week and behavioral category of vessels estimated within park boundaries($P_{in} > 0.75$) T = transit, M = maneuver.	11
2.9	Figure 8: Counts of vessel signatures estimated within park boundaries($P_{in} > 0.75$) per hour separated by behavioral category. Hourly presence counts reflect the start time of each vessel signature. Times are reported in local time (AWST, UTC+8). T = transit, M = maneuver.	12

List of Tables

2.1 Vessel variance.	4
------------------------------	---

Citation

1 Site description and recording effort

2 Results

2.1 Detector Performance

The vessel detector found a total of 487 events at TRE and 546 events at TRW. Of the events at TRE, 54 events were correctly identified as vessels, and 162 were correctly identified as ambient noise. An additional 9 ambient events were incorrectly identified as vessels, and 262 true ship events were incorrectly classified as ambient noise (Table 2). After manual review of the LTSA, 344 vessels missed by the detector were added to the analysis for TRE. Including these added vessels as false negatives, this detector has a recall value of 0.08 and a precision value of 0.86 (Table 2).

At TRW, the detector correctly classified 60 events as vessels and 195 events as ambient noise. There were 4 false positive events where the detector incorrectly classified ambient noise as ship events and 287 false negative events where ships were incorrectly classified as ambient noise. Manual review of the LTSA was completed for the first 19 days of the deployment, in which 29 additional vessel passages were observed. The precision of the TRW detector (0.93) was similar to TRE (0.86).

The total number of detected ship events at both sites includes vessel events under 500 Hz, which are not used in further analysis throughout this report.

2 Results

Two Rocks East				
		True Condition		
		Ship	Ambient	Total
Predicted Condition	Ship	54	9	64
	Ambient	606	162	--
	Total	660	n/a	--

Figure 2.1: Detection matrix for automated ship detector used in Two Rocks East site. The predicted condition indicates the number of events the detector identified as either “ship” or “ambient”, and the true condition indicates the number of events identified by manually reviewing the detections and the LTSA.

2.2 Overall Patterns of Vessel Presence

After manually reviewing the detections and the LTSA, TRE had a total vessel count of 660 signatures. For TRW, manual review of detections resulted in a total of 377 vessel signatures. At both sites, vessel activity occurred throughout the deployment, although vessels were not present every day. At TRE, vessels occurred on 56/57 days (98.2% of days, mean of 11.7 vessels/day present), and in TRW vessels occurred on 54/57 days (94.7% of days, mean of 7 vessels/day present).

Both sites showed similarities in duration of individual vessel signatures, with median values within 5 minutes (TRE = 24.2 minutes; TRW = 30.3 minutes); however, TRW showed a much greater range of durations, with the longest continuous vessel signature lasting over 7 hours (Table 3, Fig. 2).

Although vessels were present throughout the deployment, presence generally increased throughout the month of December until a sharp decline on December 25 (Christmas holiday). A similar increasing trend occurred between December 25 and December 31 prior to a drop in presence on January 1 (New Year’s Day).

Table 2.1: Vessel variance.

Site	N Vessels	Duration Range (minutes)	Duration Median (Minutes)
East	660	1.01-260.0	24.2

2 Results

Site	N Vessels	Duration Range (minutes)	Duration Median (Minutes)
West	277	0.62-430.1	30.3
NA	NA	NA	NA
NA	NA	NA	NA




Figure 2.2: **Figure 2:** Daily vessel duration (hour) separated by site. Left: Total deployment length, Right: Two-week subset of dates highlighting vessel presence surrounding Christmas and New Year's Day holidays. TRE = Two Rocks East; TRW = Two Rocks West.

2.3 Weekday Vessel Presence

At both TRE and TRW, there was a pattern of higher vessel activity in the latter half of the week, with the highest number of vessels occurring on Thursdays (TRE: N = 117; TRW: N = 89). Over half of all vessels occurred between Thursdays and Saturdays (TRE: N = 530, 80.3%; TRW: N = 237, 62.9%) (Fig. 3).

2 Results

Both sites showed the lowest overall activity on Mondays (TRE: N = 71, 10.7%; TRW: N = 39, 10.3%) and Sundays (TRE: N = 80, 12.1%; TRW: N = 40, 10.6%).




Figure 2.3: **Figure 3:** Vessel activity by day of week at each site. TRE = Two Rocks East, TRW = Two Rocks West.

2.4 Diel Vessel Presence

Based on sunrise (05:05 – 05:28) and sunset (19:01 – 19:26) times throughout the deployment, most vessels at both sites occurred during daylight hours (05:00 – 18:00; TRE: N = 607, 92.0%, median = 52.5 vessels/hour; TRW: N = 329, 80.6%, median = 28.5

2 Results

vessels/hour). The highest number of vessels in a single hour occurred at 07:00 at TRE (N = 80) and at 08:00 at TRW (N = 43) (Fig. 4).

Outside of these hours, the highest presence was in the 04:00 hour just before sunrise (TRE: N = 26; TRW: N = 15). The remaining hours (20:00 – 03:00) were consistently lower in vessel counts (TRE: median = 2 vessels/hour, range = 0 – 7; TRW: median = 3 vessels/hour, range = 1 – 7).




Figure 2.4: **Figure 4:** Counts of vessel signatures per hour at each site. Hourly presence counts reflect the start time of each vessel signature. Times are reported in local time (AWST, UTC +8).

2.5 Propagation modeling and detection range

The following transmission loss (TL) equation was fit using empirical RL data from the calibration tracks made at TRE (Eq. 1, Fig. 5). The TRW calibration tracks did not result in a plausible model of transmission loss, but due to similarity of habitat between the two sites, the TL model from TRE was used to determine vessels likely to occur within the NPZ boundaries for both sites.

(Eq. 1):

$$TL_{TRE} = 19.94(\log(r)) + 0.0000r$$




Figure 2.5: **Figure 5:** Regression line of received levels measured from acoustic recordings versus deployment vessel ranges taken from GPS points taken from Two Rocks East (TRE) sites. Color scale indicates peak frequency value of sound for each sound clip.

Modeled transmission loss and ambient noise levels were similar between TRE and TRW, with NL_{50} values of 82.7 dB re 1 μPa at TRE and 81.1 dB re 1 μPa at TRW. The maximum detection distance for a representative medium-sized vessel at each site was also similar between the sites: TRE = 13.4 km, TRW = 16.1 km. The weighted

2 Results

mean distance between the recorder and the park boundary was 1851 meters for TRE and 1779 meters for TRW.

2.6 Total Vessel Presence within Park Boundaries

For TRE, 548 of the original 660 vessels were usable for propagation analysis. Of those, 181 (33.0% of usable vessels) were likely to occur within the NPZ boundary assuming they were small vessels (SL: 125 – 150 dB re 1 μ Pa). Of those, 172 vessel signatures contained a maneuver (95.0%) (Table 4). Further, there were 33 vessels (6.0% of usable vessels) estimated to occur within the NPZ assuming they were either small or medium vessels (SL: 125 – 170 dB re 1 μ Pa), with 31 signatures (93.9%) containing a maneuver (Table 4).

At TRW, 327 of the original 377 vessels were usable for propagation analysis. There were 105 vessels (32.1% of usable vessels) with $P_{small\ in} > 0.75$. Of those, a majority of the signatures contained a maneuver (N = 100, 95.2%). If vessels were assumed to belong to either a small or medium size class, then 28 vessels (8.6% of usable vessels) were estimated to occur within the NPZ boundary. Of these, all signatures contained a maneuver.

At both sites, vessels were present inside the park boundary ($P_{in} > 0.75$) throughout the deployment, with the highest daily vessel presence by duration occurring in late December (TRE: December 23, 1.78 hours; TRW: December 29, 2.72 hours) (Fig. 6).

Site	Original N vessels	N Usable Vessels	Behavior	$P_{small\ in} \geq 0.75$	$P_{in} \geq 0.75$
East	660	548	Transit	9	2
			Maneuver	172	31
			Total	181	33
West	377	327	Transit	5	0
			Maneuver	100	28
			Total	105	28

Figure 2.6: **Table 4:** Summary of vessel presence and vessels at each recording site estimated to occur within the park boundaries surrounding Two Rocks East and Two Rocks West sites.

2 Results




Figure 2.7: **Figure 6:** Daily vessel duration (hour) of vessels estimated within park boundaries ($P_{in} > 0.75$) T = transit, M = maneuver.

2.7 Weekday Vessel Presence within Park Boundaries

At TRE, Fridays had the highest vessel presence ($N = 8$), followed by Saturdays, Thursdays, and Tuesdays ($N = 6$ each day) (Fig. 7). The two transiting vessels without a maneuver occurred on Thursday and Friday ($N = 1$ vessel each day). At TRW, there was a more apparent effect of weekday, with 39.3% of all vessels with $P_{in} > 0.75$ occurring on Thursdays ($N = 11$).

2 Results




Figure 2.8: **Figure 7:** Vessel activity by day of week and behavioral category of vessels estimated within park boundaries ($P_{in} > 0.75$) T = transit, M = maneuver.

2.8 Diel Vessel Presence within Park Boundaries

At TRE, all vessels with $P_{in} > 0.75$ occurred between 00:00 - 15:00 AWST (range = 1 - 7 per hour) (Fig. 8). The highest number of vessels during a single hour occurred at 12:00 AWST (N = 7), with all of those vessels containing a maneuver. Transiting vessels without a maneuver were detected at 06:00 and 14:00 (N = 1 each hour).

TRW showed a similar concentration of vessel activity early in the day, with the majority of vessels within the NPZ occurring between 05:00 and 15:00 AWST (N = 32, range = 1 - 6 per hour) (Fig. 8). The single vessel outside of daylight hours occurred at 22:00 AWST. Vessel activity peaked at 10:00 (N = 6), with a secondary peak at 08:00 (N = 4).

2 Results




Figure 2.9: **Figure 8:** Counts of vessel signatures estimated within park boundaries ($P_{in} > 0.75$) per hour separated by behavioral category. Hourly presence counts reflect the start time of each vessel signature. Times are reported in local time (AWST, UTC+8). T = transit, M = maneuver.

3 Discussion and Recommendations

3.1 Patterns of vessel presence

Vessel signatures were present throughout the recordings made at two sites within the Two Rocks Marine Park NPZ. The deployment period captured vessel presence during two major holidays: Christmas Day (25-Dec) and New Year's Day (01-Jan). Vessels, particularly those containing maneuvers, increased in presence leading up to each holiday; however, the holidays themselves showed a marked decrease in presence. Overall, vessels were most prevalent towards the end of the week, and this general pattern may have contributed to lower presence on Christmas Day and New Year's Day which both occurred on Sundays during the deployment period. Total vessel presence was also highest during daylight hours, which is consistent with other monitored parks.

The majority of vessels were estimated to occur outside of the park boundaries ($P_{in} > 0.75$) = TRE: 33/548 usable vessels, 94.0%; TRW: 28/327 usable vessels, 91.4%), which suggests relatively high compliance as in other analyzed NPZs: Ningaloo Marine Park (nwninnpz02)(McCordic et al. 2021), Dampier Marine Park (nwdamnpz01) (McCordic et al. 2022), Cod Grounds Marine Park (tecodnpz01) (Kline et al. 2020; McCordic et al. 2020), Solitary Islands Marine Park (tesolnpz02) (Kline et al. 2020; McCordic et al. 2020). Vessels within the NPZ boundaries showed similar temporal patterns in terms of weekday and diel presence as the patterns seen in all detected vessels. Most vessels occurred late in the week and on weekends, and most vessels were present within the NPZ boundaries between late morning and early afternoon. Between the two sites, the majority of vessels within the NPZ boundaries contained maneuvers, and vessels with maneuvers were driving the observed weekday and diel patterns of vessels within the NPZ.

3.2 Recommendations for monitoring

As seen previously at Two Rocks Marine Park, the total vessel counts over the deployment period are considerably higher than other reported NPZs, which is likely due

3 Discussion and Recommendations

to the proximity of the park to Perth as well as its proximity to shore. Despite a low recall value of the detector at both sites, due to the overall high vessel numbers in Two Rocks Marine Park and a relatively high precision of the detector, the ship detector alone is likely sufficient to determine general patterns of vessel presence without additional manual review.

Vessels were estimated to occur within the NPZ boundaries throughout the entire deployment period, and the majority of those vessels contained at least one maneuver. Although a maneuver is not diagnostic of a vessel's specific activity, it can be used as a proxy for fishing activity and warrants further investigation (e.g., Kline et al. 2020). Similar to total vessel presence, activity of vessels estimated within the NPZ boundaries showed a peak prior to the Christmas and New Year's Day holidays.

Due to the high prevalence of vessel signatures late in the week—Thursday through Saturday—we recommend increased patrol efforts on these days. During holiday periods, additional surveys on days leading up to holidays may also result in increased interactions with vessels in the NPZ rather than surveying on the holidays themselves. This pattern may change in other years, however, depending on the weekday on which holidays occur (e.g., if the holidays fall on a later weekday rather than a Sunday). Since the majority of vessels occur early in the day, visual patrols (aerial or ship-based) focusing on these times would provide a valuable complement to the results presented here.

References