

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://isagapito.github.io/LIMA/top10/

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

address

▼

https://isagapito.github.io/LIMA/top10/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 6

```
<html><head>
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 6

```
<html><head>
```

3. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 14, column 1; to line 14, column 7

```
:</p><title>Top de
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

4. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 16, column 2; to line 16, column 38

```
les</h1><p>A
```

5. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 16, column 2; to line 16, column 38

```
les</h1><p>A
```

6. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 19, column 1; to line 19, column 7

```
Maud</p><title>Top 9
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

7. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 21, column 2; to line 21, column 36

```
Siz</h1><tit
```

8. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 21, column 2; to line 21, column 36

```
Siz</h1><tit
```

9. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 23, column 1; to line 23, column 7

```
h="10%"><title>Top 8
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

10. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 25, column 2; to line 25, column 36

```
ite</h1><p>A
```

11. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 25, column 2; to line 25, column 36

```
ite</h1><p>A
```

12. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 28, column 1; to line 28, column 7

```
Haig</p><title>Top 7
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

13. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 30, column 2; to line 30, column 36

```
aba</h1><p>A
```

14. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 30, column 2; to line 30, column 36

```
aba</h1><p>A
```

15. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 33, column 1; to line 33, column 7

```
over</p><title>Top 6
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

16. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 35, column 2; to line 35, column 36

```
sce</h1><p>A
```

17. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 35, column 2; to line 35, column 36

```
sce</h1><p>A
```

18. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 38, column 1; to line 38, column 7

```
Reid</p><title>Top 5
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

19. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 40, column 2; to line 40, column 36

```
mes</h1><p>A
```

20. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 40, column 2; to line 40, column 36

```
mes</h1><p>A
```

21. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 43, column 1; to line 43, column 7

```
nter</p><title>Top 4
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

22. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 45, column 2; to line 45, column 36

```
ois</h1><p>A
```

23. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 45, column 2; to line 45, column 36

```
ois</h1><p>A
```

24. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 48, column 1; to line 48, column 7

```
early</p><title>Top 3
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

25. **Error** No space between attributes.

At line 50, column 24

```
c="imagem3.jpg"width="10%"><
```

26. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 50, column 2; to line 50, column 35

```
vio</h1><p>A
```

27. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 50, column 2; to line 50, column 35

```
vio</h1><p>A
```

28. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 53, column 1; to line 53, column 7

```
aeta</p><title>Top 2
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

29. **Error** No space between attributes.

At line 55, column 24

```
c="imagem2.jpg"width="10%">↵ <
```

30. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 55, column 2; to line 55, column 35

```
mor</h1>↵ ↵ <p>A
```

31. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 55, column 2; to line 55, column 35

```
mor</h1>↵ ↵ <p>A
```

32. **Error** Element `title` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 58, column 1; to line 58, column 7

```
arol</p>↵↵<title>Top 1
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `body`:

[Flow content](#).

33. **Error** No space between attributes.

At line 60, column 24

```
c="imagem1.jpg"width="10%">↵ <
```

34. **Error** Bad value `10%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 60, column 2; to line 60, column 35

```
ugo</h1>↵ ↵ <p>A
```

35. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 60, column 2; to line 60, column 35

```
ugo</h1>↵ ↵ <p>A
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 30 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2