

IR A INDICE

NPR OF AMERICA, INC.



1973 ~ 2018

CATÁLOGO DE APLICACIONES: **VERSIONES USA**


ACURA	HONDA	MITSUBISHI
AUDI	HUMMER	NISSAN
BUICK	HYUNDAI	OLDSMOBILE
CADILLAC	INFINITI	PLYMOUTH
CHRYSLER	ISUZU	PONTIAC
CHEVROLET	JAGUAR	SAAB
DAEWOO	JEEP	SATURN
DAIHATSU	KIA	SCION
DODGE	LAND ROVER	SUBARU
EAGLE	LEXUS	SUZUKI
FORD	LINCOLN	TOYOTA
GENERAL MOTORS	MAZDA	UD TRUCKS
GEO	MERCURY	VOLKSWAGEN
HINO	MERKUR	

CATÁLOGO DE APLICACIONES: **VEHÍCULOS COMERCIALES**

CHRYSLER	ISUZU	NISSAN
FORD	MAZDA	TOYOTA
GMC	MITSUBISHI	UD TRUCKS
HINO		



CATÁLOGO DE APLICACIONES: **VERSIONES DOMÉSTICAS**

DAEWOO GASOLINE	NISSAN GASOLINE
HYUNDAI GASOLINE	TOYOTA GASOLINE
MITSUBISHI GASOLINE	TOYOTA DIESEL
MITSUBISHI DIESEL	




ACURA

ACURA






ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
1.5L (91CID,1496CC),SOHC,4CYL, 73.000MM (2.874"), LEA / 2013-2015																
ILX HYBRID / 13-15	SWH30465-0	73.00	Top:	1.000	X	2.300	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWH30465-1	73.25		0.039		0.091										
	SWH30465-2	73.50	2nd:	1.000	X	2.300	TUC	STEEL	PHOSPHATE							
	SWH30465-3	73.75		0.039		0.091										
	SWH30465-4	74.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED							
			0.079	0.087												
	REFERENCE #		TOP	2ND		OIL										
13011-RB1-004																
13011-RB1-006																
13011-RW0-004																
1.6L (97CID,1590CC),DOHC,4CYL, 75.000MM (2.953"), D16A1 / 1986-1987																
INTEGRA / 86-87	SWH30365-0	75.00	Top:	1.200	X	2.700	BF	STEEL	CHROME	DISC-11-501-0	75.00					
	SWH30365-1	75.25		0.047		0.106				DISC-11-501-1	75.25					
	SWH30365-2	75.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-501-2	75.50					
	SWH30365-3	75.75		0.059		0.126				DISC-11-501-3	75.75					
	SWH30365-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	DISC-11-501-4	76.00					
			0.110	0.110												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
13011-P04-G02							13101-PG6-000									
13011-PJ1-752																
1.6L (97CID,1590CC),DOHC,4CYL, 75.000MM (2.953"), D16A1 / 1988-1989																
INTEGRA / 88-89	SWH30362-0	75.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-502-0	75.00	TL:	63.00	PL:	56.00	CHK.
	SWH30362-1	75.25		0.047		0.106				11-502-1	75.25	CH:	30.00	PD:	19.00	DIA
	SWH30362-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-502-2	75.50	DIST1:	3.00	Head:	NONE	15.00
	SWH30362-3	75.75		0.059		0.126				11-502-3	75.75	DIST2:		Skirt:	NONE	
	SWH30362-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-502-4	76.00	DIST3:				
			0.110	0.100												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #		 						
13011-P10-A03							13101-P29-000									
13011-P28-A02																
13011-PM6-G02																
1.7L (102CID,1678CC),DOHC,4CYL, 81.000MM (3.189"), B17A1 / 1992-1993																
INTEGRA / 92-93	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWH30373-1	81.25		0.039		0.122										
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE							
	SWH30373-3	81.75		0.047		0.130										
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME							
			0.110	0.106												
	REFERENCE #		TOP	2ND		OIL										
13011-PR3-004																






ACURA

ACURA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.8L (110CID,1797CC),DOHC,4CYL, 81.000MM (3.189"), B18C1 / 1994-2001																	
INTEGRA / 94-01	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	11-754-0	81.00	TL:	60.00	PL:	56.50	CHK.	
	SWH30373-1	81.25		0.039		0.122				11-754-1	81.25	CH:	30.20	PD:	21.00	DIA	
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE	11-754-2	81.50	DIST1:	-2.40	Head:	NONE	12.00	
	SWH30373-3	81.75		0.047		0.130				11-754-3	81.75	DIST2:	-4.80	Skirt:	NONE		
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-754-4	82.00	DIST3:					
REFERENCE # 13011-PR3-004		TOP		2ND		OIL					REFERENCE # 13010-P72-A00		 				
1.8L (110CID,1797CC),DOHC,4CYL, 81.000MM (3.189"), B18C5 / 1994-2001																	
INTEGRA / 94-01	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	11-743-0	81.00	TL:	62.20	PL:	56.00	CHK.	
	SWH30373-1	81.25		0.039		0.122				11-743-1	81.25	CH:	30.40	PD:	21.00	DIA	
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE	11-743-2	81.50	DIST1:	1.80	Head:	NONE	15.00	
	SWH30373-3	81.75		0.047		0.130				11-743-3	81.75	DIST2:		Skirt:	MS		
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-743-4	82.00	DIST3:					
REFERENCE # 13011-PR3-004		TOP		2ND		OIL					REFERENCE # 13010-P73-A00		 				
1.8L (112CID,1835CC),DOHC,4CYL, 81.000MM (3.189"), B18A1 / 1990-1991																	
INTEGRA / 90-91	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWH30373-1	81.25		0.039		0.122											
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE								
	SWH30373-3	81.75		0.047		0.130											
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME								
REFERENCE # 13011-PR3-004		TOP		2ND		OIL											
1.8L (112CID,1835CC),DOHC,4CYL, 81.000MM (3.189"), B18A1 / 1992-1993																	
INTEGRA / 92-93	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	11-753-0	81.00	TL:	60.00	PL:	56.00	CHK.	
	SWH30373-1	81.25		0.039		0.122				11-753-1	81.25	CH:	30.00	PD:	21.00	DIA	
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE	11-753-2	81.50	DIST1:	-1.60	Head:	NONE	6.00	
	SWH30373-3	81.75		0.047		0.130				11-753-3	81.75	DIST2:	-4.60	Skirt:	NONE		
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-753-4	82.00	DIST3:					
REFERENCE # 13011-PR3-004		TOP		2ND		OIL					REFERENCE # 13101-PR4-000		 				






ACURA

ACURA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.8L (112CID,1835CC),DOHC,4CYL, 81.000MM (3.189"), B18B1 / 1994-1999																	
INTEGRA / 94-99	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	11-733-0	81.00	TL:	60.00	PL:	56.00	CHK.	
	SWH30373-1	81.25		0.039		0.122				11-733-1	81.25	CH:	30.00	PD:	21.00	DIA	
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE	11-733-2	81.50	DIST1:	-1.30	Head:	NONE	14.00	
	SWH30373-3	81.75		0.047		0.130				11-733-3	81.75	DIST2:		Skirt:	NONE		
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-733-4	82.00	DIST3:					
			0.110	0.106													
	REFERENCE # 13011-PR3-004		TOP		2ND		OIL				REFERENCE # 13010-P54-000		 				
																	
	2.0L (122CID,1997CC),SOHC,4CYL, 81.000MM (3.189"), R20A3 / 2013-2015																
	ILX / 13-15	SWH30484-0	81.00	Top:	1.200	X	2.500	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SWH30484-1		81.25	0.047		0.098												
SWH30484-2		81.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE								
SWH30484-3		81.75		0.047		0.134											
SWH30484-4		82.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED								
			0.079	0.098													
REFERENCE # 13011-R9A-A01 13011-RNA-A01 13011-RNB-A02		TOP		2ND		OIL											
																	
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), K20A2,K20Z1 / 2002-2006																	
RSX / 02-06		SWH30454-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-866-0	86.00	TL:	54.00	PL:	52.20	CHK.
	SWH30454-1	86.25	0.047		0.114		11-866-1				86.25	CH:	29.50	PD:	21.97	DIA	
	SWH30454-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-866-2	86.50	DIST1:	2.50	Head:	NONE	5.00	
	SWH30454-3	86.75		0.047		0.134				11-866-3	86.75	DIST2:	-2.40	Skirt:	MS		
	SWH30454-4	87.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED	11-866-4	87.00	DIST3:					
			0.079	0.098													
	REFERENCE # 13011-PNE-G02 13011-PRA-E02		TOP		2ND		OIL				REFERENCE # 13010-PNC-000 13010-PNC-010		  				
																	
	2.3L (138CID,2260CC),SOHC,4CYL, 86.000MM (3.386"), F23A1 / 1998-1999																
	CL / 98-99	SWH30443-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-781-0	86.00	TL:	51.50	PL:	54.00	CHK.
SWH30443-1		86.25	0.047		0.114		11-781-1				86.25	CH:	30.02	PD:	21.97	DIA	
SWH30443-2		86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-781-2	86.50	DIST1:	-2.40	Head:	NONE	16.00	
SWH30443-3		86.75		0.047		0.134				11-781-3	86.75	DIST2:	-4.80	Skirt:	NONE		
SWH30443-4		87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-781-4	87.00	DIST3:	-3.20				
			0.110	0.112													
REFERENCE # 13011-P8A-A01 13011-PEA-004 5-86205-887-0		TOP		2ND		OIL				REFERENCE # 13010-PAA-A00		  					
																	






ACURA

ACURA




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24A2 / 2004-2008											
TSX / 04-08	SWH30435-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWH30435-1	87.25		0.047		0.122					
	SWH30435-2	87.50	2nd:	1.200	X	3.400	TUC	DUCTILE IRON	CHROME		
	SWH30435-3	87.75		0.047		0.134					
	SWH30435-4	88.00	Oil:	2.500	X	2.450	NIFF-H	STEEL	NITRIDED		
REFERENCE # 13011-RBB-006		TOP		2ND		OIL					
2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24Z3 / 2009-2011											
TSX / 09-11	SWH30467-0	87.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWH30467-1	87.25		0.047		0.106					
	SWH30467-2	87.50	2nd:	1.200	X	3.400	TUC	DUCTILE IRON	CHROME		
	SWH30467-3	87.75		0.047		0.134					
	SWH30467-4	88.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	NITRIDED		
REFERENCE # 13011-RL5-A02		TOP		2ND		OIL					
2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24Z3,K24Z7 / 2012-2015											
ILX / 13-15 TSX / 12-14 TSX SPORT WAGON / 12-14	SWH30488-0	87.00	Top:	1.200	X	2.650	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWH30488-1	87.25		0.047		0.104					
	SWH30488-2	87.50	2nd:	1.200	X	3.400	TUC	DUCTILE IRON	CHROME		
	SWH30488-3	87.75		0.047		0.134					
	SWH30488-4	88.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	CHROME		
REFERENCE # 13011-R40-A12 13011-R44-A01		TOP		2ND		OIL					
2.5L (150CID,2456CC),SOHC,5CYL, 85.000MM (3.346"), G25A1 / 1992-1994											
VIGOR / 92-94	SWH30367-0	85.00	Top:	1.200	X	3.150	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWH30367-1	85.25		0.047		0.124					
	SWH30367-2	85.50	2nd:	1.200	X	3.500	T1	CAST IRON	PHOSPHATE		
	SWH30367-3	85.75		0.047		0.138					
	SWH30367-4	86.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME		
REFERENCE # 13011-PV1-003		TOP		2ND		OIL					






ACURA

ACURA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.5L (152CID,2494CC),SOHC,6CYL, 84.000MM (3.307"), C25A1 / 1986-1987																
LEGEND / 86-87	SWH30369-0	84.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	DISC-11-506-0	84.00					
	SWH30369-1	84.25		0.047		0.120				DISC-11-506-1	84.25					
	SWH30369-2	84.50	2nd:	1.200	X	3.600	T1-IB	CAST IRON	PHOSPHATE	DISC-11-506-2	84.50					
	SWH30369-3	84.75		0.047		0.142				DISC-11-506-3	84.75					
	SWH30369-4	85.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-506-4	85.00					
				0.157		0.128										
REFERENCE # 13011-PH7-004		TOP			2ND			OIL			REFERENCE # 13101-PH7-000					
																
2.7L (163CID,2675CC),SOHC,6CYL, 87.000MM (3.425"), C27A1 / 1987-1990																
LEGEND / 87-90	SWH30370-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	DISC-11-783-0	87.00					
	SWH30370-1	87.25		0.047		0.122				DISC-11-783-1	87.25					
	SWH30370-2	87.50	2nd:	1.200	X	3.500	T1-IB	CAST IRON	PHOSPHATE	DISC-11-783-2	87.50					
	SWH30370-3	87.75		0.047		0.138				DISC-11-783-3	87.75					
	SWH30370-4	88.00	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	DISC-11-783-4	88.00					
				0.157		0.124										
REFERENCE # 13011-P0G-A01 13011-P0G-A02		TOP			2ND			OIL			REFERENCE # 13010-P0G-A00 13101-PL2-000					
																
3.0L (183CID,2997CC),SOHC,6CYL, 86.000MM (3.386"), J30A1 / 1997-1999																
CL / 97-99	SWH30432-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-791-0	86.00	TL: CH: DIST1: DIST2: DIST3:	51.50 30.00 -0.80	PL: PD: Head: Skirt:	54.00 22.00 NONE NONE	CHK. DIA 15.00
	SWH30432-1	86.25		0.047		0.114				11-791-1	86.25					
	SWH30432-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-791-2	86.50					
	SWH30432-3	86.75		0.047		0.134				11-791-3	86.75					
	SWH30432-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-791-4	87.00					
				0.110		0.112										
REFERENCE # 13011-P8A-A01 13011-RCA-A01		TOP			2ND			OIL			REFERENCE # 13010-P8A-000 13010-P8A-A00		  			
																
3.2L (193CID,3165CC),SOHC,6CYL, 93.400MM (3.677"), 6VD1 / 1996-1997																
SLX / 96-97	SWI10185-0	93.40	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-686-0	93.40	TL: CH: DIST1: DIST2: DIST3:	65.20 31.70	PL: PD: Head: Skirt:	66.00 22.00 NONE NONE	CHK. DIA 10.00
	SWI10185-1	93.65		0.059		0.136				11-686-1	93.65					
	SWI10185-2	93.90	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	11-686-2	93.90					
	SWI10185-3	94.15		0.059		0.157				11-686-3	94.15					
	SWI10185-4	94.40	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	11-686-4	94.40					
				0.157		0.124										
REFERENCE # 8-97162-198-0		TOP			2ND			OIL			REFERENCE # 8-94374-965-1		 			
																






ACURA

ACURA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.2L (196CID,3206CC),SOHC,6CYL, 90.000MM (3.543"), C32A1,C32A6 / 1991-1998																
LEGEND / 91-95 TL / 96-98	SWH30371-0	90.00	Top:	1.200	X	3.300	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWH30371-1	90.25		0.047		0.130										
	SWH30371-2	90.50	2nd:	1.200	X	3.700	T1	CAST IRON	PHOSPHATE							
	SWH30371-3	90.75		0.047		0.146										
	SWH30371-4	91.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	NITRIDED							
		0.110	0.112													
	REFERENCE # 13011-P5G-004 13011-PY3-003	TOP	2ND	OIL												
3.2L (196CID,3210CC),SOHC,6CYL, 89.000MM (3.504"), J32A1,J32A2, 3 / 1999-2008																
CL-S / 01-03 TL / 99-08 TL-S / 02-03	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME		Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.					
	SWH30438-1	89.25		0.047		0.120										
	SWH30438-2	89.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE							
	SWH30438-3	89.75		0.047		0.134										
	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME							
		0.110	0.112													
	REFERENCE # 13011-5G0-A01 13011-P8F-A01 13011-PGE-A01 13011-R70-A02 13011-RJA-004 13021-R70-A01	TOP	2ND	OIL												
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35A1,J35A3 / 2001-2008																
MDX / 01-06 TL / 08-08	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-836-0		89.00	TL:	51.50	PL:	54.00
	SWH30438-1	89.25		0.047		0.120				11-836-1	89.25	CH:	30.00	PD:	21.97	DIA
	SWH30438-2	89.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-836-2	89.50	DIST1:	-1.20	Head:	NONE	7.00
	SWH30438-3	89.75		0.047		0.134				11-836-3	89.75	DIST2:		Skirt:	MS	
	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-836-4	90.00	DIST3:				
		0.110	0.112													
	REFERENCE # 13011-5G0-A01 13011-P8F-A01 13011-PGE-A01 13011-R70-A02 13011-RJA-004 13021-R70-A01	TOP	2ND	OIL							REFERENCE # 13010-PGK-A01 13010-RDA-A00 13010-RGL-A00 13010-RGM-A00 13010-RGL-100					






ACURA

ACURA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35A6,J35A8,J35Y4,J35Z2,J35Z6 / 2005-2017																	
RDX / 13-17	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
RL / 05-08	SWH30438-1	89.25		0.047		0.120											
RLX / 14-16	SWH30438-2	89.50		2nd:	1.200	X	3.400	T1	CAST IRON				PHOSPHATE				
TL / 09-14	SWH30438-3	89.75			0.047		0.134										
TL-S / 07-08	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME								
TSX / 11-13				0.110		0.112											
TSX SPORT WAGON / 12-14	REFERENCE # 13011-5G0-A01 13011-P8F-A01 13011-PGE-A01 13011-R70-A02 13011-RJA-004 13021-R70-A01		TOP		2ND		OIL										
3.5L (213CID,3494CC),SOHC,6CYL, 93.400MM (3.677"), 6VE1 / 1998-1999																	
SLX / 98-99	SWI10191-0	93.40	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-793-0	93.40	TL:	52.70	PL:	66.00	CHK.	
	SWI10191-1	93.65		0.059		0.128				11-793-1	93.65	CH:	29.70	PD:	22.00	DIA	
	SWI10191-2	93.90		2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE	11-793-2	93.90	DIST1:	-3.00	Head:	NONE	15.00
	SWI10191-3	94.15			0.059		0.157				11-793-3	94.15	DIST2:		Skirt:	NONE	
	SWI10191-4	94.40	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-793-4	94.40	DIST3:					
				0.118		0.112											
	REFERENCE # 8-97136-135-0		TOP		2ND		OIL				REFERENCE # 8-97136-315-3 8-97163-315-3						
3.7L (224CID,3664CC),SOHC,6CYL, 90.000MM (3.543"), J37A1 / 2007-2009																	
MDX / 07-09	SWH30468-0	90.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWH30468-1	90.25		0.047		0.122											
	SWH30468-2	90.50		2nd:	1.200	X	3.400	ES-TUC	DUCTILE IRON				CHROME				
	SWH30468-3	90.75			0.047		0.134										
	SWH30468-4	91.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED								
				0.110		0.110											
	REFERENCE # 13011-RYE-A01		TOP		2ND		OIL										
3.7L (224CID,3664CC),SOHC,6CYL, 90.000MM (3.543"), J37A1,J37A2,J37A4,J37A5 / 2009-2014																	
MDX / 10-13	SDH30469-0	90.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
RL / 09-12	SDH30469-1	90.25		0.047		0.122											
TL / 09-14	SDH30469-2	90.50		2nd:	1.200	X	3.400	TUC	DUCTILE IRON				CHROME				
ZDX / 10-13	SDH30469-3	90.75			0.047		0.134										
	SDH30469-4	91.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED								
				0.079		0.108											
	REFERENCE # 13011-RKG-A01 13011-RKG-E02		TOP		2ND		OIL										






AUDI

AUDI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (109CID,1781CC),DOHC,4CYL, 81.000MM (3.189"), AEB / 2000-2006																
A4 AVANT / 00-06	SWL03456-0	81.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-872-0	81.00	TL:	53.70	PL:	50.00	CHK.
	SWL03456-1	81.25		0.059	0.120				11-872-1	81.25	CH:	32.70	PD:	19.00	DIA	
	SWL03456-2	81.50	2nd:	1.750	X	3.450	TUC	CAST IRON	PHOSPHATE	11-872-2	81.50	DIST1:	-1.90	Head:	AH	8.00
	SWL03456-3	81.75		0.069	0.136				11-872-3	81.75	DIST2:		Skirt:	MS		
	SWL03456-4	82.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED	11-872-4	82.00	DIST3:				
REFERENCE # 058 198 151 B 06B 198 151 B		TOP	2ND		OIL		REFERENCE # 058 107 065 F 06B 107 065 N									
1.8L (109CID,1781CC),DOHC,4CYL, 81.000MM (3.189"), ATC, AMU / 2000-2006																
TT / 00-06	SWL03456-0	81.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWL03456-1	81.25		0.059	0.120											
	SWL03456-2	81.50	2nd:	1.750	X	3.450	TUC	CAST IRON	PHOSPHATE							
	SWL03456-3	81.75		0.069	0.136											
	SWL03456-4	82.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED							
REFERENCE # 058 198 151 B 06B 198 151 B		TOP	2ND		OIL											
1.8L (109CID,1786CC),SOHC,4CYL, 81.000MM (3.189"), MG / 1985-1987																
4000 / 85-87	SWL02405-0	81.00	Top:	1.500	X	3.350	BF-IB	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWL02405-1	81.25		0.059	0.132											
	SWL02405-2	81.50	2nd:	1.750	X	3.350	TUC	CAST IRON	PHOSPHATE							
	SWL02405-3	81.75		0.069	0.132											
	SWL02405-4	82.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME							
REFERENCE # 026 198 151 A		TOP	2ND		OIL											
2.0L (121CID,1984CC),DOHC,4CYL, 82.500MM (3.248"), ABK, AAD,ADY, ABA / 2005-2012 TURBO																
A3 / 06-12 A4 / 05-12 A4 AVANT / 06-12 A5 / 10-12 Q5 / 11-12 TT / 08-12	SWL03461-0	82.50	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWL03461-1	82.75		0.047	0.122											
	SWL03461-2	83.00	2nd:	1.500	X	3.450	TUC	CAST IRON	PHOSPHATE							
	SWL03461-3	83.25		0.059	0.136											
	SWL03461-4	83.50	Oil:	2.000	X	2.800	NIFF-S	STEEL	NITRIDED							
REFERENCE # 053 198 151 C 06A 198 151 C 06D 198 151 B 06D 198 151 G 06F 198 151 A		TOP	2ND		OIL											






AUDI

AUDI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
2.7L (163CID,2671CC),DOHC,6CYL, 81.000MM (3.189"), APB / 2000-2002										
S4 / 00-02	SWL03340-0 6	81.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWL03340-1 6	81.25		0.047	0.114					
	SWL03340-2 6	81.50	2nd:	1.500	X	3.350	TUH	DUCTILE IRON	CHROME	
	SWL03340-3 6	81.75		0.059	0.132					
	SWL03340-4 6	82.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED	
REFERENCE # 058 198 151 B		TOP	2ND	OIL						
2.8L (169CID,2771CC),DOHC,6CYL, 82.500MM (3.248"), AHA / 1998-2001										
A4 / 98-01 A4 AVANT / 98-98 A6 / 98-01	SWL03296-0 6	82.50	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWL03296-1 6	82.75		0.047	0.122					
	SWL03296-2 6	83.00	2nd:	1.500	X	3.450	TUC	CAST IRON	CHROME	
	SWL03296-3 6	83.25		0.059	0.136					
	SWL03296-4 6	83.50	Oil:	2.000	X	2.800	NIFF-S	STEEL	NITRIDED	
REFERENCE # 06A 198 151 C 06C 198 151 B		TOP	2ND	OIL						
2.8L (169CID,2771CC),SOHC,6CYL, 82.500MM (3.248"), AAH,AFC / 1992-1998										
100 / 92-94 A4 / 96-97 A6 / 95-97 CABRIOLET / 96-98	SWL03296-0 6	82.50	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWL03296-1 6	82.75		0.047	0.122					
	SWL03296-2 6	83.00	2nd:	1.500	X	3.450	TUC	CAST IRON	CHROME	
	SWL03296-3 6	83.25		0.059	0.136					
	SWL03296-4 6	83.50	Oil:	2.000	X	2.800	NIFF-S	STEEL	NITRIDED	
REFERENCE # 06A 198 151 C 06C 198 151 B		TOP	2ND	OIL						
3.0L (182CID,2976CC),DOHC,6CYL, 82.500MM (3.248"), AVK, BGN / 2002-2005										
A4 / 02-05 A4 AVANT / 02-05 A6 / 02-04 A6 AVANT / 02-04	SWL03296-0 6	82.50	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWL03296-1 6	82.75		0.047	0.122					
	SWL03296-2 6	83.00	2nd:	1.500	X	3.450	TUC	CAST IRON	CHROME	
	SWL03296-3 6	83.25		0.059	0.136					
	SWL03296-4 6	83.50	Oil:	2.000	X	2.800	NIFF-S	STEEL	NITRIDED	
REFERENCE # 06A 198 151 C 06C 198 151 B		TOP	2ND	OIL						






CHRYSLER

CHRYSLER



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.4L (86CID,1410CC),SOHC,4CYL, 74.000MM (2.913"), G12B / 1979-1984																	
CHAMP / 79-82	SWM31027-0	74.00	Top:	1.500	X	3.300	BF	CAST IRON	CHROME	11-020-0	74.00	TL:	58.00	PL:	60.00	CHK.	
COLT / 79-84	SWM31027-1	74.25		0.059	0.130				11-020-1	74.25	CH:	29.00	PD:	18.00	DIA		
	SWM31027-2	74.50	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-020-2	74.50	DIST1:	-1.50	Head:	NONE	10.00	
	SWM31027-3	74.75		0.059	0.130				11-020-3	74.75	DIST2:		Skirt:	NONE			
	SWM31027-4	75.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-020-4	75.00	DIST3:					
				0.157		0.128											
REFERENCE # MD031700		TOP 2ND OIL 							REFERENCE # MD030322								
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15 / 1991-1995																	
COLT / 91-94	SWM31076-0	75.50	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-531-0	75.50	TL:	58.00	PL:	56.00	CHK.	
SUMMIT / 91-95	SWM31076-1	75.75		0.047	0.106				11-531-1	75.75	CH:	29.00	PD:	18.00	DIA		
	SWM31076-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-531-2	76.00	DIST1:	-0.50	Head:	NONE	19.00	
	SWM31076-3	76.25		0.059	0.130				11-531-3	76.25	DIST2:		Skirt:	NONE			
	SWM31076-4	76.50	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	11-531-4	76.50	DIST3:					
				0.118		0.110											
REFERENCE # MD158549 MD180804		TOP 2ND OIL 							REFERENCE # MD144901 MD320435								
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15 / 1995-1996																	
SUMMIT / 95-96	SWM31076-0	75.50	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWM31076-1	75.75		0.047	0.106												
	SWM31076-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE								
	SWM31076-3	76.25		0.059	0.130												
	SWM31076-4	76.50	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED								
				0.118		0.110											
REFERENCE # MD158549 MD180804		TOP 2ND OIL 															
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15,G15B / 1987-1990																	
COLT / 87-90	SWM31063-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-530-0	75.50	TL:	58.60	PL:	60.00	CHK.	
SUMMIT / 89-90	SWM31063-1	75.75		0.059	0.112				11-530-1	75.75	CH:	29.40	PD:	18.00	DIA		
	SWM31063-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-530-2	76.00	DIST1:	-3.60	Head:	NONE	10.00	
	SWM31063-3	76.25		0.059	0.130				11-530-3	76.25	DIST2:		Skirt:	NONE			
	SWM31063-4	76.50	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-530-4	76.50	DIST3:					
				0.157		0.128											
REFERENCE # 23040-21210 23040-24200 MD074725 MD156165 MD156169		TOP 2ND OIL 							REFERENCE # 23410-24110 MD099770								






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), G15B / 1985-1986																		
COLT / 85-86	SWM31063-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-529-0	75.50	TL:	58.00	PL:	60.00	CHK.		
	SWM31063-1	75.75		0.059		0.112				11-529-1	75.75	CH:	29.00	PD:	18.00	DIA		
	SWM31063-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-529-2	76.00	DIST1:	-0.70	Head:	NONE	7.00		
	SWM31063-3	76.25		0.059		0.130				11-529-3	76.25	DIST2:		Skirt:	NONE			
	SWM31063-4	76.50	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-529-4	76.50	DIST3:						
				0.157		0.128												
	REFERENCE #		TOP			2ND			OIL			REFERENCE #		 				
	23040-21210											23410-21114						
	23040-24200												MD074715					
	MD074725																	
	MD156165																	
	MD156169																	
1.6L (97CID,1597CC),DOHC,4CYL, 82.300MM (3.240"), 4G61 / 1989-1990																		
COLT / 89-90	SWM31049-0	82.30	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	DISC-11-546-0	82.30							
	SWM31049-1	82.55		0.047		0.122				DISC-11-546-1	82.55							
	SWM31049-2	82.80	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-546-2	82.80							
	SWM31049-3	83.05		0.059		0.150				DISC-11-546-3	83.05							
	SWM31049-4	83.30	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	DISC-11-546-4	83.30							
				0.118		0.112												
	REFERENCE #		TOP			2ND			OIL			REFERENCE #						
	23040-33030											MD129932						
	MD133495																	
	1.6L (97CID,1597CC),SOHC,4CYL, 76.900MM (3.028"), G32B / 1976-1984																	
ARROW / 76-77 CHALLENGER / 78-79 CHAMP / 79-82 COLT / 79-84	SWM31005-0	76.90	Top:	2.000	X	3.500	BF	CAST IRON	CHROME	DISC-11-023-0	76.90							
	SWM31005-1	77.15		0.079		0.138				DISC-11-023-1	77.15							
	SWM31005-2	77.40	2nd:	2.000	X	3.500	T1	CAST IRON	PHOSPHATE	DISC-11-023-2	77.40							
	SWM31005-3	77.65		0.079		0.138				DISC-11-023-3	77.65							
	SWM31005-4	77.90	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-023-4	77.90							
				0.157		0.150												
	REFERENCE #		TOP			2ND			OIL			REFERENCE #						
	MD110632											MD009521						
	1.6L (97CID,1597CC),SOHC,4CYL, 76.900MM (3.028"), G32B / 1984-1986 TURBO																	
COLT / 84-86	SWM31043-0	76.90	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-024-0	76.90							
	SWM31043-1	77.15		0.059		0.122				DISC-11-024-1	77.15							
	SWM31043-2	77.40	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	DISC-11-024-2	77.40							
	SWM31043-3	77.65		0.059		0.138				DISC-11-024-3	77.65							
	SWM31043-4	77.90	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-024-4	77.90							
				0.157		0.150												
	REFERENCE #		TOP			2ND			OIL			REFERENCE #						
	MD012765											MD074471						






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1597CC),SOHC,4CYL, 76.900MM (3.028"), G32B / 1987-1990 TURBO																
COLT / 87-90	SWM31043-0	76.90	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-532-0	76.90					
	SWM31043-1	77.15		0.059	0.122	DISC-11-532-1				77.15						
	SWM31043-2	77.40	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	DISC-11-532-2	77.40					
	SWM31043-3	77.65		0.059	0.138	DISC-11-532-3				77.65						
	SWM31043-4	77.90	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-532-4	77.90					
REFERENCE # MD012765		TOP	2ND		OIL			REFERENCE # MD100254								
1.7L (105CID,1715CC),SOHC,4CYL, 79.500MM (3.130"), VW / 1978-1983																
HORIZON / 78-83	SWL01402-0	79.50	Top:	1.750	X	3.300	BF-IB	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
OMNI / 78-83	SWL01402-1	79.75		0.069	0.130											
TC3 / 82-82	SWL01402-2	80.00	2nd:	2.000	X	3.300	TUC	CAST IRON	PHOSPHATE							
TURISMO / 83-83	SWL01402-3	80.25		0.079	0.130											
	SWL01402-4	80.50	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME							
REFERENCE # 4186268		TOP	2ND		OIL											
1.8L (107CID,1755CC),SOHC,4CYL, 80.600MM (3.173"), 4G37 / 1989-1994																
COLT / 89-90	SWM31041-0	80.60	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-545-0	80.60	TL:	72.00	PL:	64.00	CHK.
LASER / 90-94	SWM31041-1	80.85		0.059	0.136	11-545-1				80.85	CH:	34.00	PD:	19.00	DIA	
TALON / 93-94	SWM31041-2	81.10	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	11-545-2	81.10	DIST1:	4.00	Head:	NONE	15.00
	SWM31041-3	81.35		0.059	0.146	11-545-3				81.35	DIST2:		Skirt:	NONE		
	SWM31041-4	81.60	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-545-4	81.60	DIST3:				
REFERENCE # MD040465		TOP	2ND		OIL			REFERENCE # MD100416								
1.8L (110CID,1798CC),DOHC,4CYL, 86.000MM (3.386"), WORLD 1.8 / 2007-2009																
CALIBER / 07-09	SWG30042-0	86.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30042-1	86.25		0.047	0.120											
	SWG30042-2	86.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWG30042-3	86.75		0.047	0.142											
	SWG30042-4	87.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME							
REFERENCE # 1110A436 23040-2C400 5191418AB		TOP	2ND		OIL											






CHRYSLER

CHRYSLER






ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (112CID,1834CC),SOHC,4CYL, 81.000MM (3.189"), 4G93 / 1992-1992																
COLT VISTA / 92-92	SWM31079-0	81.00	Top:	1.200	X	3.200	BF	STEEL	CHROME	DISC-11-548-0	81.00					
SUMMIT / 92-92	SWM31079-1	81.25		0.047		0.126				DISC-11-548-1	81.25					
	SWM31079-2	81.50	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	DISC-11-548-2	81.50					
	SWM31079-3	81.75		0.047		0.142				DISC-11-548-3	81.75					
	SWM31079-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	DISC-11-548-4	82.00					
				0.110		0.106										
REFERENCE # MD173206		TOP		2ND		OIL		REFERENCE # MD183457								
1.8L (112CID,1834CC),SOHC,4CYL, 81.000MM (3.189"), 4G93 / 1993-1996																
COLT / 94-94	SWM31079-0	81.00	Top:	1.200	X	3.200	BF	STEEL	CHROME	11-767-0	81.00	TL:	60.00	PL:	58.00	CHK.
COLT VISTA / 93-94	SWM31079-1	81.25		0.047		0.126				11-767-1	81.25	CH:	30.80	PD:	19.00	DIA
SUMMIT / 93-96	SWM31079-2	81.50	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	11-767-2	81.50	DIST1:	0.20	Head:	NONE	10.00
	SWM31079-3	81.75		0.047		0.142				11-767-3	81.75	DIST2:		Skirt:	NONE	
	SWM31079-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-767-4	82.00	DIST3:				
				0.110		0.106										
REFERENCE # MD173206		TOP		2ND		OIL		REFERENCE # MD318097								
2.0L (122CID,1994CC),SOHC,4CYL, 84.000MM (3.307"), G52B / 1976-1982																
ARROW / 76-78	SWM30074-0	84.00	Top:	2.000	X	3.600	BF	DUCTILE IRON	CHROME	DISC-11-026-0	84.00					
ARROW PICKUP / 79-82	SWM30074-1	84.25		0.079		0.142				DISC-11-026-1	84.25					
	SWM30074-2	84.50	2nd:	2.000	X	3.700	T1	CAST IRON	CHROME	DISC-11-026-2	84.50					
	SWM30074-3	84.75		0.079		0.146				DISC-11-026-3	84.75					
	SWM30074-4	85.00	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-026-4	85.00					
				0.157		0.150										
REFERENCE # MD021070		TOP		2ND		OIL		REFERENCE # MD021192								
2.0L (122CID,1996CC),DOHC,4CYL, 87.500MM (3.445"), 420A / 1995-1995																
NEON / 95-95	SWM31120-0	87.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31120-1	87.75		0.047		0.136										
	SWM31120-2	88.00	2nd:	1.200	X	4.000	T1	CAST IRON	PHOSPHATE							
	SWM31120-3	88.25		0.047		0.157										
	SWM31120-4	88.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME							
				0.118		0.114										
REFERENCE # 4741401 M04741401		TOP		2ND		OIL										






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
2.0L (122CID,1996CC),DOHC,4CYL, 87.500MM (3.445"), 420A / 1995-1999																	
AVENGER / 95-99	SWM31120-0	87.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	11-735-0	87.50	TL:	64.80	PL:	75.00	CHK.	
NEON / 95-99	SWM31120-1	87.75		0.047	0.136				11-735-1	87.75	CH:	31.40	PD:	21.00	DIA		
SEBRING / 95-99	SWM31120-2	88.00	2nd:	1.200	X	4.000	T1	CAST IRON	PHOSPHATE	11-735-2	88.00	DIST1:	0.90	Head:	NONE	13.00	
TALON / 95-98	SWM31120-3	88.25		0.047	0.157				11-735-3	88.25	DIST2:		Skirt:	NONE			
	SWM31120-4	88.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-735-4	88.50	DIST3:					
				0.118		0.114											
REFERENCE # 4741401 M04741401		TOP 2ND OIL 							REFERENCE # 4797613 M04741372 M04797613								
2.0L (122CID,1996CC),SOHC,4CYL, 87.500MM (3.445"), A588 / 1995-2005																	
BREEZE / 96-00	SWM31120-0	87.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
CIRRUS / 00-00	SWM31120-1	87.75		0.047	0.136												
NEON / 95-05	SWM31120-2	88.00	2nd:	1.200	X	4.000	T1	CAST IRON	PHOSPHATE								
STRATUS / 95-00	SWM31120-3	88.25		0.047	0.157												
	SWM31120-4	88.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME								
				0.118		0.114											
REFERENCE # 4741401 M04741401		TOP 2ND OIL 															
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1990-1994																	
LASER / 90-94	SWM31048-0	85.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-540-0	85.00	TL:	67.00	PL:	66.00	CHK.	
TALON / 90-92	SWM31048-1	85.25		0.047	0.122				11-540-1	85.25	CH:	35.00	PD:	21.00	DIA		
	SWM31048-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-540-2	85.50	DIST1:	-2.10	Head:	NONE	10.00	
	SWM31048-3	85.75		0.059	0.150				11-540-3	85.75	DIST2:		Skirt:	NONE			
	SWM31048-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-540-4	86.00	DIST3:					
				0.118		0.100											
REFERENCE # MD140923 MD144245		TOP 2ND OIL 							REFERENCE # MD129922								
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1990-1994 TURBO																	
LASER / 90-94	SWM31048-0	85.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-546-0	85.00	TL:	67.00	PL:	66.00	CHK.	
TALON / 90-92	SWM31048-1	85.25		0.047	0.122				11-546-1	85.25	CH:	35.00	PD:	21.00	DIA		
	SWM31048-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-546-2	85.50	DIST1:	-5.40	Head:	AH	26.00	
	SWM31048-3	85.75		0.059	0.150				11-546-3	85.75	DIST2:		Skirt:	NONE			
	SWM31048-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-546-4	86.00	DIST3:					
				0.118		0.100											
REFERENCE # MD140923 MD144245		TOP 2ND OIL 							REFERENCE # MD129232 MD129923								






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1992-1994																
LASER / 92-94	SWM31071-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-718-0	85.00	TL:	67.00	PL:	62.00	CHK.
TALON / 93-94	SWM31071-1	85.25		0.047	0.122					11-718-1	85.25	CH:	35.00	PD:	22.00	DIA
	SWM31071-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-718-2	85.50	DIST1:	-2.20	Head:	NONE	10.00
	SWM31071-3	85.75		0.059	0.150					11-718-3	85.75	DIST2:	-3.60	Skirt:	NONE	
	SWM31071-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-718-4	86.00	DIST3:				
				0.118		0.100										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD176437							MD190262									
MD195867																
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1992-1994 TURBO																
LASER / 92-94	SWM31071-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-719-0	85.00	TL:	67.00	PL:	62.00	CHK.
TALON / 93-94	SWM31071-1	85.25		0.047	0.122					11-719-1	85.25	CH:	35.00	PD:	22.00	DIA
	SWM31071-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-719-2	85.50	DIST1:	-5.40	Head:	AH	10.00
	SWM31071-3	85.75		0.059	0.150					11-719-3	85.75	DIST2:		Skirt:	NONE	
	SWM31071-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-719-4	86.00	DIST3:				
				0.118		0.100										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD176437							MD308200									
MD195867																
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1995-1998																
TALON / 95-98	SWM31103-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-758-0	85.00	TL:	67.00	PL:	62.00	CHK.
	SWM31103-1	85.25		0.047	0.122					11-758-1	85.25	CH:	35.00	PD:	22.00	DIA
	SWM31103-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-758-2	85.50	DIST1:	-3.30	Head:	AH	10.00
	SWM31103-3	85.75		0.059	0.150					11-758-3	85.75	DIST2:		Skirt:	NONE	
	SWM31103-4	86.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-758-4	86.00	DIST3:				
				0.110		0.100										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD195805							MD307820									
MD313405																
2.0L (122CID,1997CC),SOHC,4CYL, 85.000MM (3.346"), G63B / 1983-1986																
COLT VISTA / 84-86	SWM31013-0	85.00	Top:	2.000	X	3.100	BF	STEEL	NITRIDED	11-027-0	85.00	TL:	72.20	PL:	72.00	CHK.
OMNI / 84-85	SWM31013-1	85.25		0.079	0.122					11-027-1	85.25	CH:	35.20	PD:	21.00	DIA
RAM 50 / 83-86	SWM31013-2	85.50	2nd:	2.000	X	3.700	T1	CAST IRON	PHOSPHATE	11-027-2	85.50	DIST1:	-5.20	Head:	NONE	30.00
	SWM31013-3	85.75		0.079	0.146					11-027-3	85.75	DIST2:	-7.70	Skirt:	NONE	
	SWM31013-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-027-4	86.00	DIST3:				
				0.157		0.128										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD040640							MD040591									






CHRYSLER

CHRYSLER




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO												
2.0L (122CID,1997CC),SOHC,4CYL, 85.000MM (3.346"), G63B / 1987-1991																						
COLT VISTA / 87-91 RAM 50 / 87-89	SWM31044-0	85.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	11-539-0	85.00	TL:	72.30	PL:	72.00	CHK.						
	SWM31044-1	85.25		0.059	0.138	11-539-1				85.25	CH:	35.20	PD:	21.00	DIA							
	SWM31044-2	85.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-539-2	85.50	DIST1:	-5.00	Head:	NONE	17.00						
	SWM31044-3	85.75		0.059	0.150	11-539-3				85.75	DIST2:	-7.30	Skirt:	NONE								
	SWM31044-4	86.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-539-4	86.00	DIST3:										
REFERENCE # MD100467		TOP	2ND		OIL			REFERENCE # MD100372														
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), WORLD 2.0 / 2007-2015																						
CALIBER / 07-12 COMPASS / 07-15 PATRIOT / 07-15	SWG30042-0	86.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-919-0	86.00	TL:	50.50	PL:	58.00	CHK.						
	SWG30042-1	86.25		0.047	0.120	11-919-1				86.25	CH:	27.20	PD:	21.00	DIA							
	SWG30042-2	86.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-919-2	86.50	DIST1:	1.30	Head:	NONE	15.00						
	SWG30042-3	86.75		0.047	0.142	11-919-3				86.75	DIST2:	-1.50	Skirt:	MS								
	SWG30042-4	87.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-919-4	87.00	DIST3:	-3.20									
REFERENCE # 1110A436 23040-2C400 5191418AB		TOP	2ND		OIL			REFERENCE # 5191337AA														
2.2L (135CID,2212CC),DOHC,4CYL, 87.500MM (3.445"), K 2.2T / 1986-1993 TURBO																						
CARAVELLE / 86-88	SWC10003-0	87.50	Top:	1.500	X	3.800	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
DAYTONA / 89-93	SWC10003-1	87.75		0.059		0.150																
LANCER / 89-89	SWC10003-2	88.00	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE													
LeBARON / 86-90	SWC10003-3	88.25		0.059		0.157																
LeBARON GTS / 86-88	SWC10003-4	88.50	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME													
SHADOW / 87-90	AM Ring Available			0.157		0.150																
SPIRIT / 91-92	REFERENCE # 4411977 4626575 4626636 4636499	TOP	2ND		OIL																	






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
2.2L (135CID,2212CC),SOHC,4CYL, 87.500MM (3.445"), K,K 2.2,K 2.2T / 1981-1994																		
400 / 82-83	SWC10003-0	87.50	Top:	1.500	X	3.800	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
600 / 83-88	SWC10003-1	87.75		0.059	0.150													
ARIES / 81-89	SWC10003-2	88.00	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE									
CARAVAN / 84-87	SWC10003-3	88.25		0.059	0.157													
CARAVELLE / 85-88	SWC10003-4	88.50	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME									
CHARGER / 83-87	AM Ring Available			0.157	0.150													
DAKOTA / 87-88	REFERENCE #		TOP	2ND		OIL												
DAYTONA / 84-90	4411977																	
E CLASS / 83-84	4626575																	
HORIZON / 84-90	4626636																	
LANCER / 85-89	4636499																	
LASER / 84-86																		
LeBARON / 82-89																		
LeBARON GTS / 85-88																		
NEW YORKER / 83-88																		
OMNI / 81-90																		
RELIANT / 81-89																		
SHADOW / 87-94																		
SUNDANCE / 87-94																		
TC3 / 82-82																		
TURISMO / 84-87																		
VOYAGER / 84-87																		
2.3L (143CID,2346CC),4CYL, 91.100MM (3.587"), 4D55 / 1983-1985 TURBO																		
RAM 50 / 83-85	SDM31038-0	91.10	Top:	2.500	X	3.250	BF-K2	STEEL	CHROME	11-028-0	91.10	TL:	88.70	PL:	75.00	CHK.		
	SDM31038-1	91.35		0.098	0.128					11-028-1	91.35	CH:	48.70	PD:	29.00	DIA		
	SDM31038-2	91.60	2nd:	2.000	X	3.900	T1-K2	CAST IRON	CHROME	11-028-2	91.60	DIST1:	-2.30	Head:	NONE	10.00		
	SDM31038-3	91.85		0.079	0.154					11-028-3	91.85	DIST2:	-2.60	Skirt:	NONE			
	SDM31038-4	92.10	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	11-028-4	92.10	DIST3:						
				0.157		0.171												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #										
	E5TZ 6149 A							MD103308										
	MD103391																	
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1990-1993																		
RAM 50 / 90-93	SWM31037-0	86.50	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-538-0	86.50	TL:	72.40	PL:	72.00	CHK.		
	SWM31037-1	86.75		0.059	0.136					11-538-1	86.75	CH:	34.90	PD:	21.00	DIA		
	SWM31037-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-538-2	87.00	DIST1:	0.50	Head:	NONE	15.00		
	SWM31037-3	87.25		0.059	0.150					11-538-3	87.25	DIST2:	0.30	Skirt:	NONE			
	SWM31037-4	87.50	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-538-4	87.50	DIST3:						
				0.157		0.130												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #										
	MD085346							23410-32610										
								MD105377										






CHRYSLER

CHRYSLER



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1993-1996																
COLT VISTA / 93-94 SUMMIT / 93-96	SWM31116-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-709-0	86.50	TL:	67.10	PL:	62.00	CHK.
	SWM31116-1	86.75		0.047	0.122				11-709-1	86.75	CH:	35.00	PD:	22.00	DIA	
	SWM31116-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-709-2	87.00	DIST1:	-4.30	Head:	NONE	12.00
	SWM31116-3	87.25		0.059	0.150				11-709-3	87.25	DIST2:		Skirt:	NONE		
	SWM31116-4	87.50		Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-709-4	87.50	DIST3:			
	REFERENCE # MD195828		TOP		2ND		OIL			REFERENCE # MD188115 MD303071						
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 2001-2005																
SEBRING / 01-05 STRATUS / 01-05	SWM31116-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-804-0	86.50	TL:	53.50	PL:	62.00	CHK.
	SWM31116-1	86.75		0.047	0.122				11-804-1	86.75	CH:	30.50	PD:	22.00	DIA	
	SWM31116-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-804-2	87.00	DIST1:		Head:	NONE	10.00
	SWM31116-3	87.25		0.059	0.150				11-804-3	87.25	DIST2:		Skirt:	MS		
	SWM31116-4	87.50		Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-804-4	87.50	DIST3:			
	REFERENCE # MD195828		TOP		2ND		OIL			REFERENCE # MD357066 MD357067						
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), WORLD 2.4 / 2007-2015																
200 / 12-14 AVENGER / 08-14 CALIBER / 07-11 COMPASS / 07-08 JOURNEY / 11-15 PATRIOT / 07-15 SEBRING / 07-10	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-908-0	88.00	TL:	51.50	PL:	58.00	CHK.
	SWG30041-1	88.25		0.047	0.120				11-908-1	88.25	CH:	27.20	PD:	21.00	DIA	
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-908-2	88.50	DIST1:	-1.50	Head:	NONE	15.00
	SWG30041-3	88.75		0.047	0.142				11-908-3	88.75	DIST2:	-3.30	Skirt:	MS		
	SWG30041-4	89.00		Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-908-4	89.00	DIST3:			
	REFERENCE # 1110A822 23040-25200 5191424AA		TOP		2ND		OIL			REFERENCE # 23410-25211 5191340AA						
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), WORLD 2.4 / 2012-2015																
COMPASS / 12-15	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30041-1	88.25		0.047	0.120											
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWG30041-3	88.75		0.047	0.142											
	SWG30041-4	89.00		Oil:	2.000	X	2.450	NIFF-H	STEEL							
	REFERENCE # 1110A822 23040-25200 5191424AA		TOP		2ND		OIL									






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (148CID,2429CC),DOHC,4CYL, 87.500MM (3.445"), EDT 2.4 / 2003-2009																
NEON / 03-05	SWC10010-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
PT CRUISER / 03-09	SWC10010-1	87.75		0.047	0.114											
SRT-4 / 05-05	SWC10010-2	88.00	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE							
	SWC10010-3	88.25		0.059	0.157											
	SWC10010-4	88.50	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME							
REFERENCE # 5093441AA		TOP	2ND		OIL											
2.4L (148CID,2429CC),DOHC,4CYL, 87.500MM (3.445"), EDZ 2.4 / 1995-1997																
BREEZE / 97-97	SWC10007-0	87.50	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CARAVAN / 96-97	SWC10007-1	87.75		0.059	0.130											
CIRRUS / 95-97	SWC10007-2	88.00	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE							
Grand Caraven / 96-97	SWC10007-3	88.25		0.059	0.157											
Grand Voyager / 96-97	SWC10007-4	88.50	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED							
SEBRING / 96-97	AM Ring Available			0.118	0.100											
STRATUS / 95-97	REFERENCE # 4773005 5073524AA	TOP	2ND		OIL											
2.4L (148CID,2429CC),DOHC,4CYL, 87.500MM (3.445"), EDZ 2.4 / 1998-2000																
BREEZE / 98-99	SWC10004-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	DISC-11-813-0	87.50					
CARAVAN / 98-00	SWC10004-1	87.75		0.047	0.114					DISC-11-813-1	87.75					
CIRRUS / 00-00	SWC10004-2	88.00	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE	DISC-11-813-2	88.00					
SEBRING / 98-98	SWC10004-3	88.25		0.059	0.154					DISC-11-813-3	88.25					
STRATUS / 98-00	SWC10004-4	88.50	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	DISC-11-813-4	88.50					
VOYAGER / 98-00	AM Ring Available			0.118	0.100											
REFERENCE # 4897024AA		TOP	2ND		OIL						REFERENCE # 4897660AA					
2.4L (148CID,2429CC),DOHC,4CYL, 87.500MM (3.445"), EDZ 2.4 / 2001-2004																
Liberty / 02-04	SWC10004-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
PT CRUISER / 01-01	SWC10004-1	87.75		0.047	0.114											
SEBRING / 01-01	SWC10004-2	88.00	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE							
STRATUS / 01-01	SWC10004-3	88.25		0.059	0.154											
	SWC10004-4	88.50	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118	0.100											
REFERENCE # 4897024AA		TOP	2ND		OIL											






CHRYSLER

CHRYSLER



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
2.4L (148CID,2429CC),DOHC,4CYL, 87.500MM (3.445"), EDZ 2.4,EDZ Power Tech 2.4 / 2001-2008																
CARAVAN / 01-04	SWC10007-0	87.50	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED	11-814-0	87.50	TL:	66.30	PL:	72.60	CHK.
Liberty / 05-05	SWC10007-1	87.75		0.059	0.130					11-814-1	87.75	CH:	30.20	PD:	22.00	DIA
PT CRUISER / 02-08	SWC10007-2	88.00	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	11-814-2	88.00	DIST1:	11.50	Head:	NONE	5.00
SEBRING / 02-06	SWC10007-3	88.25		0.059	0.157					11-814-3	88.25	DIST2:		Skirt:	NONE	
STRATUS / 02-06	SWC10007-4	88.50	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-814-4	88.50	DIST3:				
VOYAGER / 01-03	AM Ring Available			0.118	0.100											
WRANGLER / 03-06	REFERENCE # 4773005 5073524AA		TOP	2ND			OIL			REFERENCE # 5066565AA 5066565AB						
2.5L (150CID,2464CC),OHV,4CYL, 98.425MM (3.875"), AMC 150 / 1983-2000																
CHEROKEE / 84-95	SWC10014-0	98.42	Top:	1.984	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CJ7 / 83-86	SWC10014-1	98.67		0.078	0.138											
COMANCHE / 86-92	SWC10014-2	98.92	2nd:	1.984	X	4.550	T1-RC	CAST IRON	PHOSPHATE							
EAGLE / 83-84	SWC10014-3	99.17		0.078	0.179											
PREMIER / 88-89	SWC10014-4	99.42	Oil:	4.763	X	4.150	NIF-S	STEEL	CHROME							
SCRAMBLER / 84-85	REFERENCE #		TOP	2ND			OIL			Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
WAGONEER / 84-87	4762461															
WRANGLER / 87-00	83501987															
2.5L (150CID,2464CC),OHV,4CYL, 98.430MM (3.875"), AMC 150 / 1993-2002																
CHEROKEE / 93-00	SWC10011-0	98.43	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DAKOTA / 96-02	SWC10011-1	98.68		0.059	0.138											
WRANGLER / 01-02	SWC10011-2	98.93	2nd:	1.500	X	4.500	T1-RB	CAST IRON	PHOSPHATE							
	SWC10011-3	99.18		0.059	0.177											
	SWC10011-4	99.43	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME							
	REFERENCE # 4798324		TOP	2ND			OIL			Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
2.5L (152CID,2497CC),SOHC,6CYL, 83.500MM (3.287"), 6G73 / 1995-1999																
AVENGER / 95-99	SWC10009-0	83.50	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-808-0	83.50	TL:	64.00	PL:	64.00	CHK.
CIRRUS / 95-97	SWC10009-1	83.75		0.047	0.112					11-808-1	83.75	CH:	31.90	PD:	22.00	DIA
SEBRING / 95-97	SWC10009-2	84.00	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	11-808-2	84.00	DIST1:	0.10	Head:	NONE	9.00
STRATUS / 95-99	SWC10009-3	84.25		0.059	0.138					11-808-3	84.25	DIST2:		Skirt:	NONE	
	SWC10009-4	84.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-808-4	84.50	DIST3:				
	REFERENCE # MD310258		TOP	2ND			OIL			REFERENCE # MD309393 MD309399						






CHRYSLER

CHRYSLER




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.5L (152CID,2497CC),SOHC,6CYL, 83.500MM (3.287"), 6G73 / 1998-2000																
AVENGER / 00-00	SWC10009-0	83.50	Top:	1.200	X	2.850	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CIRRUS / 98-00	SWC10009-1	83.75		0.047	X	0.112										
SEBRING / 98-00	SWC10009-2	84.00	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE							
STRATUS / 00-00	SWC10009-3	84.25		0.059	X	0.138										
	SWC10009-4	84.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME							
				0.118	X	0.112										
	REFERENCE #		TOP	2ND	OIL											
	MD310258															
2.5L (153CID,2507CC),SOHC,4CYL, 87.500MM (3.445"), K 2.5,K 2.5T / 1986-1995																
600 / 86-88	SWC10003-0	87.50	Top:	1.500	X	3.800	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ACCLAIM / 89-95	SWC10003-1	87.75		0.059	X	0.150										
ARIES / 86-88	SWC10003-2	88.00	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE							
CARAVAN / 87-95	SWC10003-3	88.25		0.059	X	0.157										
CARAVELLE / 86-88	SWC10003-4	88.50	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME							
DAKOTA / 89-95	AM Ring Available			0.157	X	0.150										
DAYTONA / 87-89	REFERENCE #		TOP	2ND	OIL											
DYNASTY / 88-89	4411977															
Grand Caraven / 89-89	4626575															
Grand Voyager / 87-88	4626636															
LANCER / 86-89	4636499															
LASER / 86-86																
LeBARON / 86-94																
LeBARON GTS / 86-88																
NEW YORKER / 86-86																
RELIANT / 86-89																
SHADOW / 88-94																
SPIRIT / 89-95																
SUNDANCE / 88-94																
VOYAGER / 87-95																
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1978-1981																
ARROW / 79-80	SWM31047-0	91.10	Top:	2.000	X	3.500	BF	DUCTILE IRON	CHROME	DISC-11-029-0	91.10					
ARROW PICKUP / 79-81	SWM31047-1	91.35		0.079	X	0.138				DISC-11-029-1	91.35					
CHALLENGER / 78-80	SWM31047-2	91.60	2nd:	2.000	X	3.800	T1	CAST IRON	CHROME	DISC-11-029-2	91.60					
COLT / 78-80	SWM31047-3	91.85		0.079	X	0.150				DISC-11-029-3	91.85					
SAPPORO / 78-80	SWM31047-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-029-4	92.10					
				0.157	X	0.128										
	REFERENCE #		TOP	2ND	OIL					REFERENCE #						
	MD025080									MD024947						
	MD026835						MD026861									






CHRYSLER

CHRYSLER





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1978-1985																
400 / 82-83	SWM31047-0	91.10	Top:	2.000	X	3.500	BF	DUCTILE IRON	CHROME	11-031-0	91.10	TL:	77.20	PL:	75.00	CHK.
600 / 83-84	SWM31047-1	91.35		0.079	0.138	11-031-1				91.35	CH:	35.20	PD:	22.00	DIA	
ARIES / 81-84	SWM31047-2	91.60	2nd:	2.000	X	3.800	T1	CAST IRON	CHROME	11-031-2	91.60	DIST1:		Head:	NONE	37.50
ARROW PICKUP / 82-82	SWM31047-3	91.85		0.079	0.150	11-031-3				91.85	DIST2:		Skirt:	NONE		
CARAVAN / 84-84	SWM31047-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-031-4	92.10	DIST3:				
CHALLENGER / 81-83				0.157		0.128										
E CLASS / 83-84	REFERENCE #	TOP	2ND		OIL		REFERENCE #									
EXECUTIVE / 83-84	MD025080						MD026921									
LeBARON / 82-84	MD026835															
NEW YORKER / 83-84																
RAM 50 / 83-85																
RELIANT / 81-84																
SAPPORO / 78-83																
VOYAGER / 84-84																
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1983-1989																
600 / 85-85	SWM31039-0	91.10	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-035-0	91.10	TL:	78.30	PL:	79.00	CHK.
ARIES / 85-85	SWM31039-1	91.35		0.059	0.130	11-035-1				91.35	CH:	36.00	PD:	22.00	DIA	
CARAVAN / 84-87	SWM31039-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-035-2	91.60	DIST1:	0.30	Head:	NONE	25.00
EXECUTIVE / 85-85	SWM31039-3	91.85		0.059	0.150	11-035-3				91.85	DIST2:		Skirt:	NONE		
Grand Voyager / 87-87	SWM31039-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-035-4	92.10	DIST3:				
LeBARON / 85-85				0.157		0.128										
NEW YORKER / 85-85	REFERENCE #	TOP	2ND		OIL		REFERENCE #									
RAIDER / 87-89	AM15-11-SC0						AM01-11-SA0									
RAM 50 / 83-89	MD061258						AM15-11-SA0									
RELIANT / 85-88	MD076170						MD071172									
VOYAGER / 84-87																
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1987-1989																
CONQUEST / 87-89	SWM31039-0	91.10	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	DISC-11-544-0	91.10					
	SWM31039-1	91.35		0.059	0.130	DISC-11-544-1				91.35						
	SWM31039-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-544-2	91.60					
	SWM31039-3	91.85		0.059	0.150	DISC-11-544-3				91.85						
	SWM31039-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	DISC-11-544-4	92.10					
				0.157		0.128										
	REFERENCE #	TOP	2ND		OIL		REFERENCE #									
	AM15-11-SC0						MD128450									
	MD061258															
	MD076170															
2.7L (167CID,2736CC),DOHC,6CYL, 86.000MM (3.386"), EER 2.7 / 1998-2010																
300 / 05-10	SWC10001-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-780-0	86.00	TL:	53.20	PL:	60.00	CHK.
AVENGER / 08-08	SWC10001-1	86.25		0.059	0.136	11-780-1				86.25	CH:	31.20	PD:	22.00	DIA	
CHARGER / 07-10	SWC10001-2	86.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	11-780-2	86.50	DIST1:		Head:	AH	7.00
CONCORDE / 98-04	SWC10001-3	86.75		0.059	0.157	11-780-3				86.75	DIST2:		Skirt:	MS		
INTERPID / 98-02	SWC10001-4	87.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-780-4	87.00	DIST3:				
MAGNUM / 05-08				0.118		0.118										
SEBRING / 01-10	REFERENCE #	TOP	2ND		OIL		REFERENCE #									
STRATUS / 01-06	4897027AA						5003427AA									
	90509740						5003427AA*									
							5018627AA									
							5018627AA*									
							5018627AB									






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (181CID,2972CC),DOHC,6CYL, 91.100MM (3.587"), 6G72 / 1991-1993																
STEALTH / 91-93	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-547-0	91.10	TL:	65.90	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047	0.130	11-547-1				91.35	CH:	31.90	PD:	22.00	DIA	
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-547-2	91.60	DIST1:	-3.40	Head:	NONE	15.00
	SWM31078-3	91.85		0.059	0.150	11-547-3				91.85	DIST2:	Skirt:	NONE			
	SWM31078-4	92.10		Oil:	3.000	X				2.900	11-547-4	92.10	DIST3:			
REFERENCE #		TOP	2ND		OIL		REFERENCE #		 							
MD158334							MD307972									
MD301716																
MD329755																
MD334192																
3.0L (181CID,2972CC),DOHC,6CYL, 91.100MM (3.587"), 6G72 / 1991-1996 TURBO																
STEALTH / 91-96	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31078-1	91.35		0.047	0.130											
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME							
	SWM31078-3	91.85		0.059	0.150											
	SWM31078-4	92.10		Oil:	3.000	X										
REFERENCE #		TOP	2ND		OIL											
MD158334																
MD301716																
MD329755																
MD334192																
3.0L (181CID,2972CC),DOHC,6CYL, 91.100MM (3.587"), 6G72 / 1994-1996																
STEALTH / 94-96	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-543-0	91.10	TL:	66.50	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047	0.130	11-543-1				91.35	CH:	32.00	PD:	22.00	DIA	
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-543-2	91.60	DIST1:	0.50	Head:	NONE	15.00
	SWM31078-3	91.85		0.059	0.150	11-543-3				91.85	DIST2:	Skirt:	NONE			
	SWM31078-4	92.10		Oil:	3.000	X				2.900	11-543-4	92.10	DIST3:			
REFERENCE #		TOP	2ND		OIL		REFERENCE #		 							
MD158334							MD307958									
MD301716																
MD329755																
MD334192																






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 1987-1995																	
ACCLAIM / 89-93	SWM31080-0	91.10	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-549-0	91.10	TL:	68.20	PL:	64.00	CHK.	
CARAVAN / 87-93	SWM31080-1	91.35		0.059	0.128					11-549-1	91.35	CH:	32.20	PD:	22.00	DIA	
DAYTONA / 90-93	SWM31080-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-549-2	91.60	DIST1:	-3.00	Head:	NONE	8.00	
DYNASTY / 88-90	SWM31080-3	91.85		0.059	0.150					11-549-3	91.85	DIST2:		Skirt:	NONE		
Grand Caraven / 87-89	SWM31080-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-549-4	92.10	DIST3:					
Grand Voyager / 87-89				0.157		0.128											
LeBARON / 90-95	REFERENCE #	TOP	2ND		OIL		REFERENCE #										
NEW YORKER / 88-89	23040-35010						23410-35114										
RAIDER / 89-89	23040-35500						23410-35144										
RAM 50 / 90-91	MD104936						23410-35214										
SHADOW / 92-93	MD104939						23410-35244										
SPIRIT / 89-93							MD119671										
STEALTH / 91-93							MD152563										
SUNDANCE / 92-93																	
VOYAGER / 87-93																	
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 1994-2000																	
ACCLAIM / 94-95	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-707 -0	91.10	TL:	66.00	PL:	64.00	CHK.	
CARAVAN / 94-00	SWM31078-1	91.35		0.047	0.130					11-707 -1	91.35	CH:	32.00	PD:	22.00	DIA	
Grand Caraven / 94-00	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-707 -2	91.60	DIST1:	-2.30	Head:	NONE	16.00	
Grand Voyager / 94-00	SWM31078-3	91.85		0.059	0.150					11-707 -3	91.85	DIST2:	-7.10	Skirt:	NONE		
SHADOW / 94-94	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-707 -4	92.10	DIST3:					
SPIRIT / 94-95				0.118		0.114											
STEALTH / 94-96	REFERENCE #	TOP	2ND		OIL		REFERENCE #										
SUNDANCE / 94-94	MD158334						MD197808										
VOYAGER / 94-00	MD301716						MD197814										
	MD329755																
	MD334192																
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 2001-2005																	
SEBRING / 01-05	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-817-0	91.10	TL:	64.20	PL:	64.00	CHK.	
STRATUS / 01-05	SWM31078-1	91.35		0.047	0.130					11-817-1	91.35	CH:	30.20	PD:	22.00	DIA	
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-817-2	91.60	DIST1:	-1.30	Head:	NONE	15.00	
	SWM31078-3	91.85		0.059	0.150					11-817-3	91.85	DIST2:		Skirt:	NONE		
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-817-4	92.10	DIST3:					
				0.118		0.114											
	REFERENCE #	TOP	2ND		OIL		REFERENCE #										
	MD158334						MD367088										
	MD301716						MD367089										
	MD329755																
	MD334192																
3.2L (195CID,3195CC),SOHC,6CYL, 92.000MM (3.622"), EGW 3.2 / 1998-2001																	
CONCORDE / 98-01	SWC10008-0	92.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
INTERPID / 98-00	SWC10008-1	92.25		0.047	0.130												
	SWC10008-2	92.50	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE								
	SWC10008-3	92.75		0.059	0.161												
	SWC10008-4	93.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED								
	AM Ring Available			0.118		0.120											
	REFERENCE #	TOP	2ND		OIL												
	4897032AA																






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
3.3L (201CID,3293CC),OHV,6CYL, 93.000MM (3.661"), EGA 3.3 / 1990-1993										
DYNASTY / 90-93	SWC10002-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-863-0 93.00 TL: 53.60 PL: 67.50 CHK.
IMPERIAL / 90-91	SWC10002-1	93.25		0.059		0.128				11-863-1 93.25 CH: 31.70 PD: 22.89 DIA
NEW YORKER / 91-93	SWC10002-2	93.50	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE	11-863-2 93.50 DIST1: -2.30 Head: NONE 7.00
NEW YORKER 5 / 90-93	SWC10002-3	93.75		0.059		0.154				11-863-3 93.75 DIST2: Skirt: MS
	SWC10002-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-863-4 94.00 DIST3:
	AM Ring Available			0.118		0.118				
	REFERENCE #		TOP	2ND	OIL				REFERENCE #	
	4897033AA								4897772AA	
	5012364AC								5241057	
	5241051									
	5241052									
3.3L (201CID,3293CC),OHV,6CYL, 93.000MM (3.661"), EGA 3.3 / 1990-2000										
CARAVAN / 90-00	SWC10002-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
CONCORDE / 93-96	SWC10002-1	93.25		0.059		0.128				
Grand Caraven / 90-00	SWC10002-2	93.50	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE	
Grand Voyager / 90-00	SWC10002-3	93.75		0.059		0.154				
INTERPID / 93-97	SWC10002-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	
TOWN & COUNTRY / 90-00	AM Ring Available			0.118		0.118				
	REFERENCE #		TOP	2ND	OIL				REFERENCE #	
	4897033AA								4897772AA	
	5012364AC									
	5241051									
	5241052									
3.3L (201CID,3293CC),OHV,6CYL, 93.000MM (3.661"), EGA 3.3 / 2001-2010										
CARAVAN / 01-08	SWC10002-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-923-0 93.00 TL: 51.50 PL: 67.50 CHK.
Grand Caraven / 01-10	SWC10002-1	93.25		0.059		0.128				11-923-1 93.25 CH: 29.90 PD: 22.89 DIA
TOWN & COUNTRY / 01-10	SWC10002-2	93.50	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE	11-923-2 93.50 DIST1: Head: NONE 13.00
	SWC10002-3	93.75		0.059		0.154				11-923-3 93.75 DIST2: Skirt: MS
VOYAGER / 01-03	SWC10002-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-923-4 94.00 DIST3:
	AM Ring Available			0.118		0.118				
	REFERENCE #		TOP	2ND	OIL				REFERENCE #	
	4897033AA								4897772AA	
	5012364AC									
	5241051									
	5241052									
3.5L (214CID,3507CC),SOHC,6CYL, 96.000MM (3.780"), EGJ 3.5 / 1993-1994										
CONCORDE / 93-94	SWC10005-0	96.00	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
INTERPID / 93-94	SWC10005-1	96.25		0.059		0.138				
LHS / 94-94	SWC10005-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	
NEW YORKER / 94-94	SWC10005-3	96.75		0.059		0.157				
VISION / 93-94	SWC10005-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	
	AM Ring Available			0.118		0.126				
	REFERENCE #		TOP	2ND	OIL					
	4626388									
	4626660									






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
3.5L (215CID,3518CC),SOHC,6CYL, 96.000MM (3.780"), EGG 3.5 / 1999-2006																	
300 / 05-06	SWC10013-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-875-0	96.00	TL:	62.20	PL:	61.00	CHK.	
300M / 99-04	SWC10013-1	96.25		0.047	0.138					11-875-1	96.25	CH:	38.20	PD:	24.00	DIA	
CONCORDE / 02-04	SWC10013-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	11-875-2	96.50	DIST1:	-0.60	Head:	AH	9.00	
INTERPID / 00-02	SWC10013-3	96.75		0.059	0.157					11-875-3	96.75	DIST2:		Skirt:	MS		
LHS / 99-01	SWC10013-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME	11-875-4	97.00	DIST3:					
PROWLER / 99-02				0.118		0.136											
REFERENCE # 4897035AA 4897035AB		TOP			2ND			OIL			REFERENCE # 5010335AA 5010335AB						
3.5L (215CID,3518CC),SOHC,6CYL, 96.000MM (3.780"), EGG 3.5 / 2004-2010																	
300 / 07-10	SWC10013-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
AVENGER / 08-10	SWC10013-1	96.25		0.047	0.138												
CHALLENGER / 09-10	SWC10013-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE								
CHARGER / 06-10	SWC10013-3	96.75		0.059	0.157												
JOURNEY / 09-10	SWC10013-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME								
MAGNUM / 05-08				0.118		0.136											
PACIFICA / 04-06	REFERENCE # 4897035AA 4897035AB		TOP			2ND			OIL								
SEBRING / 07-10																	
3.5L (215CID,3523CC),SOHC,6CYL, 96.000MM (3.780"), EGJ 3.5 / 1995-1997																	
CONCORDE / 95-97	SWC10015-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
INTERPID / 95-97	SWC10015-1	96.25		0.047	0.138												
LHS / 95-97	SWC10015-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE								
NEW YORKER / 95-96	SWC10015-3	96.75		0.059	0.157												
VISION / 95-97	SWC10015-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED								
				0.118		0.126											
REFERENCE # 4773023 68001386AA		TOP			2ND			OIL									
3.6L (220CID,3604CC),DOHC,6CYL, 96.000MM (3.780"), PENTASTAR 3.6 / 2011-2017																	
200 / 11-17	SWC10025-0	96.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-916-0	96.00	TL:	51.80	PL:	52.00	CHK.	
300 / 11-16	SWC10025-1	96.25		0.047	0.122					11-916-1	96.25	CH:	28.70	PD:	22.00	DIA	
AVENGER / 11-14	SWC10025-2	96.50	2nd:	1.200	X	3.700	TUC	CAST IRON	PHOSPHATE	11-916-2	96.50	DIST1:	-0.30	Head:	AH	9.00	
CHALLENGER / 11-16	SWC10025-3	96.75		0.047	0.146					11-916-3	96.75	DIST2:		Skirt:	MS		
CHARGER / 11-16	SWC10025-4	97.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	NITRIDED	11-916-4	97.00	DIST3:					
DURANGO / 11-17				0.079		0.100											
Grand Caraven / 11-17	REFERENCE # 68078776AA		TOP			2ND			OIL			REFERENCE # 5184347AG					
Grand Cherokee / 11-17																	
JOURNEY / 11-17																	
PACIFICA / 17-17																	
RAM 1500 / 13-17																	
RAM CARGO VAN / 12-15																	
RAM PROMASTER / 14-16																	
TOWN & COUNTRY / 11-15																	
WRANGLER / 12-16																	
WRANGLER																	
UNLIMITED / 12-16																	

© 2018 NPR of America. In




CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.7L (225CID,3687CC),OHV,6CYL, 86.360MM (3.400"), SLANT 6 / 1974-1987																
CORDOBA / 80-83	SWC10017-0	86.36	Top:	1.984	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DIPLOMAT / 80-83	SWC10017-1	86.61		0.078	0.157											
Fifth Avenue / 83-83	SWC10017-2	86.86	2nd:	1.984	X	4.000	T1-RB	CAST IRON	PHOSPHATE							
GRAN FURY / 80-83	SWC10017-3	87.11		0.078	0.157											
LeBARON / 80-81	SWC10017-4	87.36	Oil:	4.763	X	4.200	NIFF-S	STEEL	CHROME							
MIRADA / 80-83				0.188	0.165											
NEW YORKER / 82-82	REFERENCE #		TOP	2ND		OIL										
NEWPORT / 80-81	4131203															
PICKUP / 74-87	4131205															
RAM VAN / 74-87	4131214															
RAMCHARGER / 75-80																
St. Regis / 80-80																
TRAILDUSTER / 75-80																
3.7L (226CID,3701CC),SOHC,6CYL, 93.000MM (3.661"), Power Tech 3.7 / 2002-2012																
COMMANDER / 06-10	SWC10002-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-806-0	93.00	TL:	53.90	PL:	59.00	CHK.
DAKOTA / 04-11	SWC10002-1	93.25		0.059	0.128					11-806-1	93.25	CH:	31.80	PD:	24.02	DIA
DURANGO / 04-09	SWC10002-2	93.50	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE	11-806-2	93.50	DIST1:		Head:	NONE	13.00
Grand Cherokee / 05-10	SWC10002-3	93.75		0.059	0.154					11-806-3	93.75	DIST2:		Skirt:	MS	
Liberty / 02-12	SWC10002-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-806-4	94.00	DIST3:				
NITRO / 07-11	AM Ring Available			0.118	0.118											
PICKUP / 02-02	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
RAM 1500 / 02-10	4897033AA					5019316AA										
	5012364AC															
	5241051															
	5241052															
3.8L (231CID,3778CC),OHV,6CYL, 96.000MM (3.780"), EGH 3.8 / 2000-2011																
CARAVAN / 00-08	SWC10015-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-864-0	96.00	TL:	54.10	PL:	71.50	CHK.
Grand Caraven / 01-10	SWC10015-1	96.25		0.047	0.138					11-864-1	96.25	CH:	32.30	PD:	22.89	DIA
PACIFICA / 07-08	SWC10015-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	11-864-2	96.50	DIST1:	-2.30	Head:	NONE	6.50
TOWN & COUNTRY / 01-10	SWC10015-3	96.75		0.059	0.157					11-864-3	96.75	DIST2:		Skirt:	MS	
WRANGLER / 07-11	SWC10015-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	11-864-4	97.00	DIST3:				
				0.118	0.126											
	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
	4773023					4666129AA										
	68001386AA					5019338AA										
3.8L (232CID,3802CC),OHV,6CYL, 96.000MM (3.780"), EGH 3.8 / 1991-2000																
CARAVAN / 96-99	SWC10005-0	96.00	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	DISC-11-815-0	96.00					
Grand Caraven / 94-00	SWC10005-1	96.25		0.059	0.138					DISC-11-815-1	96.25					
Grand Voyager / 94-00	SWC10005-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	DISC-11-815-2	96.50					
IMPERIAL / 91-93	SWC10005-3	96.75		0.059	0.157					DISC-11-815-3	96.75					
NEW YORKER 5 / 91-93	SWC10005-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	DISC-11-815-4	97.00					
TOWN & COUNTRY / 96-00	AM Ring Available			0.118	0.126											
	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
	4626388					4797692										
	4626660															






CHRYSLER

CHRYSLER




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.9L (239CID,3917CC),OHV,6CYL, 99.310MM (3.910"), LA 239 / 1988-1991																
DAKOTA / 88-91	SWC10018-0	99.31	Top:	1.984	X	4.500	BF-IB	CAST IRON	CHROME	11-855-0	99.31	TL:	86.40	PL:	76.00	CHK.
PICKUP / 88-91	SWC10018-1	99.56		0.078	0.177				11-855-1	99.56	CH:	43.80	PD:	22.00	DIA	
RAM VAN / 88-91	SWC10018-2	99.81	2nd:	1.984	X	4.500	T1-RB	CAST IRON	PHOSPHATE	11-855-2	99.81	DIST1:		Head:	NONE	14.00
	SWC10018-3	100.06		0.078	0.177			11-855-3	100.06	DIST2:		Skirt:	NONE			
	SWC10018-4	100.31	Oil:	4.763	X	4.200	NIFF-S	STEEL	CHROME	11-855-4	100.31	DIST3:				
	REFERENCE # 3780007		TOP	2ND		OIL				REFERENCE # 4397779						
3.9L (239CID,3917CC),OHV,6CYL, 99.310MM (3.910"), MAGNUM 3.9 / 1992-2003																
DAKOTA / 92-03	SWC10006-0	99.31	Top:	2.000	X	3.450	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DURANGO / 98-99	SWC10006-1	99.56		0.079	0.136											
PICKUP / 92-98	SWC10006-2	99.81	2nd:	2.000	X	4.500	T1-RC	CAST IRON	PHOSPHATE							
RAM 1500 / 94-01	SWC10006-3	100.06		0.079	0.177											
RAM VAN / 92-01	SWC10006-4	100.31	Oil:	4.000	X	3.300	NIF-S	STEEL	NITRIDED							
	AM Ring Available			0.157		0.130										
	REFERENCE # 4720653		TOP	2ND		OIL										
4.0L (241CID,3952CC),SOHC,6CYL, 96.000MM (3.780"), EGQ & EGS 4.0 / 2007-2011																
Grand Caraven / 08-10	SWC10013-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-922-0	96.00	TL:	55.10	PL:	52.50	CHK.
NITRO / 07-11	SWC10013-1	96.25		0.047	0.138				11-922-1	96.25	CH:	32.70	PD:	22.00	DIA	
PACIFICA / 07-08	SWC10013-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	11-922-2	96.50	DIST1:	-2.60	Head:	AH	7.00
	SWC10013-3	96.75		0.059	0.157			11-922-3	96.75	DIST2:		Skirt:	MS			
	SWC10013-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME	11-922-4	97.00	DIST3:				
				0.118		0.136										
	REFERENCE # 4897035AA		TOP	2ND		OIL				REFERENCE # 4593589AA						
	4897035AB															
4.0L (241CID,3952CC),SOHC,6CYL, 96.000MM (3.780"), SMPI 4.0 / 2008-2010																
TOWN & COUNTRY / 08-10	SWC10015-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWC10015-1	96.25		0.047	0.138											
	SWC10015-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE							
	SWC10015-3	96.75		0.059	0.157											
	SWC10015-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED							
				0.118		0.126										
	REFERENCE # 4773023		TOP	2ND		OIL										
	68001386AA															






CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
4.0L (242CID,3966CC),OHV,6CYL, 98.425MM (3.875"), AMC 242 / 1994-1995																
CHEROKEE / 94-95	SWC10014-0 6	98.42	Top:	1.984	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
Grand Cherokee / 94-95	SWC10014-1 6	98.67		0.078	0.138											
WRANGLER / 94-95	SWC10014-2 6	98.92	2nd:	1.984	X	4.550	T1-RC	CAST IRON	PHOSPHATE							
	SWC10014-3 6	99.17		0.078	0.179											
	SWC10014-4 6	99.42	Oil:	4.763	X	4.150	NIF-S	STEEL	CHROME							
REFERENCE # 4762462		TOP		2ND		OIL										
4.0L (242CID,3966CC),OHV,6CYL, 98.430MM (3.875"), Power Tech 4.0 / 1996-2006																
CHEROKEE / 96-01	SWC10012-0	98.43	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
Grand Cherokee / 96-04	SWC10012-1	98.68		0.059	0.138											
WRANGLER / 97-06	SWC10012-2	98.93	2nd:	1.500	X	4.500	T1-RB	CAST IRON	PHOSPHATE							
	SWC10012-3	99.18		0.059	0.177											
	SWC10012-4	99.43	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME							
REFERENCE # 4798878		TOP		2ND		OIL										
4.7L (287CID, 5899CC), SOHC, 8CYL, 93.000MM (3.661"), Vin-J Power Tech 4.7 / 2002-2007																
COMMANDER / 06-07	SWC10021-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-D807-0	96.00	TL:	55.40	PL:	59.00	CHK.
DAKOTA / 05-07	SWC10021-1	93.25		0.059	0.128					11-D807-1	96.25	CH:	33.50	PD:	24.02	DIA
DURANGO / 05-07	SWC10021-2	93.50	2nd:	1.500	X	3.900	T1-RC	CAST IRON	PHOSPHATE	11-D807-2	96.50	DIST1:	2.00	Head:	NONE	10.00
Grand Cherokee / 02-07	SWC10021-3	93.75		0.059	0.154					11-D807-3	96.75	DIST2:		Skirt:	NONE	
RAM 1500 / 05-07	SWC10021-4	94.00	Oil:	3.000	X	3.000	NIF-S	STEEL	CHROME	11-D807-4	97.00	DIST3:				
AM Ring Available				0.118		0.118										
REFERENCE # 5012364AC		TOP		2ND		OIL					REFERENCE # 5018018AB					
4.7L (287CID,4703CC),SOHC,8CYL, 93.000MM (3.661"), Power Tech 4.7 / 1999-2007																
ASPEN / 07-07	SWC10021-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-807-0	93.00	TL:	53.90	PL:	59.00	CHK.
COMMANDER / 06-07	SWC10021-1	93.25		0.059	0.128					11-807-1	93.25	CH:	31.80	PD:	24.02	DIA
DAKOTA / 00-07	SWC10021-2	93.50	2nd:	1.500	X	3.900	T1-RC	CAST IRON	PHOSPHATE	11-807-2	93.50	DIST1:		Head:	NONE	13.00
DURANGO / 00-07	SWC10021-3	93.75		0.059	0.154					11-807-3	93.75	DIST2:		Skirt:	MS	
Grand Cherokee / 99-07	SWC10021-4	94.00	Oil:	3.000	X	3.000	NIF-S	STEEL	CHROME	11-807-4	94.00	DIST3:				
AM Ring Available				0.118		0.118										
REFERENCE # 5012364AC		TOP		2ND		OIL					REFERENCE # 5012362AB 5012362AC					






CHRYSLER

CHRYSLER





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
4.7L (287CID,4703CC),SOHC,8CYL, 93.000MM (3.661"), Power Tech 4.7 / 2008-2011																
ASPEN / 08-09	SWG10011-0	93.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-902-0	93.00	TL:	56.50	PL:	58.00	CHK.
COMMANDER / 08-10	SWG10011-1	93.25		0.047	0.138				11-902-1	93.25	CH:	35.40	PD:	23.00	DIA	
DAKOTA / 08-11	SWG10011-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE	11-902-2	93.50	DIST1:	5.30	Head:	AH	8.00
DURANGO / 08-09	SWG10011-3	93.75		0.059	0.154				11-902-3	93.75	DIST2:		Skirt:	MS		
Grand Cherokee / 08-08	SWG10011-4	94.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED	11-902-4	94.00	DIST3:				
RAM 1500 / 08-10	AM Ring Available			0.098	0.102											
REFERENCE # 12564801		TOP	2ND		OIL		REFERENCE # 68031605AD									
5.2L (318CID,5211CC),OHV,8CYL, 99.310MM (3.910"), LA 318 / 1974-1985																
CORDOBA / 80-83	SWC10019-0	99.31	Top:	1.984	X	4.500	BF-IB	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DIPLOMAT / 80-85	SWC10019-1	99.56		0.078	0.177											
Fifth Avenue / 83-85	SWC10019-2	99.81	2nd:	1.984	X	4.500	T1-RB	CAST IRON	PHOSPHATE							
GRAN FURY / 80-85	SWC10019-3	100.06		0.078	0.177											
IMPERIAL / 81-83	SWC10019-4	100.31	Oil:	4.763	X	4.200	NIFF-S	STEEL	CHROME							
LeBARON / 80-81				0.188	0.165											
MIRADA / 80-83	REFERENCE #	TOP	2ND		OIL											
NEW YORKER / 80-82	2808550															
NEWPORT / 80-81	2808553															
PICKUP / 74-85	3780007															
RAM VAN / 74-85																
RAMCHARGER / 74-85																
St. Regis / 80-81																
TRAILDUSTER / 74-81																
VOLARE / 80-80																
5.2L (318CID,5211CC),OHV,8CYL, 99.310MM (3.910"), MAGNUM 5.2 / 1985-1991																
DAKOTA / 89-91	SWC10019-0	99.31	Top:	1.984	X	4.500	BF-IB	CAST IRON	CHROME	11-821-0	99.31	TL:	86.40	PL:	76.00	CHK.
DIPLOMAT / 86-89	SWC10019-1	99.56		0.078	0.177				11-821-1	99.56	CH:	43.80	PD:	22.00	DIA	
Fifth Avenue / 86-89	SWC10019-2	99.81	2nd:	1.984	X	4.500	T1-RB	CAST IRON	PHOSPHATE	11-821-2	99.81	DIST1:		Head:	NONE	14.00
GRAN FURY / 86-89	SWC10019-3	100.06		0.078	0.177				11-821-3	100.06	DIST2:		Skirt:	NONE		
PICKUP / 85-91	SWC10019-4	100.31	Oil:	4.763	X	4.200	NIFF-S	STEEL	CHROME	11-821-4	100.31	DIST3:				
RAM VAN / 85-91				0.188	0.165											
RAMCHARGER / 85-91	REFERENCE #	TOP	2ND		OIL		REFERENCE # 4397779									
	2808550															
	2808553															
	3780007															
5.2L (318CID,5211CC),OHV,8CYL, 99.310MM (3.910"), MAGNUM 5.2 / 1992-2002																
DAKOTA / 92-99	SWC10020-0	99.31	Top:	2.000	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DURANGO / 98-00	SWC10020-1	99.56		0.079	0.136											
Grand Cherokee / 93-98	SWC10020-2	99.81	2nd:	2.000	X	4.500	T1	CAST IRON	PHOSPHATE							
PICKUP / 92-96	SWC10020-3	100.06		0.079	0.177											
RAM 1500 / 94-01	SWC10020-4	100.31	Oil:	4.000	X	3.100	NIFF-S	STEEL	NITRIDED							
RAM 2500 / 94-96				0.157	0.122											
RAM VAN / 92-02	REFERENCE #	TOP	2ND		OIL											
RAMCHARGER / 92-93	4638060															
	4720727															






CHRYSLER

CHRYSLER



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
5.7L (345CID,5654CC),OHV,8CYL, 99.500MM (3.917"), EZB HEMI 5.7,HEMI 5.7,HEMI 5.7H / 2005-2010																
300 / 07-09	SWC10016-0	99.50	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	11-861-0	99.50	TL:	59.00	PL:	71.00	CHK.
ASPEN / 07-09	SWC10016-1	99.75		0.059	0.138	11-861-1				99.75	CH:	31.00	PD:	24.00	DIA	
ASPEN HYBRID / 09-09	SWC10016-2	100.00	2nd:	1.500	X	4.500	T1-RB	CAST IRON	PHOSPHATE	11-861-2	100.00	DIST1:	4.00	Head:	AH	5.00
CHARGER / 06-09	SWC10016-3	100.25		0.059	0.177	11-861-3				100.25	DIST2:		Skirt:	MS		
COMMANDER / 06-10	SWC10016-4	100.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-861-4	100.50	DIST3:				
DURANGO / 06-09	REFERENCE # 5086002AA		TOP		2ND		OIL		REFERENCE # 53021538AD 53021539AD							
DURANGO HYBRID / 09-09																
Grand Cherokee / 05-09																
MAGNUM / 05-08																
RAM 1500 / 06-09																
RAM 2500 / 06-09																
RAM 3500 / 06-09																
RAM 3500 Chassis Cab / 07-09																
5.7L (345CID,5654CC),OHV,8CYL, 99.500MM (3.917"), EZH HEMI 5.7,HEMI 5.7 / 2009-2017																
CHALLENGER / 09-16	SWC10024-0	99.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-913-0	99.50	TL:	53.30	PL:	75.00	CHK.
CHARGER / 10-16	SWC10024-1	99.75		0.047	0.122	11-913-1				99.75	CH:	30.00	PD:	24.00	DIA	
DURANGO / 11-17	SWC10024-2	100.00	2nd:	1.200	X	4.100	TUC	CAST IRON		11-913-2	100.00	DIST1:	2.30	Head:	AH	10.00
Grand Cherokee / 10-17	SWC10024-3	100.25		0.047	0.161	11-913-3				100.25	DIST2:		Skirt:	MS		
RAM 2500 / 10-17	SWC10024-4	100.50	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	11-913-4	100.50	DIST3:				
RAM 3500 / 11-17	REFERENCE # 68046210AB		TOP		2ND		OIL		REFERENCE # 53022257AE							
RAM 3500 Chassis Cab / 11-14																
5.7L (345CID,5654CC),OHV,8CYL, 99.500MM (3.917"), EZH HEMI 5.7,HEMI 5.7 / 2010-2017																
300 / 10-16	SWC10024-0	99.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-913-0	99.50	TL:	53.30	PL:	75.00	CHK.
RAM 1500 / 10-17	SWC10024-1	99.75		0.047	0.122	11-913-1				99.75	CH:	30.00	PD:	24.00	DIA	
	SWC10024-2	100.00	2nd:	1.200	X	4.100	TUC	CAST IRON		11-913-2	100.00	DIST1:	2.30	Head:	AH	10.00
	SWC10024-3	100.25		0.047	0.161	11-913-3				100.25	DIST2:		Skirt:	MS		
	SWC10024-4	100.50	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	11-913-4	100.50	DIST3:				
	REFERENCE # 68046210AB		TOP		2ND		OIL		REFERENCE # 53022257AE							
5.7L (345CID,5654CC),OHV,8CYL, 99.500MM (3.917"), HEMI 5.7 / 2003-2006																
300 / 05-06	SWC10016-0	99.50	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	11-873-0	99.50	TL:	58.70	PL:	71.00	CHK.
DURANGO / 04-05	SWC10016-1	99.75		0.059	0.138	11-873-1				99.75	CH:	30.70	PD:	24.00	DIA	
RAM 1500 / 03-05	SWC10016-2	100.00	2nd:	1.500	X	4.500	T1-RB	CAST IRON	PHOSPHATE	11-873-2	100.00	DIST1:	4.00	Head:	AH	6.00
RAM 2500 / 03-05	SWC10016-3	100.25		0.059	0.177	11-873-3				100.25	DIST2:		Skirt:	MS		
RAM 3500 / 03-05	SWC10016-4	100.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-873-4	100.50	DIST3:				
	REFERENCE # 5086002AA		TOP		2ND		OIL		REFERENCE # 5086010AB 5086011AB							






CHRYSLER

CHRYSLER


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
5.9L (360.0 CID, 5899.0 CC), OHV, 8CYL, 16VALVE, 101.60mm (4.000"), MAGNUM 5.9 / 1994-2003																
DAKOTA / 98-03	SWF80011-0	101.60	Top:	1.50	X	4.17	BF	DUCTILE IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DURANGO / 98-03	SWF80011-1	101.85		0.059		0.164										
Grand Cherokee / 98-98	SWF80011-2	102.10	2nd:	1.50	X	4.45	T1-RB	CAST IRON	PHOSPHATE							
PICK UP / 94-02	SWF80011-3	102.35		0.059		0.175										
RAM 1500 / 97-03	SWF80011-4	102.60	Oil:	4.00	X	2.61	NIFF-S	STEEL	CHROME							
RAM 2500 / 94-02			0.157	0.103												
RAM 3500 / 97-02	REFERENCE #	TOP	2ND		OIL											
RAM VAN / 99-02	4740259															
	E5TZ 6148 EE															
	F2ZZ 6148 A															
	F6TZ 6148 AA															
5.9L (360CID,5899CC),OHV,6CYL, 102.000MM (4.016"), 6BT,ISB 5.9 / 1989-2002 DIESEL																
PICKUP / 89-02	SDC10022-0	102.00	Top:	3.0K	X	4.200	BF-K1	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
RAM 2500 / 97-02	SDC10022-1	102.25		0.118K		0.165										
RAM 3500 / 97-02	SDC10022-2	102.50	2nd:	2.350	X	4.300	T1-RC	CAST IRON	PHOSPHATE							
	SDC10022-3	102.75		0.093		0.169										
	SDC10022-4	103.00	Oil:	4.000	X	4.300	E-BC16	CAST IRON	CHROME							
			0.157	0.169												
	REFERENCE #	TOP	2ND		OIL											
	4089258															
	4638644															
	5011858AA															
5.9L (360CID,5899CC),OHV,6CYL, 102.000MM (4.016"), ISB 5.9 / 2003-2008 DIESEL																
RAM 2500 / 03-08	SDC10022-0	102.00	Top:	3.0K	X	4.200	BF-K1	DUCTILE IRON	CHROME	11-856-0	102.00	TL:	105.20	PL:	83.00	CHK.
RAM 3500 / 03-08	SDC10022-1	102.25		0.118K		0.165				11-856-1	102.25	CH:	71.40	PD:	40.00	DIA
	SDC10022-2	102.50	2nd:	2.350	X	4.300	T1-RC	CAST IRON	PHOSPHATE	11-856-2	102.50	DIST1:	-12.50	Head:	NONE	20.00
	SDC10022-3	102.75		0.093		0.169				11-856-3	102.75	DIST2:	Skirt:	NONE		
	SDC10022-4	103.00	Oil:	4.000	X	4.300	E-BC16	CAST IRON	CHROME	11-856-4	103.00	DIST3:				
			0.157	0.169												
	REFERENCE #	TOP	2ND		OIL		REFERENCE #									
	4089258				3970192											
	4638644															
	5011858AA															
5.9L (360CID,5899CC),OHV,8CYL, 101.600MM (4.000"), LA 360,MAGNUM 5.9 / 1974-1993																
CORDOBA / 80-80	SWF80016-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
GRAN FURY / 80-80	SWF80016-1	101.85		0.078		0.195										
MIRADA / 80-80	SWF80016-2	102.10	2nd:	1.984	X	4.650	T1-RC	CAST IRON	PHOSPHATE							
NEW YORKER / 80-80	SWF80016-3	102.35		0.078		0.183										
NEWPORT / 80-80	SWF80016-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME							
PICKUP / 74-93			0.188	0.181												
RAM VAN / 74-93	REFERENCE #	TOP	2ND		OIL											
RAMCHARGER / 74-93	12507985															
St. Regis / 80-80	14089025															
TRAILDUSTER / 74-81	3579044															
VOLARE / 80-80	3780016															
	88894219															
	C3AZ 6108 F															
	C3AZ 6148 F															
	E3ZZ 6148 A															
	E6TZ 6148 A															





CHRYSLER

CHRYSLER


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
6.7L (408CID,6690CC),OHV,6CYL, 107.000MM (4.213"), B6.7 / 2007-2015 DIESEL																
RAM 2500 / 07-10	SDC10023-0	107.00	Top:	3.0K	X	4.400	BF-K1	DUCTILE IRON	CHROME	11-885-0	107.00	TL:	103.20	PL:	90.50	CHK.
RAM 3500 / 09-15	SDC10023-1	107.25		0.118K	0.173						11-885-1	107.25	CH:	69.40	PD:	40.00
RAM 3500 Chassis Cab / 07-15	SDC10023-2	107.50	2nd:	2.500	X	4.500	T1-RB	CAST IRON	PHOSPHATE	11-885-2	107.50	DIST1:	-22.00	Head:	NONE	20.00
	SDC10023-3	107.75		0.098	0.177				11-885-3		107.75	DIST2:				
	SDC10023-4	108.00	Oil:	3.500	X	4.150	E-BC16	CAST IRON	CHROME		11-885-4	108.00		DIST3:		
REFERENCE # 4955366		TOP	2ND	OIL					REFERENCE # 4955365							

DAEWOO

DAEWOO

1.5L (95CID,1549CC),SOHC,4CYL, 76.500MM (3.012"), D-TEC / 1999-1999																
LANOS / 99-99	SWD20003-0	76.50	Top:	1.500	X	2.650	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWD20003-1	76.75		0.059		0.104										
	SWD20003-2	77.00	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE							
	SWD20003-3	77.25		0.059		0.126										
	SWD20003-4	77.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME							
REFERENCE # 90273451		TOP	2ND	OIL												
1.6L (98CID,1598CC),DOHC,4CYL, 79.000MM (3.110"), E-TEC / 2000-2002																
LANOS / 00-02	SWD20004-0	79.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-779-0	79.00	TL:	51.30	PL:	54.70	CHK.
	SWD20004-1	79.25		0.047		0.120				11-779-1	79.25	CH:	28.30	PD:	18.00	DIA
	SWD20004-2	79.50	2nd:	1.500	X	3.300	E-BC16	CAST IRON	PHOSPHATE	11-779-2	79.50	DIST1:	-2.90	Head:	NONE	8.00
	SWD20004-3	79.75		0.059		0.130				11-779-3	79.75	DIST2:		Skirt:	NONE	
	SWD20004-4	80.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-779-4	80.00	DIST3:				
REFERENCE # 93740225		TOP	2ND	OIL				REFERENCE # 96182846								
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), E-TEC II / 1999-2002																
NUBIRA / 99-02	SWD20006-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWD20006-1	86.25		0.059		0.136										
	SWD20006-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE							
	SWD20006-3	86.75		0.059		0.138										
	SWD20006-4	87.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME							
REFERENCE # 92062027		TOP	2ND	OIL												





DAEWOO

DAEWOO



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
2.2L (134CID,2198CC),DOHC,4CYL, 86.000MM (3.386"), E-TEC II / 1999-2002										
LEGANZA / 99-02	SWD20006-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWD20006-1	86.25		0.059		0.136				
	SWD20006-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	
	SWD20006-3	86.75		0.059		0.138				
	SWD20006-4	87.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	
			0.118	0.118						
	REFERENCE # 92062027		TOP	2ND		OIL				

DAIHATSU


DAIHATSU

1.0L (61CID,997CC),3CYL, 76.000MM (2.992"), CB10, G10 / 1988-1992										
CHARADE / 88-92	SWD10036-0	76.00	Top:	1.500	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWD10036-1	76.25		0.059		0.114				
	SWD10036-2	76.50	2nd:	1.500	X	3.100	T1	CAST IRON	CHROME	
	SWD10036-3	76.75		0.059		0.122				
	SWD10036-4	77.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	
				0.110		0.100				
	REFERENCE #		TOP	2ND	OIL					
	13011-87727-000									

1.3L (79CID,1295CC),4CYL, 76.000MM (2.992"), G102S, HCE / 1989-1992																
CHARADE / 89-92	SWD10031-0	76.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	DISC-11-688-0	76.00					
	SWD10031-1	76.25		0.047	0.112	DISC-11-688-1				76.25						
	SWD10031-2	76.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-688-2	76.50					
	SWD10031-3	76.75		0.059	0.126	DISC-11-688-3				76.75						
	SWD10031-4	77.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	DISC-11-688-4	77.00					
	REFERENCE # 13011-87108-000	TOP			2ND			OIL			REFERENCE # 13101-87105-000					
																

1.6L (97CID,1589CC),SOHC,4CYL, 76.000MM (2.992"), HDE / 1990-1992																
ROCKY / 90-92	SWD10031-0	76.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	11-689-0	76.00	TL:	60.70	PL:	58.00	CHK. DIA
	SWD10031-1	76.25		0.047	0.112	11-689-1				76.25	CH:	30.70	PD:	19.00		
	SWD10031-2	76.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-689-2	76.50	DIST1:	-0.50	Head:	NONE	15.00
	SWD10031-3	76.75		0.059	0.126	11-689-3				76.75	DIST2:		Skirt:	NONE		
	SWD10031-4	77.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-689-4	77.00	DIST3:				
REFERENCE # 13011-87108-000			TOP	2ND		OIL			REFERENCE # 13101-87113-010							
																






FORD

FORD





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.3L (81CID,1322CC),SOHC,4CYL, 71.000MM (2.795"), B3 / 1994-1997																	
ASPIRE / 94-97	SWT20052-0	71.00	Top:	1.200	X	2.470	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWT20052-1	71.25		0.047		0.097											
	SWT20052-2	71.50	2nd:	1.500	X	3.100	TUC	CAST IRON	PHOSPHATE								
	SWT20052-3	71.75		0.059		0.122											
	SWT20052-4	72.00	Oil:	3.000	X	2.920	NIFF-S	STEEL	CHROME								
				0.118		0.115											
REFERENCE #		TOP	2ND		OIL												
E9BZ 6149 A																	
F4BZ 6149 A																	
1.3L (81CID,1324CC),SOHC,4CYL, 71.000MM (2.795"), B3 / 1988-1993																	
FESTIVA / 88-93	SWT20052-0	71.00	Top:	1.200	X	2.470	BF	STEEL	CHROME	11-589-0	71.00	TL:	60.00	PL:	55.00	CHK. DIA 12.00	
	SWT20052-1	71.25		0.047		0.097				11-589-1	71.25	CH:	28.70	PD:	20.00		
	SWT20052-2	71.50	2nd:	1.500	X	3.100	TUC	CAST IRON	PHOSPHATE	11-589-2	71.50	DIST1:	-1.00	Head:	NONE		
	SWT20052-3	71.75		0.059		0.122				11-589-3	71.75	DIST2:	-4.00	Skirt:	NONE		
	SWT20052-4	72.00	Oil:	3.000	X	2.920	NIFF-S	STEEL	CHROME	11-589-4	72.00	DIST3:					
				0.118		0.115											
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
E9BZ 6149 A								E8BZ 6108 A									
F4BZ 6149 A																	
1.6L (97CID,1597CC),SOHC,4CYL, 78.000MM (3.071"), B6 / 1988-1989																	
TRACER / 88-89	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-577-0	78.00						
	SWT20060-1	78.25		0.059		0.122				DISC-11-577-1	78.25						
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME	DISC-11-577-2	78.50						
	SWT20060-3	78.75		0.059		0.134				DISC-11-577-3	78.75						
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED	DISC-11-577-4	79.00						
				0.157		0.118											
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
B6Y0-11-SC0A								B6Y0-11-SA0A									
B6Y4-11-SC0B																	
B6Y6-11-SC0A																	
E8GY 6149 A																	
1.6L (97CID,1597CC),SOHC,4CYL, 78.000MM (3.071"), B6 / 1991-1994																	
CAPRI / 91-94	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWT20060-1	78.25		0.059		0.122											
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME								
	SWT20060-3	78.75		0.059		0.134											
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED								
				0.157		0.118											
REFERENCE #		TOP	2ND		OIL												
B6Y0-11-SC0A																	
B6Y4-11-SC0B																	
B6Y6-11-SC0A																	
E8GY 6149 A																	






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), BP05 / 1991-1996										
ESCORT / 91-96 TRACER / 91-96	SWT20066-0 SWT20066-1 SWT20066-2 SWT20066-3 SWT20066-4	83.00 83.25 83.50 83.75 84.00	Top: 2nd: Oil:	1.500 0.059 1.500 0.059 3.000 0.118	X X X	3.300 0.130 3.600 0.142 2.800 0.110	BF-IB TUC NIFF-S	STEEL CAST IRON STEEL	NITRIDED PHOSPHATE NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
REFERENCE # BPY0-11-SCO BPY1-11-SC0 BPY3-11-SC0 BPZ0-11-SC0A FOCZ 6149 A		TOP 2ND OIL								
1.9L (116CID,1901CC),SOHC,4CYL, 81.940MM (3.226"), CVH 1.9 / 1987-1996										
COUGER / 87-87 ESCORT / 87-96 ESCORT EXP / 87-88 Grand Marquis / 87-87 LYNX / 87-87 TOPAZ / 87-87 TRACER / 91-96	SWF30010-0 SWF30010-1 SWF30010-2 SWF30010-3 SWF30010-4	81.94 82.19 82.44 82.69 82.94	Top: 2nd: Oil:	1.500 0.059 1.500 0.059 3.000 0.118	X X X	2.900 0.114 3.200 0.126 2.950 0.116	BF TUC NIFF-S	STEEL CAST IRON STEEL	NITRIDED PHOSPHATE CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
REFERENCE # FOCZ 6148 A		TOP 2ND OIL								
2.0L (120CID,1970CC),SOHC,4CYL, 80.000MM (3.150"), MA / 1979-1982										
COURIER PICKUP / 79-82	SWT20031-0 SWT20031-1 SWT20031-2 SWT20031-3 SWT20031-4	80.00 80.25 80.50 80.75 81.00	Top: 2nd: Oil:	1.200 0.047 1.500 0.059 4.000 0.157	X X X	3.450 0.136 3.600 0.142 3.250 0.128	BF TUC NIFF-S	STEEL CAST IRON STEEL	CHROME PHOSPHATE CHROME	DISC-11-130-0 80.00 DISC-11-130-1 80.25 DISC-11-130-2 80.50 DISC-11-130-3 80.75 DISC-11-130-4 81.00
REFERENCE # HE18-23-130		TOP 2ND OIL				REFERENCE # HE01-23-200				
2.0L (121CID,1986CC),SOHC,4CYL, 84.860MM (3.341"), CVH 2.0 / 1997-2002										
ESCORT / 97-02 TRACER / 97-99	SWF30005-0 SWF30005-1 SWF30005-2 SWF30005-3 SWF30005-4 AM Ring Available	84.86 85.11 85.36 85.61 85.86	Top: 2nd: Oil:	1.500 0.059 1.500 0.059 3.000 0.118	X X X	3.100 0.122 3.900 0.154 3.100 0.122	BF T1-RB NIFF-S	STEEL CAST IRON STEEL	NITRIDED PHOSPHATE NITRIDED	11-822-0 84.86 11-822-1 85.11 11-822-2 85.36 11-822-3 85.61 11-822-4 85.86
REFERENCE # F7CZ 6148 AA		TOP 2ND OIL				REFERENCE # 1S4Z 6100 AA 1S4Z 6100 AB				






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (121CID,1986CC),SOHC,4CYL, 84.860MM (3.341"), CVH 2.0 / 2000-2004																
FOCUS / 00-04	SWF30005-0	84.86	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF30005-1	85.11		0.059	0.122											
	SWF30005-2	85.36	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE							
	SWF30005-3	85.61		0.059	0.154											
	SWF30005-4	85.86	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118		0.122										
REFERENCE # F7CZ 6148 AA			TOP	2ND	OIL											
2.0L (121CID,1991CC),DOHC,4CYL, 83.000MM (3.268"), FS / 1993-1997																
PROBE / 93-97	SWF30001-0	83.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-706-0	83.00	TL:	53.80	PL:	58.00	CHK.
	SWF30001-1	83.25		0.047	0.122	11-706-1				83.25	CH:	30.00	PD:	19.00	DIA	
	SWF30001-2	83.50	2nd:	1.500	X	3.600	TUC	STEEL	PHOSPHATE	11-706-2	83.50	DIST1:	-8.40	Head:	NONE	10.00
	SWF30001-3	83.75		0.059	0.142	11-706-3				83.75	DIST2:		Skirt:	NONE		
	SWF30001-4	84.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME	11-706-4	84.00	DIST3:				
		0.118	0.126													
REFERENCE # E62Z 6149 AA			TOP	2ND	OIL	REFERENCE # F72Z 6108 AA FSY1-11-SA0D FSY3-11-SA0D										
2.0L (121CID,1991CC),DOHC,4CYL, 84.800MM (3.339"), ZETEC-R 2.0 / 1998-2000																
CONTOUR / 98-00 COUGER / 99-99 ESCORT / 98-99 MYSTIQUE / 98-00	SWF30002-0	84.80	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF30002-1	85.05		0.059	0.120											
	SWF30002-2	85.30	2nd:	1.750	X	3.900	TUC	CAST IRON	PHOSPHATE							
	SWF30002-3	85.55		0.069	0.154											
	SWF30002-4	85.80	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME							
	AM Ring Available			0.118	0.126											
REFERENCE # F8CZ 6148 AA YF09-11-100A YS4Z 6135 AA			TOP	2ND	OIL											
2.0L (121CID,1991CC),DOHC,4CYL, 84.800MM (3.339"), ZETEC-R 2.0 / 2000-2004																
COUGER / 01-02 ESCAPE / 01-04 FOCUS / 00-04 ZX2 / 00-03	SWF30002-0	84.80	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-865-0	84.80	TL:	54.20	PL:	59.00	CHK.
	SWF30002-1	85.05		0.059	0.120	11-865-1				85.05	CH:	29.40	PD:	20.00	DIA	
	SWF30002-2	85.30	2nd:	1.750	X	3.900	TUC	CAST IRON	PHOSPHATE	11-865-2	85.30	DIST1:	0.80	Head:	NONE	11.00
	SWF30002-3	85.55		0.069	0.154	11-865-3				85.55	DIST2:		Skirt:	MS		
	SWF30002-4	85.80	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME	11-865-4	85.80	DIST3:				
	AM Ring Available			0.118	0.126											
REFERENCE # F8CZ 6148 AA YF09-11-100A YS4Z 6135 AA			TOP	2ND	OIL	REFERENCE # XS7Z 6100 AA										






FORD

FORD








ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (121CID,1991CC),DOHC,4CYL, 84.860MM (3.341"), ZETEC-E 2.0 / 1995-1997																
CONTOUR / 95-97	SWF30007-0	84.86	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
MYSTIQUE / 95-97	SWF30007-1	85.11		0.059	0.122											
	SWF30007-2	85.36	2nd:	1.750	X	3.800	TUC	CAST IRON	PHOSPHATE							
	SWF30007-3	85.61		0.069	0.150											
	SWF30007-4	85.86	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118	X	0.122										
REFERENCE # F5RZ 6148 A		TOP	2ND	OIL												
2.0L (122CID,1999CC),DOHC,4CYL, 87.500MM (3.445"), DURATEC 20 HI,DURATEC 20H,EcoBoost 20T / 2010-2017																
C-Max / 13-16	SWF30023-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
EDGE / 12-16	SWF30023-1	87.75		0.047	0.114											
ESCAPE / 13-16	SWF30023-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
EXPLORER / 12-15	SWF30023-3	88.25		0.047	0.134											
FOCUS / 10-15	SWF30023-4	88.50	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED							
				0.079	X	0.098										
REFERENCE # AG9Z 6148 A MKC / 15-17 CM5Z 6148 AB MKZ / 13-15 EJ7E 6148 AA MKZ HYBRID / 13-15 TAURUS / 13-16		TOP	2ND	OIL												
2.0L (122CID,1999CC),DOHC,4CYL, 87.500MM (3.445"), DURATEC 20 LF / 2005-2013																
FOCUS / 05-10	SWT20090-0	87.50	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
TRANSIT CONNECT / 10-13	SWT20090-1	87.75		0.047	0.106											
	SWT20090-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
	SWT20090-3	88.25		0.047	0.134											
	SWT20090-4	88.50	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED							
				0.098	X	0.102										
REFERENCE # 3S4Z 6148 BA 8S7Z 6312 A L3Y3-11-SC0 L3Y6-11-SC0 LFY7-11-SC0A		TOP	2ND	OIL												
2.2L (133CID,2184CC),SOHC,4CYL, 86.000MM (3.386"), F2 / 1989-1992																
PROBE / 89-92	SWT20048-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-582-0	86.00	TL:	71.50	PL:	66.00	CHK.
	SWT20048-1	86.25		0.059	0.128					11-582-1	86.25	CH:	36.50	PD:	22.00	DIA
	SWT20048-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-582-2	86.50	DIST1:	-7.00	Head:	NONE	15.00
	SWT20048-3	86.75		0.059	0.150					11-582-3	86.75	DIST2:		Skirt:	NONE	
	SWT20048-4	87.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-582-4	87.00	DIST3:				
				0.157	X	0.126										
REFERENCE # E92Z 6149 A F2Y1-11-SC0		TOP	2ND	OIL							REFERENCE # E92Z 6108 G F2Y2-11-SA0A					






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
2.2L (133CID,2184CC),SOHC,4CYL, 86.000MM (3.386"), F2 / 1989-1992																							
PROBE / 89-92	SWT20048-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-583-0	86.00	TL:	71.00	PL:	67.00	CHK.							
	SWT20048-1	86.25		0.059		0.128				11-583-1	86.25	CH:	36.00	PD:	22.00	DIA							
	SWT20048-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-583-2	86.50	DIST1:	-5.40	Head:	NONE	10.00							
	SWT20048-3	86.75		0.059		0.150				11-583-3	86.75	DIST2:		Skirt:	NONE								
	SWT20048-4	87.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-583-4	87.00	DIST3:											
REFERENCE # E92Z 6149 A F2Y1-11-SC0		TOP	2ND	OIL	REFERENCE # F2Y4-11-SA0A																		
2.2L (133CID,2184CC),SOHC,4CYL, 86.000MM (3.386"), F2 / 1989-1992 TURBO																							
PROBE / 89-92	SWT20048-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-573-0	86.00	TL:	71.40	PL:	67.00	CHK.							
	SWT20048-1	86.25		0.059		0.128				11-573-1	86.25	CH:	36.50	PD:	22.00	DIA							
	SWT20048-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-573-2	86.50	DIST1:	-9.50	Head:	NONE	15.00							
	SWT20048-3	86.75		0.059		0.150				11-573-3	86.75	DIST2:		Skirt:	NONE								
	SWT20048-4	87.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-573-4	87.00	DIST3:											
REFERENCE # E92Z 6149 A F2Y1-11-SC0		TOP	2ND	OIL	REFERENCE # E92Z 6108 D F220-11-SA0																		
2.3L (138CID,2261CC),DOHC,4CYL, 87.500MM (3.445"), DURATEC 23EW,DURATEC 23H / 2004-2009																							
ESCAPE / 05-08	SWT20090-0	87.50	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-843-0	87.50	TL:	51.00	PL:	61.50	CHK.							
ESCAPE HYBRID / 05-08	SWT20090-1	87.75		0.047		0.106				11-843-1	87.75	CH:	28.50	PD:	21.00	DIA							
FOCUS / 04-08	SWT20090-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-843-2	88.00	DIST1:	-4.00	Head:	AH	10.00							
FUSION / 06-09	SWT20090-3	88.25		0.047		0.134				11-843-3	88.25	DIST2:		Skirt:	MS								
MARINER / 05-08	SWT20090-4	88.50	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED	11-843-4	88.50	DIST3:											
06-08 MILAN / 06-08		REFERENCE # 3S4Z 6148 BA 8S7Z 6312 A L3Y3-11-SC0 L3Y6-11-SC0 LFY7-11-SC0A	TOP	2ND	OIL	REFERENCE # L3Y9-11-010																	
2.3L (138CID,2261CC),DOHC,4CYL, 87.500MM (3.445"), DURATEC 23NS / 2001-2011																							
RANGER / 01-11	SWT20090-0	87.50	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWT20090-1	87.75		0.047		0.106																	
	SWT20090-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE														
	SWT20090-3	88.25		0.047		0.134																	
	SWT20090-4	88.50	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED														
REFERENCE # 3S4Z 6148 BA 8S7Z 6312 A L3Y3-11-SC0 L3Y6-11-SC0 LFY7-11-SC0A		TOP	2ND	OIL																			






FORD

FORD



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
2.3L (140CID,2295CC),SOHC,4CYL, 96.000MM (3.780"), OHC 2.3 / 1984-1994										
AEROSTAR / 86-87	SWT20071-0	96.00	Top:	1.500	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
CAPRI / 85-85	SWT20071-1	96.25		0.059	X	0.157				
MARQUIS / 84-86	SWT20071-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	
MUSTANG / 84-93	SWT20071-3	96.75		0.059	X	0.157				
RANGER / 85-94	SWT20071-4	97.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	
THUNDERBIRD / 84-88	REFERENCE # F1ZZ 6148 A ZZM0-23-130 ZZM9-23-130		TOP			2ND			OIL	
2.3L (140CID,2298CC),SOHC,4CYL, 96.000MM (3.780"), OHC 2.3 / 1995-1997										
RANGER / 95-97	SWT20076-0	96.00	Top:	1.500	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWT20076-1	96.25		0.059	X	0.157				
	SWT20076-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	
	SWT20076-3	96.75		0.059	X	0.157				
	SWT20076-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME	
	REFERENCE # F67Z 6148 AA F87Z 6148 AA ZZP0-23-130		TOP			2ND			OIL	
2.3L (141CID,2311CC),OHV,4CYL, 93.470MM (3.680"), HSC 2.3 / 1984-1994										
TEMPO / 84-94	SWF30011-0	93.47	Top:	2.000	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
TOPAZ / 84-94	SWF30011-1	93.72		0.079	X	0.130				
	SWF30011-2	93.97	2nd:	2.000	X	4.300	T1-RB	CAST IRON	PHOSPHATE	
	SWF30011-3	94.22		0.079	X	0.169				
	SWF30011-4	94.47	Oil:	4.760	X	4.200	NIFF-S	STEEL	CHROME	
	REFERENCE # E63Z 6148 A*		TOP			2ND			OIL	
2.3L (143CID,2346CC),SOHC,4CYL, 91.100MM (3.587"), 4D55 / 1985-1987 DIESEL										
BRONCO II / 85-85	SDM31038-0	91.10	Top:	2.500	X	3.250	BF-K2	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
RANGER / 86-87	SDM31038-1	91.35		0.098	X	0.128				
	SDM31038-2	91.60	2nd:	2.000	X	3.900	T1-K2	CAST IRON	CHROME	
	SDM31038-3	91.85		0.079	X	0.154				
	SDM31038-4	92.10	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	
	REFERENCE # E5TZ 6149 A MD103391		TOP			2ND			OIL	






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), DURATEC 25,DURATEC 25H / 2009-2017																
ESCAPE / 09-17	SWF30024-0	89.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ESCAPE HYBRID / 09-12	SWF30024-1	89.25		0.047	0.114											
FUSION / 10-17	SWF30024-2	89.50	2nd:	1.200	X	3.800	TUC	CAST IRON	PHOSPHATE							
FUSION HYBRID / 10-12	SWF30024-3	89.75		0.047	0.150											
MARINER / 09-10	SWF30024-4	90.00	Oil:	2.500	X	2.450	NIFF-H	STEEL	NITRIDED							
MARINER HYBRID / 09-10				0.098	0.096											
MILAN HYBRID / 10-10	REFERENCE #		TOP	2ND	OIL											
MKZ HYBRID / 11-12	9E5Z 6148 A															
TRANSIT CONNECT / 14-17																
2.5L (152CID,2496CC),OHV,4CYL, 93.470MM (3.680"), HSC 2.5 / 1986-1991																
SABLE / 86-86	SWF30011-0	93.47	Top:	2.000	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
TAURUS / 86-91	SWF30011-1	93.72		0.079	0.130											
	SWF30011-2	93.97	2nd:	2.000	X	4.300	T1-RB	CAST IRON	PHOSPHATE							
	SWF30011-3	94.22		0.079	0.169											
	SWF30011-4	94.47	Oil:	4.760	X	4.200	NIFF-S	STEEL	CHROME							
				0.187	0.165											
	REFERENCE #		TOP	2ND	OIL											
	E63Z 6148 A*															
2.5L (153CID,2507CC),DOHC,6CYL, 84.500MM (3.327"), KL / 1993-1997																
PROBE / 93-97	SWT20073-0	84.50	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-716-0	84.50	TL:	55.90	PL:	61.00	CHK.
	SWT20073-1	84.75		0.059	0.120					11-716-1	84.75	CH:	29.20	PD:	19.98	DIA
	SWT20073-2	85.00	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-716-2	85.00	DIST1:	-1.70	Head:	NONE	11.00
	SWT20073-3	85.25		0.059	0.142					11-716-3	85.25	DIST2:		Skirt:	MS	
	SWT20073-4	85.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-716-4	85.50	DIST3:				
				0.118	0.114											
	REFERENCE #		TOP	2ND	OIL						REFERENCE #					
	E32Z 6149 D										E32Z 6108 D	 				
	E42Z 6149 D										E32Z 6108 G					
	KLY2-11-SC0A										F42Z 6108 D					
											F52Z 6108 A					
											KLY1-11-SL0B					
											KLZ1-11-SA0					
											KLZ1-11-SL0B					
2.5L (153CID,2507CC),SOHC,4CYL, 96.000MM (3.780"), OHC 2.5 / 1998-2001																
RANGER / 98-01	SWT20076-0	96.00	Top:	1.500	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20076-1	96.25		0.059	0.157											
	SWT20076-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE							
	SWT20076-3	96.75		0.059	0.157											
	SWT20076-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME							
				0.118	0.136											
	REFERENCE #		TOP	2ND	OIL											
	F67Z 6148 AA															
	F87Z 6148 AA															
	ZZP0-23-130															






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.5L (155CID,2540CC),DOHC,6CYL, 82.420MM (3.245"), DURATEC 25SVT,DURATEC VE / 1995-2002															
CONTOUR / 95-00	SWF30003-0	82.42	Top:	X	2.900 0.114	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
COUGER / 99-02	SWF30003-1	82.67													
MYSTIQUE / 95-00	SWF30003-2	82.92	2nd:	X	3.600 0.142	TUC	CAST IRON	PHOSPHATE							
	SWF30003-3	83.17													
	SWF30003-4	83.42	Oil:	X	2.850 0.112	NIFF-S	STEEL	NITRIDED							
AM Ring Available															
REFERENCE # F5RZ 6148 E XS2Z 6148 AA			TOP	2ND	OIL										
2.9L (177CID,2901CC),OHV,6CYL, 93.000MM (3.661"), COLOGNE 29 / 1986-1992															
BRONCO II / 86-90	SWF30014-0	93.00	Top:	X	3.900 0.154	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
RANGER / 86-92	SWF30014-1	93.25													
SCORPIO / 88-89	SWF30014-2	93.50	2nd:	X	3.900 0.154	T1	CAST IRON	PHOSPHATE							
	SWF30014-3	93.75													
	SWF30014-4	94.00	Oil:	X	3.050 0.120	NIFF-S	STEEL	NITRIDED							
REFERENCE # E7RY 6148 A			TOP	2ND	OIL										
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30E / 1993-1998															
VILLAGER / 93-98	SWN30058-0	87.00	Top:	X	3.100 0.122	BF	STEEL	NITRIDED	11-603-0	87.00	TL:	67.00	PL:	64.00	CHK.
	SWN30058-1	87.25							11-603-1	87.25	CH:	32.00	PD:	21.00	DIA
	SWN30058-2	87.50	2nd:	X	3.800 0.150	T1	CAST IRON	CHROME	11-603-2	87.50	DIST1:		Head:	NONE	10.00
	SWN30058-3	87.75							11-603-3	87.75	DIST2:		Skirt:	NONE	
		SWN30058-4	88.00	Oil:	X	3.000 0.118	NIFF-S	STEEL	NITRIDED	11-603-4	88.00	DIST3:			
AM Ring Available															
REFERENCE # 12033-17V01 12033-21V01 12033-96E01 12033-F6511 F6XZ 6148 AA			TOP	2ND	OIL	REFERENCE # 12010-21P61 12010-V7175 A2010-10G03 F7XZ 6108 AA									
3.0L (181CID,2967CC),DOHC,6CYL, 89.000MM (3.504"), DURATEC 30 / 2001-2010															
ESCAPE / 07-10	SWF30021-0	89.00	Top:	X	3.500 0.138	BF	STEEL	NITRIDED	11-868-0	89.00	TL:	52.60	PL:	60.50	CHK.
FIVE HUNDRED / 05-07	SWF30021-1	89.25							11-868-1	89.25	CH:	30.00	PD:	21.01	DIA
Freestyle / 05-07	SWF30021-2	89.50	2nd:	X	4.100 0.161	TUC	CAST IRON	PHOSPHATE	11-868-2	89.50	DIST1:	1.00	Head:	NONE	7.00
FUSION / 06-10	SWF30021-3	89.75							11-868-3	89.75	DIST2:		Skirt:	MS	
LS / 02-05	SWF30021-4	90.00	Oil:	X	2.850 0.098	NIFF-S	STEEL	NITRIDED	11-868-4	90.00	DIST3:				
MARINER / 08-10															
MILAN / 08-08	REFERENCE #		TOP	2ND	OIL	REFERENCE #									
MONTEGO / 05-07	AL8Z 6148 A					6E5Z 6100 BA									
SABLE / 01-04	C2C005449					AJTM-11-210									
TAURUS / 01-05	XW4Z 6148 A					ZZDL-11-210									
	YF1Z 6148 BA														






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
3.0L (181CID,2967CC),DOHC,6CYL, 89.000MM (3.504"), DURATEC 30 / 2001-2012																	
ESCAPE / 01-12	SWF30021-0	89.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
FUSION / 11-12	SWF30021-1	89.25		0.047		0.138											
	SWF30021-2	89.50		2nd:	1.500	X	4.100	TUC	CAST IRON		PHOSPHATE						
	SWF30021-3	89.75			0.059		0.161										
	SWF30021-4	90.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED								
	REFERENCE #		TOP	2ND		OIL											
	AL8Z 6148 A																
	C2C005449																
	XW4Z 6148 A																
	YF1Z 6148 BA																
3.0L (182CID,2982CC),DOHC,6CYL, 89.000MM (3.504"), DURATEC 30 / 1996-2000																	
SABLE / 97-00	SWG10004-0	89.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
TAURUS / 96-00	SWG10004-1	89.25		0.047		0.138											
	SWG10004-2	89.50		2nd:	1.500	X	3.600	TUC	CAST IRON		PHOSPHATE						
	SWG10004-3	89.75			0.059		0.142										
	SWG10004-4	90.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED								
	AM Ring Available			0.118		0.112											
	REFERENCE #		TOP	2ND		OIL											
	12481987																
	12538683																
	XW4Z 6148 CA																
3.0L (182CID,2983CC),OHV,6CYL, 89.000MM (3.504"), VULCAN / 1986-2000																	
AEROSTAR / 86-97	SWI10155-0	89.00	Top:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	11-825-0	89.00	TL:	66.30	PL:	70.00	CHK.	
PROBE / 90-92	SWI10155-1	89.25		0.059		0.146				11-825-1	89.25	CH:	38.50	PD:	23.17	DIA	
RANGER / 91-98	SWI10155-2	89.50		2nd:	1.500	X	3.600	T1-RC	CAST IRON	PHOSPHATE	11-825-2	89.50	DIST1:		Head:	NONE	8.00
SABLE / 86-98	SWI10155-3	89.75			0.059		0.142				11-825-3	89.75	DIST2:		Skirt:	NONE	
TAURUS / 86-98	SWI10155-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-825-4	90.00	DIST3:					
TEMPO / 92-94				0.157		0.126											
TOPAZ / 92-94	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
WINDSTAR / 95-00	10181330						F5DZ 6108 EA										
	8-10181-330-0						F5DZ 6108 EB										
	F6DZ 6148 RA																
	F6DZ 6148 RA*																
	ZZCA-11-100																
3.0L (183CID,2997CC),OHV,6CYL, 89.000MM (3.504"), VULCAN / 1999-2008																	
RANGER / 99-08	SWF30016-0	89.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-874-0	89.00	TL:	64.80	PL:	57.50	CHK.	
SABLE / 99-04	SWF30016-1	89.25		0.059		0.136				11-874-1	89.25	CH:	40.80	PD:	23.17	DIA	
TAURUS / 99-05	SWF30016-2	89.50		2nd:	1.500	X	3.700	TUC	CAST IRON	PHOSPHATE	11-874-2	89.50	DIST1:	1.80	Head:	NONE	11.00
	SWF30016-3	89.75			0.059		0.146				11-874-3	89.75	DIST2:		Skirt:	MS	
	SWF30016-4	90.00	Oil:	3.000	X	2.950	NIFF-S	STEEL	CHROME	11-874-4	90.00	DIST3:					
				0.118		0.116											
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	1F61-23-130						1U2Z 6108 CA										
	2F1Z 6148 AA						2F1Z 6108 AA										
	4F1Z 6148 CA																
	ZZP1-23-130																










FORD

FORD


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
3.3L (200CID,3272CC),SOHC,6CYL, 91.500MM (3.602"), VG33E / 1999-2002											
VILLAGER / 99-02	SWN30120-0	91.50	Top:	1.500	X	3.250	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWN30120-1	91.75		0.059	0.128						
	SWN30120-2	92.00	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME		
	SWN30120-3	92.25		0.059	0.157						
	SWN30120-4	92.50	Oil:	2.800	X	3.050	NIFF-S	STEEL	CHROME		
			0.110	0.120							
REFERENCE #		TOP	2ND		OIL						
12033-0W000											
12033-7B000											
12033-7Z800											
XF5Z 6148 AA											
3.5L (213CID,3496CC),DOHC,6CYL, 92.500MM (3.642"), DURATEC 35,EcoBoost 35T / 2007-2017											
EDGE / 07-15 EXPEDITON / 15-17 EXPLORER / 11-17 F150 / 15-17 FLEX / 10-16 FUSION / 10-12	SWF30026-0	92.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30026-1	92.75		0.047	0.122						
	SWF30026-2	93.00	2nd:	1.500	X	3.550	TUC	CAST IRON	PHOSPHATE		
	SWF30026-3	93.25		0.059	0.140						
	SWF30026-4	93.50	Oil:	2.500	X	2.750	NIFF-H	STEEL	NITRIDED		
			0.098	0.108							
REFERENCE #		TOP	2ND		OIL						
ATAZ 6148 C											
3.8L (232CID,3802CC),OHV,6CYL, 96.800MM (3.811"), ESSEX 38 / 1988-2006											
CONTINENTAL / 88-94 COUGER / 88-95 FREESTAR / 04-06 MUSTANG / 94-95 SABLE / 88-95 TAURUS / 88-95	SWF30013-0	96.80	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30013-1	97.05		0.059	0.136						
	SWF30013-2	97.30	2nd:	1.500	X	4.200	T1-RB	CAST IRON	PHOSPHATE		
	SWF30013-3	97.55		0.059	0.165						
	SWF30013-4	97.80	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME		
			0.157	0.126							
REFERENCE #		TOP	2ND		OIL						
E8DZ 6148 A											
E9SZ 6148 B											
F4DZ 6148 A											
3.8L (232CID,3802CC),OHV,6CYL, 96.800MM (3.811"), ESSEX 38 / 1996-2004											
COUGER / 96-97 MUSTANG / 96-04 THUNDERBIRD / 96-97 WINDSTAR / 96-03	SWF30004-0	96.80	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30004-1	97.05		0.059	0.130						
	SWF30004-2	97.30	2nd:	1.500	X	4.200	T1-RB	CAST IRON	PHOSPHATE		
	SWF30004-3	97.55		0.059	0.165						
	SWF30004-4	97.80	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED		
	AM Ring Available		0.118	0.126							
REFERENCE #		TOP	2ND		OIL						
2L3Z 6148 KA											
F6ZZ 6148 A											




FORD
FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO		
3.8L (232CID,3802CC),OHV,6CYL, 96.800MM (3.811"), ESSEX V6 38,ESSEX V6 38 C & F / 1982-1987												
CAPRI / 83-86	SWF30015-0	96.80	Top:	X	4.400 0.173	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.			
CONTINENTAL / 82-82	SWF30015-1	97.05										
COUGER / 82-87	SWF30015-2	97.30	2nd:	X	4.400 0.173	T1-RB	CAST IRON	PHOSPHATE				
COUGER XR7 / 82-82	SWF30015-3	97.55										
GRANADA / 82-82	SWF30015-4	97.80	Oil:	X	4.050 0.159	NIFF-S	STEEL	CHROME				
LTD / 83-86	REFERENCE # E2DZ 6148 A		TOP	2ND	OIL							
MARQUIS / 83-86												
MUSTANG / 83-86												
PICKUP / 82-83												
THUNDERBIRD / 82-87												
3.9L (240CID,3933CC),OHV,6CYL, 101.600MM (4.000"), 240 CDI / 1974-1974												
ECONOLINE E100 / 74-74	SWF80017-0	101.60	Top:	X	4.950 0.195	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.			
	SWF80017-1	101.85										
ECONOLINE E200 / 74-74	SWF80017-2	102.10	2nd:	X	4.650 0.183	T1-RC	CAST IRON	PHOSPHATE				
	SWF80017-3	102.35										
PICKUP / 74-74	SWF80017-4	102.60	Oil:	X	4.600 0.181	NIFF-S	STEEL	CHROME				
	REFERENCE # 12507985 14059025 14089025 88894219 C3AZ 6148 F F6DZ 6148 RA		TOP	2ND	OIL							
4.0L (245CID,4015CC),OHV,6CYL, 100.400MM (3.953"), COLOGNE 40 / 1998-1998												
RANGER / 98-98	SWT20072-0	100.40	Top:	X	4.000 0.157	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.			
	SWT20072-1	100.65										
	SWT20072-2	100.90	2nd:	X	4.000 0.157	TUC	CAST IRON	PHOSPHATE				
	SWT20072-3	101.15										
	SWT20072-4	101.40	Oil:	X	3.150 0.124	NIFF-S	STEEL	CHROME				
	REFERENCE # F7TZ 6148 BA FOTZ 6148 M ZZM2-23-130		TOP	2ND	OIL							
4.0L (245CID,4015CC),SOHC,6CYL, 100.400MM (3.953"), COLOGNE 40 / 1997-2001												
EXPLORER / 97-99	SWT20072-0	100.40	Top:	X	4.000 0.157	BF	CAST IRON	CHROME			Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
MOUNTAINEER / 98-01	SWT20072-1	100.65										
RANGER / 99-00	SWT20072-2	100.90	2nd:	X	4.000 0.157	TUC	CAST IRON	PHOSPHATE				
	SWT20072-3	101.15										
	SWT20072-4	101.40	Oil:	X	3.150 0.124	NIFF-S	STEEL	CHROME				
	REFERENCE # F7TZ 6148 BA FOTZ 6148 M ZZM2-23-130		TOP	2ND	OIL							






FORD

FORD



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
4.0L (245CID,4015CC),SOHC,6CYL, 100.400MM (3.953"), COLOGNE 40 / 2001-2011																
EXPLORER / 01-10	SWF30012-0	100.40	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-914-0	100.40	TL:	64.70	PL:	72.50	CHK.
Explorer Sport Trac / 01-10	SWF30012-1	100.65		0.047		0.138				11-914-1	100.65	CH:	36.40	PD:	24.00	DIA
MOUNTAINEER / 02-10	SWF30012-2	100.90	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	11-914-2	100.90	DIST1:		Head:	AH	12.50
MUSTANG / 05-09	SWF30012-3	101.15		0.059		0.165				11-914-3	101.15	DIST2:		Skirt:	MS	
RANGER / 01-11	SWF30012-4	101.40	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME	11-914-4	101.40	DIST3:				
	REFERENCE # 1F62-23-130 2U3Z 6148 AA	TOP	2ND	OIL					REFERENCE # XL2Z 6108 AA							
4.0L (246CID,4025CC),OHV,6CYL, 100.400MM (3.953"), COLOGNE 40 / 1990-2000																
AEROSTAR / 90-97	SWT20072-0	100.40	Top:	1.600	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
EXPLORER / 91-00	SWT20072-1	100.65		0.063		0.157										
RANGER / 90-97	SWT20072-2	100.90	2nd:	1.750	X	4.000	TUC	CAST IRON	PHOSPHATE							
	SWT20072-3	101.15		0.069		0.157										
	SWT20072-4	101.40	Oil:	3.500	X	3.150	NIFF-S	STEEL	CHROME							
	REFERENCE # F7TZ 6148 BA FOTZ 6148 M ZZM2-23-130	TOP	2ND	OIL												
4.2L (256CID,4195CC),OHV,6CYL, 96.800MM (3.811"), ESSEX V6 4.2 / 1997-2008																
CLUB WAGON / 97-98	SWF30004-0	96.80	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-826-0	96.80	TL:	59.10	PL:	63.30	CHK.
ECONOLINE E150 / 97-02	SWF30004-1	97.05		0.059		0.130				11-826-1	97.05	CH:	31.80	PD:	23.00	DIA
ECONOLINE E250 / 97-02	SWF30004-2	97.30	2nd:	1.500	X	4.200	T1-RB	CAST IRON	PHOSPHATE	11-826-2	97.30	DIST1:	-3.60	Head:	NONE	11.50
F150 / 97-08	SWF30004-3	97.55		0.059		0.165				11-826-3	97.55	DIST2:		Skirt:	MS	
FREESTAR / 04-07	SWF30004-4	97.80	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	11-826-4	97.80	DIST3:				
	AM Ring Available			0.118		0.126										
	REFERENCE # 2L3Z 6148 KA F6ZZ 6148 A	TOP	2ND	OIL					REFERENCE # XL3Z 6108 AA							
4.6L (281CID,4605CC),DOHC,8CYL, 90.200MM (3.551"), INTECH 46 / 1998-2002																
CONTINENTAL / 98-02	SWF30008-0	90.20	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
MARK VIII / 98-98	SWF30008-1	90.45		0.047		0.130										
	SWF30008-2	90.70	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE							
	SWF30008-3	90.95		0.059		0.154										
	SWF30008-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED							
	REFERENCE # F8LZ 6148 AA	TOP	2ND	OIL												






FORD

FORD


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
4.6L (281CID,4605CC),DOHC,8CYL, 90.200MM (3.551"), INTECH,TRITON 46C / 1993-1998																
CONTINENTAL / 95-97 MARK VIII / 93-97 MUSTANG / 96-98	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF30006-1	90.45		0.059		0.130										
	SWF30006-2	90.70		1.500		4.100										
	SWF30006-3	90.95	0.059	0.161	TUC	CAST IRON	PHOSPHATE									
	SWF30006-4	91.20	Oil:	3.000				3.100								
	AM Ring Available	0.118	0.122	NIFF-S				STEEL	NITRIDED							
	REFERENCE #	TOP			2ND			OIL								
	1L2Z 6148 AA															
	2L3Z 6148 AA															
	2L3Z 6148 DA															
2L3Z 6148 GA																
4G7Z 6148 AA																
6L3Z 6148 A																
6L3Z 6148 A*																
F2AZ 6148 A																
F3LY 6148 A																
F5LY 6148 A																
F7AZ 6148 AA																
4.6L (281CID,4605CC),SOHC,8CYL, 90.200MM (3.551"), INTECH 46 / 1998-2001																
TOWN CAR / 98-01	SWF30008-0	90.20	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF30008-1	90.45		0.047		0.130										
	SWF30008-2	90.70		1.500		3.900										
	SWF30008-3	90.95	0.059	0.154	T1-RB	CAST IRON	PHOSPHATE									
	SWF30008-4	91.20	Oil:	3.000				3.100								
		0.118	0.122	NIFF-S				STEEL	NITRIDED							
	REFERENCE #	TOP			2ND			OIL								
	F8LZ 6148 AA															
4.6L (281CID,4605CC),SOHC,8CYL, 90.200MM (3.551"), TRITON 46GT / 1991-2004																
COUGER / 94-97 Crown Victoria / 92-00 ECONOLINE E150 / 00-02 EXPEDITON / 97-04 F150 / 97-02	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-820-0	90.20	TL:	56.20	PL:	62.00	CHK.
	SWF30006-1	90.45		0.059		0.130				11-820-1	90.45	CH:	30.86	PD:	22.00	DIA
	SWF30006-2	90.70		1.500		4.100				11-820-2	90.70	DIST1:	-3.86	Head:	NONE	11.00
	SWF30006-3	90.95	0.059	0.161	TUC	CAST IRON	PHOSPHATE	11-820-3	90.95	DIST2:		Skirt:	MS			
	SWF30006-4	91.20	Oil:	3.000				3.100	11-820-4	91.20	DIST3:					
	AM Ring Available	0.118	0.122	NIFF-S				STEEL	NITRIDED							
	REFERENCE #	TOP			2ND			OIL			REFERENCE # F8AZ 6108 AA					
	1L2Z 6148 AA															
	2L3Z 6148 AA															
	2L3Z 6148 DA															
2L3Z 6148 GA																
4G7Z 6148 AA																
6L3Z 6148 A																
6L3Z 6148 A*																
F2AZ 6148 A																
F3LY 6148 A																
F5LY 6148 A																
F7AZ 6148 AA																






FORD

FORD


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
4.6L (281CID,4605CC),SOHC,8CYL, 90.200MM (3.551"), TRITON 46GT / 1996-2014																
CLUB WAGON / 97-98	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
Crown Victoria / 01-08	SWF30006-1	90.45		0.059	0.130											
ECONOLINE E150 / 97-14	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE							
	SWF30006-3	90.95		0.059	0.161											
ECONOLINE E250 / 03-14	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118		0.122										
EXPLORER / 02-05	REFERENCE #	TOP	2ND	OIL												
F150 / 01-10	1L2Z 6148 AA															
Grand Marquis / 96-11	2L3Z 6148 AA															
MOUNTAINEER / 02-05	2L3Z 6148 DA															
MUSTANG / 00-04	2L3Z 6148 GA															
PICKUP / 97-99	4G7Z 6148 AA															
TOWN CAR / 02-11	6L3Z 6148 A															
	6L3Z 6148 A*															
	F2AZ 6148 A															
	F3LY 6148 A															
	F5LY 6148 A															
	F7AZ 6148 AA															
4.6L (281CID,4605CC),SOHC,8CYL, 90.200MM (3.551"), TRITON 46V / 2005-2010																
EXPLORER / 06-10	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-903-0	90.20	TL:	52.50	PL:	62.00	CHK.
Explorer Sport Trac / 07-10	SWF30006-1	90.45		0.059	0.130				11-903-1	90.45	CH:	31.00	PD:	22.00	DIA	
MOUNTAINEER / 06-10	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-903-2	90.70	DIST1:	1.30	Head:	AH	9.00
	SWF30006-3	90.95		0.059	0.161			11-903-3	90.95	DIST2:		Skirt:	MS			
MUSTANG / 05-09	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	11-903-4	91.20	DIST3:				
	AM Ring Available			0.118		0.122										
	REFERENCE #	TOP	2ND	OIL												
	1L2Z 6148 AA															
	2L3Z 6148 AA															
	2L3Z 6148 DA															
	2L3Z 6148 GA															
	4G7Z 6148 AA															
	6L3Z 6148 A															
	6L3Z 6148 A*															
	F2AZ 6148 A															
	F3LY 6148 A															
	F5LY 6148 A															
	F7AZ 6148 AA															
					REFERENCE # 8R3Z 6100 G											




FORD
FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
4.9L (300CID,4916CC),OHV,6CYL, 101.600MM (4.000"), straight-6 300 / 1974-1989											
BRONCO / 80-89	SWF80017-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CLUB WAGON / 75-76	SWF80017-1	101.85		0.078		0.195					
ECONOLINE E100 / 74-83	SWF80017-2	102.10	2nd:	1.984	X	4.650	T1-RC	CAST IRON	PHOSPHATE		
	SWF80017-3	102.35		0.078		0.183					
ECONOLINE E150 / 75-84	SWF80017-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME		
			0.188		0.181						
ECONOLINE E200 / 74-74	REFERENCE #		TOP	2ND	OIL						
	12507985										
ECONOLINE E250 / 75-78	14059025										
	14089025										
ECONOLINE E300 / 74-74	88894219										
	C3AZ 6148 F										
ECONOLINE E350 / 75-84	F6DZ 6148 RA										
F150 / 85-89											
F250 / 75-89											
F350 / 75-85											
PICKUP / 74-74											
4.9L (302CID, 4,949CC), OHV, 8CYL, 16VALVE, 101.60MM (4.000"), WINDSOR 302 / 1986-2001											
BRONCO / 90-96	SWF80011-0	101.60	Top:	1.50	X	4.17	BF	DUCTILE IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CONTINENTAL / 86-86	SWF80011-1	101.85		0.059		0.164					
COUGER / 86-88	SWF80011-2	102.10	2nd:	1.50	X	4.45	T1-RB	CAST IRON	PHOSPHATE		
ECONOLINE E150 / 90-96	SWF80011-3	102.35		0.059		0.175					
ECONOLINE E250 / 90-95	SWF80011-4	102.60	Oil:	4.00	X	2.61	NIFF-S	STEEL	CHROME		
			0.157		0.103						
EXPLODER / 96-01	REFERENCE #		TOP	2ND	OIL						
	4740259										
F150 / 87-96	E5TZ 6148 EE										
F250 / 87-96	F2ZZ 6148 A										
Grand Marquis / 86-91	F6TZ 6148 AA										
MARK VII / 86-86											
MOUNTAINEER / 97-01											
MUSTANG / 89-95											
THUNDERBIRD / 91-93											
TOWN CAR / 86-90											






FORD

FORD





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
4.9L (302CID,4949CC),OHV,8CYL, 101.600MM (4.000"), WINDSOR 302 / 1974-1992											
BRONCO / 74-86	SWF80016-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CAPRI / 82-86	SWF80016-1	101.85		0.078		0.195					
CLUB WAGON / 79-81	SWF80016-2	102.10	2nd:	1.984	X	4.650	T1-RC	CAST IRON	PHOSPHATE		
CONTINENTAL / 80-85	SWF80016-3	102.35		0.078		0.183					
COUGER / 80-85	SWF80016-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME		
ECONOLINE E100 / 79-83				0.188		0.181					
ECONOLINE E150 / 79-89	REFERENCE #		TOP	2ND	OIL						
ECONOLINE E200 / 74-74	12507985										
ECONOLINE E250 / 87-89	14089025										
ECONOLINE E300 / 74-74	3579044										
F150 / 85-86	3780016										
F250 / 85-86	88894219										
GRANADA / 80-80	C3AZ 6108 F										
Grand Marquis / 80-85	C3AZ 6148 F										
LTD / 80-85	E3ZZ 6148 A										
LTD Crown Victoria / 80-88	E6TZ 6148 A										
MARK VI / 80-83											
MARK VII / 84-92											
MARQUIS / 80-82											
MONARCH / 80-80											
MUSTANG / 82-85											
THUNDERBIRD / 80-85											
TOWN CAR / 81-85											
VERSAILLES / 80-80											
5.0L (302CID,4951CC),DOHC,8CYL, 92.200MM (3.630"), COYOTE 50 / 2011-2017											
F150 / 11-16	SWF30027-0	92.20	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
MUSTANG / 11-17	SWF30027-1	92.45		0.047		0.122					
SHELBY GT350 / 14-17	SWF30027-2	92.70	2nd:	1.200	X	3.500	TUC	DUCTILE IRON	CHROME		
	SWF30027-3	92.95		0.047		0.138					
	SWF30027-4	93.20	Oil:	2.500	X	2.750	NIFF-H	STEEL	NITRIDED		
				0.098		0.108					
	REFERENCE #		TOP	2ND	OIL						
	CU7Z 6148 A										






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
5.4L (330CID,5408CC),SOHC,8CYL, 90.200MM (3.551"), INTECH 54,TRITON 54 / 1997-2010																
CLUB WAGON / 97-98	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-810-0	90.20	TL:	52.00	PL:	61.00	CHK.
ECONOLINE E150 / 97-10	SWF30006-1	90.45		0.059	0.130					11-810-1	90.45	CH:	31.00	PD:	22.00	DIA
ECONOLINE E250 / 97-10	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-810-2	90.70	DIST1:	-1.75	Head:	NONE	5.00
ECONOLINE E350 / 97-10	SWF30006-3	90.95		0.059	0.161					11-810-3	90.95	DIST2:		Skirt:	MS	
AM Ring Available	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	11-810-4	91.20	DIST3:				
97-05	REFERENCE #	TOP	2ND		OIL		REFERENCE #				  					
EXCURSION / 00-00	1L2Z 6148 AA				XC3Z 6108 CA											
EXPEDITON / 97-00	2L3Z 6148 AA															
F150 / 97-00	2L3Z 6148 DA															
F250 / 97-00	2L3Z 6148 GA															
F350 / 99-00	4G7Z 6148 AA															
NAVIGATOR / 98-99	6L3Z 6148 A															
	6L3Z 6148 A*															
	F2AZ 6148 A															
	F3LY 6148 A															
	F5LY 6148 A															
	F7AZ 6148 AA															
5.4L (330CID,5408CC),SOHC,8CYL, 90.200MM (3.551"), INTECH 54,TRITON 54 / 1999-2005																
EXCURSION / 00-05	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-809-0	90.20	TL:	52.10	PL:	61.00	CHK.
EXPEDITON / 99-04	SWF30006-1	90.45		0.059	0.130					11-809-1	90.45	CH:	30.75	PD:	22.00	DIA
F150 / 99-03	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-809-2	90.70	DIST1:	-3.50	Head:	NONE	6.00
F250 / 99-03	SWF30006-3	90.95		0.059	0.161					11-809-3	90.95	DIST2:		Skirt:	MS	
F350 / 99-03	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	11-809-4	91.20	DIST3:				
NAVIGATOR / 99-99	AM Ring Available			0.118		0.122										
	REFERENCE #	TOP	2ND		OIL		REFERENCE #				  					
	1L2Z 6148 AA				XL3Z 6148 KA											
	2L3Z 6148 AA															
	2L3Z 6148 DA															
	2L3Z 6148 GA															
	4G7Z 6148 AA															
	6L3Z 6148 A															
	6L3Z 6148 A*															
	F2AZ 6148 A															
	F3LY 6148 A															
	F5LY 6148 A															
	F7AZ 6148 AA															






FORD

FORD


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
5.4L (330CID,5408CC),SOHC,8CYL, 90.200MM (3.551"), TRITON 54 / 2011-2014										
ECONOLINE E150 / 11-14 ECONOLINE E250 / 11-14	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWF30006-1	90.45		0.059		0.130				
	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	
	SWF30006-3	90.95		0.059		0.161				
	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	
	AM Ring Available	0.118		0.122						
	REFERENCE #	TOP	2ND	OIL						
	1L2Z 6148 AA									
	2L3Z 6148 AA									
	2L3Z 6148 DA									
2L3Z 6148 GA										
4G7Z 6148 AA										
6L3Z 6148 A										
6L3Z 6148 A*										
F2AZ 6148 A										
F3LY 6148 A										
F5LY 6148 A										
F7AZ 6148 AA										
5.4L (330CID,5409CC),DOHC,8CYL, 90.200MM (3.551"), INTECH 54,TRITON 54 / 1999-2012										
BLACKWOOD / 02-02 GT / 05-06 NAVIGATOR / 99-04 SHELBY GT500 / 07-12	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWF30006-1	90.45		0.059		0.130				
	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	
	SWF30006-3	90.95		0.059		0.161				
	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	
	AM Ring Available	0.118		0.122						
	REFERENCE #	TOP	2ND	OIL						
	1L2Z 6148 AA									
	2L3Z 6148 AA									
	2L3Z 6148 DA									
2L3Z 6148 GA										
4G7Z 6148 AA										
6L3Z 6148 A										
6L3Z 6148 A*										
F2AZ 6148 A										
F3LY 6148 A										
F5LY 6148 A										
F7AZ 6148 AA										






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
5.4L (330CID,5409CC),SOHC,8CYL, 90.200MM (3.551"), INTECH 54,TRITON 54V / 2004-2014																
EXPEDITON / 05-14	SWF30006-0	90.20	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-853-0	90.20	TL:	52.00	PL:	62.00	CHK.
F150 / 04-10	SWF30006-1	90.45		0.059		0.130				11-853-1	90.45					
F250 / 05-10	SWF30006-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-853-2	90.70	DIST1:		Head:	AH	13.00
F350 / 05-10	SWF30006-3	90.95		0.059		0.161				11-853-3	90.95					
MARK LT / 06-08	SWF30006-4	91.20	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	11-853-4	91.20	DIST3:				
NAVIGATOR / 06-14	AM Ring Available	0.118		0.122												
	REFERENCE # 1L2Z 6148 AA 2L3Z 6148 AA 2L3Z 6148 DA 2L3Z 6148 GA 4G7Z 6148 AA 6L3Z 6148 A 6L3Z 6148 A* F2AZ 6148 A F3LY 6148 A F5LY 6148 A F7AZ 6148 AA		TOP	2ND	OIL				REFERENCE # 3L3Z 6108 CC							
5.8L (351CID, 5752CC), OHV, 8CYL, 16VALVE, 101.60MM (4.000"), WINDSOR 351 / 1994-1996																
ECONOLINE E150 / 94-96	SWF80011-0	101.60	Top:	1.50	X	4.17	BF	DUCTILE IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF80011-1	101.85		0.059		0.164										
ECONOLINE E250 / 90-95	SWF80011-2	102.10	2nd:	1.50	X	4.45	T1-RB	CAST IRON	PHOSPHATE							
	SWF80011-3	102.35		0.059		0.175										
ECONOLINE E350 / 94-96	SWF80011-4	102.60	Oil:	4.00	X	2.61	NIFF-S	STEEL	CHROME							
				0.157		0.103										
	REFERENCE # 4740259 E5TZ 6148 EE F2ZZ 6148 A F6TZ 6148 AA		TOP	2ND	OIL											
5.8L (351CID,5752CC),OHV,8CYL, 101.600MM (4.000"), 351M Cleveland,WINDSOR 351 / 1975-1996																
BRONCO / 78-93	SWF80016-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CLUB WAGON / 75-96	SWF80016-1	101.85		0.078		0.195										
CONTINENTAL / 80-80	SWF80016-2	102.10	2nd:	1.984	X	4.650	T1-RC	CAST IRON	PHOSPHATE							
ECONOLINE E100 / 75-83	SWF80016-3	102.35		0.078		0.183										
ECONOLINE E150 / 75-93	SWF80016-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME							
				0.188		0.181										
	REFERENCE # 12507985 14089025 3579044 3780016 88894219 C3AZ 6108 F C3AZ 6148 F E3ZZ 6148 A E6TZ 6148 A		TOP	2ND	OIL											




FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
5.9L (359CID,5889CC),OHV,6CYL, 102.000MM (4.016"), ISB 5.9 / 2004-2007 DIESEL																
F650 / 04-07	SDC10022-0	102.00	Top:	3.0K	X	4.200	BF-K1	DUCTILE IRON	CHROME	11-856-0	102.00	TL:	105.20	PL:	83.00	CHK.
F750 / 04-07	SDC10022-1	102.25		0.118K	0.165					11-856-1	102.25	CH:	71.40	PD:	40.00	DIA
	SDC10022-2	102.50	2nd:	2.350	X	4.300	T1-RC	CAST IRON	PHOSPHATE	11-856-2	102.50	DIST1:	-12.50	Head:	NONE	20.00
	SDC10022-3	102.75		0.093	0.169					11-856-3	102.75	DIST2:		Skirt:	NONE	
	SDC10022-4	103.00	Oil:	4.000	X	4.300	E-BC16	CAST IRON	CHROME	11-856-4	103.00	DIST3:				
				0.157		0.169										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
4089258							3970192									
4638644																
5011858AA																
6.4L (391CID,6400CC),OHV,8CYL, 98.200MM (3.866"), PowerStroke 6.4 / 2008-2010 DIESEL																
F250 / 08-10	SDF30022-0	98.20	Top:	2.5K	X	3.500	BF-K1	STEEL	NITRIDED	11-886-0	98.20	TL:	78.90	PL:	75.00	CHK.
F350 / 08-10	SDF30022-1	98.45		0.098K	0.138					11-886-1	98.45	CH:	52.15	PD:	38.50	DIA
F450 / 08-10	SDF30022-2	98.70	2nd:	2.000	X	4.300	T1-RB	CAST IRON	PHOSPHATE	11-886-2	98.70	DIST1:	-15.95	Head:	NONE	15.00
F550 / 08-10	SDF30022-3	98.95		0.079	0.169					11-886-3	98.95	DIST2:		Skirt:	MS	
	SDF30022-4	99.20	Oil:	3.000	X	3.250	E-BC16	STEEL	NITRIDED	11-886-4	99.20	DIST3:				
				0.118		0.128										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
4C3Z 6148 AA							8C3Z-6108-EB									
6.6L (400CID,6555CC),OHV,8CYL, 101.600MM (4.000"), Modified 400 / 1977-1982																
BRONCO / 78-79	SWF80016-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CLUB WAGON / 80-82	SWF80016-1	101.85		0.078	0.195											
ECONOLINE E350 /	SWF80016-2	102.10	2nd:	1.984	X	4.650	T1-RC	CAST IRON	PHOSPHATE							
81-82	SWF80016-3	102.35		0.078	0.183											
PICKUP / 77-82	SWF80016-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME							
				0.188		0.181										
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12507985																
14089025																
3579044																
3780016																
88894219																
C3AZ 6108 F																
C3AZ 6148 F																
E3ZZ 6148 A																
E6TZ 6148 A																
6.7L (406CID,6651CC),OHV,8CYL, 99.000MM (3.898"), PowerStroke 6.7T / 2011-2017 DIESEL																
F250 / 11-15	SDF30025-0	99.00	Top:	2.850	X	3.600	BF-K1	DUCTILE IRON	CHROME	DISC-11-915-0	99.00	TL:		PL:		CHK.
F350 SUPER DUTY /	SDF30025-1	99.25		0.112	0.142					DISC-11-915-1	99.25	CH:		PD:		DIA
11-17	SDF30025-2	99.50	2nd:	2.000	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-915-2	99.50	DIST1:		Head:	AH	
F450 / 11-16	SDF30025-3	99.75		0.079	0.142					DISC-11-915-3	99.75	DIST2:		Skirt:	MS	
F550 / 11-16	SDF30025-4	100.00	Oil:	2.500	X	2.850	E-BC16	STEEL	NITRIDED	DISC-11-915-4	100.00	DIST3:				
F650 / 16-17				0.098		0.112										
F750 / 16-17																
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
BC3Z 6148 A							BC3Z 6108 D									






FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
6.7L (408CID,6690CC),OHV,6CYL, 107.000MM (4.213"), ISB 6.7 / 2008-2013 DIESEL																
F650 / 08-13	SDC10023-0	107.00	Top:	3.0K	X	4.400	BF-K1	DUCTILE IRON	CHROME	11-885-0	107.00	TL:	103.20	PL:	90.50	CHK.
F750 / 08-13	SDC10023-1	107.25		0.118K	0.173					11-885-1	107.25	CH:	69.40	PD:	40.00	DIA
	SDC10023-2	107.50	2nd:	2.500	X	4.500	T1-RB	CAST IRON	PHOSPHATE	11-885-2	107.50	DIST1:	-22.00	Head:	NONE	20.00
	SDC10023-3	107.75		0.098	0.177					11-885-3	107.75	DIST2:		Skirt:	NONE	
	SDC10023-4	108.00	Oil:	3.500	X	4.150	E-BC16	CAST IRON	CHROME	11-885-4	108.00	DIST3:				
				0.138		0.163										
REFERENCE # 4955366		TOP	2ND		OIL		REFERENCE # 4955365									
6.8L (415CID,6801CC),SOHC,10CYL, 90.200MM (3.551"), TRITON 68 / 1997-2003																
CLUB WAGON / 97-98	SWF30019-0	90.20	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-812-0	90.20	TL:	52.40	PL:	61.00	CHK.
ECONOLINE E350 / 97-03	SWF30019-1	90.45		0.059	0.128					11-812-1	90.45	CH:	31.00	PD:	22.00	DIA
	SWF30019-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-812-2	90.70	DIST1:	-1.75	Head:	NONE	5.00
	SWF30019-3	90.95		0.059	0.161					11-812-3	90.95	DIST2:		Skirt:	MS	
	SWF30019-4	91.20	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME	11-812-4	91.20	DIST3:				
				0.118		0.128										
REFERENCE # 2L3Z 6148 AA 6L3Z 6148 A		TOP	2ND		OIL		REFERENCE # XC3Z 6108 CA									
6.8L (415CID,6801CC),SOHC,10CYL, 90.200MM (3.551"), TRITON 68 / 1999-2005																
EXCURSION / 00-05	SWF30019-0	90.20	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-811-0	90.20	TL:	52.10	PL:	61.00	CHK.
F250 / 00-04	SWF30019-1	90.45		0.059	0.128					11-811-1	90.45	CH:	30.75	PD:	22.00	DIA
F350 / 00-04	SWF30019-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-811-2	90.70	DIST1:	-3.50	Head:	NONE	6.00
F450 / 99-04	SWF30019-3	90.95		0.059	0.161					11-811-3	90.95	DIST2:		Skirt:	MS	
	SWF30019-4	91.20	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME	11-811-4	91.20	DIST3:				
				0.118		0.128										
REFERENCE # 2L3Z 6148 AA 6L3Z 6148 A		TOP	2ND		OIL		REFERENCE # XL3Z 6148 KA									
6.8L (415CID,6801CC),SOHC,10CYL, 90.200MM (3.551"), TRITON 68,TRITON 68V / 2005-2016																
F250 / 05-10	SWF30019-0	90.20	Top:	1.500	X	3.250	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
F350 / 05-10	SWF30019-1	90.45		0.059	0.128											
F450 / 05-15	SWF30019-2	90.70	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE							
F550 / 05-15	SWF30019-3	90.95		0.059	0.161											
F650 / 15-15	SWF30019-4	91.20	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME							
F750 / 16-16				0.118		0.128										
REFERENCE # 2L3Z 6148 AA 6L3Z 6148 A		TOP	2ND		OIL											





FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
7.3L (444CID,7276CC), OHV, 8CYL, 104.400MM (4.110"), PowerStroke 7.3T / 1999-2003										
ECONOLINE E350 / 99-03	SDF30020-0	104.40	Top: 3.0K	X	3.900	BF-K1	STEEL	NITRIDED	DISC-11-858-0	104.40
	SDF30020-1	104.65	0.118K		0.154				DISC-11-858-1	104.65
EXCURSION / 00-03	SDF30020-2	104.90	2nd: 2.000	X	4.000	T1-RB	CAST IRON	PHOSPHATE	DISC-11-858-2	104.90
F250 / 99-03	SDF30020-3	105.15	0.079		0.157				DISC-11-858-3	105.15
F350 / 99-03	SDF30020-4	105.40	Oil: 3.500	X	3.850	E-BC16	CAST IRON	CHROME	DISC-11-858-4	105.40
F450 / 99-02			0.138		0.152					
F550 / 99-02	REFERENCE #	TOP	2ND	OIL					REFERENCE #	
F650 / 00-02	F81Z 6148 AA								F81Z 6102 AA	

7.5L (460CID,7538CC), OHV, 8CYL, 110.740MM (4.360"), FORD 385, FORD 385 C & F / 1975-1997										
CLUB WAGON / 75-96	SWF80032-0	110.74	Top: 1.984	X	4.450	BF-IB	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
ECONOLINE E250 / 75-79	SWF80032-1	110.99	0.078		0.175					
	SWF80032-2	111.24	2nd: 1.984	X	4.400	T1-RB	CAST IRON	PHOSPHATE		
ECONOLINE E350 / 75-96	SWF80032-3	111.49	0.078		0.173					
F250 / 88-97	SWF80032-4	111.74	Oil: 4.763	X	4.420	NIFF-H	STEEL	CHROME		
F350 / 88-97			0.188		0.174					
	REFERENCE #	TOP	2ND	OIL						
	C8SZ 6148 A F3TZ 6148 G									


GM

GM

1.0L (61CID,993CC), SOHC, 3CYL, 74.000MM (2.913"), G10 / 1985-1988										
SPRINT / 85-88	SWS20144-0	74.00	Top: 1.200	X	2.700	BF	STEEL	NITRIDED	DISC-11-668-0	74.00
	SWS20144-1	74.25	0.047		0.106				DISC-11-668-1	74.25
	SWS20144-2	74.50	2nd: 1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	DISC-11-668-2	74.50
	SWS20144-3	74.75	0.059		0.126				DISC-11-668-3	74.75
	SWS20144-4	75.00	Oil: 2.800	X	2.800	NIFF-S	STEEL	CHROME	DISC-11-668-4	75.00
	AM Ring Available		0.110		0.110					
	REFERENCE #	TOP	2ND	OIL					REFERENCE #	
	96055394 96057087 96061652 96068389								96053321	



1.0L (61CID,993CC), SOHC, 3CYL, 74.000MM (2.913"), G10 / 1986-2000										
METRO / 89-00	SWS20144-0	74.00	Top: 1.200	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
SPRINT / 86-87	SWS20144-1	74.25	0.047		0.106					
	SWS20144-2	74.50	2nd: 1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE		
	SWS20144-3	74.75	0.059		0.126					
	SWS20144-4	75.00	Oil: 2.800	X	2.800	NIFF-S	STEEL	CHROME		
	AM Ring Available		0.110		0.110					
	REFERENCE #	TOP	2ND	OIL						
	96055394 96057087 96061652 96068389									






GM

GM


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.0L (61CID,993CC),SOHC,3CYL, 74.000MM (2.913"), G10 / 1989-1998																	
METRO / 89-98	SWS20144-0	74.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-665-0	74.00	TL:	55.70	PL:	65.00	CHK.	
	SWS20144-1	74.25		0.047		0.106				11-665-1	74.25	CH:	28.70	PD:	17.00	DIA	
	SWS20144-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	11-665-2	74.50	DIST1:	-2.10	Head:	NONE	13.80	
	SWS20144-3	74.75		0.059		0.126				11-665-3	74.75	DIST2:		Skirt:	NONE		
	SWS20144-4	75.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-665-4	75.00	DIST3:					
	AM Ring Available			0.110		0.110											
	REFERENCE #	TOP	2ND	OIL	REFERENCE #												
	96055394				96060039												
	96057087																
	96061652																
96068389																	
1.0L (61CID,993CC),SOHC,3CYL, 74.000MM (2.913"), G10T / 1987-1988 TURBO																	
SPRINT / 87-88	SWS20144-0	74.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	DISC-11-666-0	74.00						
	SWS20144-1	74.25		0.047		0.106				DISC-11-666-1	74.25						
	SWS20144-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	DISC-11-666-2	74.50						
	SWS20144-3	74.75		0.059		0.126				DISC-11-666-3	74.75						
	SWS20144-4	75.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	DISC-11-666-4	75.00						
	AM Ring Available			0.110		0.110											
	REFERENCE #	TOP	2ND	OIL	REFERENCE #												
	96055394				96055390												
	96057087				96067799												
	96061652																
96068389																	
1.2L (76CID,1249CC),DOHC,4CYL, 70.500MM (2.776"), ECOTEC LL0 / 2013-2015																	
SPARK / 13-15	SWG10051-0	70.50	Top:	1.000	X	2.300	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWG10051-1	70.75		0.039		0.091											
	SWG10051-2	71.00	2nd:	1.200	X	2.550	TUC	CAST IRON	PHOSPHATE								
	SWG10051-3	71.25		0.047		0.100											
	SWG10051-4	71.50	Oil:	2.000	X	1.950	NIFF-H	STEEL	NITRIDED								
				0.079		0.077											
	REFERENCE #	TOP	2ND	OIL													
	25191142																
1.3L (79CID,1298CC),SOHC,4CYL, 74.000MM (2.913"), G13BA / 1995-1997																	
METRO / 95-97	SWS20143-0	74.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	11-625-0	74.00	TL:	55.30	PL:	65.00	CHK.	
	SWS20143-1	74.25		0.047		0.112				11-625-1	74.25	CH:	28.40	PD:	17.00	DIA	
	SWS20143-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	11-625-2	74.50	DIST1:	-1.30	Head:	NONE	10.00	
	SWS20143-3	74.75		0.059		0.126				11-625-3	74.75	DIST2:		Skirt:	NONE		
	SWS20143-4	75.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-625-4	75.00	DIST3:					
				0.110		0.100											
	REFERENCE #	TOP	2ND	OIL	REFERENCE #												
	12140-82X50				12111-83000-0A0												
	91173873				96066387												
	96068389																




GM
GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.3L (79CID,1298CC),SOHC,4CYL, 74.000MM (2.913"), G13BA / 1998-2001																
METRO / 98-01	SWS20143-0	74.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWS20143-1	74.25		0.047		0.112										
	SWS20143-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE							
	SWS20143-3	74.75		0.059		0.126										
	SWS20143-4	75.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME							
				0.110		0.100										
REFERENCE #		TOP	2ND		OIL											
12140-82X50																
91173873																
96068389																
1.5L (90CID,1471CC),SOHC,4CYL, 77.000MM (3.031"), 4XC1 / 1985-1989																
SPECTRUM / 85-89	SWI10151-0	77.00	Top:	1.500	X	3.300	T1-IB	DUCTILE IRON	CHROME	DISC-11-565-0	77.00					
	SWI10151-1	77.25		0.059		0.130				DISC-11-565-1	77.25					
	SWI10151-2	77.50	Oil:	2.800	X	3.100	NIFF-S	STEEL	NITRIDED	DISC-11-565-2	77.50					
	SWI10151-3	77.75		0.110		0.122				DISC-11-565-3	77.75					
	SWI10151-4	78.00							DISC-11-565-4	78.00						
	REFERENCE #		TOP	OIL						REFERENCE #						
8-94141-947-0									94251076							
94141947									94460838							
1.5L (90CID,1471CC),SOHC,4CYL, 77.000MM (3.031"), 4XC1T / 1987-1989 TURBO																
SPECTRUM / 87-89	SWI10153-0	77.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWI10153-1	77.25		0.047		0.114										
	SWI10153-2	77.50	2nd:	1.200	X	3.500	T1-IB	CAST IRON	CHROME							
	SWI10153-3	77.75		0.047		0.138										
	SWI10153-4	78.00	Oil:	2.800	X	3.100	NIFF-S	STEEL	NITRIDED							
				0.110		0.122										
REFERENCE #		TOP	2ND		OIL											
8-94109-650-0																
94109650																
1.6L (95CID,1559CC),SOHC,4CYL, 76.500MM (3.012"), NP960 / 1988-1993																
LeMans / 88-93	SWD20003-0	76.50	Top:	1.500	X	2.650	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWD20003-1	76.75		0.059		0.104										
	SWD20003-2	77.00	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE							
	SWD20003-3	77.25		0.059		0.126										
	SWD20003-4	77.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME							
				0.118		0.114										
REFERENCE #		TOP	2ND		OIL											
90273451																






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1587CC),DOHC,4CYL, 80.000MM (3.150"), 4XE1W / 1990-1991																
STORM / 90-91	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWI10149-1	80.25		0.047	X	0.122										
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE							
	SWI10149-3	80.75		0.047	X	0.130										
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME							
			0.118		0.098											
	REFERENCE #		TOP	2ND	OIL											
	8-94331-660-0															
	8-94342-124-0															
	8-94370-434-0															
8-97042-171-0																
8-97402-171-0																
94331660																
94342124																
94370434																
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-FE / 1989-1992																
PRIZM / 89-92	SWT10142-0	81.00	Top:	1.500	X	2.700	BF	STEEL	NITRIDED	11-649-0	81.00	TL:	61.10	PL:	61.00	CHK.
	SWT10142-1	81.25		0.059	X	0.106				11-649-1	81.25	CH:	30.60	PD:	18.00	DIA
	SWT10142-2	81.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-649-2	81.50	DIST1:	-3.00	Head:	NONE	10.00
	SWT10142-3	81.75		0.059	X	0.134				11-649-3	81.75	DIST2:	-2.80	Skirt:	NONE	
	SWT10142-4	82.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-649-4	82.00	DIST3:				
			0.118		0.112											
	REFERENCE #		TOP	2ND	OIL				REFERENCE #							
	13011-16130								13101-16090-01							
	94847305								94847306							
	1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-FE / 1993-1997															
PRIZM / 93-97	SWT10156-0	81.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-714-0	81.00	TL:	55.60	PL:	56.00	CHK.
	SWT10156-1	81.25		0.047	X	0.114				11-714-1	81.25	CH:	30.50	PD:	20.00	DIA
	SWT10156-2	81.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-714-2	81.50	DIST1:	-2.50	Head:	NONE	15.00
	SWT10156-3	81.75		0.059	X	0.134				11-714-3	81.75	DIST2:		Skirt:	NONE	
	SWT10156-4	82.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-714-4	82.00	DIST3:				
			0.118		0.112											
	REFERENCE #		TOP	2ND	OIL				REFERENCE #							
	13011-16300								13101-16160-01							
	13011-16340								94853590							
	94854159															
94855500																
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-GE / 1988-1989																
NOVA / 88-88 PRIZM / 89-89	SWT10108-0	81.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-660-0	81.00	TL:	64.50	PL:	61.00	CHK.
	SWT10108-1	81.25		0.059	X	0.122				11-660-1	81.25	CH:	30.50	PD:	20.00	DIA
	SWT10108-2	81.50	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	11-660-2	81.50	DIST1:	0.30	Head:	NONE	10.00
	SWT10108-3	81.75		0.059	X	0.138				11-660-3	81.75	DIST2:		Skirt:	NONE	
	SWT10108-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-660-4	82.00	DIST3:				
			0.110		0.110											
	REFERENCE #		TOP	2ND	OIL				REFERENCE #							
	13011-16011								13101-16070-01							
	13011-16170								94844692							
	94840036															
94845462																






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-GE / 1990-1992																
PRIZM / 90-92	SWT10150-0	81.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT10150-1	81.25		0.047		0.114										
	SWT10150-2	81.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME							
	SWT10150-3	81.75		0.059		0.134										
	SWT10150-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED							
REFERENCE # 94847635		TOP	2ND	OIL												
1.6L (97CID,1587CC),SOHC,4CYL, 75.000MM (2.953"), G16K / 1989-1995																
TRACKER / 89-95	SWS20142-0	75.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED		11-629-0	75.00	TL:	58.20	PL:	63.00
	SWS20142-1	75.25		0.047		0.106				11-629-1	75.25	CH:	28.50	PD:	19.00	DIA
	SWS20142-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-629-2	75.50	DIST1:	-3.30	Head:	NONE	10.00
	SWS20142-3	75.75		0.059		0.126				11-629-3	75.75	DIST2:	-4.70	Skirt:	NONE	
	SWS20142-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-629-4	76.00	DIST3:				
REFERENCE # 12140-60A50 91173290 96067669		TOP	2ND	OIL						REFERENCE # 12111-60A02-0A0 96067795						
1.6L (97CID,1587CC),SOHC,4CYL, 75.000MM (2.953"), G16KV / 1996-2000																
TRACKER / 96-00	SWS20142-0	75.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-630-0	75.00	TL:	55.20	PL:	61.50	CHK.
	SWS20142-1	75.25		0.047		0.106				11-630-1	75.25	CH:	28.20	PD:	19.00	DIA
	SWS20142-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-630-2	75.50	DIST1:	-4.10	Head:	NONE	21.00
	SWS20142-3	75.75		0.059		0.126				11-630-3	75.75	DIST2:		Skirt:	NONE	
	SWS20142-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-630-4	76.00	DIST3:				
REFERENCE # 12140-60A50 91173290 96067669		TOP	2ND	OIL						REFERENCE # 12100-71820-0A0 96068583						
1.6L (97CID,1587CC),SOHC,4CYL, 80.000MM (3.150"), 4XE1 / 1990-1993																
STORM / 90-93	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWI10149-1	80.25		0.047		0.122										
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE							
	SWI10149-3	80.75		0.047		0.130										
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME							
REFERENCE # 8-94331-660-0 8-94342-124-0 8-94370-434-0 8-97042-171-0 8-97402-171-0 94331660 94342124 94370434		TOP	2ND	OIL												






GM

GM



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1587CC),SOHC,4CYL, 81.000MM (3.189"), 4A-LC / 1985-1988																
NOVA / 85-88	SWT10108-0	81.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-144-0	81.00	TL:	60.50	PL:	61.00	CHK.
	SWT10108-1	81.25		0.059	0.122	11-144-1				81.25	CH:	30.50	PD:	18.00	DIA	
	SWT10108-2	81.50	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	11-144-2	81.50	DIST1:	-3.00	Head:	NONE	13.00
	SWT10108-3	81.75		0.059	0.138	11-144-3				81.75	DIST2:		Skirt:	NONE		
	SWT10108-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-144-4	82.00	DIST3:				
REFERENCE # 13011-16011 13011-16170 94840036 94845462		TOP	2ND	OIL	REFERENCE # 13103-16010 94850643											
1.6L (98CID,1598CC),DOHC,4CYL, 79.000MM (3.110"), ECOTEC II / 2004-2011																
AVEO / 04-11 AVEO5 / 07-11 G3 / 09-09	SWD20004-0	79.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWD20004-1	79.25		0.047	0.120											
	SWD20004-2	79.50	2nd:	1.500	X	3.300	E-BC16	CAST IRON	PHOSPHATE							
	SWD20004-3	79.75		0.059	0.130											
	SWD20004-4	80.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME							
REFERENCE # 93740225		TOP	2ND	OIL												
1.8L (108CID,1762CC),DOHC,4CYL, 81.000MM (3.189"), 7A-FE / 1993-1997																
PRIZM / 93-97	SWT10156-0	81.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-713-0	81.00	TL:	56.00	PL:	56.00	CHK.
	SWT10156-1	81.25		0.047	0.114	11-713-1				81.25	CH:	30.50	PD:	20.00	DIA	
	SWT10156-2	81.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-713-2	81.50	DIST1:	-3.40	Head:	NONE	10.00
	SWT10156-3	81.75		0.059	0.134	11-713-3				81.75	DIST2:		Skirt:	NONE		
	SWT10156-4	82.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-713-4	82.00	DIST3:				
REFERENCE # 13011-16300 13011-16340 94854159 94855500		TOP	2ND	OIL	REFERENCE # 13101-16150-01 94853591											
1.8L (109CID,1794CC),DOHC,4CYL, 79.000MM (3.110"), 1ZZ-FE / 1998-2000																
PRIZM / 98-00	SWT10183-0	79.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	11-756-0	79.00	TL:	51.60	PL:	50.00	CHK.
	SWT10183-1	79.25		0.047	0.104	11-756-1				79.25	CH:	29.90	PD:	20.00	DIA	
	SWT10183-2	79.50	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-756-2	79.50	DIST1:	-4.20	Head:	NONE	10.00
	SWT10183-3	79.75		0.047	0.126	11-756-3				79.75	DIST2:	2.30	Skirt:	NONE		
	SWT10183-4	80.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	CHROME	11-756-4	80.00	DIST3:				
REFERENCE # 13011-0D010 13011-22040 13011-22150 88972331 94856686 94859421		TOP	2ND	OIL	REFERENCE # 13101-22020 94856684											






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
1.8L (109CID,1794CC),DOHC,4CYL, 79.000MM (3.110"), 1ZZ-FE / 2001-2008										
PRIZM / 01-02 VIBE / 03-08	SWT10183-0	79.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	11-777-0 79.00 TL: 51.70 PL: 50.00 CHK. 11-777-1 79.25 CH: 29.80 PD: 20.01 DIA 19.50 11-777-2 79.50 DIST1: 2.40 Head: AH 11-777-3 79.75 DIST2: Skirt: MS 11-777-4 80.00 DIST3:
	SWT10183-1	79.25		0.047	X	0.104				
	SWT10183-2	79.50	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	
	SWT10183-3	79.75		0.047	X	0.126				
	SWT10183-4	80.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	CHROME	
REFERENCE #		TOP	2ND	OIL	REFERENCE #					  
13011-0D010					13101-0D040					
13011-22040							13101-22140			
13011-22150							88969051			
88972331							88972330			
94856686							94859420			
94859421										
1.8L (110CID,1796CC),DOHC,4CYL, 80.500MM (3.169"), ECOTEC LUW / 2008-2015										
ASTRA / 08-08 CRUZE / 11-15 SONIC / 12-15	SWG10035-0	80.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10035-1	80.75		0.047	X	0.122				
	SWG10035-2	81.00	2nd:	1.200	X	3.000	T1	CAST IRON	PHOSPHATE	
	SWG10035-3	81.25		0.047	X	0.118				
	SWG10035-4	81.50	Oil:	2.000	X	3.000	NIFF-H	STEEL	CHROME	
REFERENCE #		TOP	2ND	OIL						
93332835										
1.8L (110CID,1796CC),DOHC,4CYL, 82.000MM (3.228"), 2ZZ-FE / 2003-2006										
VIBE / 03-06	SWT10196-0	82.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWT10196-1	82.25		0.047	X	0.112				
	SWT10196-2	82.50	2nd:	1.200	X	3.050	TUC	CAST IRON	PHOSPHATE	
	SWT10196-3	82.75		0.047	X	0.120				
	SWT10196-4	83.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME	
REFERENCE #		TOP	2ND	OIL						
13011-88601										
88969557										
1.8L (110CID,1798CC),DOHC,4CYL, 80.500MM (3.169"), LAY(2ZR-FE) / 2009-2010										
VIBE / 09-10	SWT10232-0	80.50	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWT10232-1	80.75		0.039	X	0.114				
	SWT10232-2	81.00	2nd:	1.000	X	2.500	TUC	STEEL	PHOSPHATE	
	SWT10232-3	81.25		0.039	X	0.098				
	SWT10232-4	81.50	Oil:	1.500	X	1.950	NIFF-H	STEEL	CHROME	
REFERENCE #		TOP	2ND	OIL						
13011-0T010										
13011-37110										
19185554										






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.8L (110CID,1809CC),DOHC,4CYL, 80.000MM (3.150"), 4XF1 / 1992-1993																	
STORM / 92-93	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWI10149-1	80.25		0.047		0.122											
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE								
	SWI10149-3	80.75		0.047		0.130											
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME								
		0.118		0.098													
	REFERENCE #		TOP	2ND	OIL												
	8-94331-660-0																
	8-94342-124-0																
	8-94370-434-0																
8-97042-171-0																	
8-97402-171-0																	
94331660																	
94342124																	
94370434																	
1.8L (111CID,1817CC),OHV,4CYL, 84.000MM (3.307"), 4FB1 / 1981-1986																	
CHEVETTE / 81-86 EL CAMINO / 83-84	SDI10086-0	84.00	Top:	2.500	X	3.250	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SDI10086-1	84.25		0.098		0.128											
	SDI10086-2	84.50	2nd:	2.000	X	3.500	T1	CAST IRON	CHROME								
	SDI10086-3	84.75		0.079		0.138											
	SDI10086-4	85.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED								
		0.157		0.171													
	REFERENCE #		TOP	2ND	OIL												
	8-94224-221-0																
	94224221																
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1972-1975																	
LUV / 72-75	SWI10056-0	84.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	DISC-11-010-0	84.00						
	SWI10056-1	84.25		0.079		0.150				DISC-11-010-1	84.25						
	SWI10056-2	84.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	DISC-11-010-2	84.50						
	SWI10056-3	84.75		0.079		0.157				DISC-11-010-3	84.75						
	SWI10056-4	85.00	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-010-4	85.00						
		0.157		0.150													
	REFERENCE #		TOP	2ND	OIL						REFERENCE #						
	8-94216-640-0																
	94216641																
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1976-1979																	
LUV / 76-79	SWI10056-0	84.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	DISC-11-011-0	84.00						
	SWI10056-1	84.25		0.079		0.150				DISC-11-011-1	84.25						
	SWI10056-2	84.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	DISC-11-011-2	84.50						
	SWI10056-3	84.75		0.079		0.157				DISC-11-011-3	84.75						
	SWI10056-4	85.00	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-011-4	85.00						
		0.157		0.150													
	REFERENCE #		TOP	2ND	OIL						REFERENCE #						
	8-94216-640-0																
	94216641																






GM

GM


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO														
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1980-1980																								
LUV / 80-80	SWI10056-0	84.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	11-012-0	84.00	TL:	80.00	PL:	66.00	CHK.								
	SWI10056-1	84.25		0.079		0.150				11-012-1	84.25	CH:	37.00	PD:	22.00	DIA								
	SWI10056-2	84.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	11-012-2	84.50	DIST1:	-0.80	Head:	NONE	15.00								
	SWI10056-3	84.75		0.079		0.157				11-012-3	84.75	DIST2:		Skirt:	NONE									
	SWI10056-4	85.00	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	11-012-4	85.00	DIST3:												
			0.157	0.150																				
	REFERENCE #		TOP	2ND		OIL		REFERENCE #																
	8-94216-640-0							8-94215-088-0																
	94216641																							
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1981-1982																								
LUV / 81-82	SWI10098-0	84.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	DISC-11-013-0	84.00													
	SWI10098-1	84.25		0.059		0.138				DISC-11-013-1	84.25													
	SWI10098-2	84.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-013-2	84.50													
	SWI10098-3	84.75		0.059		0.150				DISC-11-013-3	84.75													
	SWI10098-4	85.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-013-4	85.00													
			0.157	0.128																				
	REFERENCE #		TOP	2ND		OIL		REFERENCE #																
	8-94244-404-0							8-94238-475-0																
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1982-1982																								
S-15 PICKUP / 82-82	SWI10056-0	84.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.														
	SWI10056-1	84.25		0.079		0.150																		
	SWI10056-2	84.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE															
	SWI10056-3	84.75		0.079		0.157																		
	SWI10056-4	85.00	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME															
			0.157	0.150																				
	REFERENCE #		TOP	2ND		OIL																		
	8-94216-640-0																							
	94216641																							
1.9L (116CID,1901CC),DOHC,4CYL, 82.000MM (3.228"), SATURN I4 LL0 / 1991-1994																								
SC / 91-92 SC2 / 93-94 SL2 / 91-94 SW2 / 93-94	SWG10020-0	82.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.														
	SWG10020-1	82.25		0.059		0.120																		
	SWG10020-2	82.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE															
	SWG10020-3	82.75		0.059		0.138																		
	SWG10020-4	83.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME															
			0.118	0.126																				
	REFERENCE #		TOP	2ND		OIL																		
	21006715																							
	21006721																							






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.9L (116CID,1901CC),DOHC,4CYL, 82.000MM (3.228"), SATURN I4 LL0 / 1995-1998																
SC2 / 95-98	SWG10021-0	82.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SL2 / 95-98	SWG10021-1	82.25		0.047	0.112											
SW2 / 95-98	SWG10021-2	82.50		2nd:	1.500	X	3.500	TUC	CAST IRON		PHOSPHATE					
	SWG10021-3	82.75	0.059		0.138											
	SWG10021-4	83.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME							
REFERENCE # 21007180		TOP 2ND OIL 														
1.9L (116CID,1901CC),SOHC,4CYL, 82.000MM (3.228"), SATURN I4 L24 / 1995-1998																
SC1 / 95-98	SWG10021-0	82.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SL / 95-98	SWG10021-1	82.25		0.047	0.112											
SL1 / 95-98	SWG10021-2	82.50		2nd:	1.500	X	3.500	TUC	CAST IRON		PHOSPHATE					
SW1 / 95-98	SWG10021-3	82.75	0.059		0.138											
	SWG10021-4	83.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME							
REFERENCE # 21007180		TOP 2ND OIL 														
1.9L (116CID,1901CC),SOHC,4CYL, 82.000MM (3.228"), SATURN I4 LK0 / 1991-1994																
SC1 / 93-94	SWG10020-0	82.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SL / 91-94	SWG10020-1	82.25		0.059	0.120											
SL1 / 91-94	SWG10020-2	82.50		2nd:	1.500	X	3.500	TUC	CAST IRON		PHOSPHATE					
SW1 / 93-94	SWG10020-3	82.75	0.059		0.138											
	SWG10020-4	83.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME							
REFERENCE # 21006715 21006721		TOP 2ND OIL 														
1.9L (119CID,1949CC),SOHC,4CYL, 87.000MM (3.425"), G200Z / 1983-1985																
S-10 BLAZER / 83-84	SWI10096-0	87.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	11-016-0	87.00	TL:	80.00	PL:	77.00	CHK.
S-10 PICKUP / 83-85	SWI10096-1	87.25		0.059	0.138					11-016-1	87.25	CH:	37.00	PD:	22.00	DIA
S-15 JIMMY / 83-84	SWI10096-2	87.50		2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-016-2	87.50	DIST1:		Head:	NONE
S-15 PICKUP / 83-85	SWI10096-3	87.75	0.059		0.150					11-016-3	87.75	DIST2:		Skirt:	NONE	
	SWI10096-4	88.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-016-4	88.00	DIST3:				
REFERENCE # 8-94438-086-0 94438086		TOP 2ND OIL 								REFERENCE # 8-94237-469-2 94237469						






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
2.0L (121CID,1983CC),DOHC,4CYL, 84.000MM (3.307"), G20K / 1999-2002											
TRACKER / 99-02	SWS20178-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWS20178-1	84.25		0.047	0.114						
	SWS20178-2	84.50	2nd:	1.500	X	3.550	TUC	CAST IRON	CHROME		
	SWS20178-3	84.75		0.059	0.140						
	SWS20178-4	85.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED		
REFERENCE # 12140-86FA0 91174392		TOP	2ND	OIL							
2.0L (121CID,1983CC),SOHC,4CYL, 86.000MM (3.386") / 1987-1994											
FIRENZA / 87-88 LeMans / 89-90 SKYHAWK / 87-88 SUNBIRD / 87-94	SWG10010-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED		Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10010-1	86.25		0.059	0.130						
	SWG10010-2	86.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE		
	SWG10010-3	86.75		0.059	0.142						
	SWG10010-4	87.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED		
AM Ring Available REFERENCE # 52273305 52273308		TOP	2ND	OIL							
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), ECOTEC LHU,ECOTEC LNF,ECOTEC LTG / 2007-2016 TURBO											
ATS / 13-15 COBALT / 08-10 HHR / 08-10 MALIBU / 13-15 REGAL / 11-15 SKY / 07-10	SWG10032-0	86.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWG10032-1	86.25		0.047	0.122						
	SWG10032-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE		
	SWG10032-3	86.75		0.059	0.138						
	SWG10032-4	87.00	Oil:	2.000	X	2.750	NIFF-H	STEEL	NITRIDED		
SOLSTICE / 07-09 VERANO / 13-16 REFERENCE # 19180831 89018107		TOP	2ND	OIL							
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), ECOTEC LSJ / 2005-2007											
COBALT / 05-07 ION / 05-07	SWG10019-0	86.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED		Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10019-1	86.25		0.047	0.114						
	SWG10019-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE		
	SWG10019-3	86.75		0.059	0.138						
	SWG10019-4	87.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME		
REFERENCE # 12140-85Z00 21018813 96180138		TOP	2ND	OIL							






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
2.0L (122CID,1999CC),SOHC,4CYL, 86.000MM (3.386"), GM122 / 1987-1990										
GRAND AM / 87-89 SKYHAWK / 87-87 SUNBIRD / 87-90	SWG10010-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10010-1	86.25		0.059	0.130					
	SWG10010-2	86.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	
	SWG10010-3	86.75		0.059	0.142					
	SWG10010-4	87.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED	
AM Ring Available	0.118	0.120								
	REFERENCE #		TOP	2ND	OIL					
	52273305									
	52273308									
2.0L (122CID,1999CC),SOHC,4CYL, 89.000MM (3.504"), GM122 / 1987-1989										
BERETTA / 87-89 CAVALIER / 87-89 CORSICA / 87-89 FIRENZA / 87-88 SKYHAWK / 87-89	SWI10195-0	89.00	Top:	1.500	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWI10195-1	89.25		0.059	0.159					
	SWI10195-2	89.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	
	SWI10195-3	89.75		0.059	0.142					
	SWI10195-4	90.00	Oil:	3.000	X	2.950	NIFF-S	STEEL	CHROME	
	0.118	0.116								
	REFERENCE #		TOP	2ND	OIL					
	12363179									
	8-12363-179-0									
2.2L (134CID,2196CC),DOHC,4CYL, 86.000MM (3.386"), ECOTEC L61 / 2000-2011										
ALERO / 02-04 CAVALIER / 02-05 COBALT / 05-08 G5 / 07-08 GRAND AM / 02-04 HHR / 06-11 ION / 03-07 L100 / 01-02 L200 / 01-02 L300 / 04-04 LS / 00-00 LS1 / 00-00 LW1 / 00-00 LW200 / 01-02 MALIBU / 04-08 SUNFIRE / 02-05	SWG10019-0	86.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10019-1	86.25		0.047	0.114					
	SWG10019-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	
	SWG10019-3	86.75		0.059	0.138					
	SWG10019-4	87.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	
	0.098	0.112								
	REFERENCE #		TOP	2ND	OIL					
	12140-85Z00									
	21018813									
	96180138									
2.2L (134CID,2196CC),DOHC,4CYL, 86.000MM (3.386"), ECOTEC L61 / 2002-2007										
VUE / 02-07	SWG10016-0 4	86.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10016-1 4	86.25		0.047	0.114					
	SWG10016-2 4	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	
	SWG10016-3 4	86.75		0.059	0.138					
	SWG10016-4 4	87.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED	
	0.118	0.120								
	REFERENCE #		TOP	2ND	OIL					
	9118853									






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
2.2L (134CID,2197CC),OHV,4CYL, 89.000MM (3.504"), GM122 2.2L / 1990-2003											
BERETTA / 90-96	SWI10195-0	89.00	Top:	1.500	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CAVALIER / 90-02	SWI10195-1	89.25		0.059	0.159						
CENTURY / 93-96	SWI10195-2	89.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE		
CIERA / 96-96	SWI10195-3	89.75		0.059	0.142						
CORSICA / 90-96	SWI10195-4	90.00	Oil:	3.000	X	2.950	NIFF-S	STEEL	CHROME		
Cutlass CIERA / 93-95				0.118	0.116						
S-10 PICKUP / 94-03	REFERENCE #	TOP	2ND	OIL							
SONOMA / 94-02	12363179										
SUNFIRE / 95-02	8-12363-179-0										
2.2L (134CID,2201CC),DOHC,4CYL, 86.000MM (3.386"), ECOTEC LAP / 2009-2010											
COBALT / 09-10	SWG10032-0	86.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
G5 / 09-09	SWG10032-1	86.25		0.047	0.122						
	SWG10032-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE		
	SWG10032-3	86.75		0.059	0.138						
	SWG10032-4	87.00	Oil:	2.000	X	2.750	NIFF-H	STEEL	NITRIDED		
				0.079	0.108						
	REFERENCE #	TOP	2ND	OIL							
	19180831										
	89018107										
2.2L (137CID,2238CC),4CYL, 88.000MM (3.465"), C223 / 1984-1985 DIESEL											
S-10 BLAZER / 84-84	SJI10089-0	88.00	Top:	2.500	X	4.000	BF	DUCTILE IRON	CHROME	DISC-11-014-0	88.00
S-10 PICKUP / 84-85	SJI10089-1	88.25		0.098	0.157				DISC-11-014-1	88.25	
S-15 PICKUP / 84-85	SJI10089-2	88.50	2nd:	2.000	X	4.000	TUC	CAST IRON	CHROME	DISC-11-014-2	88.50
	SJI10089-3	88.75		0.079	0.157				DISC-11-014-3	88.75	
	SJI10089-4	89.00	Oil:	4.500	X	4.700	E-BC3	CAST IRON	CHROME	DISC-11-014-4	89.00
				0.177	0.185						
	REFERENCE #	TOP	2ND	OIL							
	8-94100-355-0										
	94250730										
2.3L (138CID,2254CC),DOHC,4CYL, 92.000MM (3.622"), QUAD-4 LG0 / 1988-1995											
ACHIEVA / 92-95	SWG10014-0	92.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
BERETTA / 90-94	SWG10014-1	92.25		0.059	0.130						
CAVALIER / 95-95	SWG10014-2	92.50	2nd:	1.500	X	3.700	T1-RB	CAST IRON	PHOSPHATE		
Cutlass Calais / 88-90	SWG10014-3	92.75		0.059	0.146						
Cutlass Supreme / 90-91	SWG10014-4	93.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED		
GRAND AM / 88-95	AM Ring Available			0.118	0.120						
GRAND PRIX / 90-91	REFERENCE #	TOP	2ND	OIL							
SKYLARK / 88-94	22548439										
SUNFIRE / 95-95											






GM

GM



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (145CID,2384CC),DOHC,4CYL, 88.000MM (3.465"), ECOTEC 2.4 LEA / 2012-2015																
EQUINOX / 12-15	SWG10048-0	88.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
REGAL / 12-15	SWG10048-1	88.25		0.047	0.114											
TERRAIN / 12-15	SWG10048-2	88.50	2nd:	1.500	X	4.000	TUC	CAST IRON	CHROME							
TERRAIN DENALI / 13-15	SWG10048-3	88.75		0.059	0.157											
	SWG10048-4	89.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME							
	REFERENCE # 12659419		TOP	2ND	OIL											
2.4L (146CID,2392CC),DOHC,4CYL, 90.000MM (3.543"), QUAD-4 LD9 / 1996-2002																
ACHIEVA / 97-98	SWG10022-0	90.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ALERO / 99-01	SWG10022-1	90.25		0.047	0.130											
CAVALIER / 96-02	SWG10022-2	90.50	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE							
GRAND AM / 96-01	SWG10022-3	90.75		0.059	0.150											
MALIBU / 97-99	SWG10022-4	91.00	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME							
SKYLARK / 96-97				0.118		0.128										
SUNFIRE / 96-02	REFERENCE # 24575965		TOP	2ND	OIL											
2.4L (147CID,2401CC),DOHC,4CYL, 88.500MM (3.484"), LAX(2AZ-FE) / 2009-2010																
VIBE / 09-10	SWT10182-0	88.50	Top:	1.200	X	2.700	BF	STEEL	CHROME	11-792-0	88.50	TL:	55.80	PL:	56.00	CHK. DIA 4.00
	SWT10182-1	88.75		0.047	0.106					11-792-1	88.75	CH:	33.70	PD:	22.00	
	SWT10182-2	89.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-792-2	89.00	DIST1:	-6.40	Head:	AH	
	SWT10182-3	89.25		0.047	0.126					11-792-3	89.25	DIST2:		Skirt:	MS	
	SWT10182-4	89.50	Oil:	2.000	X	2.450	NIFF-H	STEEL	NITRIDED	11-792-4	89.50	DIST3:				
	REFERENCE # 13011-23100 13011-28102		TOP	2ND	OIL				REFERENCE # 13211-28030-A0 13211-28031-A0							
2.5L (150CID,2457CC),DOHC,4CYL, 88.000MM (3.465"), ECOTEC 2.5 LKW / 2014-2016																
CANYON / 15-16	SWG10048-0	88.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
IMPALA / 14-15	SWG10048-1	88.25		0.047	0.114											
MALIBU LS / 14-15	SWG10048-2	88.50	2nd:	1.500	X	4.000	TUC	CAST IRON	CHROME							
	SWG10048-3	88.75		0.059	0.157											
	SWG10048-4	89.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME							
	REFERENCE # 12659419		TOP	2ND	OIL											






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
2.5L (152CID,2494CC),DOHC,6CYL, 84.000MM (3.307"), H25A / 2001-2001											
TRACKER / 01-01	SWS20207-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWS20207-1	84.25		0.047		0.114					
	SWS20207-2	84.50	2nd:	1.500	X	3.550	TUC	CAST IRON	CHROME		
	SWS20207-3	84.75		0.059		0.140					
	SWS20207-4	85.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED		
REFERENCE # 12140-86FA0		TOP		2ND		OIL					
2.8L (173CID,2827CC),OHV,6CYL, 89.000MM (3.504"), GM 60 L44 / 1984-1993											
6000 / 84-86	SWI10154-0	89.00	Top:	1.500	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CAMARO / 85-89	SWI10154-1	89.25		0.059		0.159					
CAVALIER / 85-86	SWI10154-2	89.50	2nd:	2.000	X	4.050	T1-RC	CAST IRON	PHOSPHATE		
CELEBRITY / 85-86	SWI10154-3	89.75		0.079		0.159					
CENTURY / 86-86	SWI10154-4	90.00	Oil:	4.760	X	3.900	NIFF-S	STEEL	CHROME		
CIMARRON / 85-86	REFERENCE # 14059051 14089059 8-14089-059-0	TOP		2ND		OIL					
CITATION II / 85-85											
Cutlass CIERA / 86-86											
FIERO / 85-88											
FIREBIRD / 84-89											
FIRENZA / 85-86											
S-10 BLAZER / 86-89											
S-10 PICKUP / 86-93											
S-15 JIMMY / 86-89											
S-15 PICKUP / 86-90											
SKYLARK / 85-85											
SONOMA / 91-93											
2.8L (173CID,2835CC),OHV,6CYL, 89.000MM (3.504"), GM 60 G-II / 1987-1994											
6000 / 87-89	SWI10155-0	89.00	Top:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
BERETTA / 87-88	SWI10155-1	89.25		0.059		0.146					
CAVALIER / 87-94	SWI10155-2	89.50	2nd:	1.500	X	3.600	T1-RC	CAST IRON	PHOSPHATE		
CELEBRITY / 87-89	SWI10155-3	89.75		0.059		0.142					
CENTURY / 87-89	SWI10155-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME		
CIMARRON / 87-88	REFERENCE # 10181330 8-10181-330-0 F6DZ 6148 RA F6DZ 6148 RA* ZZCA-11-100	TOP		2ND		OIL					
CORSICA / 87-88											
Cutlass CIERA / 87-89											
Cutlass CRUISER / 87-89											
Cutlass Supreme / 88-89											
FIRENZA / 87-87											
REGAL / 88-89											






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.8L (173CID,2835CC),OHV,6CYL, 89.000MM (3.504"), GM 60 LE2 / 1981-1985																
6000 / 82-84	SWL03235-0	89.00	Top:	1.500	X	3.250	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CELEBRITY / 82-84	SWL03235-1	89.25		0.059		0.128										
CITATION / 81-83	SWL03235-2	89.50	2nd:	2.000	X	4.050	T1	CAST IRON	PHOSPHATE							
CITATION II / 84-84	SWL03235-3	89.75		0.079		0.159										
FIREBIRD / 82-84	SWL03235-4	90.00	Oil:	4.760	X	3.850	NIFF-S	STEEL	CHROME							
OMEGA / 81-83				0.187		0.152										
S-10 BLAZER / 83-85	REFERENCE #		TOP	2ND	OIL											
S-10 PICKUP / 82-85	14034969															
S-15 JIMMY / 83-85																
S-15 PICKUP / 82-85																
SKYLARK / 82-84																
2.8L (173CID,2835CC),OHV,6CYL, 89.000MM (3.504"), GM 60 LH7 / 1981-1984																
CITATION / 81-83	SWI10154-0	89.00	Top:	1.500	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
Cutlass CIERA / 82-82	SWI10154-1	89.25		0.059		0.159										
OMEGA / 81-83	SWI10154-2	89.50	2nd:	2.000	X	4.050	T1-RC	CAST IRON	PHOSPHATE							
PHOENIX / 81-84	SWI10154-3	89.75		0.079		0.159										
SKYLARK / 81-84	SWI10154-4	90.00	Oil:	4.760	X	3.900	NIFF-S	STEEL	CHROME							
				0.187		0.154										
	REFERENCE #		TOP	2ND	OIL											
	14059051															
	14089059															
	8-14089-059-0															
2.9L (178CID,2921CC),DOHC,4CYL, 95.500MM (3.760"), ATLAS LLV,Vortec 2900 LLV / 2007-2012																
CANYON / 07-12	SWG10037-0	95.50	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
COLORADO / 07-12	SWG10037-1	95.75		0.047		0.130										
	SWG10037-2	96.00	2nd:	1.500	X	3.700	TUC	CAST IRON	PHOSPHATE							
	SWG10037-3	96.25		0.059		0.146										
	SWG10037-4	96.50	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME							
				0.098		0.112										
	REFERENCE #		TOP	2ND	OIL											
	89018219															
3.0L (181CID,2962CC),DOHC,6CYL, 86.000MM (3.386"), ELLESMERE L81 / 1999-2005																
CATERA / 99-01	SWG10016-0	86.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
L300 / 01-05	SWG10016-1	86.25		0.047		0.114										
LS2 / 00-00	SWG10016-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE							
LW200 / 00-00	SWG10016-3	86.75		0.059		0.138										
LW300 / 01-02	SWG10016-4	87.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED							
VUE / 02-03				0.118		0.120										
	AM Ring Available		TOP	2ND	OIL											
	88 22 413															
	9118853															






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (181CID,2962CC),SOHC,6CYL, 86.000MM (3.386"), ELLESMERE L81 / 1997-1998																
CATERA / 97-98	SWC10001-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWC10001-1	86.25		0.059	0.136											
	SWC10001-2	86.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE							
	SWC10001-3	86.75		0.059	0.157											
	SWC10001-4	87.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME							
		0.118		0.118												
REFERENCE # 4897027AA 90509740		TOP	2ND	OIL												
3.1L (191CID,3130CC),OHV,6CYL, 89.000MM (3.504"), CPC / 1990-1992																
CAMARO / 90-92	SWI10155-0	89.00	Top:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-569-0	89.00					
FIREBIRD / 90-92	SWI10155-1	89.25		0.059	0.146	DISC-11-569-1				89.25						
	SWI10155-2	89.50	2nd:	1.500	X	3.600	T1-RC	CAST IRON	PHOSPHATE	DISC-11-569-2	89.50					
	SWI10155-3	89.75		0.059	0.142	DISC-11-569-3				89.75						
	SWI10155-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	DISC-11-569-4	90.00					
				0.157	0.126											
REFERENCE # 10181330 8-10181-330-0 F6DZ 6148 RA F6DZ 6148 RA* ZZCA-11-100		TOP	2ND	OIL						REFERENCE # 10070145 8-10070-145-0						
3.1L (191CID,3130CC),OHV,6CYL, 89.000MM (3.504"), GM 60 L82,GM 60 LH0 / 1989-1995																
ACHIEVA / 94-95	SWI10155-0	89.00	Top:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
BERETTA / 89-95	SWI10155-1	89.25		0.059	0.146											
CENTURY / 94-95	SWI10155-2	89.50	2nd:	1.500	X	3.600	T1-RC	CAST IRON	PHOSPHATE							
CORSICA / 89-95	SWI10155-3	89.75		0.059	0.142											
Cutlass Supreme / 89-95	SWI10155-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME							
GRAND AM / 94-95				0.157	0.126											
GRAND PRIX / 89-95	REFERENCE #		TOP	2ND	OIL											
LUMINA / 90-95	10181330															
MONTE CARLO / 95-95	8-10181-330-0															
REGAL / 89-95	F6DZ 6148 RA															
SKYLARK / 94-95	F6DZ 6148 RA*															
SUNBIRD / 91-94	ZZCA-11-100															
3.1L (191CID,3137CC),OHV,6CYL, 89.000MM (3.504"), GM 60 L82,GM 60 LG8 / 1996-2005																
ACHIEVA / 96-98	SWG10004-0	89.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
BERETTA / 96-96	SWG10004-1	89.25		0.047	0.138											
CENTURY / 96-05	SWG10004-2	89.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE							
CORSICA / 96-96	SWG10004-3	89.75		0.059	0.142											
CUTLASS / 97-99	SWG10004-4	90.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED							
Cutlass Supreme / 96-97	AM Ring Available			0.118	0.112											
GRAND AM / 96-98	REFERENCE #		TOP	2ND	OIL											
GRAND PRIX / 96-03	12481987															
LUMINA / 96-01	12538683															
MALIBU / 97-03	XW4Z 6148 CA															
MONTE CARLO / 96-99																
REGAL / 96-96																
SKYLARK / 96-98																






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
3.1L (191CID,3137CC),OHV,6CYL, 89.000MM (3.504"), GM 60 LG6 / 1990-1995										
APV / 90-93	SWI10155-0	89.00	Top:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
LUMINA APV / 90-95	SWI10155-1	89.25		0.059		0.146				
SILHOUETTE / 90-94	SWI10155-2	89.50	2nd:	1.500	X	3.600	T1-RC	CAST IRON	PHOSPHATE	
TRANS SPORT / 90-95	SWI10155-3	89.75		0.059		0.142				
	SWI10155-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	
	REFERENCE #									
	10181330									
	8-10181-330-0									
	F6DZ 6148 RA									
	F6DZ 6148 RA*									
	ZZCA-11-100									
3.3L (204CID,3343CC),OHV,6CYL, 94.000MM (3.701"), BUICK 3300 / 1989-1993										
ACHIEVA / 92-93	SWG10012-0	94.00	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
CENTURY / 89-93	SWG10012-1	94.25		0.059		0.138				
Cutlass Calais / 89-91	SWG10012-2	94.50	2nd:	1.500	X	3.700	T1-RB	CAST IRON	PHOSPHATE	
Cutlass CIERA / 89-93	SWG10012-3	94.75		0.059		0.146				
Cutlass CRUISER / 89-93	SWG10012-4	95.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	
GRAND AM / 93-93	AM Ring Available			0.118		0.126				
SKYLARK / 89-93	REFERENCE #									
	24501065									
	24501330									
3.4L (204CID,3350CC),OHV,6CYL, 92.000MM (3.622"), GM 60 LNJ / 2005-2008										
EQUINOX / 05-08	SWG10009-0	92.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
TORRENT / 06-08	SWG10009-1	92.25		0.047		0.130				
	SWG10009-2	92.50	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE	
	SWG10009-3	92.75		0.059		0.150				
	SWG10009-4	93.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	
	AM Ring Available			0.118		0.100				
	REFERENCE #									
	12481322									
3.4L (207CID,3392CC),DOHC,6CYL, 92.000MM (3.622"), GM 60 LQ1 / 1991-1997										
Cutlass Supreme / 91-96	SWG80011-0	92.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
GRAND PRIX / 91-96	SWG80011-1	92.25		0.059		0.130				
LUMINA / 91-97	SWG80011-2	92.50	2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE	
MONTE CARLO / 95-97	SWG80011-3	92.75		0.059		0.157				
	SWG80011-4	93.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	
				0.157		0.128				
	REFERENCE #									
	10181263									
	12520260									
	12536891									
	12538691									






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.4L (207CID,3392CC),OHV,6CYL, 92.000MM (3.622"), GM 60 L32 / 1993-1995																
CAMARO / 93-95 FIREBIRD / 93-95	SWG80011-0	92.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG80011-1	92.25		0.059		0.130										
	SWG80011-2	92.50	2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE							
	SWG80011-3	92.75		0.059		0.157										
	SWG80011-4	93.00		Oil:		4.000					X	3.250	NIFF-S	STEEL	NITRIDED	
		0.157	0.128													
	REFERENCE #		TOP	2ND		OIL										
	10181263															
	12520260															
	12536891															
	12538691															
3.4L (207CID,3392CC),OHV,6CYL, 92.000MM (3.622"), GM 60 LA1 / 1996-1999																
ALERO / 99-99	SWG10001-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-887-0	92.00	TL:	50.60	PL:	60.00	CHK.
GRAND AM / 99-99	SWG10001-1	92.25		0.047		0.130				11-887-1	92.25	CH:	30.60	PD:	23.00	DIA
LUMINA APV / 96-96	SWG10001-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	11-887-2	92.50	DIST1:	-5.50	Head:	NONE	15.00
MONTANA / 99-99	SWG10001-3	92.75		0.059		0.146				11-887-3	92.75	DIST2:		Skirt:	MS	
SILHOUETTE / 96-99	SWG10001-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME	11-887-4	93.00	DIST3:				
TRANS SPORT / 96-98				0.157		0.144										
VENTURE / 97-99	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
	12537866					24508727										
3.4L (207CID,3392CC),OHV,6CYL, 92.000MM (3.622"), GM 60 LA1 / 2000-2005																
ALERO / 00-04	SWG10009-0	92.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
AZTEK / 01-05	SWG10009-1	92.25		0.047		0.130										
GRAND AM / 00-05	SWG10009-2	92.50	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE							
IMPALA / 00-05	SWG10009-3	92.75		0.059		0.150										
MONTANA / 00-05	SWG10009-4	93.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED							
MONTE CARLO / 00-05	AM Ring Available			0.118		0.100										
RENDEZVOUS / 02-05	REFERENCE #		TOP	2ND		OIL										
SILHOUETTE / 00-04	12481322															
VENTURE / 00-05																
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35A3 / 2004-2007																
VUE / 04-07	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-836-0	89.00	TL:	51.50	PL:	54.00	CHK.
	SWH30438-1	89.25		0.047		0.120				11-836-1	89.25	CH:	30.00	PD:	21.97	DIA
	SWH30438-2	89.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-836-2	89.50	DIST1:	-1.20	Head:	NONE	7.00
	SWH30438-3	89.75		0.047		0.134				11-836-3	89.75	DIST2:		Skirt:	MS	
	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-836-4	90.00	DIST3:				
		0.110		0.112												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
	13011-5G0-A01					13010-PGK-A01										
	13011-P8F-A01					13010-RDA-A00										
	13011-PGE-A01					13010-RGL-A00										
	13011-R70-A02					13010-RGM-A00										
	13011-RJA-004					13101-RGL-100										
	13021-R70-A01															






GM

GM




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.5L (213CID,3490CC),OHV,6CYL, 99.000MM (3.898"), High Value LZ4,High Value LZE / 2006-2011																
AURA / 07-08	SWG10049-0	99.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
G6 / 07-09	SWG10049-1	99.25		0.047	0.130											
IMPALA / 07-11	SWG10049-2	99.50	2nd:	1.500	X	3.750	TUC	CAST IRON	PHOSPHATE							
MONTE CARLO / 06-07	SWG10049-3	99.75		0.059	0.148											
VUE / 08-10	SWG10049-4	100.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED							
	REFERENCE #		TOP	2ND	OIL											
	89018067															
	89018068															
3.5L (213CID,3498CC),OHV,6CYL, 94.000MM (3.701"), High Value LX9 / 2004-2008																
G6 / 05-06	SWG10038-0	94.00	Top:	1.200	X	3.300	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
MALIBU / 04-08	SWG10038-1	94.25		0.047	0.130											
MALIBU MAXX / 04-06	SWG10038-2	94.50	2nd:	1.500	X	3.700	T1-RB	CAST IRON	PHOSPHATE							
MONTANA SV6 / 05-06	SWG10038-3	94.75		0.059	0.146											
RELAY / 05-06	SWG10038-4	95.00	Oil:	2.500	X	2.700	NIFF-H	STEEL	CHROME							
RENDEZVOUS / 06-07			TOP	2ND	OIL											
TERRAZA / 05-06	REFERENCE #															
UPLANDER / 05-06	12584525															
3.6L (217CID,3564CC),DOHC,6CYL, 94.000MM (3.701"), Alloytec LLT / 2008-2015																
ACADIA / 09-15	SWG10052-0	94.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ACADIA DENALI / 11-15	SWG10052-1	94.25		0.047	0.130											
CAMARO / 10-11	SWG10052-2	94.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE							
CTS / 08-11	SWG10052-3	94.75		0.059	0.134											
ENLCLAVE / 09-11	SWG10052-4	95.00	Oil:	2.500	X	2.500	NIFF-H	STEEL	CHROME							
LaCrosse / 10-11			TOP	2ND	OIL											
TRAVERSE / 09-15	REFERENCE #															
	12616973															
3.6L (217CID,3564CC),DOHC,6CYL, 94.000MM (3.701"), Alloytec LY7 / 2004-2012																
ACADIA / 07-08	SWG10039-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-917-0	94.00	TL:	54.90	PL:	61.00	CHK.
AURA / 07-09	SWG10039-1	94.25		0.047	0.114					11-917-1	94.25	CH:	32.00	PD:	24.00	DIA
CTS / 04-09	SWG10039-2	94.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	11-917-2	94.50	DIST1:	-3.00	Head:	NONE	15.00
ENLCLAVE / 08-08	SWG10039-3	94.75		0.059	0.134					11-917-3	94.75	DIST2:		Skirt:	MS	
EQUINOX / 08-09	SWG10039-4	95.00	Oil:	2.500	X	2.500	NIFF-H	STEEL	CHROME	11-917-4	95.00	DIST3:				
G6 / 07-09				0.098		0.098										
G8 / 08-09			TOP	2ND	OIL											
LaCrosse / 05-08	REFERENCE #										REFERENCE #					
MALIBU / 09-12	12608615										12590866					
OUTLOOK / 07-10																
RENDEZVOUS / 04-06																
SRX / 04-09																
STS / 05-11																
TORRENT / 08-09																
VUE / 08-08																






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
3.7L (223CID,3653CC),DOHC,5CYL, 95.500MM (3.760"), ATLAS LLR,Vortec 3700 LLR / 2007-2012											
CANYON / 07-12	SWG10036-0	95.50	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
COLORADO / 07-12	SWG10036-1	95.75		0.047		0.130					
H3 / 07-09	SWG10036-2	96.00		2nd:	1.500	X	3.700	TUC	CAST IRON		PHOSPHATE
H3T / 09-09	SWG10036-3	96.25			0.059		0.146				
	SWG10036-4	96.50	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME		
	REFERENCE # 8-89018-219-0 89018219		TOP	2ND	OIL						
3.8L (229CID,3753CC),OHV,6CYL, 94.890MM (3.736"), BUICK V6 LD5 / 1980-1984											
CABALLERO / 80-84	SWG10007-0	94.89	Top:	1.984	X	3.450	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CAMARO / 80-81	SWG10007-1	95.14		0.078		0.136					
CAPRICE / 80-82	SWG10007-2	95.39	2nd:	1.984	X	4.100	T1-RC	CAST IRON	PHOSPHATE		
EL CAMINO / 80-84	SWG10007-3	95.64		0.078		0.161					
IMPALA / 80-84	SWG10007-4	95.89	Oil:	4.763	X	3.850	NIFF-S	STEEL	NITRIDED		
MALIBU / 80-82	AM Ring Available		0.188		0.152						
MONTE CARLO / 80-84	REFERENCE # 12518282 12818282		TOP	2ND	OIL						
3.8L (231CID,3785CC),OHV,6CYL, 96.500MM (3.799"), BUICK V6 L27 / 1993-1995											
BONNEVILLE / 93-94	SWG10006-0	96.50	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
EIGHTY EIGHT / 93-94	SWG10006-1	96.75		0.047		0.138					
LeSabre / 94-95	SWG10006-2	97.00	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE		
LUMINA APV / 94-95	SWG10006-3	97.25		0.059		0.150					
NINETY EIGHT / 93-94	SWG10006-4	97.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED		
PARK AVENUE / 94-94	AM Ring Available		0.118		0.112						
REGAL / 94-95	REFERENCE # 24502947		TOP	2ND	OIL						
SILHOUETTE / 94-95											
TRANS SPORT / 94-95											
3.8L (231CID,3785CC),OHV,6CYL, 96.520MM (3.800"), BUICK V6 L26 / 2005-2009											
LaCrosse / 05-09	SWG10003-0	96.52	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
LUCERNE / 06-08	SWG10003-1	96.77		0.047		0.138					
	SWG10003-2	97.02	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE		
	SWG10003-3	97.27		0.059		0.150					
	SWG10003-4	97.52	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED		
	AM Ring Available		0.079		0.110						
	REFERENCE # 12480825 12537410		TOP	2ND	OIL						






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.8L (231CID,3791CC),OHV,6CYL, 96.500MM (3.799"), BUICK V6 L67 / 1994-1995																
BONNEVILLE / 94-95	SWG10006-0	96.50	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
EIGHTY EIGHT / 95-95	SWG10006-1	96.75		0.047	0.138											
NINETY EIGHT / 94-95	SWG10006-2	97.00	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE							
PARK AVENUE / 94-95	SWG10006-3	97.25		0.059	0.150											
RIVIERA / 95-95	SWG10006-4	97.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED							
AM Ring Available				0.118	0.112											
REFERENCE # 24502947			TOP	2ND	OIL											
3.8L (231CID,3791CC),OHV,6CYL, 96.520MM (3.800"), BUICK V6 L36,BUICK V6 L67 / 1995-2008																
BONNEVILLE / 95-03	SWG10003-0	96.52	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-888-0	96.52	TL:	53.30	PL:	65.50	CHK.
CAMARO / 95-02	SWG10003-1	96.77		0.047	0.138					11-888-1	96.77	CH:	27.40	PD:	22.00	DIA
EIGHTY EIGHT / 95-99	SWG10003-2	97.02	2nd:	1.500	X	3.800	T1-RB	CAST IRON	PHOSPHATE	11-888-2	97.02	DIST1:	-1.30	Head:	NONE	12.00
FIREBIRD / 95-02	SWG10003-3	97.27		0.059	0.150					11-888-3	97.27	DIST2:		Skirt:	NONE	
GRAND PRIX / 97-08	SWG10003-4	97.52	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED	11-888-4	97.52	DIST3:				
IMPALA / 00-05	AM Ring Available			0.079	0.110											
INTRIGUE / 98-99	REFERENCE #		TOP	2ND	OIL	REFERENCE #										
LeSabre / 96-05	12480825					12537408										
LSS / 96-99	12537410					12539085										
LUMINA / 98-99																
MONTE CARLO / 98-05																
NINETY EIGHT / 95-96																
PARK AVENUE / 95-05																
REGAL / 96-04																
REGENCY / 97-98																
RIVIERA / 96-99																
ROYALE / 95-95																
3.9L (237CID,3880CC),OHV,6CYL, 99.000MM (3.898"), High Value LGD,High Value LZ8,High Value LZ9 / 2006-2011																
G6 / 06-09	SWG10049-0	99.00	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
IMPALA / 07-11	SWG10049-1	99.25		0.047	0.130											
LUCERNE / 09-11	SWG10049-2	99.50	2nd:	1.500	X	3.750	TUC	CAST IRON	PHOSPHATE							
MALIBU / 07-07	SWG10049-3	99.75		0.059	0.148											
MALIBU MAXX / 07-07	SWG10049-4	100.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED							
MONTE CARLO / 06-06				0.098	0.112											
RELAY / 06-07	REFERENCE #		TOP	2ND	OIL											
TERRAZA / 06-07	89018067															
UPLANDER / 06-09	89018068															
4.0L (244CID,3995CC),DOHC,8CYL, 87.000MM (3.425"), Northstar L47 / 1995-1995																
AURORA / 95-95	SWG10017-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG10017-1	87.25		0.059	0.122											
	SWG10017-2	87.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWG10017-3	87.75		0.059	0.142											
	SWG10017-4	88.00	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED							
				0.118	0.122											
	REFERENCE #		TOP	2ND	OIL											
	3546717															






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
4.0L (244CID,3995CC),DOHC,8CYL, 87.000MM (3.425"), Northstar L47 / 1996-2003																	
AURORA / 96-03	SWG10015-0	87.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWG10015-1	87.25		0.047		0.114											
	SWG10015-2	87.50	2nd:	1.500	X	3.600	TUC	CAST IRON	CHROME								
	SWG10015-3	87.75		0.059		0.142											
	SWG10015-4	88.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME								
AM Ring Available			0.118		0.112												
REFERENCE #		TOP	2ND	OIL													
12555219																	
12564802																	
4.3L (262CID,4294CC),OHV,6CYL, 101.600MM (4.000"), Vortec 4300 L35,Vortec 4300 LF6,Vortec 4300 LU3 / 1995-2013																	
ASTRO / 95-05	SWI10196-0	89.00	Top:	1.500	X	3.650	BF	STEEL	CHROME	11-827-0	89.00	TL:	66.00	PL:	69.70	CHK.	
BLAZER / 95-05	SWI10196-1	89.25		0.059		0.144				11-827-1	89.25	CH:	39.40	PD:	23.56	DIA	
BRAVADA / 96-01	SWI10196-2	89.50	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	11-827-2	89.50	DIST1:	-2.60	Head:	NONE	12.00	
CHEVY Express / 96-02	SWI10196-3	89.75		0.059		0.165				11-827-3	89.75	DIST2:		Skirt:	NONE		
CHEVY VAN / 95-96	SWI10196-4	90.00	Oil:	3.000	X	3.350	NIFF-S	STEEL	CHROME	11-827-4	90.00	DIST3:					
EXPRESS G1500 / 96-13				0.118		0.132											
JIMMY / 95-01	REFERENCE #	TOP	2ND	OIL							REFERENCE #						
PICKUP (Chev) / 96-98	12522848										12522850						
PICKUP (GMC) / 96-98	8-12522-848-0										88894280						
RALLY / 95-95																	
S-10 PICKUP / 95-03																	
SAFARI / 95-05																	
SAVANA G1500 / 96-13																	
SIERRA 1500 / 99-06																	
SILVERADO 1500 / 99-06																	
SONOMA / 95-02																	
SPORTVAN / 95-95																	
VANDURA / 95-95																	




GM

GM


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
4.3L (262CID,4294CC),OHV,6CYL, 101.600MM (4.000"), Vortec 4300 LB4,Vortec 4300 LG3 / 1985-1995										
ASTRO / 86-94	SWF80017-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
BONNEVILLE / 86-86	SWF80017-1	101.85		0.078	X	0.195				
BRAVADA / 91-92	SWF80017-2	102.10		2nd:	1.984	X	4.650	T1-RC	CAST IRON	
CABALLERO / 85-87	SWF80017-3	102.35	0.078		X	0.183				
CAPRICE / 85-93	SWF80017-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME	
CHEVY VAN / 85-95				0.188	X	0.181				
EL CAMINO / 85-87	REFERENCE #		TOP			2ND			OIL	
GRAND PRIX / 86-87	12507985									
IMPALA / 85-85	14059025									
JIMMY / 92-94	14089025									
MONTE CARLO / 85-88	88894219									
PARISIENNE / 85-86	C3AZ 6148 F									
PICKUP (Chev) / 88-94	F6DZ 6148 RA									
PICKUP (GMC) / 87-94										
RALLY / 85-94										
S-10 BLAZER / 92-93										
S-10 PICKUP / 88-94										
S-15 JIMMY / 88-91										
S-15 PICKUP / 88-90										
SAFARI / 86-94										
SONOMA / 91-94										
SPORTVAN / 88-94										
SYCLONE / 91-91										
TYPHOON / 92-93										
VANDURA / 87-94										
4.3L (265CID,4343CC),OHV,8CYL, 94.890MM (3.736"), LT1 4.3 L99 / 1994-1996										
CAPRICE / 94-96	SWG10007-0 8	94.89	Top:	1.984	X	3.450	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG10007-1 8	95.14		0.078	X	0.136				
	SWG10007-2 8	95.39	2nd:	1.984	X	4.100	T1-RC	CAST IRON	PHOSPHATE	
	SWG10007-3 8	95.64		0.078	X	0.161				
	SWG10007-4 8	95.89	Oil:	4.763	X	3.850	NIFF-S	STEEL	NITRIDED	
				0.188	X	0.152				
	REFERENCE #		TOP			2ND			OIL	
	12518282									
4.5L (273CID,4474CC),OHV,8CYL, 92.000MM (3.622"), HT-4500 / 1988-1992										
ALLANTE / 89-92	SWG10002-0	92.00	Top:	1.500	X	3.800	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
DEVILLE / 88-90	SWG10002-1	92.25		0.059	X	0.150				
ELDORADO / 88-90	SWG10002-2	92.50	2nd:	1.500	X	3.800	T1-RC	CAST IRON	PHOSPHATE	
FLEETWOOD / 88-90	SWG10002-3	92.75		0.059	X	0.150				
SEVILLE / 88-90	SWG10002-4	93.00	Oil:	3.000	X	3.100	NIFF-S	STEEL	NITRIDED	
				0.118	X	0.122				
	REFERENCE #		TOP			2ND			OIL	
	1645491									






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
4.6L (281CID,4605CC),DOHC,8CYL, 93.000MM (3.661"), Northstar L37 / 1993-1995																
ALLANTE / 93-93	SWG10008-0	93.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DEVILLE / 94-95	SWG10008-1	93.25		0.059	0.130	TUC	CAST IRON	PHOSPHATE								
ELDORADO / 94-95	SWG10008-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE							
SEVILLE / 94-95	SWG10008-3	93.75		0.059	0.154	NIFF-S	STEEL	NITRIDED								
	SWG10008-4	94.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118	0.112											
	REFERENCE # 3543903		TOP	2ND	OIL											
4.6L (281CID,4605CC),DOHC,8CYL, 93.000MM (3.661"), Northstar L37 / 1996-1999																
DEVILLE / 96-99	SWG10013-0	93.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ELDORADO / 96-99	SWG10013-1	93.25		0.047	0.138	TUC	CAST IRON	PHOSPHATE								
SEVILLE / 96-99	SWG10013-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE							
	SWG10013-3	93.75		0.059	0.154	NIFF-S	STEEL	NITRIDED								
	SWG10013-4	94.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118	0.112											
	REFERENCE # 12555217		TOP	2ND	OIL											
4.6L (281CID,4605CC),DOHC,8CYL, 93.000MM (3.661"), Northstar L37 / 2000-2004																
DEVILLE / 00-04	SWG10011-0	93.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ELDORADO / 00-02	SWG10011-1	93.25		0.047	0.138	TUC	CAST IRON	PHOSPHATE								
SEVILLE / 00-04	SWG10011-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE							
	SWG10011-3	93.75		0.059	0.154	NIFF-S	STEEL	NITRIDED								
	SWG10011-4	94.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.098	0.102											
	REFERENCE # 12564801		TOP	2ND	OIL											
4.8L (294CID,4818CC),OHV,8CYL, 96.000MM (3.780"), Vortec 4800 L20 / 2010-2015																
CUTAWAY G3500 / 10-15	SWG10005-0	96.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-920-0	96.00	TL:		PL:		CHK.
	SWG10005-1	96.25		0.059	0.130					11-920-1	96.25	CH:		PD:		DIA
EXPRESS G2500 / 10-15	SWG10005-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	11-920-2	96.50	DIST1:		Head:	AH	
EXPRESS G3500 / 10-15	SWG10005-3	96.75		0.059	0.157					11-920-3	96.75	DIST2:		Skirt:	MS	
SAVANA G2500 / 10-15	SWG10005-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	11-920-4	97.00	DIST3:				
SAVANA G3500 / 10-15	AM Ring Available				0.118	0.126										
SIERRA 1500 / 10-13	REFERENCE # 12456338		TOP	2ND	OIL						REFERENCE # 19208675					
SILVERADO 1500 / 10-13	19208677															
	8-12456-338-0															






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
4.8L (294CID,4818CC),OHV,8CYL, 96.000MM (3.780"), Vortec 4800 LR4 / 1999-2003															
SIERRA 1500 / 99-03	SWG10005-0	96.00	Top:	1.500	3.300	BF	STEEL	NITRIDED	11-900-0	96.00	TL:	64.80	PL:	63.50	CHK.
SILVERADO 1500 / 99-03	SWG10005-1	96.25		0.059	X				0.130	11-900-1	96.25	CH:	33.60	PD:	23.96
TAHOE / 00-03	SWG10005-2	96.50	2nd:	1.500	4.000	T1-RB	CAST IRON	PHOSPHATE	11-900-2	96.50	DIST1:	-1.80	Head:	NONE	25.00
YUKON / 00-03	SWG10005-3	96.75		0.059	X				0.157	11-900-3	96.75	DIST2:	Skirt:	MS	
	SWG10005-4	97.00	Oil:	3.000	3.200	NIFF-S	STEEL	NITRIDED	11-900-4	97.00	DIST3:				
	AM Ring Available			0.118	0.126										
	REFERENCE #	TOP	2ND	OIL					REFERENCE #						
	12456338								88894404						
	19208677								89017579						
	8-12456-338-0														
4.8L (294CID,4818CC),OHV,8CYL, 96.000MM (3.780"), Vortec 4800 LY2 / 1999-2010															
CUTAWAY G3500 / 05-09	SWG10005-0	96.00	Top:	1.500	3.300	BF	STEEL	NITRIDED	11-899-0	96.00	TL:	59.30	PL:	65.00	CHK.
	SWG10005-1	96.25		0.059	X				0.130	11-899-1	96.25	CH:	33.60	PD:	23.96
EXPRESS G2500 / 05-09	SWG10005-2	96.50	2nd:	1.500	4.000	T1-RB	CAST IRON	PHOSPHATE	11-899-2	96.50	DIST1:		Head:	AH	16.00
EXPRESS G3500 / 05-09	SWG10005-3	96.75		0.059	X				0.157	11-899-3	96.75	DIST2:	Skirt:	MS	
SAVANA G2500 / 05-09	SWG10005-4	97.00	Oil:	3.000	3.200	NIFF-S	STEEL	NITRIDED	11-899-4	97.00	DIST3:				
	AM Ring Available			0.118	0.126										
	REFERENCE #	TOP	2ND	OIL					REFERENCE #						
	12456338								89017577						
	19208677														
	8-12456-338-0														
4.9L (302CID,4949CC),OHV,8CYL, 92.000MM (3.622"), HT-4900 L26 / 1993-1995															
DEVILLE / 94-95	SWG10002-0	92.00	Top:	1.500	3.800	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
Sixty Special / 93-93	SWG10002-1	92.25		0.059	X										
	SWG10002-2	92.50	2nd:	1.500	3.800	T1-RC	CAST IRON	PHOSPHATE							
	SWG10002-3	92.75		0.059	X										
	SWG10002-4	93.00	Oil:	3.000	3.100	NIFF-S	STEEL	NITRIDED							
				0.118	0.122										
	REFERENCE #	TOP	2ND	OIL											
	1645491														






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
5.0L (305CID,4998CC),OHV,8CYL, 94.890MM (3.736"), Chevy S.B. 305,LG4 / 1977-2002											
BLAZER / 77-87	SWG10007-0 8	94.89	Top:	1.984 0.078	X	3.450 0.136	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: <u>www.npramerica.com</u> for the latest product availability information.	
BONNEVILLE / 83-86	SWG10007-1 8	95.14									
BROUGHAM / 92-92	SWG10007-2 8	95.39	2nd:	1.984 0.078	X	4.100 0.161	T1-RC	CAST IRON	PHOSPHATE		
CABALLERO / 78-87	SWG10007-3 8	95.64									
CAMARO / 80-92	SWG10007-4 8	95.89	Oil:	4.763 0.188	X	3.850 0.152	NIFF-S	STEEL	NITRIDED		
CAPRICE / 80-93											
CENTURY / 80-80	REFERENCE #	TOP	2ND		OIL						
CHEVY Express / 97-02	12518282										
CHEVY VAN / 77-95											
CORVETTE / 80-80											
Custom CRUISER / 91-92											
CUTLASS / 80-80											
EL CAMINO / 80-87											
EXPRESS G1500 / 96-02											
EXPRESS G2500 / 96-02											
FIREBIRD / 80-92											
GRAND AM / 80-80											
GRAND LeMans / 80-80											
GRAND PRIX / 83-87											
IMPALA / 80-85											
JIMMY / 77-87											
LeMans / 80-80											
MALIBU / 80-83											
MONTE CARLO / 80-88											
PARISIENNE / 83-86											
PICKUP (Chev) / 77-99											
PICKUP (GMC) / 77-99											
RALLY / 79-95											
REGAL / 80-80											
ROADMASTER / 91-91											
SAVANA G1500 / 96-02											
SAVANA G2500 / 96-02											
SPORTVAN / 81-95											
SUBURBAN (CH) / 77-87											
SUBURBAN (GM) / 77-87											
VANDURA / 77-95											






GM

GM



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO									
5.0L (307CID,5031CC),OHV,8CYL, 96.500MM (3.799"), Oldsmobile V8 307 / 1980-1991																			
BONNEVILLE / 81-81	SWG10023-0	96.50	Top:	1.984	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.									
BROUGHAM / 87-91	SWG10023-1	96.75		0.078		0.138													
CAPRICE / 85-90	SWG10023-2	97.00		1.984		4.400													
CATALINA / 81-81	SWG10023-3	97.25	0.078	0.173	T1-RB	CAST IRON	PHOSPHATE												
Custom CRUISER / 80-90	SWG10023-4	97.50	Oil:	4.763	X	4.050	NIFF-S	STEEL	CHROME										
CUTLASS / 85-85	REFERENCE # 22529562	TOP	2ND		OIL														
DELTA 88 / 80-85																			
ELECTRA / 81-89																			
FLEETWOOD / 86-86																			
LeSabre / 81-89																			
NINETY EIGHT / 80-84																			
REGAL / 86-87																			
RIVIERA / 80-84																			
TORONADO / 80-84																			
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 III / 1999-2003																			
AVALANCHE / 02-03	SWG10005-0	96.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-829-0	96.00	TL:	64.80	PL:	72.00	CHK.			
ESCALADE / 02-03	SWG10005-1	96.25		0.059		0.130							11-829-1	96.25	CH:	33.70	PD:	24.00	DIA
EXPRESS G1500 / 03-03	SWG10005-2	96.50		1.500		4.000				T1-RB	CAST IRON	PHOSPHATE	11-829-2	96.50	DIST1:	-1.70	Head:	NONE	16.00
SAVANA G1500 / 03-03	SWG10005-3	96.75	2nd:	0.059	X	0.157				11-829-3	96.75	DIST2:		Skirt:	MS				
SIERRA 1500 / 99-03	SWG10005-4	97.00		Oil:		3.000				3.200	NIFF-S	STEEL	NITRIDED	11-829-4	97.00	DIST3:			
SIERRA 2500 / 99-00	AM Ring Available			0.118		0.126													
SILVERADO 1500 / 99-03	REFERENCE # 12456338	TOP	2ND		OIL		REFERENCE # 8-88894-397-0 88894397												
SILVERADO 2500 / 99-00	19208677																		
SSR / 03-03	8-12456-338-0																		
SUBURBAN (CH) / 99-03																			
TAHOE / 99-03																			
YUKON / 99-03																			
YUKON XL / 02-03																			
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 III / 2003-2009																			
AVALANCHE / 04-06	SWG10005-0	96.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-900-0	96.00	TL:	64.80	PL:	63.50	CHK.			
ENVOY DENALI / 05-09	SWG10005-1	96.25		0.059		0.130							11-900-1	96.25	CH:	33.60	PD:	23.96	DIA
ENVOY XL / 04-06	SWG10005-2	96.50		1.500		4.000				T1-RB	CAST IRON	PHOSPHATE	11-900-2	96.50	DIST1:	-1.80	Head:	NONE	25.00
ESCALADE / 04-05	SWG10005-3	96.75	2nd:	0.059	X	0.157				11-900-3	96.75	DIST2:		Skirt:	MS				
EXPRESS G1500 / 03-07	SWG10005-4	97.00		Oil:		3.000				3.200	NIFF-S	STEEL	NITRIDED	11-900-4	97.00	DIST3:			
RAINIER / 04-04	AM Ring Available			0.118		0.126													
SAVANA G1500 / 03-07	REFERENCE # 12456338	TOP	2ND		OIL		REFERENCE # 88894404 89017579												
SIERRA 1500 / 04-07	19208677																		
SILVERADO 1500 / 03-07	8-12456-338-0																		
SSR / 04-04																			
SUBURBAN (CH) / 04-06																			
TAHOE / 04-06																			
YUKON / 04-06																			
YUKON XL / 04-06																			






GM

GM



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 IV / 2005-2013															
CANYON / 09-12	SWG10005-0	96.00	Top:	1.500	3.300	BF	STEEL	NITRIDED	11-899-0	96.00	TL:	59.30	PL:	65.00	CHK.
COLORADO / 09-12	SWG10005-1	96.25		0.059	X				0.130	11-899-1	96.25	CH:	33.60	PD:	23.96
ENVOY / 05-09	SWG10005-2	96.50	2nd:	1.500	4.000	T1-RB	CAST IRON	PHOSPHATE	11-899-2	96.50	DIST1:	Head:	AH	16.00	
EXPRESS G1500 / 08-13	SWG10005-3	96.75		0.059	X				0.157	11-899-3	96.75				DIST2:
GRAND PRIX / 06-06	SWG10005-4	97.00	Oil:	3.000	3.200	NIFF-S	STEEL	NITRIDED	11-899-4	97.00	DIST3:				
H3 / 08-09	AM Ring Available			0.118	X				0.126						
H3T / 09-09	REFERENCE #	TOP	2ND	OIL	REFERENCE #				  						
IMPALA / 07-07	12456338				89017577										
LaCrosse / 09-09	19208677														
MONTE CARLO / 06-07	8-12456-338-0														
RAINIER / 05-07															
SAVANA G1500 / 08-13															
TAHOE / 07-09															
TRAILBLAZER / 06-08															
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 IV / 2007-2014															
AVALANCHE / 07-13	SWG10005-0	96.00	Top:	1.500	3.300	BF	STEEL	NITRIDED	11-920-0	96.00	TL:		PL:		CHK.
SIERRA 1500 / 07-13	SWG10005-1	96.25		0.059	X				0.130	11-920-1	96.25	CH:		PD:	
SILVERADO 1500 / 07-13	SWG10005-2	96.50	2nd:	1.500	4.000	T1-RB	CAST IRON	PHOSPHATE	11-920-2	96.50	DIST1:	Head:	AH		
SUBURBAN (CH) / 07-14	SWG10005-3	96.75		0.059	X				0.157	11-920-3	96.75				DIST2:
TAHOE / 10-14	SWG10005-4	97.00	Oil:	3.000	3.200	NIFF-S	STEEL	NITRIDED	11-920-4	97.00	DIST3:				
YUKON / 07-13	AM Ring Available			0.118	X				0.126						
YUKON XL / 07-13	REFERENCE #	TOP	2ND	OIL	REFERENCE #										
	12456338				19208675										
	19208677														
	8-12456-338-0														
5.7L (346CID,5670CC),OHV,8CYL, 99.000MM (3.898"), Vortec 5700 LS1,Vortec 5700 LS6 / 1997-2009															
CAMARO / 98-02	SWG10018-0	99.00	Top:	1.500	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CORVETTE / 97-04	SWG10018-1	99.25		0.059	X							0.138			
CTS / 04-06	SWG10018-2	99.50	2nd:	1.500	4.100	TUC	CAST IRON	PHOSPHATE							
FIREBIRD / 98-02	SWG10018-3	99.75		0.059	X							0.161			
GRAND PRIX / 05-08	SWG10018-4	100.00	Oil:	3.000	3.200	NIFF-S	STEEL	NITRIDED							
GTO / 04-04				0.118	X							0.126			
IMPALA / 08-09	REFERENCE #	TOP	2ND	OIL											
	88894299														
	88984247														






GM

GM


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
5.7L (350CID,5735CC),OHV,8CYL, 101.600MM (4.000"), Chevy S.B. 350,Chevy S.B. 350 L83,Chevy S.B. 350 L98,Vortec 5700 L31 / 1974-1998																
BLAZER / 74-94	SWF80016-0	101.60	Top:	1.984	X	4.950	BF-IB	CAST IRON	MOLY	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
C3500 HD / 91-94	SWF80016-1	101.85		0.078		0.195										
CABALLERO / 78-79	SWF80016-2	102.10	2nd:	1.984	X	4.650	T1-RC	CAST IRON	PHOSPHATE							
CAMARO / 80-89	SWF80016-3	102.35		0.078		0.183										
CHEVY VAN / 75-95	SWF80016-4	102.60	Oil:	4.763	X	4.600	NIFF-S	STEEL	CHROME							
CORVETTE / 80-89				0.188		0.181										
FIREBIRD / 87-89	REFERENCE #		TOP	2ND		OIL										
JIMMY / 75-91	12507985															
MAGNAVAN / 75-93	14089025															
MALIBU / 81-81	3579044															
MONTE CARLO / 81-81	3780016															
PICKUP (Chev) / 74-94	88894219															
PICKUP (GMC) / 74-95	C3AZ 6108 F															
RALLY / 74-95	C3AZ 6148 F															
SPORTVAN / 74-94	E3ZZ 6148 A															
SUBURBAN (CH) / 74-94	E6TZ 6148 A															
SUBURBAN (GM) / 74-95																
TRANS AM / 92-96																
VANDURA / 74-94																
YUKON / 96-98																
5.7L (350CID,5735CC),OHV,8CYL, 101.600MM (4.000"), Vortec 5700 L31 / 1996-2002																
CHEVY Express / 96-02	SWI10197-0	101.60	Top:	1.500	X	3.650	BF	STEEL	CHROME	11-828-0	101.60	TL:	66.00	PL:	69.70	CHK.
CUTAWAY G30 / 96-96	SWI10197-1	101.85		0.059		0.144				11-828-1	101.85	CH:	39.40	PD:	23.56	DIA
CUTAWAY G3500 / 97-02	SWI10197-2	102.10	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	11-828-2	102.10	DIST1:	-2.60	Head:	NONE	12.00
ESCALADE / 99-00	SWI10197-3	102.35		0.059		0.165				11-828-3	102.35	DIST2:		Skirt:	NONE	
EXPRESS G1500 / 96-02	SWI10197-4	102.60	Oil:	3.000	X	3.350	NIFF-S	STEEL	CHROME	11-828-4	102.60	DIST3:				
EXPRESS G2500 / 96-02	REFERENCE #		TOP	2ND		OIL					REFERENCE #					
EXPRESS G3500 / 96-02	12456342										12522850	 				
PICKUP (Chev) / 96-00	12522848															
PICKUP (GMC) / 96-00	88894243															
SAVANA G1500 / 96-02																
SAVANA G2500 / 96-02																
SAVANA G3500 / 96-02																
SUBURBAN (CH) / 96-99																
SUBURBAN (GM) / 96-99																
TAHOE / 96-99																
YUKON / 99-00																
YUKON DENALI / 00-00																






GM

GM



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
6.0L (364CID,5967CC),OHV,8CYL, 101.600MM (4.000"), Vortec 6000 L76,L96 / 2006-2015																
AVALANCHE / 07-09	SWG10031-0	101.60	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-889-0	101.60	TL:	57.90	PL:	65.00	CHK.
CUTAWAY G3500 / 06-15	SWG10031-1	101.85		0.047	0.138				11-889-1	101.85	CH:	33.90	PD:	23.96	DIA	
EXPRESS G2500 / 06-15	SWG10031-2	102.10	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	11-889-2	102.10	DIST1:	-1.40	Head:	NONE	13.00
EXPRESS G3500 / 06-15	SWG10031-3	102.35		0.059	0.165				11-889-3	102.35	DIST2:		Skirt:	MS		
G8 / 08-09	SWG10031-4	102.60	Oil:	2.500	X	2.550	NIFF-H	STEEL	CHROME	11-889-4	102.60	DIST3:				
SAVANA G2500 / 06-15	REFERENCE #	TOP	2ND		OIL		REFERENCE #			  						
SAVANA G3500 / 06-15	19178307				8-89017-849-0											
SIERRA 1500 / 06-09	8-89017-484-0				89017849											
SILVERADO 1500 / 06-09	89017484															
TRAILBLAZER / 06-09																
6.0L (364CID,5967CC),OHV,8CYL, 101.600MM (4.000"), Vortec 6000 L77,Vortec 6000 LFA,Vortec 6000 LS2,Vortec 6000 LY6,Vortec 6000 LZ1 / 2005-2015																
CORVETTE / 05-07	SWG10031-0	101.60	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
CTS / 07-07	SWG10031-1	101.85		0.047	0.138											
ESCALADE HYBRID / 09-13	SWG10031-2	102.10	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE							
GTO / 05-06	SWG10031-3	102.35		0.059	0.165											
H2 / 05-07	SWG10031-4	102.60	Oil:	2.500	X	2.550	NIFF-H	STEEL	CHROME							
				0.098		0.100										
SIERRA 2500 / 05-08	REFERENCE #	TOP	2ND		OIL		  									
SIERRA 2500 HD / 06-15	19178307															
SIERRA 3500 / 06-15	8-89017-484-0															
SIERRA HYBRID / 09-13	89017484															
SILVERADO 1500 / 10-12																
SILVERADO 2500HD / 06-15																
SILVERADO 3500HD / 06-15																
SILVERADO HYBRID / 09-13																
SSR / 05-06																
SUBURBAN (CH) / 07-13																
TAHOE HYBRID / 08-13																
YUKON HYBRID / 08-13																
YUKON HYBRID																
DENALI / 08-13																
YUKON XL / 06-13																






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
6.0L (364CID,5967CC),OHV,8CYL, 101.600MM (4.000"), Vortec 6000 LQ4,LQ9 / 1999-2006											
CUTAWAY G3500 / 03-05	SWI10197-0	101.60	Top:	1.500	X	3.650	BF	STEEL	CHROME	11-823-0	
	SWI10197-1	101.85		0.059		0.144				11-823-1	
ESCALADE / 02-06	SWI10197-2	102.10	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	11-823-2	
ESCALADE EXT / 02-06	SWI10197-3	102.35		0.059		0.165				11-823-3	
EXPRESS G2500 / 03-05	SWI10197-4	102.60	Oil:	3.000	X	3.350	NIFF-S	STEEL	CHROME	11-823-4	
EXPRESS G3500 / 03-05				0.118		0.132					
H2 / 03-04	REFERENCE #	TOP	2ND	OIL	REFERENCE #						
SAVANA G2500 / 03-05	12456342				88894003						
SAVANA G3500 / 03-05	12522848										
SIERRA 1500 / 01-05	88894243										
SIERRA 2500 / 99-04											
SIERRA 2500 HD / 01-05											
SIERRA 3500 / 01-05											
SILVERADO 1500 / 03-05											
SILVERADO 2500 / 99-04											
SILVERADO 2500HD / 01-05											
SILVERADO 3500HD / 01-05											
SUBURBAN (CH) / 00-06											
YUKON / 01-05											
YUKON DENALI / 01-06											
6.2L (376CID,6162CC),OHV,8CYL, 103.250MM (4.065"), Vortec 6200 L92,L94 / 2007-2014											
ESCALADE / 07-14	SWG10050-0	103.25	Top:	1.500	X	3.500	BF	STEEL	NITRIDED		11-904-0
ESCALADE EXT / 07-13	SWG10050-1	103.50		0.059		0.138				11-904-1	
H2 / 08-09	SWG10050-2	103.75	2nd:	1.500	X	4.700	TUC	CAST IRON	PHOSPHATE	11-904-2	
SIERRA 1500 DENALI / 09-13	SWG10050-3	104.00		0.059		0.185				11-904-3	
SILVERADO 1500 / 10-13	SWG10050-4	104.25	Oil:	2.500	X	2.850	NIFF-H	STEEL	CHROME	11-904-4	
				0.098		0.112					
10-13	REFERENCE #	TOP	2ND	OIL	REFERENCE #						
YUKON DENALI / 07-13	19168090				19178597						
YUKON XL DENALI / 10-13					19208471						
6.2L (376CID,6162CC),OHV,8CYL, 103.250MM (4.065"), Vortec 6200 LS3,Vortec 6200 LSA,Vortec 6200 LT1 / 2008-2017											
CAMARO / 10-17	SWG10050-0	103.25	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
CAMARO ZL1 / 12-15	SWG10050-1	103.50		0.059		0.138					
CORVETTE / 08-15	SWG10050-2	103.75	2nd:	1.500	X	4.700	TUC	CAST IRON	PHOSPHATE		
G8 / 09-09	SWG10050-3	104.00		0.059		0.185					
SS / 14-15	SWG10050-4	104.25	Oil:	2.500	X	2.850	NIFF-H	STEEL	CHROME		
				0.098		0.112					
	REFERENCE #	TOP	2ND	OIL							
	19168090										






GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
6.5L (395CID,6473CC),OHV,8CYL, 103.000MM (4.055"), GM 6.5 Diesel / 1992-2004 DIESEL																
BLAZER / 94-94	SDG10024-0	103.00	Top:	2.800	X	3.700	BF-K1-IB	STEEL	NITRIDED	11-830-0	103.00	TL:	91.80	PL:	70.00	CHK.
C3500 HD / 92-02	SDG10024-1	103.25		0.110		0.146				11-830-1	103.25	CH:	53.50	PD:	31.00	DIA
CHEVY Express / 96-02	SDG10024-2	103.50	2nd:	2.000	X	4.100	T1-IB	CAST IRON	PHOSPHATE	11-830-2	103.50	DIST1:	-3.70	Head:	AH	17.00
CHEVY VAN / 94-96	SDG10024-3	103.75		0.079		0.161				11-830-3	103.75	DIST2:		Skirt:	NONE	
CUTAWAY G30 / 96-96	SDG10024-4	104.00	Oil:	4.000	X	4.150	E-BC16	STEEL	NITRIDED	11-830-4	104.00	DIST3:				
CUTAWAY G3500 / 97-02				0.157		0.163										
EXPRESS G2500 / 96-02	REFERENCE # 12369198		TOP	2ND			OIL			REFERENCE # 12550059						
EXPRESS G3500 / 96-02										12550061						
H1 / 02-04																
PICKUP (Chev) / 92-00																
PICKUP (GMC) / 94-00																
SAVANA G2500 / 96-02																
SAVANA G3500 / 96-02																
SPORTVAN / 94-96																
SUBURBAN (CH) / 94-98																
SUBURBAN (GM) / 94-99																
TAHOE / 95-99																
VANDURA / 94-95																
YUKON / 94-97																
6.6L (403CID,6599CC),OHV,8CYL, 103.000MM (4.055"), Duramax LB7,Duramax LLY / 2001-2005 DIESEL																
SIERRA 2500 HD / 01-05	SDI10183-0	103.00	Top:	2.948	X	3.900	BF-K1	STEEL	NITRIDED	11-884-0	103.00	TL:	89.82	PL:	81.00	CHK.
SIERRA 3500 / 01-05	SDI10183-1	103.25		0.116		0.154				11-884-1	103.25	CH:	49.82	PD:	34.50	DIA
SILVERADO 2500HD / 01-05	SDI10183-2	103.50	2nd:	2.000	X	4.400	T1-IC	CAST IRON	CHROME	11-884-2	103.50	DIST1:	-15.20	Head:	NONE	20.00
SILVERADO 3500HD / 01-05	SDI10183-3	103.75		0.079		0.173				11-884-3	103.75	DIST2:		Skirt:	MS	
	SDI10183-4	104.00	Oil:	3.000	X	3.000	E-BC16	STEEL	NITRIDED	11-884-4	104.00	DIST3:				
				0.118		0.118										
TOPKICK / 03-05	REFERENCE # 97386951		TOP	2ND			OIL			REFERENCE # 97226116						
										97226117						
										97374384						
										97374385						
6.6L (403CID,6599CC),OHV,8CYL, 103.000MM (4.055"), Duramax LBZ,Duramax LGH,Duramax LML,Duramax LMM / 2006-2016 DIESEL																
CUTAWAY G3500 / 06-16	SDI10183-0	103.00	Top:	2.948	X	3.900	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
EXPRESS G2500 / 06-16	SDI10183-1	103.25		0.116		0.154										
EXPRESS G3500 / 06-16	SDI10183-2	103.50	2nd:	2.000	X	4.400	T1-IC	CAST IRON	CHROME							
H1 ALPHA / 06-06	SDI10183-3	103.75		0.079		0.173										
SAVANA G2500 / 06-16	SDI10183-4	104.00	Oil:	3.000	X	3.000	E-BC16	STEEL	NITRIDED							
				0.118		0.118										
SAVANA G3500 / 06-16	REFERENCE # 97386951		TOP	2ND			OIL									
SIERRA 2500 HD / 06-16																
SIERRA 3500 / 06-15																
SILVERADO 2500HD / 06-15																
SILVERADO 3500HD / 06-15																
TOPKICK / 06-09																





GM

GM

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
7.8L (475CID,7785CC),SOHC,6CYL, 115.000MM (4.528"), Duramax LG4 / 2003-2009 DIESEL										
TOPKICK / 03-09	SDI10178-0	115.00	Top:	2.948	X	4.100	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10178-1	115.25		0.116		0.161				
	SDI10178-2	115.50	2nd:	2.000	X	4.300	T1-IB	STEEL	NITRIDED	
	SDI10178-3	115.75		0.079		0.169				
	SDI10178-4	116.00	3rd:	2.500	X	4.800	TUC	CAST IRON	CHROME	
			Oil:	3.000	X	3.100	E-BC16	STEEL	NITRIDED	
			0.118		0.122					
REFERENCE # 94391502*		TOP	2ND	3RD	OIL					
										

HINO


HINO

5.0L (305CID,5000CC),SOHC,4CYL, 112.000MM (4.409"), J05E-TP,J05E-TPH / 2012-2015 DIESEL										
CLASS 5 - 195 / 12-15 CLASS 5 - 195H / 13-15	SDH20108-0	112.00	Top:	2.500	X	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH20108-1	112.25		0.098		0.163				
	SDH20108-2	112.50	2nd:	2.000	X	4.300	T1	STEEL	NITRIDED	
	SDH20108-3	112.75		0.079		0.169				
	SDH20108-4	113.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
REFERENCE # 13011-E0350			TOP	2ND	OIL					

5.0L (313CID,5123CC),SOHC,4CYL, 112.000MM (4.409"), J05E-TP / 2014-2014 DIESEL										
CLASS 5 - 195DC / 14-14	SDH20108-0	112.00	Top:	2.500	X	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH20108-1	112.25		0.098		0.163				
	SDH20108-2	112.50	2nd:	2.000	X	4.300	T1	STEEL	NITRIDED	
	SDH20108-3	112.75		0.079		0.169				
	SDH20108-4	113.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
REFERENCE # 13011-E0350			TOP	2ND		OIL				

5.1L (313CID,5123CC),SOHC,4CYL, 112.000MM (4.409"), J05E-TPH / 2014-2014 DIESEL										
CLASS 5 - 195HDC / 14-14	SDH20108-0	112.00	Top:	2.500	X	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH20108-1	112.25		0.098		0.163				
	SDH20108-2	112.50	2nd:	2.000	X	4.300	T1	STEEL	NITRIDED	
	SDH20108-3	112.75		0.079		0.169				
	SDH20108-4	113.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
REFERENCE # 13011-E0350			TOP	2ND		OIL				





HINO

HINO


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
7.7L (469CID,7684CC),SOHC,6CYL, 112.000MM (4.409"), J08E-TV,J08E-TW,J08E-VB,J08E-VC / 2009-2015 DIESEL										
CLASS 6 - 238 / 09-14	SDH20102-0	112.00	Top:	2.500	X	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
CLASS 6 - 258ALP / 09-14	SDH20102-1	112.25		2nd:	0.098	X	0.163	T1	STEEL	
CLASS 6 - 258LP / 09-14	SDH20102-2	112.50	2.000		X	4.300				
CLASS 6 - 268 / 09-15	SDH20102-3	112.75	Oil:	0.079	X	0.169	E-BC16	STEEL	NITRIDED	
CLASS 6 - 268A / 09-14	SDH20102-4	113.00		4.000	X	4.350				
CLASS 6 - 268A / 09-14			0.157	X	0.171					
CLASS 7 - 338 / 09-15	REFERENCE #	TOP	2ND	OIL						
CLASS 7 - 338CT / 09-13	13011-4040A									

HONDA

HONDA

1.2L (71CID,1169CC),SOHC,4CYL, 70.000MM (2.756"), EB1 / 1973-1973																
CIVIC / 73-73	SWH30107-0	70.00	Top:	1.500	X	2.800	T1	CAST IRON	CHROME	DISC-11-096-0	70.00					
	SWH30107-1	70.25		0.059		0.110				DISC-11-096-1	70.25					
	SWH30107-2	70.50	2nd:	1.500	X	2.800	T1	CAST IRON	PHOSPHATE	DISC-11-096-2	70.50					
	SWH30107-3	70.75		0.059		0.110				DISC-11-096-3	70.75					
	SWH30107-4	71.00	3rd:	2.500	X	2.500	NIFF-H	STEEL	CHROME	DISC-11-096-4	71.00					
		0.098			0.098											
			Oil:	2.800	X	2.750	NIFF-S	STEEL	CHROME							
				0.110		0.108										
REFERENCE # 13011-634-004			TOP	2ND		3RD		OIL		REFERENCE # 13101-634-000						
																
1.2L (75CID,1237CC),SOHC,4CYL, 72.000MM (2.835"), EB2 / 1974-1978																
CIVIC / 74-78	SWH30184-0	72.00	Top:	1.500	X	2.850	BF	STEEL	CHROME	DISC-11-097-0	72.00					
	SWH30184-1	72.25		0.059		0.112				DISC-11-097-1	72.25					
	SWH30184-2	72.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-097-2	72.50					
	SWH30184-3	72.75		0.059		0.134				DISC-11-097-3	72.75					
	SWH30184-4	73.00	Oil:	2.800	X	3.100	NIFF-S	STEEL	NITRIDED	DISC-11-097-4	73.00					
				0.110		0.122										
REFERENCE # 13011-642-004			TOP	2ND		OIL		REFERENCE # 13101-634-670								
																
1.2L (75CID,1237CC),SOHC,4CYL, 72.000MM (2.835"), EB3 / 1978-1979																
CIVIC / 78-79	SWH30162-0	72.00	Top:	1.500	X	3.100	BF	DUCTILE IRON	CHROME	DISC-11-098-0	72.00					
	SWH30162-1	72.25		0.059		0.122				DISC-11-098-1	72.25					
	SWH30162-2	72.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-098-2	72.50					
	SWH30162-3	72.75		0.059		0.134				DISC-11-098-3	72.75					
	SWH30162-4	73.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-098-4	73.00					
				0.157		0.120										
REFERENCE # 13011-673-000 13011-PA0-004 13011-PA1-004			TOP	2ND		OIL		REFERENCE # 13101-634-671								
																






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO									
1.3L (81CID,1335CC),SOHC,4CYL, 72.000MM (2.835"), EJ1 / 1980-1980																			
CIVIC / 80-80	SWH30162-0	72.00	Top:	1.500	X	3.100	BF	DUCTILE IRON	CHROME	DISC-11-099-0	72.00								
	SWH30162-1	72.25		0.059		0.122			DISC-11-099-1	72.25									
	SWH30162-2	72.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-099-2	72.50								
	SWH30162-3	72.75		0.059		0.134			DISC-11-099-3	72.75									
	SWH30162-4	73.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-099-4	73.00								
				0.157		0.120													
	REFERENCE #		TOP	2ND		OIL		REFERENCE #											
	13011-673-000								13101-PA0-000										
	13011-PA0-004																		
	13011-PA1-004																		
1.3L (81CID,1335CC),SOHC,4CYL, 72.000MM (2.835"), EJ1 / 1981-1981																			
CIVIC / 81-81	SWH30162-0	72.00	Top:	1.500	X	3.100	BF	DUCTILE IRON	CHROME	DISC-11-100-0	72.00								
	SWH30162-1	72.25		0.059		0.122			DISC-11-100-1	72.25									
	SWH30162-2	72.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-100-2	72.50								
	SWH30162-3	72.75		0.059		0.134			DISC-11-100-3	72.75									
	SWH30162-4	73.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-100-4	73.00								
				0.157		0.120													
	REFERENCE #		TOP	2ND		OIL		REFERENCE #											
	13011-673-000								13101-PA5-000										
	13011-PA0-004																		
	13011-PA1-004																		
1.3L (81CID,1335CC),SOHC,4CYL, 72.000MM (2.835"), EJ1 / 1982-1983																			
CIVIC / 82-83	SWH30219-0	72.00	Top:	1.000	X	2.850	BF	STEEL	CHROME	DISC-11-102-0	72.00								
	SWH30219-1	72.25		0.039		0.112			DISC-11-102-1	72.25									
	SWH30219-2	72.50	2nd:	1.200	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-102-2	72.50								
	SWH30219-3	72.75		0.047		0.126			DISC-11-102-3	72.75									
	SWH30219-4	73.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	CHROME	DISC-11-102-4	73.00								
				0.110		0.118													
	REFERENCE #		TOP	2ND		OIL		REFERENCE #											
	13011-PA5-004								13101-PA5-030										
1.3L (82CID,1339CC),SOHC,4CYL, 73.000MM (2.874"), LDA-MF3 / 2003-2011																			
CIVIC HYBRID / 03-11	SWH30474-0	73.00	Top:	1.000	X	2.250	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.									
	SWH30474-1	73.25		0.039		0.089													
	SWH30474-2	73.50	2nd:	1.200	X	3.000	TUC	CAST IRON	PHOSPHATE										
	SWH30474-3	73.75		0.047		0.118													
	SWH30474-4	74.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	CHROME										
				0.079		0.087													
	REFERENCE #		TOP	2ND		OIL													
	13011-PWA-G01																		
	13011-RMX-001																		






HONDA

HONDA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.3L (82CID,1342CC),SOHC,4CYL, 74.000MM (2.913"), EV1 / 1985-1986																	
CIVIC / 85-86	SWH30252-0	74.00	Top:	1.200	X	2.800	BF	STEEL	CHROME	DISC-11-109-0	74.00						
	SWH30252-1	74.25		0.047		0.110				DISC-11-109-1	74.25						
	SWH30252-2	74.50	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	DISC-11-109-2	74.50						
	SWH30252-3	74.75		0.110		0.110				DISC-11-109-3	74.75						
	SWH30252-4	75.00								DISC-11-109-4	75.00						
REFERENCE # 13011-PE0-662		TOP		OIL						REFERENCE # 13101-PE0-660 13105-PE0-660							
1.5L (91CID,1488CC),SOHC,4CYL, 74.000MM (2.913"), D15A3,EW3,EW4 / 1985-1987																	
CIVIC / 85-86 CRX / 86-87	SWH30114-0	74.00	Top:	1.500	X	3.400	BF	CAST IRON	CHROME	11-515-0	74.00	TL:	59.80	PL:	56.00	CHK.	
	SWH30114-1	74.25		0.059		0.134				11-515-1	74.25	CH:	29.80	PD:	19.00	DIA	
	SWH30114-2	74.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-515-2	74.50	DIST1:	-2.70	Head:	NONE	17.50	
	SWH30114-3	74.75		0.059		0.126				11-515-3	74.75	DIST2:		Skirt:	NONE		
	SWH30114-4	75.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-515-4	75.00	DIST3:					
REFERENCE # 04151-PE7-305 13011-657-674 13011-671-010		TOP		2ND		OIL						REFERENCE # 13101-PE7-305					
1.5L (91CID,1488CC),SOHC,4CYL, 74.000MM (2.913"), ED3,ED4 / 1975-1979																	
CIVIC / 75-79	SWH30114-0	74.00	Top:	1.500	X	3.400	BF	CAST IRON	CHROME	11-105-0	74.00	TL:	57.70	PL:	62.00	CHK.	
	SWH30114-1	74.25		0.059		0.134				11-105-1	74.25	CH:	27.70	PD:	17.00	DIA	
	SWH30114-2	74.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-105-2	74.50	DIST1:	-1.50	Head:	NONE	10.00	
	SWH30114-3	74.75		0.059		0.126				11-105-3	74.75	DIST2:		Skirt:	NONE		
	SWH30114-4	75.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-105-4	75.00	DIST3:					
REFERENCE # 04151-PE7-305 13011-657-674 13011-671-010		TOP		2ND		OIL						REFERENCE # 13101-657-030 13101-657-670					
1.5L (91CID,1488CC),SOHC,4CYL, 74.000MM (2.913"), EM1 / 1980-1980																	
CIVIC / 80-80	SWH30114-0	74.00	Top:	1.500	X	3.400	BF	CAST IRON	CHROME	11-106-0	74.00	TL:	62.70	PL:	62.00	CHK.	
	SWH30114-1	74.25		0.059		0.134				11-106-1	74.25	CH:	27.70	PD:	17.00	DIA	
	SWH30114-2	74.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-106-2	74.50	DIST1:		Head:	NONE	20.00	
	SWH30114-3	74.75		0.059		0.126				11-106-3	74.75	DIST2:		Skirt:	NONE		
	SWH30114-4	75.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-106-4	75.00	DIST3:					
REFERENCE # 04151-PE7-305 13011-657-674 13011-671-010		TOP		2ND		OIL						REFERENCE # 13101-PA6-000					






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.5L (91CID,1488CC),SOHC,4CYL, 74.000MM (2.913"), EM1 / 1981-1983																	
CIVIC / 81-83	SWH30114-0	74.00	Top:	1.500	X	3.400	BF	CAST IRON	CHROME	DISC-11-107-0	74.00						
	SWH30114-1	74.25		0.059		0.134				DISC-11-107-1	74.25						
	SWH30114-2	74.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-107-2	74.50						
	SWH30114-3	74.75		0.059		0.126				DISC-11-107-3	74.75						
	SWH30114-4	75.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-107-4	75.00						
				0.157		0.120											
	REFERENCE #		TOP	2ND		OIL			REFERENCE #								
	04151-PE7-305							13101-PA6-305									
	13011-657-674																
	13011-671-010																
1.5L (91CID,1488CC),SOHC,4CYL, 74.000MM (2.913"), EM1 / 1982-1983																	
CIVIC / 82-83	SWH30253-0	74.00	Top:	1.200	X	2.800	BF	STEEL	CHROME	DISC-11-108-0	74.00						
	SWH30253-1	74.25		0.047		0.110				DISC-11-108-1	74.25						
	SWH30253-2	74.50	2nd:	1.200	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-108-2	74.50						
	SWH30253-3	74.75		0.047		0.126				DISC-11-108-3	74.75						
	SWH30253-4	75.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	DISC-11-108-4	75.00						
				0.110		0.110											
	REFERENCE #		TOP	2ND		OIL			REFERENCE #								
	13011-PA6-014							13101-PA6-306									
	13011-PE1-004																
	1.5L (91CID,1488CC),SOHC,4CYL, 74.000MM (2.913"), EW1 / 1984-1984																
CIVIC / 84-84	SWH30253-0	74.00	Top:	1.200	X	2.800	BF	STEEL	CHROME	11-111-0	74.00	TL:	59.80	PL:	56.00	CHK.	
	SWH30253-1	74.25		0.047		0.110				11-111-1	74.25						
	SWH30253-2	74.50	2nd:	1.200	X	3.200	T1	CAST IRON	PHOSPHATE	11-111-2	74.50						
	SWH30253-3	74.75		0.047		0.126				11-111-3	74.75						
	SWH30253-4	75.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-111-4	75.00						
				0.110		0.110											
	REFERENCE #		TOP	2ND		OIL			REFERENCE #								
	13011-PA6-014							13101-PE1-000		 							
	13011-PE1-004																
	1.5L (91CID,1493CC),SOHC,4CYL, 75.000MM (2.953"), D15B1,D15B2 / 1988-1991																
CIVIC / 88-91 CRX / 88-91	SWH30365-0	75.00	Top:	1.200	X	2.700	BF	STEEL	CHROME	11-518-0	75.00	TL:	60.80	PL:	56.00	CHK.	
	SWH30365-1	75.25		0.047		0.106				11-518-1	75.25						
	SWH30365-2	75.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-518-2	75.50						
	SWH30365-3	75.75		0.059		0.126				11-518-3	75.75						
	SWH30365-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-518-4	76.00						
				0.110		0.110											
	REFERENCE #		TOP	2ND		OIL			REFERENCE #								
	13011-P04-G02							13101-PM3-020		 							
	13011-PJ1-752																






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.5L (91CID,1493CC),SOHC,4CYL, 75.000MM (2.953"), D15B6 / 1989-1991																		
CRX / 89-91	SWH30363-0	75.00	Top:	1.000	X	2.650	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
	SWH30363-1	75.25		0.039		0.104												
	SWH30363-2	75.50	2nd:	1.200	X	3.200	T1	CAST IRON	PHOSPHATE									
	SWH30363-3	75.75		0.047		0.126												
	SWH30363-4	76.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	CHROME									
REFERENCE # 13011-PM8-A02		TOP		2ND		OIL												
1.5L (91CID,1493CC),SOHC,4CYL, 75.000MM (2.953"), D15B7 / 1992-1995																		
CIVIC / 92-95 DEL SOL / 93-95	SWH30362-0	75.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	DISC-11-746-0	75.00							
	SWH30362-1	75.25		0.047		0.106				DISC-11-746-1	75.25							
	SWH30362-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	DISC-11-746-2	75.50							
	SWH30362-3	75.75		0.059		0.126				DISC-11-746-3	75.75							
	SWH30362-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	DISC-11-746-4	76.00							
REFERENCE # 13011-P10-A03 13011-P28-A02 13011-PM6-G02		TOP		2ND		OIL		REFERENCE # 13010-P03-010										
1.5L (91CID,1493CC),SOHC,4CYL, 75.000MM (2.953"), D15B8 / 1992-1995																		
CIVIC / 92-95	SWH30365-0	75.00	Top:	1.200	X	2.700	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
	SWH30365-1	75.25		0.047		0.106												
	SWH30365-2	75.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE									
	SWH30365-3	75.75		0.059		0.126												
	SWH30365-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME									
REFERENCE # 13011-P04-G02 13011-PJ1-752		TOP		2ND		OIL												
1.5L (91CID,1493CC),SOHC,4CYL, 75.000MM (2.953"), D15Z1 / 1992-1995																		
CIVIC / 92-95	SWH30423-0	75.00	Top:	1.000	X	2.650	BF-IB	STEEL	CHROME	11-736-0	75.00	TL:	57.80	PL:	56.00	CHK.		
	SWH30423-1	75.25		0.039		0.104				11-736-1	75.25	CH:	27.80	PD:	19.00	DIA		
	SWH30423-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-736-2	75.50	DIST1:	-7.20	Head:	NONE	15.50		
	SWH30423-3	75.75		0.047		0.110				11-736-3	75.75	DIST2:		Skirt:	NONE			
	SWH30423-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-736-4	76.00	DIST3:						
REFERENCE # 13011-P07-004 13011-P2F-A01		TOP		2ND		OIL		REFERENCE # 13010-P07-000										






HONDA

HONDA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
1.5L (91CID,1496CC),SOHC,4CYL, 73.000MM (2.874"), L15A1 / 2007-2008																							
FIT / 07-08	SWH30474-0	73.00	Top:	1.000	X	2.250	BF-IB	STEEL	CHROME	11-890-0	73.00	TL:	49.40	PL:	54.00	CHK.							
	SWH30474-1	73.25		0.039		0.089				11-890-1	73.25	CH:	26.20	PD:	18.00	DIA							
	SWH30474-2	73.50	2nd:	1.200	X	3.000	TUC	CAST IRON	PHOSPHATE	11-890-2	73.50	DIST1:	1.70	Head:	NONE	6.00							
	SWH30474-3	73.75		0.047		0.118				11-890-3	73.75	DIST2:		Skirt:	MS								
	SWH30474-4	74.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	CHROME	11-890-4	74.00	DIST3:											
			0.079	0.087																			
	REFERENCE #		TOP	2ND		OIL		REFERENCE #															
	13011-PWA-G01							13010-PWC-J01															
	13011-RMX-001																						
	1.5L (91CID,1497CC),SOHC,4CYL, 73.000MM (2.874"), L15A7,LEA / 2009-2016																						
CIVIC HYBRID / 12-15 CR-Z HYBRID / 11-16 FIT / 09-14	SWH30465-0	73.00	Top:	1.000	X	2.300	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWH30465-1	73.25		0.039		0.091																	
	SWH30465-2	73.50	2nd:	1.000	X	2.300	TUC	STEEL	PHOSPHATE														
	SWH30465-3	73.75		0.039		0.091																	
	SWH30465-4	74.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED														
			0.079	0.087																			
	REFERENCE #		TOP	2ND		OIL		REFERENCE #															
	13011-RB1-004							13010-P30-G00															
	13011-RB1-006																						
	13011-RW0-004																						
1.6L (97CID,1590CC),DOHC,4CYL, 81.000MM (3.189"), B16A2,B16A3 / 1994-2000																							
CIVIC Si / 99-00 DEL SOL / 94-97	SWH30373-0	81.00	Top:	1.000	X	3.100	BF-IB	STEEL	CHROME	11-737-0	81.00	TL:	62.60	PL:	56.00	CHK.							
	SWH30373-1	81.25		0.039		0.122				11-737-1	81.25	CH:	30.00	PD:	21.00	DIA							
	SWH30373-2	81.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE	11-737-2	81.50	DIST1:	2.60	Head:	NONE	16.00							
	SWH30373-3	81.75		0.047		0.130				11-737-3	81.75	DIST2:		Skirt:	NONE								
	SWH30373-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-737-4	82.00	DIST3:											
			0.110	0.106																			
	REFERENCE #		TOP	2ND		OIL		REFERENCE #															
	13011-PR3-004							13010-P30-G00															
	1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), D16A6 / 1988-1991																						
	CIVIC / 88-91 CRX / 88-91	SWH30362-0	75.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-514-0	75.00	TL:	59.60	PL:	56.00	CHK.						
SWH30362-1		75.25	0.047		0.106		11-514-1				75.25	CH:	29.50	PD:	19.00	DIA							
SWH30362-2		75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-514-2	75.50	DIST1:	-1.00	Head:	NONE	30.00							
SWH30362-3		75.75		0.059		0.126				11-514-3	75.75	DIST2:		Skirt:	NONE								
SWH30362-4		76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-514-4	76.00	DIST3:											
			0.110	0.100																			
REFERENCE #		TOP	2ND		OIL		REFERENCE #																
13011-P10-A03							13101-PM6-020																
13011-P28-A02																							
13011-PM6-G02																							






HONDA

HONDA







ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), D16Y5 / 1996-2000																
CIVIC / 96-00	SWH30423-0	75.00	Top:	1.000	X	2.650	BF-IB	STEEL	CHROME	11-785-0	75.00	TL:	49.10	PL:	56.00	CHK.
	SWH30423-1	75.25		0.039		0.104				11-785-1	75.25	CH:	29.10	PD:	19.00	DIA
	SWH30423-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-785-2	75.50	DIST1:	-2.40	Head:	NONE	3.00
	SWH30423-3	75.75		0.047		0.110				11-785-3	75.75	DIST2:	-4.40	Skirt:	NONE	
	SWH30423-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-785-4	76.00	DIST3:	-2.60			
REFERENCE # 13011-P07-004 13011-P2F-A01		TOP 2ND OIL						REFERENCE # 13010-P2M-000								
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), D16Y7 / 1996-2000																
CIVIC / 96-00 DEL SOL / 96-97	SWH30423-0	75.00	Top:	1.000	X	2.650	BF-IB	STEEL	CHROME	11-752-0	75.00	TL:	50.00	PL:	56.00	CHK.
	SWH30423-1	75.25		0.039		0.104				11-752-1	75.25	CH:	30.00	PD:	19.00	DIA
	SWH30423-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-752-2	75.50	DIST1:	-3.40	Head:	NONE	15.00
	SWH30423-3	75.75		0.047		0.110				11-752-3	75.75	DIST2:		Skirt:	NONE	
	SWH30423-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-752-4	76.00	DIST3:				
REFERENCE # 13011-P07-004 13011-P2F-A01		TOP 2ND OIL						REFERENCE # 13010-P2E-000								
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), D16Y8 / 1996-2000																
CIVIC / 96-00 DEL SOL / 96-97	SWH30423-0	75.00	Top:	1.000	X	2.650	BF-IB	STEEL	CHROME	11-732-0	75.00	TL:	49.90	PL:	56.00	CHK.
	SWH30423-1	75.25		0.039		0.104				11-732-1	75.25	CH:	29.90	PD:	19.00	DIA
	SWH30423-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-732-2	75.50	DIST1:	-2.80	Head:	NONE	10.00
	SWH30423-3	75.75		0.047		0.110				11-732-3	75.75	DIST2:		Skirt:	NONE	
	SWH30423-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-732-4	76.00	DIST3:				
REFERENCE # 13011-P07-004 13011-P2F-A01		TOP 2ND OIL						REFERENCE # 13010-P2P-000								
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), D16Z6 / 1992-1995																
CIVIC / 92-95 DEL SOL / 93-95	SWH30362-0	75.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-679-0	75.00	TL:	60.00	PL:	56.00	CHK.
	SWH30362-1	75.25		0.047		0.106				11-679-1	75.25	CH:	30.00	PD:	19.00	DIA
	SWH30362-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-679-2	75.50	DIST1:	-3.50	Head:	NONE	27.00
	SWH30362-3	75.75		0.059		0.126				11-679-3	75.75	DIST2:		Skirt:	NONE	
	SWH30362-4	76.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-679-4	76.00	DIST3:				
REFERENCE # 13011-P10-A03 13011-P28-A02 13011-PM6-G02		TOP 2ND OIL						REFERENCE # 13010-P28-A01								






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.6L (97CID,1597CC),SOHC,4CYL, 74.000MM (2.913"), EF1 / 1976-1978																	
ACCORD / 76-78	SWH30114-0	74.00	Top:	1.500	X	3.400	BF	CAST IRON	CHROME	11-113-0	74.00	TL:	57.50	PL:	62.00	CHK.	
	SWH30114-1	74.25		0.059	0.134	11-113-1				74.25	CH:	27.50	PD:	17.00	DIA		
	SWH30114-2	74.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-113-2	74.50	DIST1:	-2.50	Head:	NONE	10.00	
	SWH30114-3	74.75		0.059	0.126	11-113-3				74.75	DIST2:		Skirt:	NONE			
	SWH30114-4	75.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-113-4	75.00	DIST3:					
				0.157	0.120												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #		 							
	04151-PE7-305																
	13011-657-674																
	13011-671-010																
1.7L (102CID,1668CC),SOHC,4CYL, 75.000MM (2.953"), D17A1 / 2001-2005																	
CIVIC / 01-05	SWH30440-0	75.00	Top:	1.000	X	2.650	BF-IB	STEEL	CHROME	11-797-0	75.00	TL:	46.50	PL:	56.00	CHK.	
	SWH30440-1	75.25		0.039	0.104	11-797-1				75.25	CH:	26.90	PD:	19.00	DIA		
	SWH30440-2	75.50	2nd:	1.200	X	3.000	T1	CAST IRON	PHOSPHATE	11-797-2	75.50	DIST1:	-2.90	Head:	NONE	5.00	
	SWH30440-3	75.75		0.047	0.118	11-797-3				75.75	DIST2:		Skirt:	NONE			
	SWH30440-4	76.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-797-4	76.00	DIST3:					
				0.079	0.096												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #		 							
	13011-PLM-A00																
	13011-PLR-A00																
	1.7L (102CID,1668CC),SOHC,4CYL, 75.000MM (2.953"), D17A7,D17A8 / 2001-2005																
CIVIC / 01-05	SWH30440-0	75.00	Top:	1.000	X	2.650	BF-IB	STEEL	CHROME	11-798-0	75.00	TL:	45.60	PL:	56.00	CHK.	
	SWH30440-1	75.25		0.039	0.104	11-798-1				75.25	CH:	27.00	PD:	19.00	DIA		
	SWH30440-2	75.50	2nd:	1.200	X	3.000	T1	CAST IRON	PHOSPHATE	11-798-2	75.50	DIST1:	-2.70	Head:	NONE	5.00	
	SWH30440-3	75.75		0.047	0.118	11-798-3				75.75	DIST2:		Skirt:	NONE			
	SWH30440-4	76.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-798-4	76.00	DIST3:					
				0.079	0.096												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #		 							
	13011-PLM-A00																
	13011-PLR-A00																
	1.8L (107CID,1751CC),SOHC,4CYL, 77.000MM (3.031"), EK1 / 1979-1983																
ACCORD / 79-83 PRELUDE / 79-82	SWH30158-0	77.00	Top:	1.500	X	2.850	BF	STEEL	CHROME	DISC-11-116-0	77.00						
	SWH30158-1	77.25		0.059	0.112	DISC-11-116-1				77.25							
	SWH30158-2	77.50	2nd:	1.500	X	3.300	TUC	CAST IRON	PHOSPHATE	DISC-11-116-2	77.50						
	SWH30158-3	77.75		0.059	0.130	DISC-11-116-3				77.75							
	SWH30158-4	78.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-116-4	78.00						
				0.157	0.120												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-676-604																






HONDA

HONDA







ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO								
1.8L (110CID,1798CC),SOHC,4CYL, 81.000MM (3.189"), R18A1 / 2006-2009																				
CIVIC / 06-09	SWH30484-0	81.00	Top:	1.200	X	2.500	BF-IB	STEEL	NITRIDED	11-891-0	81.00	TL:	49.40	PL:	46.00	CHK.				
	SWH30484-1	81.25		0.047		0.098				11-891-1	81.25	CH:	28.88	PD:	19.96	DIA				
	SWH30484-2	81.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-891-2	81.50	DIST1:	-2.00	Head:	AH	6.00				
	SWH30484-3	81.75		0.047		0.134				11-891-3	81.75	DIST2:		Skirt:	MS					
	SWH30484-4	82.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED	11-891-4	82.00	DIST3:								
			0.079	0.098																
	REFERENCE #		TOP	2ND		OIL				REFERENCE #										
	13011-R9A-A01											13010-RNA-A00								
	13011-RNA-A01																			
	13011-RNB-A02																			
1.8L (110CID,1798CC),SOHC,4CYL, 81.000MM (3.189"), R18A1,R18Z9 / 2010-2016																				
CIVIC / 10-15 HR-V / 16-16	SWH30484-0	81.00	Top:	1.200	X	2.500	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
	SWH30484-1	81.25		0.047		0.098														
	SWH30484-2	81.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE											
	SWH30484-3	81.75		0.047		0.134														
	SWH30484-4	82.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED											
			0.079	0.098																
	REFERENCE #		TOP	2ND		OIL														
	13011-R9A-A01																			
	13011-RNA-A01																			
	13011-RNB-A02																			
1.8L (112CID,1829CC),SOHC,4CYL, 80.000MM (3.150"), A18A1,ET2 / 1984-1987																				
PRELUDE / 84-87	SWH30251-0	80.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-122-0	80.00	TL:	65.30	PL:	61.00	CHK.				
	SWH30251-1	80.25		0.059		0.120				11-122-1	80.25	CH:	29.80	PD:	20.00	DIA				
	SWH30251-2	80.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	11-122-2	80.50	DIST1:	-0.50	Head:	NONE	30.00				
	SWH30251-3	80.75		0.059		0.134				11-122-3	80.75	DIST2:	-3.30	Skirt:	NONE					
	SWH30251-4	81.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-122-4	81.00	DIST3:	-2.20							
			0.157	0.130																
	REFERENCE #		TOP	2ND		OIL				REFERENCE #										
	13011-PC6-004											13101-PC7-661								
	13011-PH2-003																			
	1.8L (112CID,1829CC),SOHC,4CYL, 80.000MM (3.150"), ES1 / 1983-1983																			
PRELUDE / 83-83	SWH30251-0	80.00	Top:	1.500	X	3.050				BF	STEEL	CHROME	DISC-11-120-0	80.00						
	SWH30251-1	80.25		0.059		0.120	DISC-11-120-1	80.25												
	SWH30251-2	80.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	DISC-11-120-2	80.50									
	SWH30251-3	80.75		0.059		0.134				DISC-11-120-3	80.75									
	SWH30251-4	81.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-120-4	81.00									
			0.157	0.130																
	REFERENCE #		TOP	2ND		OIL				REFERENCE #										
	13011-PC6-004											13101-PC6-020								
	13011-PH2-003																			






HONDA

HONDA








ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO																								
1.8L (112CID,1829CC),SOHC,4CYL, 80.000MM (3.150"), ES2,ES3 / 1984-1985																																				
ACCORD / 84-85	SWH30251-0	80.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	DISC-11-121-0	80.00																									
	SWH30251-1	80.25		0.059		0.120				DISC-11-121-1	80.25																									
	SWH30251-2	80.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	DISC-11-121-2	80.50																									
	SWH30251-3	80.75		0.059		0.134				DISC-11-121-3	80.75																									
	SWH30251-4	81.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-121-4	81.00																									
				0.157		0.130																														
	REFERENCE #		TOP	2ND		OIL			REFERENCE #																											
	13011-PC6-004							13101-PD2-030																												
	13011-PH2-003							13102-PD6-010																												
	2.0L (119CID,1955CC),SOHC,4CYL, 82.700MM (3.256"), A20A1,BS / 1986-1989																																			
ACCORD / 86-89	SWH30366-0	82.70	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-520-0	82.70	TL:	65.20	PL:	61.00	CHK.																				
	SWH30366-1	82.95		0.059		0.122				11-520-1	82.95																									
	SWH30366-2	83.20	2nd:	1.500	X	3.200	T1	CAST IRON	CHROME	11-520-2	83.20						CH:	29.80	PD:	20.00	DIA															
	SWH30366-3	83.45		0.059		0.126				11-520-3	83.45																									
	SWH30366-4	83.70	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-520-4	83.70											DIST1:	-1.70	Head:	NONE	30.00										
				0.157		0.128																					DIST2:	-2.90	Skirt:	NONE						
	REFERENCE #		TOP	2ND		OIL			REFERENCE #																											
	13011-PH4-004							13102-PH4-010		 																										
	2.0L (119CID,1955CC),SOHC,4CYL, 82.700MM (3.256"), A20A3,BT / 1986-1989																																			
	ACCORD / 86-89 PRELUDE / 86-87	SWH30366-0	82.70	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-519-0																				82.70	TL:	65.30	PL:	62.00	CHK.
SWH30366-1		82.95	0.059		0.122		11-519-1				82.95																									
SWH30366-2		83.20	2nd:	1.500	X	3.200	T1	CAST IRON	CHROME	11-519-2	83.20	CH:	29.80	PD:	20.00	DIA																				
SWH30366-3		83.45		0.059		0.126				11-519-3	83.45																									
SWH30366-4		83.70	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-519-4	83.70						DIST1:	-2.40	Head:	NONE	30.00															
				0.157		0.128																DIST2:		Skirt:	NONE											
REFERENCE #		TOP	2ND		OIL			REFERENCE #																												
13011-PH4-004							13102-PJ0-010 13102-PJ0-307 13102-PJ0-307, 8		 																											
2.0L (119CID,1958CC),DOHC,4CYL, 81.000MM (3.189"), B20A5 / 1988-1991																																				
PRELUDE / 88-91		SWH30375-0	81.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-525-0															81.00	TL:	65.40	PL:	57.00	CHK.					
	SWH30375-1	81.25	0.047		0.122		11-525-1				81.25																									
	SWH30375-2	81.50	2nd:	1.500	X	3.200	TUC	DUCTILE IRON	PHOSPHATE	11-525-2	81.50															CH:						30.80	PD:	22.00	DIA	
	SWH30375-3	81.75		0.059		0.126				11-525-3	81.75																									
	SWH30375-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-525-4	82.00	DIST1:	-2.10	Head:	NONE	9.00																				
				0.110		0.110											DIST2:		Skirt:	NONE																
	REFERENCE #		TOP	2ND		OIL			REFERENCE #																											
	13011-PK1-751							13101-PK2-660		 																										






HONDA

HONDA




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
2.0L (119CID,1958CC),SOHC,4CYL, 81.000MM (3.189"), B20A3 / 1988-1990																
PRELUDE / 88-90	SWH30375-0	81.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-524-0	81.00	TL:	65.20	PL:	62.00	CHK.
	SWH30375-1	81.25		0.047	0.122				11-524-1	81.25	CH:	29.80	PD:	20.00	DIA	
	SWH30375-2	81.50	2nd:	1.500	X	3.200	TUC	DUCTILE IRON	PHOSPHATE	11-524-2	81.50	DIST1:	-2.00	Head:	NONE	9.00
	SWH30375-3	81.75		0.059	0.126				11-524-3	81.75	DIST2:		Skirt:	NONE		
	SWH30375-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-524-4	82.00	DIST3:				
REFERENCE # 13011-PK1-751		TOP		2ND		OIL		REFERENCE # 13101-PK1-010			 					
2.0L (120CID,1972CC),DOHC,4CYL, 84.000MM (3.307"), B20B4 / 1997-1998																
CR-V / 97-98	SWH30437-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-738-0	84.00	TL:	59.60	PL:	56.50	CHK.
	SWH30437-1	84.25		0.047	0.114				11-738-1	84.25	CH:	29.60	PD:	21.00	DIA	
	SWH30437-2	84.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-738-2	84.50	DIST1:	-4.10	Head:	NONE	
	SWH30437-3	84.75		0.047	0.134				11-738-3	84.75	DIST2:		Skirt:	NONE		
	SWH30437-4	85.00	Oil:	2.800	X	2.600	NIFF-S	STEEL	CHROME	11-738-4	85.00	DIST3:				
REFERENCE # 13011-P3F-003 13011-PHK-003		TOP		2ND		OIL		REFERENCE # 13010-P3F-000			 					
2.0L (120CID,1972CC),DOHC,4CYL, 84.000MM (3.307"), B20Z2 / 1999-2001																
CR-V / 99-01	SWH30437-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-799-0	84.00	TL:	59.60	PL:	56.50	CHK.
	SWH30437-1	84.25		0.047	0.114				11-799-1	84.25	CH:	29.60	PD:	21.00	DIA	
	SWH30437-2	84.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-799-2	84.50	DIST1:	-0.70	Head:	NONE	15.00
	SWH30437-3	84.75		0.047	0.134				11-799-3	84.75	DIST2:		Skirt:	NONE		
	SWH30437-4	85.00	Oil:	2.800	X	2.600	NIFF-S	STEEL	CHROME	11-799-4	85.00	DIST3:				
REFERENCE # 13011-P3F-003 13011-PHK-003		TOP		2ND		OIL		REFERENCE # 13010-PHK-000			 					
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), K20A1, 3 / 2002-2005																
CIVIC Si / 02-05	SWH30454-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-866-0	86.00	TL:	54.00	PL:	52.20	CHK.
	SWH30454-1	86.25		0.047	0.114				11-866-1	86.25	CH:	29.50	PD:	21.97	DIA	
	SWH30454-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-866-2	86.50	DIST1:	2.50	Head:	NONE	5.00
	SWH30454-3	86.75		0.047	0.134				11-866-3	86.75	DIST2:	-2.40	Skirt:	MS		
	SWH30454-4	87.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED	11-866-4	87.00	DIST3:				
REFERENCE # 13011-PNE-G02 13011-PRA-E02		TOP		2ND		OIL		REFERENCE # 13010-PNC-000 13010-PNC-010			  					






HONDA

HONDA




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO														
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), K20Z3 / 2006-2011																								
CIVIC Si / 06-11	SWH30454-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-882-0	86.00	TL:	55.80	PL:	52.50	CHK.								
	SWH30454-1	86.25		0.047		0.114				11-882-1	86.25	CH:	30.00	PD:	21.97	DIA								
	SWH30454-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-882-2	86.50	DIST1:	3.80	Head:	NONE	10.00								
	SWH30454-3	86.75		0.047		0.134				11-882-3	86.75	DIST2:		Skirt:	MS									
	SWH30454-4	87.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED	11-882-4	87.00	DIST3:												
			0.079	0.098																				
	REFERENCE # 13011-PNE-G02 13011-PRA-E02		TOP	2ND		OIL		REFERENCE # 13010-PRB-A01																
	2.1L (125CID,2056CC),DOHC,4CYL, 83.000MM (3.268"), B21A1 / 1990-1991																							
	PRELUDE / 90-91	SWH30448-0	83.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-726-0	83.00	TL:	65.40	PL:	56.00	CHK.							
		SWH30448-1	83.25		0.047		0.120				11-726-1	83.25	CH:	30.90	PD:	22.00	DIA							
SWH30448-2		83.50	2nd:	1.200	X	3.100	T1	CAST IRON	CHROME	11-726-2	83.50	DIST1:	-0.80	Head:	NONE	16.00								
SWH30448-3		83.75		0.047		0.122				11-726-3	83.75	DIST2:		Skirt:	NONE									
SWH30448-4		84.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-726-4	84.00	DIST3:												
			0.110	0.110																				
REFERENCE # 13011-PK3-A04		TOP	2ND		OIL		REFERENCE # 13101-PK3-A01																	
2.2L (132CID,2156CC),SOHC,4CYL, 85.000MM (3.346"), F22A1 / 1992-1996																								
PRELUDE / 92-96		SWH30383-0	85.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
		SWH30383-1	85.25		0.047		0.120																	
	SWH30383-2	85.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE															
	SWH30383-3	85.75		0.047		0.134																		
	SWH30383-4	86.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME															
			0.110	0.112																				
	REFERENCE # 13011-P0A-004 13011-P0A-A04 5-86202-103-0		TOP	2ND		OIL																		
	2.2L (132CID,2156CC),SOHC,4CYL, 85.000MM (3.346"), F22A1,F22A4,F22A6 / 1990-1993																							
	ACCORD / 90-93	SWH30383-0	85.00	Top:	1.200	X	3.050	BF	STEEL	CHROME								11-678-0	85.00	TL:	65.30	PL:	57.00	CHK.
		SWH30383-1	85.25		0.047		0.120											11-678-1	85.25	CH:	30.80	PD:	22.00	DIA
SWH30383-2		85.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-678-2	85.50	DIST1:	-3.70	Head:	NONE	20.00								
SWH30383-3		85.75		0.047		0.134				11-678-3	85.75	DIST2:		Skirt:	NONE									
SWH30383-4		86.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-678-4	86.00	DIST3:												
			0.110	0.112																				
REFERENCE # 13011-P0A-004 13011-P0A-A04 5-86202-103-0		TOP	2ND		OIL		REFERENCE # 13101-PT3-A01 13101-PT6-A00																	






HONDA

HONDA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO								
2.2L (132CID,2156CC),SOHC,4CYL, 85.000MM (3.346"), F22B1,F22B2,F22B6 / 1994-1997																		
ACCORD / 94-97 ODYSSEY / 95-97	SWH30383-0	85.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-751-0	85.00	TL:	65.00	PL:	57.00	CHK.		
	SWH30383-1	85.25		0.047	0.120	11-751-1				85.25	CH:	30.50	PD:	22.00	DIA			
	SWH30383-2	85.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-751-2	85.50	DIST1:	-3.80	Head:	NONE	14.00		
	SWH30383-3	85.75		0.047	0.134	11-751-3				85.75	DIST2:		Skirt:	NONE				
	SWH30383-4	86.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-751-4	86.00	DIST3:						
REFERENCE # 13011-P0A-004 13011-P0A-A04 5-86202-103-0		TOP	2ND	OIL			REFERENCE # 13010-P0A-010 5-86202-102-0											
2.2L (132CID,2157CC),DOHC,4CYL, 87.000MM (3.425"), H22A1 / 1993-1996																		
PRELUDE / 93-96	SWH30433-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-739-0	87.00	TL:	61.00	PL:	57.00	CHK.		
	SWH30433-1	87.25		0.047	0.122	11-739-1				87.25	CH:	31.00	PD:	22.00	DIA			
	SWH30433-2	87.50	2nd:	1.200	X	3.200	TUC	CAST IRON	CHROME	11-739-2	87.50	DIST1:	0.90	Head:	NONE	7.00		
	SWH30433-3	87.75		0.047	0.126	11-739-3				87.75	DIST2:	-5.50	Skirt:	NONE				
	SWH30433-4	88.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-739-4	88.00	DIST3:	-3.00					
REFERENCE # 13011-P13-004 13011-P5M-003		TOP	2ND	OIL			REFERENCE # 13010-P13-A00											
2.2L (132CID,2157CC),DOHC,4CYL, 87.000MM (3.425"), H22A4 / 1997-2001																		
PRELUDE / 97-01	SWH30433-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-741-0	87.00	TL:	61.80	PL:	57.00	CHK.		
	SWH30433-1	87.25		0.047	0.122	11-741-1				87.25	CH:	31.00	PD:	21.97	DIA			
	SWH30433-2	87.50	2nd:	1.200	X	3.200	TUC	CAST IRON	CHROME	11-741-2	87.50	DIST1:	0.80	Head:	NONE	7.00		
	SWH30433-3	87.75		0.047	0.126	11-741-3				87.75	DIST2:		Skirt:	NONE				
	SWH30433-4	88.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-741-4	88.00	DIST3:						
REFERENCE # 13011-P13-004 13011-P5M-003		TOP	2ND	OIL			REFERENCE # 13010-P5M-A00											
2.3L (137CID,2253CC),SOHC,4CYL, 86.000MM (3.386"), F23A7 / 1998-1998																		
ODYSSEY / 98-98	SWH30443-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
	SWH30443-1	86.25		0.047	0.114													
	SWH30443-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE									
	SWH30443-3	86.75		0.047	0.134													
	SWH30443-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME									
REFERENCE # 13011-P8A-A01 13011-PEA-004 5-86205-887-0		TOP	2ND	OIL														






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.3L (138CID,2254CC),SOHC,4CYL, 86.000MM (3.386"), F23A1,F23A4 / 1998-2002																
ACCORD / 98-02	SWH30443-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-781-0	86.00	TL:	51.50	PL:	54.00	CHK.
	SWH30443-1	86.25		0.047		0.114				11-781-1	86.25	CH:	30.02	PD:	21.97	DIA
	SWH30443-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-781-2	86.50	DIST1:	-2.40	Head:	NONE	16.00
	SWH30443-3	86.75		0.047		0.134				11-781-3	86.75	DIST2:	-4.80	Skirt:	NONE	
	SWH30443-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-781-4	87.00	DIST3:	-3.20			
			0.110	0.112												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #			  							
	13011-P8A-A01					13010-PAA-A00										
	13011-PEA-004															
	5-86205-887-0															
2.3L (138CID,2254CC),SOHC,4CYL, 86.000MM (3.386"), F23A5 / 1998-2002																
ACCORD / 98-02	SWH30443-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	DISC-11-784-0	86.00					
	SWH30443-1	86.25		0.047		0.114				DISC-11-784-1	86.25					
	SWH30443-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-784-2	86.50					
	SWH30443-3	86.75		0.047		0.134				DISC-11-784-3	86.75					
	SWH30443-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	DISC-11-784-4	87.00					
			0.110	0.112												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #										
	13011-P8A-A01					13010-PAB-A00										
	13011-PEA-004															
	5-86205-887-0															
2.3L (138CID,2259CC),DOHC,4CYL, 87.000MM (3.425"), H23A1 / 1992-1996																
PRELUDE / 92-96	SWH30433-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-740-0	87.00	TL:	60.50	PL:	60.00	CHK.
	SWH30433-1	87.25		0.047		0.122				11-740-1	87.25	CH:	30.60	PD:	22.00	DIA
	SWH30433-2	87.50	2nd:	1.200	X	3.200	TUC	CAST IRON	CHROME	11-740-2	87.50	DIST1:	-2.30	Head:	NONE	11.00
	SWH30433-3	87.75		0.047		0.126				11-740-3	87.75	DIST2:	-3.20	Skirt:	NONE	
	SWH30433-4	88.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-740-4	88.00	DIST3:	-3.00			
			0.110	0.100												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #			  							
	13011-P13-004					13010-P14-A00										
	13011-P5M-003															
	2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24A2, 3, 4, 8 / 2003-2010															
ACCORD / 03-07 ELEMENT / 03-10	SWH30466-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-834-0	87.00	TL:	56.60	PL:	52.00	CHK.
	SWH30466-1	87.25		0.047		0.122				11-834-1	87.25	CH:	29.50	PD:	21.97	DIA
	SWH30466-2	87.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-834-2	87.50	DIST1:	3.10	Head:	NONE	11.00
	SWH30466-3	87.75		0.047		0.134				11-834-3	87.75	DIST2:		Skirt:	MS	
	SWH30466-4	88.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-834-4	88.00	DIST3:				
			0.079	0.096												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #			  							
	13010-RAA-A00					13010-RAA-A00										
	13011-PZD-004						13010-RAA-A01									
	13011-RAA-A00															
13011-RAA-A01																






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24A3 / 2002-2006																							
CR-V / 02-06	SWH30466-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-833-0	87.00	TL:	53.60	PL:	52.00	CHK.							
	SWH30466-1	87.25		0.047		0.122				11-833-1	87.25	CH:	29.60	PD:	21.97	DIA							
	SWH30466-2	87.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-833-2	87.50	DIST1:	-2.60	Head:	NONE	11.00							
	SWH30466-3	87.75		0.047		0.134				11-833-3	87.75	DIST2:		Skirt:	MS								
	SWH30466-4	88.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-833-4	88.00	DIST3:											
REFERENCE # 13010-RAA-A00 13011-PZD-004 13011-RAA-A00 13011-RAA-A01		TOP	2ND	OIL	REFERENCE # 13010-PPA-000																		
2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24Z1,K24Z2, 3 / 2007-2012																							
ACCORD / 08-12 ACCORD CROSSTOUR / 10-12 CR-V / 07-09	SWH30488-0	87.00	Top:	1.200	X	2.650	BF-IB	STEEL	CHROME	11-905-0	87.00	TL:	57.40	PL:	52.00	CHK.							
	SWH30488-1	87.25		0.047		0.104				11-905-1	87.25	CH:	28.80	PD:	21.97	DIA							
	SWH30488-2	87.50	2nd:	1.200	X	3.400	TUC	DUCTILE IRON	CHROME	11-905-2	87.50	DIST1:	4.20	Head:	NONE	10.00							
	SWH30488-3	87.75		0.047		0.134				11-905-3	87.75	DIST2:		Skirt:	MS								
	SWH30488-4	88.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	CHROME	11-905-4	88.00	DIST3:											
REFERENCE # 13011-R40-A12 13011-R44-A01		TOP	2ND	OIL	REFERENCE # 13010-R40-A00																		
2.4L (144CID,2354CC),DOHC,4CYL, 87.000MM (3.425"), K24Z6,K24Z7 / 2010-2015																							
CIVIC Si / 12-15 CR-V / 10-14	SWH30488-0	87.00	Top:	1.200	X	2.650	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWH30488-1	87.25		0.047		0.104																	
	SWH30488-2	87.50	2nd:	1.200	X	3.400	TUC	DUCTILE IRON	CHROME														
	SWH30488-3	87.75		0.047		0.134																	
	SWH30488-4	88.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	CHROME														
REFERENCE # 13011-R40-A12 13011-R44-A01		TOP	2ND	OIL																			
2.4L (144CID,2356CC),DOHC,4CYL, 87.000MM (3.425"), K24W1, 2, 3 / 2013-2017																							
ACCORD / 13-17 ACCORD CROSSTOUR / 13-17	SWH30488-0	87.00	Top:	1.200	X	2.650	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWH30488-1	87.25		0.047		0.104																	
	SWH30488-2	87.50	2nd:	1.200	X	3.400	TUC	DUCTILE IRON	CHROME														
	SWH30488-3	87.75		0.047		0.134																	
	SWH30488-4	88.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	CHROME														
REFERENCE # 13011-R40-A12 13011-R44-A01		TOP	2ND	OIL																			






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.6L (156CID,2559CC),SOHC,4CYL, 92.600MM (3.646"), 4ZE1 / 1994-1996																
PASSPORT / 94-96	SWI10144-0	92.60	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-559-0	92.60	TL:	79.00	PL:	72.00	CHK.
	SWI10144-1	92.85		0.059	0.130				11-559-1	92.85	CH:	36.50	PD:	23.00	DIA	
	SWI10144-2	93.10	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-559-2	93.10	DIST1:	-4.50	Head:	NONE	25.00
	SWI10144-3	93.35		0.059	0.157				11-559-3	93.35	DIST2:		Skirt:	NONE		
	SWI10144-4	93.60	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-559-4	93.60	DIST3:				
			0.157	0.120												
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	8-94405-614-0				8-97037-801-1											
	8-94405-614-2															
	8-97037-801-1															
2.7L (163CID,2675CC),SOHC,6CYL, 87.000MM (3.425"), C27A4 / 1995-1997																
ACCORD / 95-97	SWH30370-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	DISC-11-783-0	87.00					
	SWH30370-1	87.25		0.047	0.122				DISC-11-783-1	87.25						
	SWH30370-2	87.50	2nd:	1.200	X	3.500	T1-IB	CAST IRON	PHOSPHATE	DISC-11-783-2	87.50					
	SWH30370-3	87.75		0.047	0.138				DISC-11-783-3	87.75						
	SWH30370-4	88.00	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	DISC-11-783-4	88.00					
			0.157	0.124												
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	13011-P0G-A01				13010-P0G-A00											
	13011-P0G-A02				13101-PL2-000											
3.0L (183CID,2997CC),SOHC,6CYL, 86.000MM (3.386"), J30A1 / 1998-2002																
ACCORD / 98-02	SWH30432-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-791-0	86.00	TL:	51.50	PL:	54.00	CHK.
	SWH30432-1	86.25		0.047	0.114				11-791-1	86.25	CH:	30.00	PD:	22.00	DIA	
	SWH30432-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-791-2	86.50	DIST1:	-0.80	Head:	NONE	15.00
	SWH30432-3	86.75		0.047	0.134				11-791-3	86.75	DIST2:		Skirt:	NONE		
	SWH30432-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-791-4	87.00	DIST3:				
			0.110	0.112												
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	13011-P8A-A01				13010-P8A-000											
	13011-RCA-A01				13010-P8A-A00											
3.0L (183CID,2997CC),SOHC,6CYL, 86.000MM (3.386"), J30A4, 5,JNA1 / 2003-2007																
ACCORD / 03-07 ACCORD HYBRID / 05-07	SWH30432-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-832-0	86.00	TL:	52.20	PL:	54.00	CHK.
	SWH30432-1	86.25		0.047	0.114				11-832-1	86.25	CH:	30.00	PD:	21.97	DIA	
	SWH30432-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-832-2	86.50	DIST1:	0.70	Head:	NONE	7.00
	SWH30432-3	86.75		0.047	0.134				11-832-3	86.75	DIST2:		Skirt:	MS		
	SWH30432-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-832-4	87.00	DIST3:				
			0.110	0.112												
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	13011-P8A-A01				13010-RCA-A00											
	13011-RCA-A01															






HONDA

HONDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
3.2L (193CID,3165CC),SOHC,6CYL, 93.400MM (3.677"), 6VD1 / 1994-1997																	
PASSPORT / 94-97	SWI10185-0	93.40	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-686-0	93.40	TL:	65.20	PL:	66.00	CHK.	
	SWI10185-1	93.65		0.059	0.136				11-686-1	93.65	CH:	31.70	PD:	22.00	DIA		
	SWI10185-2	93.90	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	11-686-2	93.90	DIST1:		Head:	NONE	10.00	
	SWI10185-3	94.15		0.059	0.157				11-686-3	94.15	DIST2:		Skirt:	NONE			
	SWI10185-4	94.40	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	11-686-4	94.40	DIST3:					
REFERENCE # 8-97162-198-0		TOP			2ND			OIL			REFERENCE # 8-94374-965-1						
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35A1 / 1999-2002																	
ODYSSEY / 99-02	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-835-0	89.00	TL:	51.50	PL:	54.00	CHK.	
	SWH30438-1	89.25		0.047	0.120				11-835-1	89.25	CH:	30.00	PD:	21.97	DIA		
	SWH30438-2	89.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-835-2	89.50	DIST1:	-2.40	Head:	NONE	7.00	
	SWH30438-3	89.75		0.047	0.134				11-835-3	89.75	DIST2:		Skirt:	MS			
	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-835-4	90.00	DIST3:					
REFERENCE # 13011-5G0-A01 13011-P8F-A01 13011-PGE-A01 13011-R70-A02 13011-RJA-004 13021-R70-A01		TOP			2ND			OIL			REFERENCE # 13010-P8F-A00						
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35A4, J35A6, J35A7, J35A9,J35Z1 / 2003-2010																	
ODYSSEY / 03-10 PILOT / 03-08 RIDGELINE / 06-08	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-836-0	89.00	TL:	51.50	PL:	54.00	CHK.	
	SWH30438-1	89.25		0.047	0.120				11-836-1	89.25	CH:	30.00	PD:	21.97	DIA		
	SWH30438-2	89.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-836-2	89.50	DIST1:	-1.20	Head:	NONE	7.00	
	SWH30438-3	89.75		0.047	0.134				11-836-3	89.75	DIST2:		Skirt:	MS			
	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-836-4	90.00	DIST3:					
REFERENCE # 13011-5G0-A01 13011-P8F-A01 13011-PGE-A01 13011-R70-A02 13011-RJA-004 13021-R70-A01		TOP			2ND			OIL			REFERENCE # 13010-PGK-A01 13010-RDA-A00 13010-RGL-A00 13010-RGM-A00 13010-RGL-100						








HONDA

HONDA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35Y1,J35Y2,J35Z4,J35Z5,J35Z8 / 2009-2017																	
ACCORD / 13-17	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
ACCORD CROSSTOUR / 13-17	SWH30438-1	89.25		0.047	0.120												
ODYSSEY / 11-16	SWH30438-2	89.50		2nd:	1.200	X	3.400	T1	CAST IRON		PHOSPHATE						
PILOT / 12-15	SWH30438-3	89.75	0.047	0.134													
RIDGELINE / 09-14	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME								
REFERENCE #		TOP 2ND OIL															
13011-5G0-A01																	
13011-P8F-A01																	
13011-PGE-A01																	
13011-R70-A02																	
13011-RJA-004																	
13021-R70-A01																	
3.5L (212CID,3471CC),SOHC,6CYL, 89.000MM (3.504"), J35Z2, 3,J35Z4 / 2008-2012																	
ACCORD / 08-12	SWH30438-0	89.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-906-0	89.00	TL:	51.30	PL:	54.00	CHK.	
ACCORD CROSSTOUR / 10-12	SWH30438-1	89.25		0.047	0.120					11-906-1	89.25	CH:	29.40	PD:	21.97	DIA	
PILOT / 09-11	SWH30438-2	89.50		2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-906-2	89.50	DIST1:	-0.30	Head:	NONE	15.00
	SWH30438-3	89.75	0.047	0.134					11-906-3	89.75	DIST2:		Skirt:	MS			
	SWH30438-4	90.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-906-4	90.00	DIST3:					
REFERENCE #		TOP 2ND OIL									REFERENCE #						
13011-5G0-A01											13010-R70-A00						
13011-P8F-A01																	
13011-PGE-A01																	
13011-R70-A02																	
13011-RJA-004																	
13021-R70-A01																	

HYUNDAI

HYUNDAI









1.5L (90CID,1468CC),DOHC,4CYL, 75.500MM (2.972"), ALPHA G4EK / 1996-1997																
ACCENT / 96-97	SWG30019-0	75.50	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-730-0	75.50	TL:	53.50	PL:	47.50	CHK.
	SWG30019-1	75.75		0.047	0.112	0.112				11-730-1	75.75	CH:	30.50	PD:	18.00	DIA
	SWG30019-2	76.00	2nd:	1.500	X	3.100	T1	CAST IRON	PHOSPHATE	11-730-2	76.00	DIST1:	-4.10	Head:	NONE	10.00
	SWG30019-3	76.25		0.059	0.122	11-730-3				76.25	DIST2:		Skirt:	NONE		
	SWG30019-4	76.50	Oil:	3.000	X	2.750	NIFF-S	STEEL	CHROME	11-730-4	76.50	DIST3:				
REFERENCE # 23040-26001			TOP	2ND		OIL		REFERENCE # 23410-26012			 					
																
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), ALPHA G4AE / 1993-1995 TURBO																
SCOUPE / 93-95	SWG30017-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-742-0	75.50	TL:	54.40	PL:	47.30	CHK.
	SWG30017-1	75.75		0.059	0.112	0.112				11-742-1	75.75	CH:	31.40	PD:	18.00	DIA
	SWG30017-2	76.00	2nd:	1.500	X	3.100	T1	CAST IRON	PHOSPHATE	11-742-2	76.00	DIST1:	-2.30	Head:	NONE	5.00
	SWG30017-3	76.25		0.059	0.122	11-742-3				76.25	DIST2:	-6.70	Skirt:	NONE		
	SWG30017-4	76.50	Oil:	3.000	X	2.750	NIFF-S	STEEL	CHROME	11-742-4	76.50	DIST3:				
REFERENCE # 23040-22010 23040-22601			TOP	2ND		OIL		REFERENCE # 23410-22110 23410-22160			 					
																






HYUNDAI

HYUNDAI





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), ALPHA G4AE / 1995-1999																
ACCENT / 95-99	SWG30017-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-691-0	75.50	TL:	54.30	PL:	47.50	CHK.
	SWG30017-1	75.75		0.059		0.112				11-691-1	75.75	CH:	31.40	PD:	18.00	DIA
	SWG30017-2	76.00	2nd:	1.500	X	3.100	T1	CAST IRON	PHOSPHATE	11-691-2	76.00	DIST1:	-0.70	Head:	NONE	10.00
	SWG30017-3	76.25		0.059		0.122				11-691-3	76.25	DIST2:		Skirt:	NONE	
	SWG30017-4	76.50	Oil:	3.000	X	2.750	NIFF-S	STEEL	CHROME	11-691-4	76.50	DIST3:				
		0.118	0.108													
REFERENCE # 23040-22010 23040-22601		TOP 2ND OIL   							REFERENCE # 23410-22410		 					
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), ALPHA G4EB / 2000-2003																
ACCENT / 00-03	SWG30017-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-837-0	75.50	TL:	53.70	PL:	47.50	CHK.
	SWG30017-1	75.75		0.059		0.112				11-837-1	75.75	CH:	30.70	PD:	18.00	DIA
	SWG30017-2	76.00	2nd:	1.500	X	3.100	T1	CAST IRON	PHOSPHATE	11-837-2	76.00	DIST1:	-0.20	Head:	NONE	10.00
	SWG30017-3	76.25		0.059		0.122				11-837-3	76.25	DIST2:		Skirt:	NONE	
	SWG30017-4	76.50	Oil:	3.000	X	2.750	NIFF-S	STEEL	CHROME	11-837-4	76.50	DIST3:				
		0.118	0.108													
REFERENCE # 23040-22010 23040-22601		TOP 2ND OIL   							REFERENCE # 23410-22612		 					
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), G4DJ / 1986-1989																
EXCEL / 86-89	SWG30023-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-529-0	75.50	TL:	58.00	PL:	60.00	CHK.
	SWG30023-1	75.75		0.059		0.112				11-529-1	75.75	CH:	29.00	PD:	18.00	DIA
	SWG30023-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-529-2	76.00	DIST1:	-0.70	Head:	NONE	7.00
	SWG30023-3	76.25		0.059		0.130				11-529-3	76.25	DIST2:		Skirt:	NONE	
	SWG30023-4	76.50	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-529-4	76.50	DIST3:				
		0.157	0.128													
REFERENCE # 23040-21210 23040-24200		TOP 2ND OIL   							REFERENCE # 23410-21114 MD074715		 					
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), G4DJ / 1990-1994																
EXCEL / 90-94 SCOUBE / 91-93	SWG30023-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-530-0	75.50	TL:	58.60	PL:	60.00	CHK.
	SWG30023-1	75.75		0.059		0.112				11-530-1	75.75	CH:	29.40	PD:	18.00	DIA
	SWG30023-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-530-2	76.00	DIST1:	-3.60	Head:	NONE	10.00
	SWG30023-3	76.25		0.059		0.130				11-530-3	76.25	DIST2:		Skirt:	NONE	
	SWG30023-4	76.50	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-530-4	76.50	DIST3:				
		0.157	0.128													
REFERENCE # 23040-21210 23040-24200		TOP 2ND OIL   							REFERENCE # 23410-24110 MD099770		 					






HYUNDAI

HYUNDAI



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1591CC),DOHC,4CYL, 77.000MM (3.031"), GAMMA G4FJ,GAMMA II 1.6L / 2011-2017																
ACCENT / 11-15	SWG30046-0	77.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SONATA / 15-16	SWG30046-1	77.25		0.047	0.112											
TUCSON / 15-17	SWG30046-2	77.50	2nd:	1.200	X	3.050	TUC	CAST IRON	PHOSPHATE							
VELOSTER / 12-16	SWG30046-3	77.75		0.047	0.120											
	SWG30046-4	78.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	CHROME							
	REFERENCE # 23040-2B000 23040-2B600		TOP	2ND	OIL											
1.6L (97CID,1595CC),DOHC,4CYL, 82.300MM (3.240"), SIRIUS G4CR / 1992-1995																
ELANTRA / 92-95	SWM31049-0	82.30	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-729-0	82.30	TL:	66.00	PL:	66.00	CHK.
	SWM31049-1	82.55		0.047	0.122					11-729-1	82.55	CH:	32.50	PD:	21.00	DIA
	SWM31049-2	82.80	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-729-2	82.80	DIST1:	1.50	Head:	NONE	28.00
	SWM31049-3	83.05		0.059	0.150					11-729-3	83.05	DIST2:		Skirt:	NONE	
	SWM31049-4	83.30	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-729-4	83.30	DIST3:				
	REFERENCE # 23040-33030 MD133495		TOP	2ND	OIL					REFERENCE # 23410-33010						
1.6L (98CID,1599CC),DOHC,4CYL, 76.500MM (3.012"), ALPHA G4ED / 2001-2005																
ACCENT / 01-05	SWG30030-0	76.50	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	DISC-11-819-0	76.50					
	SWG30030-1	76.75		0.047	0.112					DISC-11-819-1	76.75					
	SWG30030-2	77.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	DISC-11-819-2	77.00					
	SWG30030-3	77.25		0.047	0.126					DISC-11-819-3	77.25					
	SWG30030-4	77.50	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	DISC-11-819-4	77.50					
	REFERENCE # 23040-26101		TOP	2ND	OIL					REFERENCE # 23410-26121 23410-26212						
1.6L (98CID,1599CC),DOHC,4CYL, 76.500MM (3.012"), ALPHA II G4ED / 2006-2010																
ACCENT / 06-10	SWG30034-0	76.50	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30034-1	76.75		0.047	0.112											
	SWG30034-2	77.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE							
	SWG30034-3	77.25		0.047	0.126											
	SWG30034-4	77.50	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED							
	REFERENCE # 23040-26120 23040-26160		TOP	2ND	OIL											






HYUNDAI

HYUNDAI




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO												
1.8L (110CID,1796CC),DOHC,4CYL, 82.000MM (3.228"), G4GB / 1997-1997																							
TIBURON / 97-97	SWG30028-0	82.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-693-0	82.00	TL:	63.20	PL:	59.00	CHK.							
	SWG30028-1	82.25		0.047		0.120				11-693-1	82.25	CH:	31.10	PD:	20.00	DIA							
	SWG30028-2	82.50	2nd:	1.200	X	3.500	T1	CAST IRON	PHOSPHATE	11-693-2	82.50	DIST1:	2.10	Head:	NONE	24.00							
	SWG30028-3	82.75		0.047		0.138				11-693-3	82.75	DIST2:		Skirt:	NONE								
	SWG30028-4	83.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-693-4	83.00	DIST3:											
REFERENCE # 23040-23000 23040-23200		TOP			2ND			OIL			REFERENCE # 23410-23010												
1.8L (110CID,1797CC),DOHC,4CYL, 81.000MM (3.189"), Nu 1.8L / 2011-2015																							
ELANTRA / 11-15	SWG30059-0	81.00	Top:	1.000	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWG30059-1	81.25		0.039		0.106																	
	SWG30059-2	81.50	2nd:	1.200	X	3.150	TUC-RB	CAST IRON	PHOSPHATE														
	SWG30059-3	81.75		0.047		0.124																	
	SWG30059-4	82.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED														
REFERENCE # 23040-2E000		TOP			2ND			OIL															
1.8L (112CID,1836CC),DOHC,4CYL, 81.500MM (3.209"), G4JN / 1993-1998																							
ELANTRA / 93-98	SWM31058-0	81.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-690-0	81.50	TL:	67.00	PL:	66.00	CHK.							
	SWM31058-1	81.75		0.047		0.122				11-690-1	81.75	CH:	35.00	PD:	21.00	DIA							
	SWM31058-2	82.00	2nd:	1.500	X	3.600	T1	CAST IRON	CHROME	11-690-2	82.00	DIST1:	-1.00	Head:	NONE	20.00							
	SWM31058-3	82.25		0.059		0.142				11-690-3	82.25	DIST2:		Skirt:	NONE								
	SWM31058-4	82.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	NITRIDED	11-690-4	82.50	DIST3:											
REFERENCE # 23040-33430		TOP			2ND			OIL			REFERENCE # 23410-33410												
2.0L (121CID,1975CC),DOHC,4CYL, 82.000MM (3.228"), BETA G4GF / 1997-2001																							
ELANTRA / 99-00 TIBURON / 97-01	SWG30028-0	82.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWG30028-1	82.25		0.047		0.120																	
	SWG30028-2	82.50	2nd:	1.200	X	3.500	T1	CAST IRON	PHOSPHATE														
	SWG30028-3	82.75		0.047		0.138																	
	SWG30028-4	83.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME														
REFERENCE # 23040-23000 23040-23200		TOP			2ND			OIL															






HYUNDAI

HYUNDAI




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (121CID,1975CC),DOHC,4CYL, 82.000MM (3.228"), BETA G4GF / 2001-2008																
ELANTRA / 01-05	SWG30028-0	82.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-838-0	82.00	TL:	57.80	PL:	59.00	CHK.
TIBURON / 03-08	SWG30028-1	82.25		0.047	0.120				11-838-1	82.25	CH:	31.00	PD:	20.00	DIA	
	SWG30028-2	82.50	2nd:	1.200	X	3.500	T1	CAST IRON	PHOSPHATE	11-838-2	82.50	DIST1:	0.30	Head:	NONE	10.00
	SWG30028-3	82.75		0.047	0.138				11-838-3	82.75	DIST2:		Skirt:	NONE		
	SWG30028-4	83.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-838-4	83.00	DIST3:				
	REFERENCE # 23040-23000 23040-23200		TOP	2ND		OIL					REFERENCE # 23410-23711					
2.0L (121CID,1975CC),DOHC,4CYL, 82.000MM (3.228"), BETA II G4GF,BETA II G4JP / 2005-2010																
ELANTRA / 06-10	SWG30054-0	82.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-901-0	82.00	TL:	57.90	PL:	59.00	CHK.
ELANTRA TOURING / 09-10	SWG30054-1	82.25		0.047	0.112				11-901-1	82.25	CH:	31.10	PD:	20.00	DIA	
	SWG30054-2	82.50	2nd:	1.200	X	3.050	TUC	CAST IRON	PHOSPHATE	11-901-2	82.50	DIST1:	0.30	Head:	NONE	5.00
TUCSON / 05-09	SWG30054-3	82.75		0.047	0.120				11-901-3	82.75	DIST2:		Skirt:	GS		
	SWG30054-4	83.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	NITRIDED	11-901-4	83.00	DIST3:				
	REFERENCE # 23040-23300 23040-23400		TOP	2ND		OIL					REFERENCE # 23410-23300 23410-23AA0					
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), G4CP / 1992-1998																
SONATA / 92-98	SWG30027-0	85.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-692-0	85.00	TL:	67.00	PL:	66.00	CHK.
	SWG30027-1	85.25		0.047	0.122				11-692-1	85.25	CH:	35.00	PD:	21.00	DIA	
	SWG30027-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-692-2	85.50	DIST1:	-2.10	Head:	NONE	10.00
	SWG30027-3	85.75		0.059	0.150				11-692-3	85.75	DIST2:		Skirt:	NONE		
	SWG30027-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-692-4	86.00	DIST3:				
	REFERENCE # 23040-33150		TOP	2ND		OIL					REFERENCE # 23410-33110					
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), THETA II,THETA II G4KD / 2010-2015																
GENESIS COUPE / 10-14	SWG30042-0	86.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-909-0	86.00	TL:	53.00	PL:	58.00	CHK.
	SWG30042-1	86.25		0.047	0.120				11-909-1	86.25	CH:	29.70	PD:	22.00	DIA	
SANTA FE / 13-15	SWG30042-2	86.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-909-2	86.50	DIST1:	-0.40	Head:	AH	15.00
SONATA / 11-15	SWG30042-3	86.75		0.047	0.142				11-909-3	86.75	DIST2:	-1.50	Skirt:	MS		
TUCSON / 11-13	SWG30042-4	87.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-909-4	87.00	DIST3:	-3.10			
	REFERENCE # 1110A436 23040-2C400 5191418AB		TOP	2ND		OIL					REFERENCE # 23410-2C400 5191337AA					






HYUNDAI

HYUNDAI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.0L (122CID,1999CC),DOHC,4CYL, 81.000MM (3.189"), Nu 2.0L / 2013-2017																
ELANTRA / 15-17	SWG30059-0	81.00	Top:	1.000	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
ELANTRA TOURING / 15-17	SWG30059-1	81.25		0.039	X	0.106										
TUCSON / 13-15	SWG30059-2	81.50	2nd:	1.200	X	3.150	TUC-RB	CAST IRON	PHOSPHATE							
	SWG30059-3	81.75		0.047	X	0.124										
	SWG30059-4	82.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED							
REFERENCE # 23040-2E000		TOP		2ND		OIL										
2.4L (143CID,2350CC),DOHC,4CYL, 86.500MM (3.406"), SIRIUS II G4JS / 1999-2005																
SANTA FE / 01-04	SWG30047-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-772-0	86.50	TL:	66.70	PL:	62.00	CHK.
SONATA / 99-05	SWG30047-1	86.75		0.047	X	0.122				11-772-1	86.75	CH:	34.60	PD:	22.00	DIA
	SWG30047-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-772-2	87.00	DIST1:	-3.50	Head:	NONE	5.00
	SWG30047-3	87.25		0.059	X	0.150				11-772-3	87.25	DIST2:		Skirt:	NONE	
	SWG30047-4	87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-772-4	87.50	DIST3:				
REFERENCE # 23040-38200 23040-38212		TOP		2ND		OIL		REFERENCE # 23410-38200 23411-38200								
2.4L (143CID,2350CC),DOHC,4CYL, 86.500MM (3.406"), SIRIUS II G4JS / 2006-2010																
SONATA / 06-10	SWG30047-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30047-1	86.75		0.047	X	0.122										
	SWG30047-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE							
	SWG30047-3	87.25		0.059	X	0.150										
	SWG30047-4	87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME							
REFERENCE # 23040-38200 23040-38212		TOP		2ND		OIL										
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), G4JS / 1989-1991																
SONATA / 89-91	SWG30024-0	86.50	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-538-0	86.50	TL:	72.40	PL:	72.00	CHK.
	SWG30024-1	86.75		0.059	X	0.136				11-538-1	86.75	CH:	34.90	PD:	21.00	DIA
	SWG30024-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-538-2	87.00	DIST1:	0.50	Head:	NONE	15.00
	SWG30024-3	87.25		0.059	X	0.150				11-538-3	87.25	DIST2:	0.30	Skirt:	NONE	
	SWG30024-4	87.50	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-538-4	87.50	DIST3:				
REFERENCE # 23040-32610		TOP		2ND		OIL		REFERENCE # 23410-32610 MD105377								






HYUNDAI

HYUNDAI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), THETA II G4KC / 2010-2015																	
ELANTRA TOURING / 11-15 SANTA FE / 10-15	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWG30041-1	88.25		0.047	0.120												
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE								
	SWG30041-3	88.75		0.047	0.142												
	SWG30041-4	89.00		2.000	X	2.450											NIFF-H
Oil:		0.079	0.096														
REFERENCE #		TOP	2ND		OIL												
1110A822																	
23040-25200																	
5191424AA																	
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), THETA II G4KC,THETA II G4KH / 2010-2015																	
SONATA / 11-15 SONATA HYBRID / 11-15 TUCSON / 10-15	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-908-0	88.00	TL:	51.50	PL:	58.00	CHK.	
	SWG30041-1	88.25		0.047	0.120	11-908-1				88.25	CH:	27.20	PD:	21.00	DIA		
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-908-2	88.50	DIST1:	-1.50	Head:	NONE	15.00	
	SWG30041-3	88.75		0.047	0.142	11-908-3				88.75	DIST2:	-3.30	Skirt:	MS			
	SWG30041-4	89.00		Oil:	2.000	X				2.450	11-908-4	89.00	DIST3:				
		0.079	0.096														
REFERENCE #		TOP	2ND		OIL					REFERENCE #							
1110A822											23410-25211						
23040-25200											5191340AA						
5191424AA																	
2.7L (162CID,2656CC),DOHC,6CYL, 86.700MM (3.413"), DELTA 6GBA,DELTA G6BA / 2006-2009																	
SANTA FE / 06-09 TIBURON / 07-08 TUCSON / 07-09	SWG30045-0	86.70	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-892-0	86.70	TL:	54.00	PL:	59.00	CHK.	
	SWG30045-1	86.95		0.047	0.120	11-892-1				86.95	CH:	30.50	PD:	21.00	DIA		
	SWG30045-2	87.20	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	11-892-2	87.20	DIST1:	-0.60	Head:	NONE	5.00	
	SWG30045-3	87.45		0.047	0.142	11-892-3				87.45	DIST2:		Skirt:	MS			
	SWG30045-4	87.70		Oil:	2.000	X				2.650	11-892-4	87.70	DIST3:				
		0.079	0.104														
REFERENCE #		TOP	2ND		OIL					REFERENCE #							
23040-3E001											23410-3E001						
2.7L (162CID,2656CC),DOHC,6CYL, 86.700MM (3.413"), DELTA G6BA / 2001-2006																	
SANTA FE / 01-05 SONATA / 03-05 TIBURON / 03-06 TUCSON / 05-06	SWG30037-0	86.70	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-862-0	86.70	TL:	54.00	PL:	60.00	CHK.	
	SWG30037-1	86.95		0.047	0.120	11-862-1				86.95	CH:	30.40	PD:	21.01	DIA		
	SWG30037-2	87.20	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	11-862-2	87.20	DIST1:	-0.80	Head:	NONE	6.00	
	SWG30037-3	87.45		0.047	0.142	11-862-3				87.45	DIST2:		Skirt:	NONE			
	SWG30037-4	87.70		Oil:	2.500	X				2.900	11-862-4	87.70	DIST3:				
		0.098	0.114														
REFERENCE #		TOP	2ND		OIL					REFERENCE #							
23040-37300											23410-37307						
											23410-37310						





HYUNDAI

HYUNDAI



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.8L (170CID,2792CC),SOHC,6CYL, 91.100MM (3.587"), G6AT / 1990-1998																	
SONATA / 90-98	SWM31080-0	91.10	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-549-0	91.10	TL:	68.20	PL:	64.00	CHK.	
	SWM31080-1	91.35		0.059	0.128	11-549-1				91.35	CH:	32.20	PD:	22.00	DIA		
	SWM31080-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-549-2	91.60	DIST1:	-3.00	Head:	NONE	8.00	
	SWM31080-3	91.85		0.059	0.150	11-549-3				91.85	DIST2:		Skirt:	NONE			
	SWM31080-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-549-4	92.10	DIST3:					
				0.157	0.128												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	23040-35010								23410-35114								
	23040-35500																
	MD104936																
MD104939																	

3.3L (204CID,3342CC),DOHC,6CYL, 92.000MM (3.622"), LAMBDA G6DB,LAMBDA II G6DG / 2006-2017										
AZERA / 07-16 SANTA FE / 07-17 SONATA / 06-10	SWG30055-0	92.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWG30055-1	92.25		0.047		0.122				
	SWG30055-2	92.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	
	SWG30055-3	92.75		0.047		0.134				
	SWG30055-4	93.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	NITRIDED	
REFERENCE #		TOP	2ND	OIL						
23040-3C150										


3.5L (212CID,3467CC),DOHC,6CYL, 93.000MM (3.661"), SIGMA G6AU / 2002-2006										
SANTA FE / 03-06 XG350 / 02-05	SWG30056-0	93.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: <u>www.npramerica.com</u> for the latest product availability information.
	SWG30056-1	93.25		0.059		0.130				
	SWG30056-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	CHROME	
	SWG30056-3	93.75		0.059		0.154				
	SWG30056-4	94.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	
REFERENCE # 23040-39800		TOP	2ND		OIL					

INFINITI

INFINITI

2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), SR20DE / 1991-1999																	
G20 / 91-99	SWN30102-0	86.00	Top:	1.500	X	3.050	BF-IB	STEEL	CHROME	11-602-0	86.00	TL:	63.00	PL:	60.00	CHK.	
	SWN30102-1	86.25		0.059		0.120				11-602-1	86.25	CH:	32.00	PD:	22.00	DIA	
	SWN30102-2	86.50	2nd:	1.500	X	3.650	T1	CAST IRON	CHROME	11-602-2	86.50	DIST1:	-0.90	Head:	NONE	10.00	
	SWN30102-3	86.75		0.059		0.144				11-602-3	86.75	DIST2:		Skirt:	NONE		
	SWN30102-4	87.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-602-4	87.00	DIST3:					
REFERENCE #			TOP	2ND		OIL		REFERENCE #									
12033-53J01								A2010-63J00									
12033-53J10																	






INFINITI

INFINITI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), SR20DE / 2000-2002															
G20 / 00-02	SWN30123-0	86.00	Top:	X	3.100 0.122	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30123-1	86.25													
	SWN30123-2	86.50	2nd:	X	3.700 0.146	T1	CAST IRON	CHROME							
	SWN30123-3	86.75													
	SWN30123-4	87.00	Oil:	X	2.850 0.112	NIFF-S	STEEL	NITRIDED							
REFERENCE #		TOP							2ND	OIL					
12033-2J210															
12033-4M802															
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), QR25DER / 2014-2015															
QX60 HYBRID / 14-15	SWN30189-0	89.00	Top:	X	2.900 0.114	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30189-1	89.25													
	SWN30189-2	89.50	2nd:	X	3.800 0.150	T1	CAST IRON	PHOSPHATE							
	SWN30189-3	89.75													
	SWN30189-4	90.00	Oil:	X	2.250 0.089	NIFF-H	STEEL	NITRIDED							
REFERENCE #		TOP							2ND	OIL					
12033-ET80B															
12033-JA00B															
12033-JG30A															
3.0L (181CID,2960CC),DOHC,6CYL, 87.000MM (3.425"), VG30DE / 1993-1997															
J30 / 93-97	SWN30058-0	87.00	Top:	X	3.100 0.122	BF	STEEL	NITRIDED	11-727-0	87.00	TL:	61.00	PL:	69.00	CHK.
	SWN30058-1	87.25							11-727-1	87.25	CH:	32.00	PD:	22.00	DIA
	SWN30058-2	87.50	2nd:	X	3.800 0.150	T1	CAST IRON	CHROME	11-727-2	87.50	DIST1:	1.50	Head:	NONE	10.00
	SWN30058-3	87.75							11-727-3	87.75	DIST2:	-1.20	Skirt:	NONE	
	SWN30058-4	88.00	Oil:	X	3.000 0.118	NIFF-S	STEEL	NITRIDED	11-727-4	88.00	DIST3:				
AM Ring Available															
REFERENCE #		TOP	2ND	OIL	REFERENCE #										
12033-17V01					A2010-30P00										
12033-21V01															
12033-96E01															
12033-F6511															
F6XZ 6148 AA															
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30E / 1990-1992															
M30 / 90-92	SWN30058-0	87.00	Top:	X	3.100 0.122	BF	STEEL	NITRIDED	11-603-0	87.00	TL:	67.00	PL:	64.00	CHK.
	SWN30058-1	87.25							11-603-1	87.25	CH:	32.00	PD:	21.00	DIA
	SWN30058-2	87.50	2nd:	X	3.800 0.150	T1	CAST IRON	CHROME	11-603-2	87.50	DIST1:		Head:	NONE	10.00
	SWN30058-3	87.75							11-603-3	87.75	DIST2:		Skirt:	NONE	
	SWN30058-4	88.00	Oil:	X	3.000 0.118	NIFF-S	STEEL	NITRIDED	11-603-4	88.00	DIST3:				
AM Ring Available															
REFERENCE #		TOP	2ND	OIL	REFERENCE #										
12033-17V01					12010-21P61										
12033-21V01					12010-V7175										
12033-96E01					A2010-10G03										
12033-F6511					F7XZ 6108 AA										
F6XZ 6148 AA															






INFINITI

INFINITI


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (182CID,2987CC),DOHC,6CYL, 93.000MM (3.661"), VQ30DE / 1996-2001																
I30 / 96-01	SWN30115-0	93.00	Top:	1.200	X	3.250	BF	STEEL	CHROME	11-711-0	93.00	TL:	58.30	PL:	58.00	CHK.
	SWN30115-1	93.25		0.047		0.128				11-711-1	93.25	CH:	30.20	PD:	22.00	DIA
	SWN30115-2	93.50	2nd:	1.200	X	4.000	T1	CAST IRON	CHROME	11-711-2	93.50	DIST1:	-0.40	Head:	AH	14.00
	SWN30115-3	93.75		0.047		0.157				11-711-3	93.75	DIST2:		Skirt:	MS	
	SWN30115-4	94.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-711-4	94.00	DIST3:				
			0.098	0.112												
	REFERENCE #		TOP	2ND	OIL		REFERENCE #									
	12033-2Y900						A2010-2Y900									
	12033-2Y903						A2010-2Y910									
	12033-38U01						A2010-38U10									
						A2010-39U00										
3.3L (200CID,3272CC),SOHC,6CYL, 91.500MM (3.602"), VG33E / 1997-2000																
QX4 / 97-00	SWN30120-0	91.50	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-728-0	91.50	TL:	63.00	PL:	60.00	CHK.
	SWN30120-1	91.75		0.059		0.128				11-728-1	91.75	CH:	32.00	PD:	20.98	DIA
	SWN30120-2	92.00	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-728-2	92.00	DIST1:	-1.50	Head:	AH	11.00
	SWN30120-3	92.25		0.059		0.157				11-728-3	92.25	DIST2:		Skirt:	NONE	
	SWN30120-4	92.50	Oil:	2.800	X	3.050	NIFF-S	STEEL	CHROME	11-728-4	92.50	DIST3:				
			0.110	0.120												
	REFERENCE #		TOP	2ND	OIL		REFERENCE #									
	12033-0W000						A2010-1W200									
	12033-7B000						A2010-1W261									
	12033-7Z800						A2010-5S600									
XF5Z 6148 AA						A2010-5S661										
						A2010-5S700										
						A2010-5S761										
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2001-2008																
FX35 / 03-08 G35 / 03-07 QX4 / 01-03	SWN30131-0	95.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	11-859-0	95.50	TL:	52.60	PL:	58.00	CHK.
	SWN30131-1	95.75		0.047		0.136				11-859-1	95.75	CH:	29.60	PD:	22.00	DIA
	SWN30131-2	96.00	2nd:	1.200	X	4.100	T1	CAST IRON	PHOSPHATE	11-859-2	96.00	DIST1:		Head:	AH	10.00
	SWN30131-3	96.25		0.047		0.161				11-859-3	96.25	DIST2:		Skirt:	MS	
	SWN30131-4	96.50	Oil:	2.500	X	2.750	NIFF-S	STEEL	CHROME	11-859-4	96.50	DIST3:				
			0.098	0.108												
	REFERENCE #		TOP	2ND	OIL		REFERENCE #									
	12033-4W001						A2010-4W100									
	12033-4W005															
	12033-8J100															
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2002-2008																
I35 / 02-04 M35 / 06-08	SWN30131-0	95.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	11-860-0	95.50	TL:	53.90	PL:	58.00	CHK.
	SWN30131-1	95.75		0.047		0.136				11-860-1	95.75	CH:	29.50	PD:	22.00	DIA
	SWN30131-2	96.00	2nd:	1.200	X	4.100	T1	CAST IRON	PHOSPHATE	11-860-2	96.00	DIST1:	0.80	Head:	AH	6.00
	SWN30131-3	96.25		0.047		0.161				11-860-3	96.25	DIST2:		Skirt:	MS	
	SWN30131-4	96.50	Oil:	2.500	X	2.750	NIFF-S	STEEL	CHROME	11-860-4	96.50	DIST3:				
			0.098	0.108												
	REFERENCE #		TOP	2ND	OIL		REFERENCE #									
	12033-4W001						A2010-7Y001									
	12033-4W005						A2010-8J110									
	12033-8J100															






INFINITI

INFINITI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO												
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2013-2015																						
JX35 / 13-13	SWN30191-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-907-0	95.50	TL:	49.60	PL:	54.00	CHK.						
QX60 / 14-15	SWN30191-1	95.75		0.047	0.122					11-907-1	95.75	CH:	29.00	PD:	22.00	DIA						
	SWN30191-2	96.00	2nd:	1.200	X	4.100	TUC	CAST IRON	PHOSPHATE	11-907-2	96.00	DIST1:	-2.20	Head:	AH	10.00						
	SWN30191-3	96.25		0.047	0.161					11-907-3	96.25	DIST2:		Skirt:	MS							
	SWN30191-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED	11-907-4	96.50	DIST3:										
				0.079		0.102																
	REFERENCE #		TOP	2ND		OIL				REFERENCE #												
	12033-JA10D									12010-9N00B												
	12033-JP00A									12010-9N00C												
	12033-JP10D									A2010-JA10A												
	12035-1EA0B									A2010-JA11B												
										A2010-JP00C												
										A2010-JP00D												
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35HR / 2007-2017																						
EX35 / 09-12	SWN30162-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
FX35 / 09-11	SWN30162-1	95.75		0.047	0.122																	
G35 / 07-08	SWN30162-2	96.00	2nd:	1.200	X	3.700	TUC	CAST IRON	PHOSPHATE													
M35 / 09-10	SWN30162-3	96.25		0.047	0.146																	
Q50 HYBRID / 14-17	SWN30162-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED													
Q70 HYBRID / 14-17				0.079		0.102																
QX70 HYBRID / 14-17	REFERENCE #		TOP	2ND		OIL						Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
	12033-JK20A																					
	12033-JK20B																					
	12033-JK20C																					
3.7L (226CID,3696CC),DOHC,6CYL, 95.500MM (3.760"), VQ37VHR / 2008-2013																						
EX37 / 13-13	SWN30162-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
G37 / 08-12	SWN30162-1	95.75		0.047	0.122																	
M37 / 11-13	SWN30162-2	96.00	2nd:	1.200	X	3.700	TUC	CAST IRON	PHOSPHATE													
	SWN30162-3	96.25		0.047	0.146																	
	SWN30162-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED													
				0.079		0.102																
	REFERENCE #		TOP	2ND		OIL						Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
	12033-JK20A																					
	12033-JK20B																					
	12033-JK20C																					
3.7L (226CID,3696CC),DOHC,6CYL, 95.500MM (3.760"), VQ37VHR / 2013-2015																						
G37 / 13-13	SWN30191-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
Q50 / 14-15	SWN30191-1	95.75		0.047	0.122																	
Q60 / 14-15	SWN30191-2	96.00	2nd:	1.200	X	4.100	TUC	CAST IRON	PHOSPHATE													
Q70 / 14-15	SWN30191-3	96.25		0.047	0.161																	
QX50 / 14-15	SWN30191-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED													
QX70 / 14-15				0.079		0.102																
	REFERENCE #		TOP	2ND		OIL						Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
	12033-JA10D																					
	12033-JP00A																					
	12033-JP10D																					
	12035-1EA0B																					






INFINITI

INFINITI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
4.1L (252CID,4130CC),DOHC,8CYL, 93.000MM (3.661"), VH41DE / 1997-2001																
Q45 / 97-01	SWN30117-0	93.00	Top:	1.500	X	3.350	BF	STEEL	TIN	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30117-1	93.25		0.059		0.132										
	SWN30117-2	93.50	2nd:	1.500	X	4.100	T1	CAST IRON	PHOSPHATE							
	SWN30117-3	93.75		0.059		0.161										
	SWN30117-4	94.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	CHROME							
				0.110		0.118										
	REFERENCE #		TOP	2ND	OIL											
	12033-60U02															
	12033-60U10															
	4.5L (274CID,4494CC),DOHC,8CYL, 93.000MM (3.661"), VH45DE / 1990-1996															
Q45 / 90-96	SWN30117-0	93.00	Top:	1.500	X	3.350	BF	STEEL	TIN	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30117-1	93.25		0.059		0.132										
	SWN30117-2	93.50	2nd:	1.500	X	4.100	T1	CAST IRON	PHOSPHATE							
	SWN30117-3	93.75		0.059		0.161										
	SWN30117-4	94.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	CHROME							
				0.110		0.118										
	REFERENCE #		TOP	2ND	OIL											
	12033-60U02															
	12033-60U10															
	5.0L (307CID,5026CC),DOHC,8CYL, 95.500MM (3.760"), VK50VE / 2009-2015															
FX50 / 09-13 QX70 / 14-15	SWN30184-0	95.50	Top:	1.200	X	3.150	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30184-1	95.75		0.047		0.124										
	SWN30184-2	96.00	2nd:	1.200	X	3.700	TUC	CAST IRON	PHOSPHATE							
	SWN30184-3	96.25		0.047		0.146										
	SWN30184-4	96.50	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED							
				0.079		0.098										
	REFERENCE #		TOP	2ND	OIL											
	12033-1CA0A															
	5.6L (339CID,5552CC),DOHC,8CYL, 98.000MM (3.858"), VK56DE / 2004-2010															
	QX56 / 04-10	SWN30149-0	98.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-879-0	98.00	TL:	52.00	PL:	59.60
SWN30149-1		98.25	0.059		0.136		11-879-1				98.25	CH:	31.60	PD:	22.00	DIA
SWN30149-2		98.50	2nd:	1.500	X	4.300	TUC	CAST IRON	PHOSPHATE	11-879-2	98.50	DIST1:	-4.20	Head:	AH	6.00
SWN30149-3		98.75		0.059		0.169				11-879-3	98.75	DIST2:		Skirt:	MS	
SWN30149-4		99.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	CHROME	11-879-4	99.00	DIST3:				
				0.098		0.102										
REFERENCE #		TOP	2ND	OIL	REFERENCE #											
12033-7S001					A2010-7S000											
12033-7S01B																
12033-ZE00A																




INFINITI
INFINITI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
5.6L (339CID,5552CC),DOHC,8CYL, 98.000MM (3.858"), VK56VD / 2011-2015										
M56 / 11-13	SWN30177-0	98.00	Top:	1.200	X	3.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
Q70 / 14-15	SWN30177-1	98.25		0.047	0.124					
QX56 / 11-13	SWN30177-2	98.50	2nd:	1.200	X	4.300	TUC	CAST IRON	PHOSPHATE	
QX80 / 14-15	SWN30177-3	98.75		0.047	0.169					
	SWN30177-4	99.00	Oil:	2.500	X	2.500	NIFF-H	STEEL	NITRIDED	
			0.098	0.098						
REFERENCE # 12033-1MC0B		TOP 2ND OIL 								


ISUZU
ISUZU

1.5L (90CID,1471CC),SOHC,4CYL, 77.000MM (3.031"), 4XC1 / 1985-1989																
I-MARK / 85-89	SWI10151-0	77.00	Top:	1.500	X	3.300	T1-IB	DUCTILE IRON	CHROME	DISC-11-564-0	77.00					
	SWI10151-1	77.25		0.059		0.130				DISC-11-564-1	77.25					
	SWI10151-2	77.50	Oil:	2.800	X	3.100	NIFF-S	STEEL	NITRIDED	DISC-11-564-2	77.50					
	SWI10151-3	77.75		0.110	0.122	DISC-11-564-3				77.75						
	SWI10151-4	78.00		DISC-11-564-4	78.00											
REFERENCE #		TOP		OIL		REFERENCE #										
8-94141-947-0						8-94141-426-0										
94141947						8-94460-838-2										

1.5L (90CID,1471CC),SOHC,4CYL, 77.000MM (3.031"), 4XC1T / 1987-1989										
I-MARK / 87-89	SWI10153-0	77.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWI10153-1	77.25		0.047		0.114				
	SWI10153-2	77.50	2nd:	1.200	X	3.500	T1-IB	CAST IRON	CHROME	
	SWI10153-3	77.75		0.047		0.138				
	SWI10153-4	78.00	Oil:	2.800	X	3.100	NIFF-S	STEEL	NITRIDED	
	REFERENCE #		TOP	2ND	OIL					
	8-94109-650-0									
	94109650									


1.6L (97CID,1588CC),DOHC,4CYL, 80.000MM (3.150"), 4EW1W,4XE1W / 1989-1992																
I-MARK / 89-89 IMPULSE / 90-92 STYLUS / 91-92	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	DISC-11-557-0	80.00					
	SWI10149-1	80.25		0.047	0.122					DISC-11-557-1	80.25					
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE	DISC-11-557-2	80.50					
	SWI10149-3	80.75		0.047	0.130				DISC-11-557-3	80.75						
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME	DISC-11-557-4	81.00					
	REFERENCE #		TOP	2ND		OIL				REFERENCE #						
	8-94331-660-0									8-97066-886-0						
	8-94342-124-0															
	8-94370-434-0															
	8-97042-171-0															
	8-97402-171-0															
	94331660															
	94342124															
	94370434															




ISUZU
ISUZU



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.6L (97CID,1588CC),DOHC,4CYL, 80.000MM (3.150"), 4XE1W / 1991-1992																	
IMPULSE / 91-92	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWI10149-1	80.25		0.047		0.122											
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE								
	SWI10149-3	80.75		0.047		0.130											
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME								
				0.118		0.098											
	REFERENCE #		TOP	2ND		OIL											
	8-94331-660-0																
	8-94342-124-0																
	8-94370-434-0																
8-97042-171-0																	
8-97402-171-0																	
94331660																	
94342124																	
94370434																	
1.6L (97CID,1588CC),SOHC,4CYL, 80.000MM (3.150"), 4XE1V / 1991-1993																	
STYLUS / 91-93	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	DISC-11-556-0	80.00						
	SWI10149-1	80.25		0.047		0.122				DISC-11-556-1	80.25						
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE	DISC-11-556-2	80.50						
	SWI10149-3	80.75		0.047		0.130				DISC-11-556-3	80.75						
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME	DISC-11-556-4	81.00						
				0.118		0.098											
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	8-94331-660-0								8-97066-885-0								
	8-94342-124-0																
	8-94370-434-0																
8-97042-171-0																	
8-97402-171-0																	
94331660																	
94342124																	
94370434																	
1.8L (110CID,1809CC),DOHC,4CYL, 80.000MM (3.150"), 4XF1 / 1992-1992																	
IMPULSE / 92-92 STYLUS / 92-92	SWI10149-0	80.00	Top:	1.200	X	3.100	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWI10149-1	80.25		0.047		0.122											
	SWI10149-2	80.50	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE								
	SWI10149-3	80.75		0.047		0.130											
	SWI10149-4	81.00	Oil:	3.000	X	2.500	NIFF-S	STEEL	CHROME								
				0.118		0.098											
	REFERENCE #		TOP	2ND		OIL											
	8-94331-660-0																
	8-94342-124-0																
	8-94370-434-0																
8-97042-171-0																	
8-97402-171-0																	
94331660																	
94342124																	
94370434																	






ISUZU

ISUZU





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.8L (111CID,1817CC),4CYL, 84.000MM (3.307"), 4FB1 / 1981-1984																	
I-MARK / 81-84	SDI10086-0	84.00	Top:	2.500	X	3.250	BF	STEEL	CHROME	DISC-11-015-0	84.00						
	SDI10086-1	84.25		0.098		0.128				DISC-11-015-1	84.25						
	SDI10086-2	84.50	2nd:	2.000	X	3.500	T1	CAST IRON	CHROME	DISC-11-015-2	84.50						
	SDI10086-3	84.75		0.079		0.138				DISC-11-015-3	84.75						
	SDI10086-4	85.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	DISC-11-015-4	85.00						
REFERENCE # 8-94224-221-0 94224221		TOP		2ND		OIL					REFERENCE # 8-94228-886-2						
																	
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1981-1981																	
I-MARK / 81-81 PICKUP / 81-81	SWI10056-0	84.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	11-012-0	84.00	TL:	80.00	PL:	66.00	CHK.	
	SWI10056-1	84.25		0.079		0.150				11-012-1	84.25	CH:	37.00	PD:	22.00	DIA	
	SWI10056-2	84.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	11-012-2	84.50	DIST1:	-0.80	Head:	NONE	15.00	
	SWI10056-3	84.75		0.079		0.157				11-012-3	84.75	DIST2:		Skirt:	NONE		
	SWI10056-4	85.00	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	11-012-4	85.00	DIST3:					
REFERENCE # 8-94216-640-0 94216641		TOP		2ND		OIL					REFERENCE # 8-94215-088-0						
1.8L (111CID,1817CC),SOHC,4CYL, 84.000MM (3.307"), G180Z / 1982-1984																	
I-MARK / 82-84 PICKUP / 82-82	SWI10098-0	84.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	DISC-11-013-0	84.00						
	SWI10098-1	84.25		0.059		0.138				DISC-11-013-1	84.25						
	SWI10098-2	84.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-013-2	84.50						
	SWI10098-3	84.75		0.059		0.150				DISC-11-013-3	84.75						
	SWI10098-4	85.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-013-4	85.00						
REFERENCE # 8-94244-404-0		TOP		2ND		OIL					REFERENCE # 8-94238-475-0						
																	
1.9L (119CID,1949CC),SOHC,4CYL, 87.000MM (3.425"), G200Z / 1983-1987																	
IMPULSE / 83-87	SWI10096-0	87.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	DISC-11-695-0	87.00						
	SWI10096-1	87.25		0.059		0.138				DISC-11-695-1	87.25						
	SWI10096-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-695-2	87.50						
	SWI10096-3	87.75		0.059		0.150				DISC-11-695-3	87.75						
	SWI10096-4	88.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-695-4	88.00						
REFERENCE # 8-94438-086-0 94438086		TOP		2ND		OIL					REFERENCE # 8-94258-494-2						
																	






ISUZU

ISUZU






ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
1.9L (119CID,1949CC),SOHC,4CYL, 87.000MM (3.425"), G200Z / 1983-1987																
PICKUP / 83-87 TROOPER II / 84-85	SWI10096-0	87.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	11-016-0	87.00	TL:	80.00	PL:	77.00	CHK.
	SWI10096-1	87.25		0.059	0.138	11-016-1	87.25	CH:	37.00	PD:	22.00	DIA				
	SWI10096-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-016-2	87.50	DIST1:		Head:	NONE	10.00
	SWI10096-3	87.75		0.059	0.150	11-016-3	87.75	DIST2:		Skirt:	NONE					
	SWI10096-4	88.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-016-4	88.00	DIST3:				
REFERENCE # 8-94438-086-0 94438086		TOP			2ND			OIL			REFERENCE # 8-94237-469-2 94237469					
2.0L (122CID,1994CC),SOHC,4CYL, 88.000MM (3.465"), 4ZC1 / 1985-1989																
IMPULSE / 85-89	SWI10133-0	88.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-558-0	88.00	TL:	80.10	PL:	77.00	CHK.
	SWI10133-1	88.25		0.059	0.136	11-558-1	88.25	CH:	37.00	PD:	22.00	DIA				
	SWI10133-2	88.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-558-2	88.50	DIST1:	-2.00	Head:	NONE	10.00
	SWI10133-3	88.75		0.059	0.150	11-558-3	88.75	DIST2:		Skirt:	NONE					
	SWI10133-4	89.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-558-4	89.00	DIST3:				
REFERENCE # 8-94235-878-0		TOP			2ND			OIL			REFERENCE # 8-94143-151-3					
2.2L (132CID,2156CC),SOHC,4CYL, 85.000MM (3.346"), RJ1,F22B6 / 1996-1997																
OASIS / 96-97	SWH30383-0	85.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-751-0	85.00	TL:	65.00	PL:	57.00	CHK.
	SWH30383-1	85.25		0.047	0.120	11-751-1	85.25	CH:	30.50	PD:	22.00	DIA				
	SWH30383-2	85.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-751-2	85.50	DIST1:	-3.80	Head:	NONE	14.00
	SWH30383-3	85.75		0.047	0.134	11-751-3	85.75	DIST2:		Skirt:	NONE					
	SWH30383-4	86.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-751-4	86.00	DIST3:				
REFERENCE # 13011-P0A-004 13011-P0A-A04 5-86202-103-0		TOP			2ND			OIL			REFERENCE # 13010-P0A-010 5-86202-102-0					
2.2L (133CID,2180CC),DOHC,4CYL, 86.000MM (3.386"), X22SE / 1998-1999																
AMIGO / 98-99	SWI10205-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-747-0	86.00	TL:	55.50	PL:	61.50	CHK.
	SWI10205-1	86.25		0.059	0.136	11-747-1	86.25	CH:	30.40	PD:	21.00	DIA				
	SWI10205-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	11-747-2	86.50	DIST1:	-7.50	Head:	NONE	10.00
	SWI10205-3	86.75		0.059	0.138	11-747-3	86.75	DIST2:		Skirt:	NONE					
	SWI10205-4	87.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-747-4	87.00	DIST3:				
REFERENCE # 8-92062-027-0		TOP			2ND			OIL			REFERENCE # 8-92062-910-0					






ISUZU

ISUZU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.2L (133CID,2180CC),DOHC,4CYL, 86.000MM (3.386"), X22SE / 2001-2003																	
RODEO SPORT / 01-03	SWI10206-0	86.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-840-0	86.00	TL:	53.70	PL:	61.00	CHK.	
	SWI10206-1	86.25		0.047		0.106				11-840-1	86.25	CH:	27.60	PD:	21.00	DIA	
	SWI10206-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	11-840-2	86.50	DIST1:	1.20	Head:	NONE	15.00	
	SWI10206-3	86.75		0.059		0.138				11-840-3	86.75	DIST2:		Skirt:	NONE		
	SWI10206-4	87.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-840-4	87.00	DIST3:					
			0.098	0.112													
	REFERENCE # 8-92065-115-0		TOP	2ND		OIL					REFERENCE # 8-92064-692-0		 				
2.2L (134CID,2197CC),SOHC,4CYL, 89.000MM (3.504"), GM122 / 1996-2000																	
HOMBRE / 96-00	SWI10195-0	89.00	Top:	1.500	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWI10195-1	89.25		0.059		0.159											
	SWI10195-2	89.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE								
	SWI10195-3	89.75		0.059		0.142											
	SWI10195-4	90.00	Oil:	3.000	X	2.950	NIFF-S	STEEL	CHROME								
			0.118	0.116													
	REFERENCE # 12363179 8-12363-179-0		TOP	2ND		OIL											
2.2L (134CID,2198CC),DOHC,4CYL, 86.000MM (3.386"), X22SE / 1998-2000																	
RODEO / 98-00	SWI10205-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-747-0	86.00	TL:	55.50	PL:	61.50	CHK.	
	SWI10205-1	86.25		0.059		0.136				11-747-1	86.25	CH:	30.40	PD:	21.00	DIA	
	SWI10205-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	11-747-2	86.50	DIST1:	-7.50	Head:	NONE	10.00	
	SWI10205-3	86.75		0.059		0.138				11-747-3	86.75	DIST2:		Skirt:	NONE		
	SWI10205-4	87.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-747-4	87.00	DIST3:					
			0.118	0.112													
	REFERENCE # 8-92062-027-0		TOP	2ND		OIL					REFERENCE # 8-92062-910-0		 				
2.2L (134CID,2198CC),DOHC,4CYL, 86.000MM (3.386"), X22SE / 2001-2003																	
RODEO / 01-03	SWI10206-0	86.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-840-0	86.00	TL:	53.70	PL:	61.00	CHK.	
	SWI10206-1	86.25		0.047		0.106				11-840-1	86.25	CH:	27.60	PD:	21.00	DIA	
	SWI10206-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE	11-840-2	86.50	DIST1:	1.20	Head:	NONE	15.00	
	SWI10206-3	86.75		0.059		0.138				11-840-3	86.75	DIST2:		Skirt:	NONE		
	SWI10206-4	87.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-840-4	87.00	DIST3:					
			0.098	0.112													
	REFERENCE # 8-92065-115-0		TOP	2ND		OIL					REFERENCE # 8-92064-692-0		 				






ISUZU

ISUZU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.2L (137CID,2238CC),4CYL, 88.000MM (3.465"), C223 / 1981-1982																
PICKUP / 81-82	SJI10089-0	88.00	Top:	2.500	X	4.000	BF	DUCTILE IRON	CHROME	DISC-11-017-0	88.00					
	SJI10089-1	88.25		0.098		0.157				DISC-11-017-1	88.25					
	SJI10089-2	88.50	2nd:	2.000	X	4.000	TUC	CAST IRON	CHROME	DISC-11-017-2	88.50					
	SJI10089-3	88.75		0.079		0.157				DISC-11-017-3	88.75					
	SJI10089-4	89.00	Oil:	4.500	X	4.700	E-BC3	CAST IRON	CHROME	DISC-11-017-4	89.00					
	REFERENCE # 8-94100-355-0 94250730	TOP 	2ND 	OIL 			REFERENCE # 5-12111-212-0									
2.2L (137CID,2238CC),4CYL, 88.000MM (3.465"), C223 / 1983-1987																
PICKUP / 83-87 TROOPER II / 86-87	SDI10101-0	88.00	Top:	2.000	X	3.250	BF	STEEL	CHROME	11-696-0	88.00	TL:	82.40	PL:	68.00	CHK. DIA
	SDI10101-1	88.25		0.079		0.128				11-696-1	88.25	CH:	47.60	PD:	27.00	
	SDI10101-2	88.50	2nd:	2.000	X	3.550	TUC	CAST IRON	CHROME	11-696-2	88.50	DIST1:	-2.60	Head:	NONE	
	SDI10101-3	88.75		0.079		0.140				11-696-3	88.75	DIST2:		Skirt:	NONE	
	SDI10101-4	89.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	11-696-4	89.00	DIST3:				
	REFERENCE # 8-94250-730-0	TOP 	2ND 	OIL 			REFERENCE # 8-94250-729-0									
2.2L (137CID,2238CC),4CYL, 88.000MM (3.465"), C223T / 1986-1987 TURBO																
PICKUP / 86-87 TROOPER II / 87-87	SJI10111-0	88.00	Top:	2.500	X	4.000	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SJI10111-1	88.25		0.098		0.157										
	SJI10111-2	88.50	2nd:	2.000	X	3.550	TUC	CAST IRON	CHROME							
	SJI10111-3	88.75		0.079		0.140										
	SJI10111-4	89.00	Oil:	4.000	X	4.000	E-BC3	CAST IRON	CHROME							
	REFERENCE # 8-94158-084-0	TOP 	2ND 	OIL 												
2.3L (137CID,2253CC),SOHC,4CYL, 86.000MM (3.386"), F23A7 / 1998-1999																
OASIS / 98-99	SWH30443-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWH30443-1	86.25		0.047		0.114										
	SWH30443-2	86.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE							
	SWH30443-3	86.75		0.047		0.134										
	SWH30443-4	87.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME							
	REFERENCE # 13011-P8A-A01 13011-PEA-004 5-86205-887-0	TOP 	2ND 	OIL 												






ISUZU

ISUZU


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
2.3L (138CID,2254CC),SOHC,4CYL, 89.300MM (3.516"), 4ZD1 / 1986-1995																
AMIGO / 89-93	SWI10123-0	89.30	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-554-0	89.30	TL:	81.00	PL:	77.00	CHK.
IMPULSE / 88-89	SWI10123-1	89.55		0.059	0.130				11-554-1	89.55	CH:	39.00	PD:	23.00	DIA	
PICKUP / 89-95	SWI10123-2	89.80	2nd:	1.500	X	3.800	T1	DUCTILE IRON	CHROME	11-554-2	89.80	DIST1:	-5.20	Head:	NONE	30.00
TROOPER II / 86-87	SWI10123-3	90.05		0.059	0.150				11-554-3	90.05	DIST2:		Skirt:	NONE		
	SWI10123-4	90.30	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-554-4	90.30	DIST3:				
				0.157		0.120										
REFERENCE # 8-94153-966-2		TOP		2ND		OIL		REFERENCE # 8-94438-625-2 8-94439-301-2								
2.6L (156CID,2559CC),SOHC,4CYL, 92.600MM (3.646"), 4ZE1 / 1988-1992																
AMIGO / 89-92	SWI10144-0	92.60	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-555-0	92.60	TL:	79.00	PL:	72.00	CHK.
PICKUP / 88-92	SWI10144-1	92.85		0.059	0.130				11-555-1	92.85	CH:	36.50	PD:	23.00	DIA	
RODEO / 91-92	SWI10144-2	93.10	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-555-2	93.10	DIST1:	-1.40	Head:	NONE	25.00
TROOPER / 89-91	SWI10144-3	93.35		0.059	0.157				11-555-3	93.35	DIST2:		Skirt:	NONE		
TROOPER II / 88-88	SWI10144-4	93.60	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-555-4	93.60	DIST3:				
				0.157		0.120										
REFERENCE # 8-94405-614-0 8-94405-614-2 8-97037-801-1		TOP		2ND		OIL		REFERENCE # 8-94163-189-3								
2.6L (156CID,2559CC),SOHC,4CYL, 92.600MM (3.646"), 4ZE1 / 1993-1997																
AMIGO / 93-94	SWI10144-0	92.60	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-559-0	92.60	TL:	79.00	PL:	72.00	CHK.
PICKUP / 93-95	SWI10144-1	92.85		0.059	0.130				11-559-1	92.85	CH:	36.50	PD:	23.00	DIA	
RODEO / 93-97	SWI10144-2	93.10	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-559-2	93.10	DIST1:	-4.50	Head:	NONE	25.00
	SWI10144-3	93.35		0.059	0.157				11-559-3	93.35	DIST2:		Skirt:	NONE		
	SWI10144-4	93.60	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-559-4	93.60	DIST3:				
				0.157		0.120										
REFERENCE # 8-94405-614-0 8-94405-614-2 8-97037-801-1		TOP		2ND		OIL		REFERENCE # 8-97037-801-1								
2.8L (173CID,2827CC),OHV,6CYL, 89.000MM (3.504"), LL2 / 1989-1991																
TROOPER / 89-91	SWI10154-0	89.00	Top:	1.500	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWI10154-1	89.25		0.059	0.159											
	SWI10154-2	89.50	2nd:	2.000	X	4.050	T1-RC	CAST IRON	PHOSPHATE							
	SWI10154-3	89.75		0.079	0.159											
	SWI10154-4	90.00	Oil:	4.760	X	3.900	NIFF-S	STEEL	CHROME							
				0.187		0.154										
REFERENCE # 14059051 14089059 8-14089-059-0		TOP		2ND		OIL										




ISUZU
ISUZU






ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.9L (178CID,2921CC),DOHC,4CYL, 95.500MM (3.760"), Vortec 2900 LLV / 2007-2008																
i-290 / 07-08	SWG10037-0	95.50	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG10037-1	95.75		0.047	0.130											
	SWG10037-2	96.00	2nd:	1.500	X	3.700	TUC	CAST IRON	PHOSPHATE							
	SWG10037-3	96.25		0.059	0.146											
	SWG10037-4	96.50	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME							
	REFERENCE # 89018219		TOP	2ND	OIL											
3.0L (183CID,2999CC),DOHC,4CYL, 95.400MM (3.756"), 4JJ1-TC / 2011-2015																
NPR ECO-MAX / 11-15	SDI10215-0	95.40	Top:	2.000	X	3.450	BF-K2	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDI10215-1	95.65		0.079	0.136											
	SDI10215-2	95.90	2nd:	2.000	X	4.400	T1-IC	CAST IRON	CHROME							
	SDI10215-3	96.15		0.079	0.173											
	SDI10215-4	96.40	Oil:	3.000	X	3.000	E-BC16	STEEL	NITRIDED							
	REFERENCE # 8-98053-579-0		TOP	2ND	OIL											
3.0L (183CID,2999CC),DOHC,4CYL, 95.400MM (3.756"), 4JJ1-TC / 2011-2015 TURBO																
NPR ECO-MAX / 11-15	SDI10210-0	95.40	Top:	2.000	X	3.450	BF-K2	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDI10210-1	95.65		0.079	0.136											
	SDI10210-2	95.90	2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE							
	SDI10210-3	96.15		0.059	0.157											
	SDI10210-4	96.40	Oil:	3.000	X	3.000	E-BC16	STEEL	NITRIDED							
	REFERENCE # 8-97388-734-0		TOP	2ND	OIL											
3.1L (191CID,3137CC),OHV,6CYL, 89.000MM (3.504"), CPC / 1991-1994																
PICKUP / 91-94	SWI10155-0	89.00	Top:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-569-0	89.00					
RODEO / 91-92	SWI10155-1	89.25		0.059	0.146					DISC-11-569-1	89.25					
	SWI10155-2	89.50	2nd:	1.500	X	3.600	T1-RC	CAST IRON	PHOSPHATE	DISC-11-569-2	89.50					
	SWI10155-3	89.75		0.059	0.142					DISC-11-569-3	89.75					
	SWI10155-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	DISC-11-569-4	90.00					
	REFERENCE # 10181330 8-10181-330-0 F6DZ 6148 RA F6DZ 6148 RA* ZZCA-11-100		TOP	2ND	OIL				REFERENCE # 10070145 8-10070-145-0							






ISUZU

ISUZU


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.2L (193CID,3165CC),DOHC,6CYL, 93.400MM (3.677"), 6VD1 / 1992-2003																
AMIGO / 98-00	SWI10185-0	93.40	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
RODEO SPORT / 01-03	SWI10185-1	93.65		0.059	0.136	TUC	CAST IRON	PHOSPHATE								
TROOPER / 92-95	SWI10185-2	93.90	2nd:	1.500	X	4.000										
	SWI10185-3	94.15		0.059	0.157	NIFF-S	STEEL	CHROME								
	SWI10185-4	94.40	Oil:	4.000	X	3.150										
			0.157	0.124												
REFERENCE # 8-97162-198-0		TOP 2ND OIL 														
3.2L (193CID,3165CC),SOHC,6CYL, 93.400MM (3.677"), 6VD1 / 1992-1997																
RODEO / 93-97	SWI10185-0	93.40	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-686-0	93.40	TL:	65.20	PL:	66.00	CHK.
TROOPER / 92-97	SWI10185-1	93.65		0.059	0.136	TUC	CAST IRON	PHOSPHATE	11-686-1	93.65	CH:	31.70	PD:	22.00	DIA	
	SWI10185-2	93.90	2nd:	1.500	X	4.000			11-686-2	93.90	DIST1:		Head:	NONE	10.00	
	SWI10185-3	94.15		0.059	0.157	NIFF-S	STEEL	CHROME	11-686-3	94.15	DIST2:		Skirt:	NONE		
	SWI10185-4	94.40	Oil:	4.000	X	3.150			11-686-4	94.40	DIST3:					
			0.157	0.124												
REFERENCE # 8-97162-198-0		TOP 2ND OIL 								REFERENCE # 8-94374-965-1						
3.5L (213CID,3494CC),DOHC,6CYL, 93.400MM (3.677"), 6VE1 / 1998-1998																
TROOPER / 98-98	SWI10191-0	93.40	Top:	1.500	X	3.250	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWI10191-1	93.65		0.059	0.128	T1	CAST IRON	PHOSPHATE								
	SWI10191-2	93.90	2nd:	1.500	X	4.000										
	SWI10191-3	94.15		0.059	0.157	NIFF-S	STEEL	CHROME								
	SWI10191-4	94.40	Oil:	3.000	X	2.850										
			0.118	0.112												
REFERENCE # 8-97136-135-0		TOP 2ND OIL 														
3.5L (213CID,3494CC),DOHC,6CYL, 93.400MM (3.677"), 6VE1 / 1999-2004																
AXIOM / 02-04	SWI10191-0	93.40	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-793-0	93.40	TL:	52.70	PL:	66.00	CHK.
TROOPER / 99-02	SWI10191-1	93.65		0.059	0.128	T1	CAST IRON	PHOSPHATE	11-793-1	93.65	CH:	29.70	PD:	22.00	DIA	
	VehiCROSS / 99-01	SWI10191-2	93.90	2nd:	1.500	X	4.000			11-793-2	93.90	DIST1:	-3.00	Head:	NONE	15.00
	SWI10191-3	94.15	0.059		0.157	NIFF-S	STEEL	CHROME	11-793-3	94.15	DIST2:		Skirt:	NONE		
	SWI10191-4	94.40	Oil:	3.000	X	2.850			11-793-4	94.40	DIST3:					
			0.118	0.112												
REFERENCE # 8-97136-135-0		TOP 2ND OIL 								REFERENCE # 8-97136-315-3 8-97163-315-3						




ISUZU
ISUZU



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.5L (213CID,3494CC),DOHC,6CYL, 93.400MM (3.677"), 6VE1 / 2004-2004																
RODEO / 04-04	SWI10191-0	93.40	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-764-0	93.40	TL:	57.00	PL:	66.00	CHK.
	SWI10191-1	93.65		0.059	0.128				11-764-1	93.65	CH:	33.70	PD:	22.00	DIA	
	SWI10191-2	93.90	2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE	11-764-2	93.90	DIST1:	-1.90	Head:	NONE	10.00
	SWI10191-3	94.15		0.059	0.157				11-764-3	94.15	DIST2:		Skirt:	NONE		
	SWI10191-4	94.40	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-764-4	94.40	DIST3:				
	REFERENCE # 8-97136-135-0	TOP 	2ND 	OIL 				REFERENCE # 8-97172-674-0								
3.7L (223CID,3653CC),DOHC,5CYL, 95.500MM (3.760"), Vortec 3700 LLR / 2007-2008																
i-370 / 07-08	SWG10036-0	95.50	Top:	1.200	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG10036-1	95.75		0.047	0.130											
	SWG10036-2	96.00	2nd:	1.500	X	3.700	TUC	CAST IRON	PHOSPHATE							
	SWG10036-3	96.25		0.059	0.146											
	SWG10036-4	96.50	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME							
	REFERENCE # 8-89018-219-0 89018219	TOP 	2ND 	OIL 												
4.3L (262CID,4293CC),OHV,6CYL, 101.600MM (4.000"), Vortec 4300 LF6 / 1997-2000																
HOMBRE / 97-00	SWI10196-0	89.00	Top:	1.500	X	3.650	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWI10196-1	89.25		0.059	0.144											
	SWI10196-2	89.50	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE							
	SWI10196-3	89.75		0.059	0.165											
	SWI10196-4	90.00	Oil:	3.000	X	3.350	NIFF-S	STEEL	CHROME							
	REFERENCE # 12522848 8-12522-848-0	TOP 	2ND 	OIL 												
5.2L (317CID,5193CC),SOHC,4CYL, 115.000MM (4.528"), 4HK1-TC / 2005-2015																
NPR - HD DSL / 05-15 NQR / 05-15 NRR / 05-15	SDI10207-0	115.00	Top:	2.948	X	4.150	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDI10207-1	115.25		0.116	0.163											
	SDI10207-2	115.50	2nd:	2.000	X	4.300	T1-IB	STEEL	NITRIDED							
	SDI10207-3	115.75		0.079	0.169											
	SDI10207-4	116.00	3rd:	2.500	X	4.800	TUC	CAST IRON	CHROME							
		Oil:	3.000	X	3.100	E-BC16	STEEL	NITRIDED								
	REFERENCE # 8-98017-166-0	TOP 	2ND 	3RD 	OIL 											





ISUZU

ISUZU


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 III / 2003-2004																
ASCENDER / 03-04	SWG10005-0	96.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-829-0	96.00	TL:	64.80	PL:	72.00	CHK.
	SWG10005-1	96.25		0.059		0.130				11-829-1	96.25	CH:	33.70	PD:	24.00	DIA
	SWG10005-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	11-829-2	96.50	DIST1:	-1.70	Head:	NONE	16.00
	SWG10005-3	96.75		0.059		0.157				11-829-3	96.75	DIST2:		Skirt:	MS	
	SWG10005-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	11-829-4	97.00	DIST3:				
	AM Ring Available			0.118		0.126										
	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
	12456338															
	19208677															
	8-12456-338-0															
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 III / 2005-2006																
ASCENDER / 05-06	SWG10005-0	96.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG10005-1	96.25		0.059		0.130										
	SWG10005-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE							
	SWG10005-3	96.75		0.059		0.157										
	SWG10005-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED							
	AM Ring Available			0.118		0.126										
	REFERENCE #		TOP	2ND		OIL										
	12456338															
	19208677															
	8-12456-338-0															
6.0L (364CID,5957CC),OHV,8CYL, 101.600MM (4.000"), Vortec 6000 L96 / 2012-2015																
NPR - GAS / 12-15	SWG10031-0	101.60	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-889-0	101.60	TL:	57.90	PL:	65.00	CHK.
	SWG10031-1	101.85		0.047		0.138				11-889-1	101.85	CH:	33.90	PD:	23.96	DIA
	SWG10031-2	102.10	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	11-889-2	102.10	DIST1:	-1.40	Head:	NONE	13.00
	SWG10031-3	102.35		0.059		0.165				11-889-3	102.35	DIST2:		Skirt:	MS	
	SWG10031-4	102.60	Oil:	2.500	X	2.550	NIFF-H	STEEL	CHROME	11-889-4	102.60	DIST3:				
				0.098		0.100										
	REFERENCE #		TOP	2ND		OIL		REFERENCE #								
	19178307															
	8-89017-484-0															
	89017484															

JAGUAR

JAGUAR

2.0L (122.0 CID, 1,999.0 CC), DOHC, 4CYL, 87.500mm (3.445"), EcoBoost 20T / 2013-2018 TURBO											
XF / 13-18	SWF30023-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30023-1	87.75		0.047		0.114					
	SWF30023-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE		
	SWF30023-3	88.25		0.047		0.134					
	SWF30023-4	88.50	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED		
				0.079		0.098					
	REFERENCE #		TOP	2ND		OIL					
	AG9Z 6148 A										
	CM5Z 6148 AB										
	EJ7E 6148 AA										






JAGUAR

JAGUAR

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
3.0L (181CID,2967CC),DOHC,6CYL, 89.000MM (3.504"), DURATEC 30 / 2002-2008										
S-TYPE / 07-08	SWF30021-0	89.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
X-TYPE / 02-08	SWF30021-1	89.25		0.047	0.138	TUC	CAST IRON	PHOSPHATE		
	SWF30021-2	89.50	2nd:	1.500	X				4.100	
	SWF30021-3	89.75		0.059	0.161	NIFF-S	STEEL	NITRIDED		
	SWF30021-4	90.00	Oil:	2.500	X				2.850	
				0.098	0.112					
	REFERENCE #	TOP	2ND		OIL					
	AL8Z 6148 A									
	C2C005449									
	XW4Z 6148 A									
	YF1Z 6148 BA									

KIA


KIA

1.5L (91CID,1493CC),DOHC,4CYL, 75.500MM (2.972"), DC / 2001-2002																		
RIO / 01-02 RIO CINCO / 01-02	SWK30019-0	75.50	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	11-773-0	75.50	TL:	51.30	PL:	52.00	CHK.		
	SWK30019-1	75.75		0.047	0.112	11-773-1				75.75	CH:	28.30	PD:	19.98	DIA			
	SWK30019-2	76.00	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE	11-773-2	76.00	DIST1:	-2.30	Head:	NONE	18.00		
	SWK30019-3	76.25		0.047	0.130	11-773-3				76.25	DIST2:						Skirt:	NONE
	SWK30019-4	76.50		Oil:	2.500	X				2.800								
				0.098		0.110												
REFERENCE # K3Y2-11-SCO			TOP	2ND		OIL		REFERENCE # K3Y2-11-SAO										

1.6L (97CID,1591CC),DOHC,4CYL, 77.000MM (3.031"), GAMMA 1.6L, GAMMA G4FJ / 2010-2016										
FORTE 5 / 14-15	SWG30046-0	77.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
FORTE KOUP / 14-15	SWG30046-1	77.25		0.047		0.112				
OPTIMA / 16-16	SWG30046-2	77.50	2nd:	1.200	X	3.050	TUC	CAST IRON	PHOSPHATE	
RIO / 12-15	SWG30046-3	77.75		0.047		0.120				
Soul / 10-15	SWG30046-4	78.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	CHROME	
				0.079		0.100				
REFERENCE #			TOP	2ND		OIL				
23040-2B000										
23040-2B600										



1.6L (97CID,1597CC),DOHC,4CYL, 78.000MM (3.071"), B6 / 1995-1997										
Sephia / 95-97	SWK30020-0	78.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWK30020-1	78.25		0.059	X	0.120				
	SWK30020-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	
	SWK30020-3	78.75		0.059	X	0.134				
	SWK30020-4	79.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	
		0.157		X	0.120					
	REFERENCE #		TOP	2ND	OIL					
	K2YA-11-SCO									






KIA

KIA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO								
1.6L (97CID,1597CC),SOHC,4CYL, 78.000MM (3.071"), B6 / 1994-1995																		
Sephia / 94-95	SWK30020-0	78.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	DISC-11-786-0	78.00							
	SWK30020-1	78.25		0.059		0.120				DISC-11-786-1	78.25							
	SWK30020-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	DISC-11-786-2	78.50							
	SWK30020-3	78.75		0.059		0.134				DISC-11-786-3	78.75							
	SWK30020-4	79.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-786-4	79.00							
				0.157		0.120												
	REFERENCE # K2YA-11-SCO		TOP			2ND			OIL			REFERENCE # B6Y3-11-SA0A K2Y3-11-SAO						
																		
1.6L (98CID,1599CC),DOHC,4CYL, 76.500MM (3.012"), ALPHA G4ED,ALPHA II G4ED / 2003-2005																		
RIO / 03-05 RIO CINCO / 03-05	SWG30030-0	76.50	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	DISC-11-819-0	76.50							
	SWG30030-1	76.75		0.047		0.112				DISC-11-819-1	76.75							
	SWG30030-2	77.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	DISC-11-819-2	77.00							
	SWG30030-3	77.25		0.047		0.126				DISC-11-819-3	77.25							
	SWG30030-4	77.50	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	DISC-11-819-4	77.50							
				0.098		0.112												
	REFERENCE # 23040-26101		TOP			2ND			OIL			REFERENCE # 23410-26121 23410-26212						
																		
1.6L (98CID,1599CC),DOHC,4CYL, 76.500MM (3.012"), ALPHA II G4ED / 2006-2011																		
RIO / 06-11 RIO 5 / 06-11	SWG30034-0	76.50	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
	SWG30034-1	76.75		0.047		0.112												
	SWG30034-2	77.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE									
	SWG30034-3	77.25		0.047		0.126												
	SWG30034-4	77.50	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED									
				0.079		0.098												
	REFERENCE # 23040-26120 23040-26160		TOP			2ND			OIL									
																		
1.8L (109CID,1793CC),DOHC,4CYL, 81.000MM (3.189"), FB / 2000-2004																		
Spectra / 00-04	SWG30040-0	81.00	Top:	1.200	X	3.300	BF-IB	STEEL	CHROME	11-841-0	81.00	TL:	50.30	PL:	58.00	CHK.		
	SWG30040-1	81.25		0.047		0.130				11-841-1	81.25	CH:	30.20	PD:	20.00	DIA		
	SWG30040-2	81.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-841-2	81.50	DIST1:	-2.60	Head:	NONE	10.00		
	SWG30040-3	81.75		0.047		0.134				11-841-3	81.75	DIST2:		Skirt:	NONE			
	SWG30040-4	82.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-841-4	82.00	DIST3:						
				0.098		0.112												
	REFERENCE # 23040-2Y000		TOP			2ND			OIL			REFERENCE # 23410-2Y010		  				
																		






KIA

KIA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (110CID,1797CC),DOHC,4CYL, 81.000MM (3.189"), Nu 1.8L / 2014-2015																
FORTE / 14-15	SWG30059-0	81.00	Top:	1.000	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30059-1	81.25		0.039		0.106										
	SWG30059-2	81.50	2nd:	1.200	X	3.150	TUC-RB	CAST IRON	PHOSPHATE							
	SWG30059-3	81.75		0.047		0.124										
	SWG30059-4	82.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED							
		0.079		0.087												
	REFERENCE # 23040-2E000		TOP		2ND		OIL									
																
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), BP / 1995-2000																
Sephia / 95-00	SWT20066-0	83.00	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED		11-703-0	83.00	TL:	61.50	PL:	70.00
	SWT20066-1	83.25		0.059		0.130							11-703-1	83.25	CH:	30.60
	SWT20066-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-703-2	83.50	DIST1:	0.50	Head:	NONE	15.00
	SWT20066-3	83.75		0.059		0.142							11-703-3	83.75	DIST2:	
	SWT20066-4	84.00	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	11-703-4	84.00	DIST3:				
		0.118		0.110												
	REFERENCE # BPY0-11-SCO BPY1-11-SC0 BPY3-11-SC0 BPZ0-11-SC0A FOCZ 6149 A		TOP		2ND		OIL		REFERENCE # BPY1-11-SA0A BPY1-11-SAO							
2.0L (121CID,1975CC),DOHC,4CYL, 82.000MM (3.228"), BETA G4GF / 2005-2008																
Spectra5 / 05-08 SPORTAGE / 05-06	SWG30028-0	82.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-838-0	82.00	TL:	57.80	PL:	59.00	CHK.
	SWG30028-1	82.25		0.047		0.120							11-838-1	82.25	CH:	31.00
	SWG30028-2	82.50	2nd:	1.200	X	3.500	T1	CAST IRON	PHOSPHATE	11-838-2	82.50	DIST1:	0.30	Head:	NONE	10.00
	SWG30028-3	82.75		0.047		0.138							11-838-3	82.75	DIST2:	
	SWG30028-4	83.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-838-4	83.00	DIST3:				
		0.098		0.112												
	REFERENCE # 23040-23000 23040-23200		TOP		2ND		OIL		REFERENCE # 23410-23711							
2.0L (121CID,1975CC),DOHC,4CYL, 82.000MM (3.228"), BETA II G4JP / 2007-2011																
Soul / 10-11 Spectra / 07-09 Spectra5 / 09-09 SPORTAGE / 07-10	SWG30054-0	82.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-901-0	82.00	TL:	57.90	PL:	59.00	CHK.
	SWG30054-1	82.25		0.047		0.112							11-901-1	82.25	CH:	31.10
	SWG30054-2	82.50	2nd:	1.200	X	3.050	TUC	CAST IRON	PHOSPHATE	11-901-2	82.50	DIST1:	0.30	Head:	NONE	5.00
	SWG30054-3	82.75		0.047		0.120							11-901-3	82.75	DIST2:	
	SWG30054-4	83.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	NITRIDED	11-901-4	83.00	DIST3:				
		0.079		0.096												
	REFERENCE # 23040-23300 23040-23400		TOP		2ND		OIL		REFERENCE # 23410-23300 23410-23AA0							






KIA

KIA




ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), FED / 1995-2002																
SPORTAGE / 95-02	SWK30022-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-699-0	86.00	TL:	71.00	PL:	71.50	CHK.
	SWK30022-1	86.25		0.059	0.130	11-699-1				86.25	CH:	36.00	PD:	22.00	DIA	
	SWK30022-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-699-2	86.50	DIST1:	-0.70	Head:	NONE	18.00
	SWK30022-3	86.75		0.059	0.150	11-699-3				86.75	DIST2:	-5.50	Skirt:	NONE		
	SWK30022-4	87.00		Oil:	4.000	X				3.050	NIFF-S	STEEL	NITRIDED	11-699-4	87.00	DIST3:
REFERENCE # KFY3-11-SCO		TOP	2ND		OIL		REFERENCE # K9Y2-11-SAO									
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), THETA II / 2010-2015																
FORTE / 10-13 FORTE KOUP / 11-13 OPTIMA / 11-15 SPORTAGE / 12-15	SWG30042-0	86.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-909-0	86.00	TL:	53.00	PL:	58.00	CHK.
	SWG30042-1	86.25		0.047	0.120	11-909-1				86.25	CH:	29.70	PD:	22.00	DIA	
	SWG30042-2	86.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-909-2	86.50	DIST1:	-0.40	Head:	AH	15.00
	SWG30042-3	86.75		0.047	0.142	11-909-3				86.75	DIST2:	-1.50	Skirt:	MS		
	SWG30042-4	87.00		Oil:	2.000	X				2.450	NIFF-H	STEEL	CHROME	11-909-4	87.00	DIST3:
REFERENCE # 1110A436 23040-2C400 5191418AB		TOP	2ND		OIL		REFERENCE # 23410-2C400 5191337AA									
2.0L (122CID,1998CC),SOHC,4CYL, 86.000MM (3.386"), FE / 1995-1995																
SPORTAGE / 95-95	SWK30022-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-129-0	86.00	TL:	70.80	PL:	67.00	CHK.
	SWK30022-1	86.25		0.059	0.130	11-129-1				86.25	CH:	34.00	PD:	22.00	DIA	
	SWK30022-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-129-2	86.50	DIST1:	-2.60	Head:	NONE	10.00
	SWK30022-3	86.75		0.059	0.150	11-129-3				86.75	DIST2:		Skirt:	NONE		
	SWK30022-4	87.00		Oil:	4.000	X				3.050	NIFF-S	STEEL	NITRIDED	11-129-4	87.00	DIST3:
REFERENCE # KFY3-11-SCO		TOP	2ND		OIL		REFERENCE # FE01-23-200 FEY0-11-SAO									
2.0L (122CID,1999CC),DOHC,4CYL, 81.000MM (3.189"), Nu 2.0L / 2012-2015																
FORTE / 14-15 FORTE 5 / 14-15 FORTE KOUP / 14-15 Soul / 12-15	SWG30059-0	81.00	Top:	1.000	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30059-1	81.25		0.039	0.106											
	SWG30059-2	81.50	2nd:	1.200	X	3.150	TUC-RB	CAST IRON	PHOSPHATE							
	SWG30059-3	81.75		0.047	0.124											
	SWG30059-4	82.00		Oil:	2.000	X										2.200
REFERENCE # 23040-2E000		TOP	2ND		OIL											






KIA

KIA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (143CID,2350CC),DOHC,4CYL, 86.500MM (3.406"), SIRIUS II G4JS / 2001-2005																
OPTIMA / 01-05	SWG30047-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-772-0	86.50	TL:	66.70	PL:	62.00	CHK.
	SWG30047-1	86.75		0.047		0.122				11-772-1	86.75	CH:	34.60	PD:	22.00	DIA
	SWG30047-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-772-2	87.00	DIST1:	-3.50	Head:	NONE	5.00
	SWG30047-3	87.25		0.059		0.150				11-772-3	87.25	DIST2:		Skirt:	NONE	
	SWG30047-4	87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-772-4	87.50	DIST3:				
REFERENCE # 23040-38200 23040-38212		TOP	2ND		OIL						REFERENCE # 23410-38200 23411-38200					
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), THETA II G4KC / 2006-2015																
FORTE / 10-13 FORTE KOUP / 11-13 OPTIMA / 06-08 SORENTO / 11-15 SPORTAGE / 11-15	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-908-0	88.00	TL:	51.50	PL:	58.00	CHK.
	SWG30041-1	88.25		0.047		0.120				11-908-1	88.25	CH:	27.20	PD:	21.00	DIA
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-908-2	88.50	DIST1:	-1.50	Head:	NONE	15.00
	SWG30041-3	88.75		0.047		0.142				11-908-3	88.75	DIST2:	-3.30	Skirt:	MS	
	SWG30041-4	89.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-908-4	89.00	DIST3:				
REFERENCE # 1110A822 23040-25200 5191424AA		TOP	2ND		OIL						REFERENCE # 23410-25211 5191340AA					
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), THETA II G4KC,THETA II G4KH / 2009-2015																
OPTIMA / 09-15 OPTIMA HYBRID / 11-15	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG30041-1	88.25		0.047		0.120										
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWG30041-3	88.75		0.047		0.142										
	SWG30041-4	89.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME							
REFERENCE # 1110A822 23040-25200 5191424AA		TOP	2ND		OIL											
2.7L (162CID,2656CC),DOHC,6CYL, 86.700MM (3.413"), DELTA G6BA / 2002-2006																
OPTIMA / 02-06 SPORTAGE / 05-06	SWG30037-0	86.70	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-862-0	86.70	TL:	54.00	PL:	60.00	CHK.
	SWG30037-1	86.95		0.047		0.120				11-862-1	86.95	CH:	30.40	PD:	21.01	DIA
	SWG30037-2	87.20	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	11-862-2	87.20	DIST1:	-0.80	Head:	NONE	6.00
	SWG30037-3	87.45		0.047		0.142				11-862-3	87.45	DIST2:		Skirt:	NONE	
	SWG30037-4	87.70	Oil:	2.500	X	2.900	NIFF-H	STEEL	CHROME	11-862-4	87.70	DIST3:				
REFERENCE # 23040-37300		TOP	2ND		OIL						REFERENCE # 23410-37307 23410-37310					






KIA

KIA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.7L (162CID,2656CC),DOHC,6CYL, 86.700MM (3.413"), Mu G6A5 / 2006-2010																
OPTIMA / 06-10	SWG30045-0	86.70	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-892-0	86.70	TL:	54.00	PL:	59.00	CHK.
Rondo / 07-10	SWG30045-1	86.95		0.047	0.120					11-892-1	86.95	CH:	30.50	PD:	21.00	DIA
SPORTAGE / 07-10	SWG30045-2	87.20	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	11-892-2	87.20	DIST1:	-0.60	Head:	NONE	5.00
	SWG30045-3	87.45		0.047	0.142					11-892-3	87.45	DIST2:		Skirt:	MS	
	SWG30045-4	87.70		Oil:	2.000	X	2.650	NIFF-H	STEEL	NITRIDED	11-892-4	87.70	DIST3:			
REFERENCE # 23040-3E001		TOP	2ND		OIL		REFERENCE # 23410-3E001									
3.3L (204CID,3342CC),DOHC,6CYL, 92.000MM (3.622"), LAMBDA G6DB,LAMBDA II G6DG / 2008-2017																
Cadenza / 14-17	SWG30055-0	92.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SEDONA / 14-17	SWG30055-1	92.25		0.047	0.122											
SORENTO / 08-09	SWG30055-2	92.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
	SWG30055-3	92.75		0.047	0.134											
	SWG30055-4	93.00		Oil:	2.000	X	2.550	NIFF-H	STEEL							NITRIDED
REFERENCE # 23040-3C150		TOP	2ND		OIL											
3.5L (213CID,3497CC),DOHC,6CYL, 93.000MM (3.661"), SIGMA G6AU / 2002-2006																
AMANTI / 04-06	SWG30056-0	93.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SEDONA / 02-05	SWG30056-1	93.25		0.059	0.130											
SORENTO / 03-06	SWG30056-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	CHROME							
	SWG30056-3	93.75		0.059	0.154											
	SWG30056-4	94.00		Oil:	3.000	X	2.850	NIFF-S	STEEL							NITRIDED
REFERENCE # 23040-39800		TOP	2ND		OIL											

LAND ROVER

LAND ROVER

2.0L (122.0 CID, 1,999.0 CC), DOHC, 4CYL, 87.500mm (3.445"), EcoBoost 20T / 2013-2018 TURBO											
DISCOVERY / 17-18	SWF30023-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
DISCOVERY SPORT / 17-18	SWF30023-1	87.75		0.047		0.114					
LR2 / 13-15	SWF30023-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE		
RANGE ROVER EVOQUE / 13-18	SWF30023-3	88.25		0.047		0.134					
	SWF30023-4	88.50	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED		
			0.079		0.098						
RANGE ROVER VELAR / 17-18	REFERENCE # AG9Z 6148 A CM5Z 6148 AB EJ7E 6148 AA		TOP	2ND		OIL					
											





LAND ROVER
LAND ROVER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
4.0L (245CID,4009CC),SOHC,6CYL, 100.400MM (3.953"), COLOGNE 40 / 2005-2009										
LR3 / 05-09	SWF30012-0	100.40	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWF30012-1	100.65		0.047	0.138					
	SWF30012-2	100.90	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE	
	SWF30012-3	101.15		0.059	0.165					
	SWF30012-4	101.40	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME	
				0.118	0.128					
	REFERENCE #		TOP	2ND		OIL				
1F62-23-130										
2U3Z 6148 AA										
										

LEXUS
LEXUS







1.8L (110CID,1798CC),DOHC,4CYL, 80.500MM (3.169"), 2ZR-FXE / 2011-2015										
CT 200 HYBRID / 11-15	SWT10232-0	80.50	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWT10232-1	80.75		0.039	0.114					
	SWT10232-2	81.00	2nd:	1.000	X	2.500	TUC	STEEL	PHOSPHATE	
	SWT10232-3	81.25		0.039	0.098					
	SWT10232-4	81.50	Oil:	1.500	X	1.950	NIFF-H	STEEL	CHROME	
				0.059	0.077					
REFERENCE #		TOP	2ND	OIL						
13011-0T010										
13011-37110										
19185554										
2.4L (144CID,2355CC),DOHC,4CYL, 88.500MM (3.484"), 2AZ-FXE / 2010-2012										
HS 250 HYBRID / 10-12	SDT10200-0	88.50	Top:	1.000	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDT10200-1	88.75		0.039	0.106					
	SDT10200-2	89.00	2nd:	1.000	X	2.700	TUC	CAST IRON	PHOSPHATE	
	SDT10200-3	89.25		0.039	0.106					
	SDT10200-4	89.50	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	
				0.079	0.108					
REFERENCE #		TOP	2ND	OIL						
13011-0H031										
13011-28161										
2.5L (152CID,2499CC),DOHC,6CYL, 83.000MM (3.268"), 4GR-FSE / 2006-2015										
IS 250 / 06-15 IS 250C / 10-15	SDT10225-0	83.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDT10225-1	83.25		0.047	0.106					
	SDT10225-2	83.50	2nd:	1.200	X	2.700	B1-TUC	STEEL	CHROME	
	SDT10225-3	83.75		0.047	0.106					
	SDT10225-4	84.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	
				0.079	0.108					
REFERENCE #		TOP	2ND	OIL						
13011-31220										






LEXUS

LEXUS

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.5L (153CID,2507CC),DOHC,6CYL, 87.500MM (3.445"), 2VZ-FE / 1990-1991																	
ES 250 / 90-91	SWT10148-0	87.50	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-651-0	87.50	TL:	65.20	PL:	63.00	CHK.	
	SWT10148-1	87.75		0.059	0.130				11-651-1	87.75	CH:	32.30	PD:	21.00	DIA		
	SWT10148-2	88.00	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-651-2	88.00	DIST1:	-2.20	Head:	AH	10.00	
	SWT10148-3	88.25		0.059	0.150				11-651-3	88.25	DIST2:		Skirt:	NONE			
	SWT10148-4	88.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-651-4	88.50	DIST3:					
				0.118		0.114											
	REFERENCE # 13011-62040		TOP	2ND		OIL					REFERENCE # 13101-62020-01		 				
																	
	3.0L (181CID,2958CC),DOHC,6CYL, 87.500MM (3.445"), 3VZ-FE / 1992-1993																
ES 300 / 92-93	SWT10144-0	87.50	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-661-0	87.50	TL:	62.20	PL:	62.00	CHK.	
	SWT10144-1	87.75		0.059	0.130				11-661-1	87.75	CH:	34.00	PD:	22.00	DIA		
	SWT10144-2	88.00	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-661-2	88.00	DIST1:	-3.40	Head:	NONE	10.00	
	SWT10144-3	88.25		0.059	0.150				11-661-3	88.25	DIST2:		Skirt:	NONE			
	SWT10144-4	88.50	Oil:	4.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-661-4	88.50	DIST3:					
				0.157		0.112											
	REFERENCE # 13011-62060		TOP	2ND		OIL					REFERENCE # 13101-62040-01		  				
																	
	3.0L (183CID,2995CC),DOHC,6CYL, 87.500MM (3.445"), 1MZ-FE / 1994-2003																
ES 300 / 94-03 RX 300 / 99-03	SWT10177-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-720-0	87.50	TL:	51.00	PL:	54.00	CHK.	
	SWT10177-1	87.75		0.047	0.114				11-720-1	87.75	CH:	31.20	PD:	22.00	DIA		
	SWT10177-2	88.00	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE	11-720-2	88.00	DIST1:		Head:	AH	10.00	
	SWT10177-3	88.25		0.047	0.130				11-720-3	88.25	DIST2:		Skirt:	MS			
	SWT10177-4	88.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-720-4	88.50	DIST3:					
				0.118		0.112											
	REFERENCE # 13011-0A020 13011-20022		TOP	2ND		OIL					REFERENCE # 13101-0A020 13101-20030 13301-0A020 13301-20020		  				
																	
	3.0L (183CID,2997CC),DOHC,6CYL, 86.000MM (3.386"), 2JZ-GE / 1992-1997																
GS 300 / 94-97 SC 300 / 92-97	SWT10134-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	DISC-11-770-0	86.00						
	SWT10134-1	86.25		0.059	0.130				DISC-11-770-1	86.25							
	SWT10134-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	DISC-11-770-2	86.50						
	SWT10134-3	86.75		0.059	0.150				DISC-11-770-3	86.75							
	SWT10134-4	87.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	NITRIDED	DISC-11-770-4	87.00						
				0.157		0.114											
	REFERENCE # 13011-46041 13011-46051		TOP	2ND		OIL					REFERENCE # 13101-46031						
																	






LEXUS

LEXUS

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (183CID,2997CC),DOHC,6CYL, 86.000MM (3.386"), 2JZ-GE / 1998-2005																
GS 300 / 98-05	SWT10134-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-851-0	86.00	TL:	59.00	PL:	66.00	CHK.
IS 300 / 01-05	SWT10134-1	86.25		0.059	0.130	TUC	CAST IRON	CHROME	11-851-1	86.25	CH:	34.00	PD:	22.00	DIA	
SC 300 / 98-00	SWT10134-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-851-2	86.50	DIST1:	-2.30	Head:	NONE	10.00
	SWT10134-3	86.75		0.059	0.150	NIFF-S	STEEL	NITRIDED	11-851-3	86.75	DIST2:		Skirt:	MS		
	SWT10134-4	87.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	NITRIDED	11-851-4	87.00	DIST3:				
				0.157		0.114										
REFERENCE # 13011-46041 13011-46051		TOP	2ND	OIL	REFERENCE # 13101-46081											
3.3L (202CID,3311CC),DOHC,6CYL, 92.000MM (3.622"), 3MZ-FE,3MZ-FXE / 2004-2008																
ES 330 / 04-06	SWT10228-0	92.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-867-0	92.00	TL:	54.50	PL:	56.00	CHK.
RX 330 / 04-06	SWT10228-1	92.25		0.047	0.112	TUC	CAST IRON	PHOSPHATE	11-867-1	92.25	CH:	31.20	PD:	22.00	DIA	
RX 400 HYBRID / 06-08	SWT10228-2	92.50	2nd:	1.200	X	3.800	TUC	CAST IRON	PHOSPHATE	11-867-2	92.50	DIST1:	-0.60	Head:	AH	9.40
	SWT10228-3	92.75		0.047	0.150	NIFF-S	STEEL	NITRIDED	11-867-3	92.75	DIST2:		Skirt:	MS		
	SWT10228-4	93.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-867-4	93.00	DIST3:				
				0.118		0.100										
REFERENCE # 13011-0A030 13011-0A031 13011-0A040		TOP	2ND	OIL	REFERENCE # 13101-0A040											
3.5L (211CID,3456CC),DOHC,6CYL, 94.000MM (3.701"), 2GR-FE / 2007-2015																
ES 350 / 07-15	SDT10194-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-870-0	94.00	TL:	52.50	PL:	56.00	CHK.
RX 350 / 07-15	SDT10194-1	94.25		0.047	0.114	TUC	STEEL	PHOSPHATE	11-870-1	94.25	CH:	31.30	PD:	22.00	DIA	
	SDT10194-2	94.50	2nd:	1.200	X	2.900	TUC	STEEL	PHOSPHATE	11-870-2	94.50	DIST1:	2.10	Head:	AH	5.50
	SDT10194-3	94.75		0.047	0.114	E-BC16	STEEL	NITRIDED	11-870-3	94.75	DIST2:		Skirt:	MS		
	SDT10194-4	95.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-870-4	95.00	DIST3:				
				0.079		0.108										
REFERENCE # 13011-0P040 13011-31130 13011-31140 13011-31142 13011-31160		TOP	2ND	OIL	REFERENCE # 13101-0P053 13101-31090 13101-31092-A0 13101-31092-B0											
3.5L (211CID,3456CC),DOHC,6CYL, 94.000MM (3.701"), 2GR-FSE,2GR-FXE / 2006-2016																
GS 350 / 07-15	SDT10194-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
GS 450 HYBRID / 07-16	SDT10194-1	94.25		0.047	0.114	TUC	STEEL	PHOSPHATE								
IS 350 / 06-15	SDT10194-2	94.50	2nd:	1.200	X	2.900	TUC	STEEL	PHOSPHATE							
IS 350C / 10-15	SDT10194-3	94.75		0.047	0.114	E-BC16	STEEL	NITRIDED								
RC 350 / 15-16	SDT10194-4	95.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED							
RX 450 HYBRID / 10-15				0.079		0.108										
REFERENCE # 13011-0P040 13011-31130 13011-31140 13011-31142 13011-31160		TOP	2ND	OIL												






LEXUS

LEXUS

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
4.0L (242CID,3969CC),DOHC,8CYL, 87.500MM (3.445"), 1UZ-FE / 1990-2000																
GS 400 / 98-00	SWT10147-0	87.50	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
LS 400 / 90-00	SWT10147-1	87.75		0.059		0.122										
SC 400 / 92-00	SWT10147-2	88.00		2nd:	1.500	X	3.700	TUC	CAST IRON		PHOSPHATE					
	SWT10147-3	88.25	0.059			0.146										
	SWT10147-4	88.50	Oil:		3.000	X	2.850	NIFF-S	STEEL		NITRIDED					
				0.118		0.112										
REFERENCE #		TOP	2ND	OIL												
13011-50040																
13011-50080																
13011-50110																
13011-50120																
4.5L (273CID,4477CC),DOHC,6CYL, 100.000MM (3.937"), 1FZ-FE / 1996-1997																
LX 450 / 96-97	SWT10184-0	100.00	Top:	1.750	X	3.700	BF-IB	STEEL	NITRIDED	DISC-11-700-0	100.00					
	SWT10184-1	100.25		0.069		0.146				DISC-11-700-1	100.25					
	SWT10184-2	100.50	2nd:	2.000	X	3.800	TUC	CAST IRON	CHROME	DISC-11-700-2	100.50					
	SWT10184-3	100.75		0.079		0.150				DISC-11-700-3	100.75					
	SWT10184-4	101.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	NITRIDED	DISC-11-700-4	101.00					
				0.157		0.130										
REFERENCE #		TOP	2ND	OIL							REFERENCE #					
13011-66021											13101-66040-01					
4.6L (281CID,4608CC),DOHC,8CYL, 94.000MM (3.701"), 1UR-FE / 2010-2015																
GX 460 / 10-15	SWT10236-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT10236-1	94.25		0.047		0.114										
	SWT10236-2	94.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
	SWT10236-3	94.75		0.047		0.134										
	SWT10236-4	95.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED							
				0.079		0.110										
REFERENCE #		TOP	2ND	OIL												
13011-0S011																
4.6L (281CID,4608CC),DOHC,8CYL, 94.000MM (3.701"), 1UR-FSE / 2007-2015																
GS 460 / 08-11	SDT10204-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED		Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.					
LS 460 / 07-15	SDT10204-1	94.25		0.047		0.114										
	SDT10204-2	94.50	2nd:	1.200	X	2.900	TUC	STEEL	PHOSPHATE							
	SDT10204-3	94.75		0.047		0.114										
	SDT10204-4	95.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED							
				0.079		0.108										
REFERENCE #		TOP	2ND	OIL												
13011-38080																
13011-38081																
13011-38090																




LEXUS

LEXUS

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
4.7L (285CID,4663CC),DOHC,8CYL, 94.000MM (3.701"), 2UZ-FE / 1998-2004																							
GX 470 / 03-04 LX 470 / 98-03	SWT10203-0	94.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-801-0	94.00	TL:	60.30	PL:	62.00	CHK.							
	SWT10203-1	94.25		0.059	0.130	11-801-1				94.25	CH:	33.90	PD:	22.00	DIA								
	SWT10203-2	94.50	2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE	11-801-2	94.50	DIST1:	-6.80	Head:	AH	10.50							
	SWT10203-3	94.75		0.059	0.157	11-801-3				94.75	DIST2:		Skirt:	MS									
	SWT10203-4	95.00	Oil:	4.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-801-4	95.00	DIST3:											
REFERENCE # 13011-50140		TOP	2ND	OIL			REFERENCE # 13101-50050-01 13301-50040-01																
4.7L (285CID,4663CC),DOHC,8CYL, 94.000MM (3.701"), 2UZ-FE / 2004-2009																							
GX 470 / 05-09 LX 470 / 04-07	SWT10240-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-912-0	94.00	TL:	54.70	PL:	62.00	CHK.							
	SWT10240-1	94.25		0.047	0.114	11-912-1				94.25	CH:	33.40	PD:	22.00	DIA								
	SWT10240-2	94.50	2nd:	1.200	X	3.900	TUC	CAST IRON	PHOSPHATE	11-912-2	94.50	DIST1:	2.30	Head:	AH	15.00							
	SWT10240-3	94.75		0.047	0.154	11-912-3				94.75	DIST2:	-6.10	Skirt:	MS									
	SWT10240-4	95.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-912-4	95.00	DIST3:											
REFERENCE # 13011-50162		TOP	2ND	OIL			REFERENCE # 13101-50082-01 13103-50081-01																
5.0L (303CID,4969CC),DOHC,8CYL, 94.000MM (3.701"), 2UR-FSE,2UR-GSE / 2008-2016																							
IS-F / 08-14 LS 600 HYBRID / 08-15 RC F / 15-16	SDT10204-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SDT10204-1	94.25		0.047	0.114																		
	SDT10204-2	94.50	2nd:	1.200	X	2.900	TUC	STEEL	PHOSPHATE														
	SDT10204-3	94.75		0.047	0.114																		
	SDT10204-4	95.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED														
REFERENCE # 13011-38080 13011-38081 13011-38090		TOP	2ND	OIL																			
5.7L (346CID,5663CC),DOHC,8CYL, 94.000MM (3.701"), 3UR-FE / 2008-2016																							
LX 570 / 08-16	SWT10236-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWT10236-1	94.25		0.047	0.114																		
	SWT10236-2	94.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE														
	SWT10236-3	94.75		0.047	0.134																		
	SWT10236-4	95.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED														
REFERENCE # 13011-0S011		TOP	2ND	OIL																			






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO																							
1.2L (73CID,1200CC),4CYL, 70.000MM (2.756"), TB / 1970-1972																																	
1200 / 70-72	SXT20009-0	70.00	Top:	2.000	X	3.100	BF	DUCTILE IRON	CHROME	DISC-11-702-0	70.00																						
	SXT20009-1	70.25		0.079		0.122				DISC-11-702-1	70.25																						
	SXT20009-2	70.50	2nd:	2.000	X	3.100	TUC	CAST IRON	PHOSPHATE	DISC-11-702-2	70.50																						
	SXT20009-3	70.75		0.079		0.122				DISC-11-702-3	70.75																						
	SXT20009-4	71.00	Oil:	4.000	X	3.100	NIFF-S	STEEL	CHROME	DISC-11-702-4	71.00																						
		0.157		0.122																													
	REFERENCE # 0271-23-170		TOP	2ND		OIL			REFERENCE # 0271-23-200																								
	1.3L (78CID,1272CC),4CYL, 73.000MM (2.874"), TC / 1976-1978																																
	808 / 76-77 GLC / 77-78	SWT20026-0	73.00	Top:	2.000	X	3.100	BF	DUCTILE IRON	CHROME	DISC-11-123-0	73.00																					
SWT20026-1		73.25	0.079		0.122		DISC-11-123-1				73.25																						
SWT20026-2		73.50	2nd:	2.000	X	3.100	TUC	CAST IRON	PHOSPHATE	DISC-11-123-2	73.50																						
SWT20026-3		73.75		0.079		0.122				DISC-11-123-3	73.75																						
SWT20026-4		74.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	CHROME	DISC-11-123-4	74.00																						
		0.157		0.118																													
REFERENCE # 0324-23-130		TOP	2ND		OIL			REFERENCE # 0370-23-200																									
1.4L (86CID,1415CC),4CYL, 77.000MM (3.031"), UC / 1979-1980																																	
GLC / 79-80		SWT20036-0	77.00	Top:	1.500	X	2.850	BF	STEEL	CHROME	DISC-11-125-0	77.00																					
	SWT20036-1	77.25	0.059		0.112		DISC-11-125-1				77.25																						
	SWT20036-2	77.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-125-2	77.50																						
	SWT20036-3	77.75		0.059		0.126				DISC-11-125-3	77.75																						
	SWT20036-4	78.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-125-4	78.00																						
		0.157		0.120																													
	REFERENCE # 8569-23-130A		TOP	2ND		OIL			REFERENCE # 8569-23-200																								
	1.5L (91CID,1489CC),DOHC,4CYL, 75.300MM (2.965"), Z5 / 1995-1998																																
	PROTEGE / 95-98	SWT20074-0	75.30	Top:	1.000	X	2.700	BF	STEEL	NITRIDED	11-731-0	75.30	TL:	51.80	PL:	61.00	CHK.																
SWT20074-1		75.55	0.039		0.106		11-731-1				75.55	CH:							28.00	PD:	20.00	DIA											
SWT20074-2		75.80	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-731-2	75.80												DIST1:	-6.30	Head:	NONE	10.00						
SWT20074-3		76.05		0.047		0.126				11-731-3	76.05																	DIST2:		Skirt:	NONE		
SWT20074-4		76.30	Oil:	2.500	X	2.550	NIFF-S	STEEL	NITRIDED	11-731-4	76.30																					DIST3:	
		0.098		0.100																													
REFERENCE # Z5Y0-11-SC0		TOP	2ND		OIL			REFERENCE # Z5Y0-11-SA0B																									






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
1.5L (91CID,1490CC),4CYL, 77.000MM (3.031"), E5 / 1981-1985																							
GLC / 81-85	SWT20037-0	77.00	Top:	1.200	X	3.250	BF	STEEL	CHROME	DISC-11-126-0	77.00												
	SWT20037-1	77.25		0.047		0.128				DISC-11-126-1	77.25												
	SWT20037-2	77.50	2nd:	1.500	X	3.200	TUC	CAST IRON	CHROME	DISC-11-126-2	77.50												
	SWT20037-3	77.75		0.059		0.126				DISC-11-126-3	77.75												
	SWT20037-4	78.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-126-4	78.00												
	REFERENCE # E512-23-130	TOP	2ND	OIL			REFERENCE # E501-23-200																
1.5L (91CID,1490CC),4CYL, 77.000MM (3.031"), E5 / 1983-1985																							
GLC / 83-85	SWT20045-0	77.00	Top:	1.500	X	2.900	BF	STEEL	NITRIDED	11-127-0	77.00	TL:	60.60	PL:	65.00	CHK.							
	SWT20045-1	77.25		0.059		0.114				11-127-1	77.25	CH:	28.60	PD:	20.00	DIA							
	SWT20045-2	77.50	2nd:	2.000	X	3.300	TUC	CAST IRON	PHOSPHATE	11-127-2	77.50	DIST1:	-2.00	Head:	NONE	1.00							
	SWT20045-3	77.75		0.079		0.130				11-127-3	77.75	DIST2:		Skirt:	NONE								
	SWT20045-4	78.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-127-4	78.00	DIST3:											
	REFERENCE # E302-23-130A	TOP	2ND	OIL			REFERENCE # E502-23-200A																
1.5L (91CID,1498CC),DOHC,4CYL, 78.000MM (3.071"), ZY-VE / 2011-2015																							
MAZDA 2 / 11-15	SWT20087-0	78.00	Top:	1.200	X	2.450	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWT20087-1	78.25		0.047		0.096																	
	SWT20087-2	78.50	2nd:	1.200	X	3.300	TUC	CAST IRON	PHOSPHATE														
	SWT20087-3	78.75		0.047		0.130																	
	SWT20087-4	79.00	Oil:	2.500	X	2.450	NIFF-H	STEEL	NITRIDED														
	REFERENCE # ZYY2-11-SC0	TOP	2ND	OIL																			
1.6L (97CID,1586CC),SOHC,4CYL, 78.000MM (3.071"), NA / 1972-1977																							
808 / 72-77 B1600 / 72-76	SWT20025-0	78.00	Top:	1.500	X	3.600	T1	CAST IRON	CHROME	DISC-11-128-0	78.00												
	SWT20025-1	78.25		0.059		0.142				DISC-11-128-1	78.25												
	SWT20025-2	78.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-128-2	78.50												
	SWT20025-3	78.75		0.059		0.142				DISC-11-128-3	78.75												
	SWT20025-4	79.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-128-4	79.00												
	REFERENCE # 0494-23-130 3763-23-130	TOP	2ND	OIL			REFERENCE # 0305-23-200																






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO									
1.6L (97CID,1597CC),DOHC,4CYL, 78.000MM (3.071"), B6-ZE / 1990-1993																			
Miata / 90-93	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-579-0	78.00	TL:	63.50	PL:	62.00	CHK.			
	SWT20060-1	78.25		0.059	0.122	11-579-1				78.25	CH:	32.30	PD:	20.00	DIA				
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME	11-579-2	78.50	DIST1:	-1.30	Head:	NONE	10.00			
	SWT20060-3	78.75		0.059	0.134	11-579-3				78.75	DIST2:		Skirt:	NONE					
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED	11-579-4	79.00	DIST3:							
				0.157	0.118														
	REFERENCE #		TOP	2ND	OIL	REFERENCE #													
	B6Y0-11-SC0A					B6Z2-11-SA0C													
	B6Y4-11-SC0B																		
	B6Y6-11-SC0A																		
E8GY 6149 A																			
Miata / 90-93	SWT20063-0	78.00	Top:	1.500	X	3.050	BF-IB	STEEL	CHROME	DISC-11-588-0	78.00								
	SWT20063-1	78.25		0.059	0.120	DISC-11-588-1				78.25									
	SWT20063-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	PHOSPHATE	DISC-11-588-2	78.50								
	SWT20063-3	78.75		0.059	0.134	DISC-11-588-3				78.75									
	SWT20063-4	79.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED	DISC-11-588-4	79.00								
				0.118	0.120														
	REFERENCE #		TOP	2ND	OIL	REFERENCE #													
	B6Y3-11-SC0A					B6Z5-11-SC0													
1.6L (97CID,1597CC),DOHC,4CYL, 78.000MM (3.071"), B6T / 1988-1989 TURBO																			
323 / 88-89	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-578-0	78.00								
	SWT20060-1	78.25		0.059	0.122	DISC-11-578-1				78.25									
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME	DISC-11-578-2	78.50								
	SWT20060-3	78.75		0.059	0.134	DISC-11-578-3				78.75									
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED	DISC-11-578-4	79.00								
				0.157	0.118														
	REFERENCE #		TOP	2ND	OIL	REFERENCE #													
	B6Y0-11-SC0A					B6Z0-11-SA0A													
	B6Y4-11-SC0B																		
	B6Y6-11-SC0A																		
E8GY 6149 A																			
1.6L (97CID,1597CC),DOHC,4CYL, 80.000MM (3.150"), ZL / 1999-2001																			
PROTEGE / 99-01	SWT20080-0	80.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.									
	SWT20080-1	80.25		0.047	0.104														
	SWT20080-2	80.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE										
	SWT20080-3	80.75		0.059	0.126														
	SWT20080-4	81.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME										
				0.118	0.118														
	REFERENCE #		TOP	2ND	OIL														
	ZLY0-11-SC0																		






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO										
1.6L (97CID,1597CC),SOHC,4CYL, 78.000MM (3.071"), B6 / 1986-1995																				
323 / 86-95	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-577-0	78.00									
	SWT20060-1	78.25		0.059		0.122				DISC-11-577-1	78.25									
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME	DISC-11-577-2	78.50									
	SWT20060-3	78.75		0.059		0.134				DISC-11-577-3	78.75									
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED	DISC-11-577-4	79.00									
		0.157		0.118																
	REFERENCE #		TOP	2ND		OIL		REFERENCE #												
	B6Y0-11-SC0A							B6Y0-11-SA0A												
	B6Y4-11-SC0B							E9GZ 6108 A												
	B6Y6-11-SC0A																			
E8GY 6149 A																				
1.6L (97CID,1597CC),SOHC,4CYL, 78.000MM (3.071"), B6,B6-ME / 1992-1995																				
323 / 94-95 MX3 / 92-93	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-786-0	78.00									
	SWT20060-1	78.25		0.059		0.122				DISC-11-786-1	78.25									
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME	DISC-11-786-2	78.50									
	SWT20060-3	78.75		0.059		0.134				DISC-11-786-3	78.75									
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED	DISC-11-786-4	79.00									
		0.157		0.118																
	REFERENCE #		TOP	2ND		OIL		REFERENCE #												
	B6Y0-11-SC0A							B6Y3-11-SA0A												
	B6Y4-11-SC0B							K2Y3-11-SAO												
	B6Y6-11-SC0A																			
E8GY 6149 A																				
1.6L (97CID,1597CC),SOHC,4CYL, 78.000MM (3.071"), B6-ME / 1995-1995																				
MX3 / 95-95	SWT20060-0	78.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-794-0	78.00	TL:	62.40	PL:	57.00	CHK.				
	SWT20060-1	78.25		0.059		0.122				11-794-1	78.25	CH:	31.90	PD:	20.00	DIA				
	SWT20060-2	78.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME	11-794-2	78.50	DIST1:	-2.50	Head:	NONE	15.00				
	SWT20060-3	78.75		0.059		0.134				11-794-3	78.75	DIST2:		Skirt:	NONE					
	SWT20060-4	79.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	NITRIDED	11-794-4	79.00	DIST3:								
		0.157		0.118																
	REFERENCE #		TOP	2ND		OIL		REFERENCE #												
	B6Y0-11-SC0A							B6Z7-11-SA0												
	B6Y4-11-SC0B																			
	B6Y6-11-SC0A																			
E8GY 6149 A																				
1.8L (110CID,1796CC),4CYL, 78.000MM (3.071"), VB / 1972-1973																				
618 / 72-73	SWT20025-0	78.00	Top:	1.500	X	3.600	T1	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
	SWT20025-1	78.25		0.059		0.142														
	SWT20025-2	78.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE											
	SWT20025-3	78.75		0.059		0.142														
	SWT20025-4	79.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME											
		0.157		0.120																
	REFERENCE #		TOP	2ND		OIL		REFERENCE #												
	0494-23-130																			
	3763-23-130																			






MAZDA

MAZDA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (110CID,1797CC),SOHC,4CYL, 78.000MM (3.071"), VB / 1972-1978																
618 / 72-72 B1800 / 77-78	SWT20025-0	78.00	Top:	1.500	X	3.600	T1	CAST IRON	CHROME	DISC-11-092-0	78.00					
	SWT20025-1	78.25		0.059	0.142				DISC-11-092-1	78.25						
	SWT20025-2	78.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-092-2	78.50					
	SWT20025-3	78.75		0.059	0.142				DISC-11-092-3	78.75						
	SWT20025-4	79.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-092-4	79.00					
REFERENCE # 0494-23-130 3763-23-130		TOP	2ND	OIL	REFERENCE # 0290-23-200 3879-23-200											
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), BP01 / 1990-1994																
PROTEGE / 90-94	SWT20066-0	83.00	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED	11-584-0	83.00	TL:	61.00	PL:	61.00	CHK.
	SWT20066-1	83.25		0.059	0.130				11-584-1	83.25	CH:	30.70	PD:	20.00	DIA	
	SWT20066-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-584-2	83.50	DIST1:	-2.50	Head:	NONE	10.00
	SWT20066-3	83.75		0.059	0.142				11-584-3	83.75	DIST2:		Skirt:	NONE		
	SWT20066-4	84.00	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	11-584-4	84.00	DIST3:				
REFERENCE # BPY0-11-SCO BPY1-11-SCO BPY3-11-SCO BPZ0-11-SC0A FOCZ 6149 A		TOP	2ND	OIL	REFERENCE # BPZ0-11-SA0 BPZ0-11-SA0A											
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), BP05,BP05-ZE / 1990-1998																
Miata / 94-97 PROTEGE / 90-98	SWT20066-0	83.00	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED	11-703-0	83.00	TL:	61.50	PL:	70.00	CHK.
	SWT20066-1	83.25		0.059	0.130				11-703-1	83.25	CH:	30.60	PD:	32.00	DIA	
	SWT20066-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-703-2	83.50	DIST1:	0.50	Head:	NONE	15.00
	SWT20066-3	83.75		0.059	0.142				11-703-3	83.75	DIST2:		Skirt:	NONE		
	SWT20066-4	84.00	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	11-703-4	84.00	DIST3:				
REFERENCE # BPY0-11-SCO BPY1-11-SCO BPY3-11-SCO BPZ0-11-SC0A FOCZ 6149 A		TOP	2ND	OIL	REFERENCE # BPY1-11-SA0A BPY1-11-SA0											
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), BP05-4W / 1999-2000																
Miata / 99-00	SWT20066-0	83.00	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20066-1	83.25		0.059	0.130											
	SWT20066-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWT20066-3	83.75		0.059	0.142											
	SWT20066-4	84.00	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED							
REFERENCE # BPY0-11-SCO BPY1-11-SCO BPY3-11-SCO BPZ0-11-SC0A FOCZ 6149 A		TOP	2ND	OIL												






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), BP05-VE / 2001-2005																
Miata / 01-05	SWT20066-0	83.00	Top:	1.500	X	3.300	BF-IB	STEEL	NITRIDED	11-842-0	83.00	TL:	64.00	PL:	57.00	CHK.
	SWT20066-1	83.25		0.059	0.130				11-842-1	83.25	CH:	30.70	PD:	20.00	DIA	
	SWT20066-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-842-2	83.50	DIST1:	3.00	Head:	NONE	10.00
	SWT20066-3	83.75		0.059	0.142				11-842-3	83.75	DIST2:		Skirt:	NONE		
	SWT20066-4	84.00	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	11-842-4	84.00	DIST3:				
	REFERENCE # BPY0-11-SCO BPY1-11-SCO BPY3-11-SCO BPZ0-11-SC0A FOCZ 6149 A	TOP 	2ND 	OIL 	REFERENCE # BPZ3-11-SA0			  								
1.8L (112CID,1839CC),DOHC,4CYL, 83.000MM (3.268"), FP / 1999-2000																
PROTEGE / 99-00	SWT20078-0	83.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	DISC-11-715-0	83.00					
	SWT20078-1	83.25		0.047	0.122				DISC-11-715-1	83.25						
	SWT20078-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-715-2	83.50					
	SWT20078-3	83.75		0.059	0.142				DISC-11-715-3	83.75						
	SWT20078-4	84.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME	DISC-11-715-4	84.00					
	REFERENCE # FSY2-11-SC0A	TOP 	2ND 	OIL 	REFERENCE # FPY1-11-SA0E											
1.8L (113CID,1844CC),DOHC,6CYL, 75.000MM (2.953"), K8-DE / 1992-1994																
MX3 / 92-94	SWT20067-0	75.00	Top:	1.500	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20067-1	75.25		0.059	0.106											
	SWT20067-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE							
	SWT20067-3	75.75		0.059	0.126											
	SWT20067-4	76.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED							
	REFERENCE # K8Y2-11-SC0A	TOP 	2ND 	OIL 												
2.0L (120CID,1970CC),SOHC,4CYL, 80.000MM (3.150"), MA / 1979-1981																
626 / 79-81 B2000 / 79-81	SWT20031-0	80.00	Top:	1.200	X	3.450	BF	STEEL	CHROME	DISC-11-130-0	80.00					
	SWT20031-1	80.25		0.047	0.136				DISC-11-130-1	80.25						
	SWT20031-2	80.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-130-2	80.50					
	SWT20031-3	80.75		0.059	0.142				DISC-11-130-3	80.75						
	SWT20031-4	81.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-130-4	81.00					
	REFERENCE # HE18-23-130	TOP 	2ND 	OIL 	REFERENCE # HE01-23-200											






MAZDA

MAZDA



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (120CID,1970CC),SOHC,4CYL, 80.000MM (3.150"), MA / 1982-1984																
626 / 82-82 B2000 / 82-84	SWT20042-0	80.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	DISC-11-131-0	80.00					
	SWT20042-1	80.25		0.059		0.136				DISC-11-131-1	80.25					
	SWT20042-2	80.50	2nd:	2.000	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-131-2	80.50					
	SWT20042-3	80.75		0.079		0.142				DISC-11-131-3	80.75					
	SWT20042-4	81.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-131-4	81.00					
REFERENCE # HE05-23-130		TOP	2ND		OIL					REFERENCE # HE41-23-200						
2.0L (121CID,1988CC),DOHC,4CYL, 84.800MM (3.339"), YF / 2001-2004																
TRIBUTE / 01-04	SWF30002-0	84.80	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF30002-1	85.05		0.059		0.120										
	SWF30002-2	85.30	2nd:	1.750	X	3.900	TUC	CAST IRON	PHOSPHATE							
	SWF30002-3	85.55		0.069		0.154										
	SWF30002-4	85.80	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME							
REFERENCE # F8CZ 6148 AA YF09-11-100A YS4Z 6135 AA		TOP	2ND		OIL											
2.0L (121CID,1991CC),DOHC,4CYL, 83.000MM (3.268"), FS,FS-DE / 1993-2003																
626 / 93-02 MX6 / 93-97 PROTEGE / 01-03 PROTEGE 5 / 02-03	SWT20078-0	83.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-706-0	83.00	TL:	53.80	PL:	58.00	CHK.
	SWT20078-1	83.25		0.047		0.122				11-706-1	83.25	CH:	30.00	PD:	19.00	DIA
	SWT20078-2	83.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-706-2	83.50	DIST1:	-8.40	Head:	NONE	10.00
	SWT20078-3	83.75		0.059		0.142				11-706-3	83.75	DIST2:		Skirt:	NONE	
	SWT20078-4	84.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME	11-706-4	84.00	DIST3:				
REFERENCE # FSY2-11-SC0A		TOP	2ND		OIL					REFERENCE # F72Z 6108 AA FSY1-11-SA0D FSY3-11-SA0D						
2.0L (122CID,1998CC),4CYL, 86.000MM (3.386"), RFX / 1984-1985 DIESEL																
626 / 84-85	SDT20055-0	86.00	Top:	2.000	X	3.100	BF-K3	STEEL	NITRIDED	11-701-0	86.00	TL:	86.40	PL:	68.00	CHK.
	SDT20055-1	86.25		0.079		0.122				11-701-1	86.25	CH:	47.30	PD:	25.00	DIA
	SDT20055-2	86.50	2nd:	2.000	X	3.600	T1-IC	CAST IRON	CHROME	11-701-2	86.50	DIST1:	-1.50	Head:	NONE	20.00
	SDT20055-3	86.75		0.079		0.142				11-701-3	86.75	DIST2:		Skirt:	NONE	
	SDT20055-4	87.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	11-701-4	87.00	DIST3:				
REFERENCE # RF01-23-130A		TOP	2ND		OIL					REFERENCE # RF01-23-200B						






MAZDA

MAZDA







ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1998CC),SOHC,4CYL, 86.000MM (3.386"), FE / 1983-1987																
626 / 83-87 B2000 / 86-87	SWT20048-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-129-0	86.00	TL:	70.80	PL:	67.00	CHK.
	SWT20048-1	86.25		0.059	0.128	11-129-1				86.25	CH:	34.00	PD:	22.00	DIA	
	SWT20048-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-129-2	86.50	DIST1:	-2.60	Head:	NONE	10.00
	SWT20048-3	86.75		0.059	0.150	11-129-3				86.75	DIST2:		Skirt:	NONE		
	SWT20048-4	87.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-129-4	87.00	DIST3:				
REFERENCE # E92Z 6149 A F2Y1-11-SC0		TOP			2ND			OIL			REFERENCE # FE01-23-200 FEY0-11-SAO					
2.0L (122CID,1998CC),SOHC,4CYL, 86.000MM (3.386"), FET / 1986-1987																
626 / 86-87	SWT20048-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	DISC-11-572-0	86.00					
	SWT20048-1	86.25		0.059	0.128	DISC-11-572-1				86.25						
	SWT20048-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	DISC-11-572-2	86.50					
	SWT20048-3	86.75		0.059	0.150	DISC-11-572-3				86.75						
	SWT20048-4	87.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	DISC-11-572-4	87.00					
REFERENCE # E92Z 6149 A F2Y1-11-SC0		TOP			2ND			OIL			REFERENCE # FE30-23-200A					
2.0L (122CID,1999CC),DOHC,4CYL, 87.500MM (3.445"), LF-DE / 2004-2005																
MAZDA 3 / 04-05	SWT20089-0	87.50	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-854-0	87.50	TL:	51.00	PL:	61.50	CHK.
	SWT20089-1	87.75		0.047	0.112	11-854-1				87.75	CH:	28.50	PD:	21.00	DIA	
	SWT20089-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-854-2	88.00	DIST1:	-2.00	Head:	AH	10.00
	SWT20089-3	88.25		0.047	0.134	11-854-3				88.25	DIST2:		Skirt:	MS		
	SWT20089-4	88.50	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME	11-854-4	88.50	DIST3:				
REFERENCE # LFY1-11-SC0A LFY5-11-SC0		TOP			2ND			OIL			REFERENCE # LFY2-11-010					
2.0L (122CID,1999CC),DOHC,4CYL, 87.500MM (3.445"), LF-DE / 2006-2013																
MAZDA 3 / 06-13	SWT20089-0	87.50	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-898-0	87.50	TL:	51.00	PL:	60.00	CHK.
	SWT20089-1	87.75		0.047	0.112	11-898-1				87.75	CH:	28.50	PD:	21.00	DIA	
	SWT20089-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-898-2	88.00	DIST1:	-2.00	Head:	AH	10.00
	SWT20089-3	88.25		0.047	0.134	11-898-3				88.25	DIST2:		Skirt:	MS		
	SWT20089-4	88.50	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME	11-898-4	88.50	DIST3:				
REFERENCE # LFY1-11-SC0A LFY5-11-SC0		TOP			2ND			OIL			REFERENCE # LFY5-11-010					






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1999CC),DOHC,4CYL, 87.500MM (3.445"), LF-DE / 2006-2015																
MIATA MX5 / 06-15	SWT20089-0	87.50	Top:	1.200	X	2.850	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20089-1	87.75		0.047		0.112										
	SWT20089-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
	SWT20089-3	88.25		0.047		0.134										
	SWT20089-4	88.50	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME							
REFERENCE # LFY1-11-SC0A LFY5-11-SC0		TOP	2ND	OIL												
2.2L (133CID,2184CC),SOHC,4CYL, 86.000MM (3.386"), F2 / 1986-1993																
626 / 88-92 B2200 / 86-93 MX6 / 88-92	SWT20048-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-583-0	86.00	TL:	71.00	PL:	67.00	CHK. DIA 10.00
	SWT20048-1	86.25		0.059		0.128				11-583-1	86.25	CH:	36.00	PD:	22.00	
	SWT20048-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-583-2	86.50	DIST1:	-5.40	Head:	NONE	
	SWT20048-3	86.75		0.059		0.150				11-583-3	86.75	DIST2:		Skirt:	NONE	
	SWT20048-4	87.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-583-4	87.00	DIST3:				
REFERENCE # E92Z 6149 A F2Y1-11-SC0		TOP	2ND	OIL						REFERENCE # F2Y4-11-SA0A						
2.2L (135CID,2209CC),OHV,4CYL, 88.900MM (3.500"), S2 / 1982-1984 DIESEL																
B2200 / 82-84	SDT20032-0	88.90	Top:	2.380	X	3.450	BF	STEEL	CHROME	DISC-11-132-0	88.90					
	SDT20032-1	89.15		0.094		0.136				DISC-11-132-1	89.15					
	SDT20032-2	89.40	2nd:	2.380	X	3.500	T1-IC	CAST IRON	PHOSPHATE	DISC-11-132-2	89.40					
	SDT20032-3	89.65		0.094		0.138				DISC-11-132-3	89.65					
	SDT20032-4	89.90	Oil:	4.760	X	4.600	E-BC16	STEEL	NITRIDED	DISC-11-132-4	89.90					
REFERENCE # 1456-23-206		TOP	2ND	OIL						REFERENCE # 8259-23-200C						
2.3L (138CID,2260CC),DOHC,4CYL, 87.500MM (3.445"), L3-VE / 2001-2010																
B2300 / 01-09 MAZDA 3 / 04-09 MAZDA 5 / 06-10 MAZDA 6 / 03-04 TRIBUTE / 05-06	SWT20090-0	87.50	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-843-0	87.50	TL:	51.00	PL:	61.50	CHK. DIA 10.00
	SWT20090-1	87.75		0.047		0.106				11-843-1	87.75	CH:	28.50	PD:	21.00	
	SWT20090-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-843-2	88.00	DIST1:	-4.00	Head:	AH	
	SWT20090-3	88.25		0.047		0.134				11-843-3	88.25	DIST2:		Skirt:	MS	
	SWT20090-4	88.50	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED	11-843-4	88.50	DIST3:				
REFERENCE # 3S4Z 6148 BA 8S7Z 6312 A L3Y3-11-SC0 L3Y6-11-SC0 LFY7-11-SC0A		TOP	2ND	OIL						REFERENCE # L3Y9-11-010						






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.3L (138CID,2260CC),DOHC,4CYL, 87.500MM (3.445"), L3-VE / 2005-2009																
MAZDA 3 / 06-09	SWT20090-0	87.50	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-844-0	87.50	TL:	51.00	PL:	61.50	CHK.
MAZDA 6 / 05-08	SWT20090-1	87.75		0.047	0.106				11-844-1	87.75	CH:	28.50	PD:	21.00	DIA	
	SWT20090-2	88.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-844-2	88.00	DIST1:	-3.30	Head:	NONE	10.00
	SWT20090-3	88.25		0.047	0.134				11-844-3	88.25	DIST2:		Skirt:	NONE		
	SWT20090-4	88.50	Oil:	2.500	X	2.600	NIFF-S	STEEL	NITRIDED	11-844-4	88.50	DIST3:				
				0.098		0.102										
REFERENCE # 3S4Z 6148 BA 8S7Z 6312 A L3Y3-11-SC0 L3Y6-11-SC0 LFY7-11-SC0A		TOP			2ND			OIL			REFERENCE # L3YH-11-010					
2.3L (140CID,2298CC),SOHC,4CYL, 96.000MM (3.780"), A / 1994-1997																
B2300 / 94-97	SWT20071-0	96.00	Top:	1.500	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20071-1	96.25		0.059	0.157											
	SWT20071-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE							
	SWT20071-3	96.75		0.059	0.157											
	SWT20071-4	97.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME							
				0.157		0.128										
REFERENCE # F1ZZ 6148 A ZZM0-23-130 ZZM9-23-130		TOP			2ND			OIL								
2.5L (153CID,2507CC),DOHC,6CYL, 84.500MM (3.327"), KL-DE / 1993-2002																
626 / 93-97	SWT20073-0	84.50	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-716-0	84.50	TL:	55.90	PL:	61.00	CHK.
MILLENNIA / 95-02	SWT20073-1	84.75		0.059	0.120				11-716-1	84.75	CH:	29.20	PD:	19.98	DIA	
MX6 / 93-97	SWT20073-2	85.00	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-716-2	85.00	DIST1:	-1.70	Head:	NONE	11.00
	SWT20073-3	85.25		0.059	0.142				11-716-3	85.25	DIST2:		Skirt:	MS		
	SWT20073-4	85.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-716-4	85.50	DIST3:				
				0.118		0.114										
REFERENCE # E32Z 6149 D E42Z 6149 D KLY2-11-SC0A		TOP			2ND			OIL			REFERENCE # E32Z 6108 D E32Z 6108 G F42Z 6108 D F52Z 6108 A KLY1-11-SL0B KLZ1-11-SA0 KLZ1-11-SL0B					
2.5L (153CID,2507CC),DOHC,6CYL, 84.500MM (3.327"), KL-G4 / 1998-1999																
626 / 98-99	SWT20073-0	84.50	Top:	1.500	X	3.050	BF	STEEL	CHROME	DISC-11-766-0	84.50					
	SWT20073-1	84.75		0.059	0.120				DISC-11-766-1	84.75						
	SWT20073-2	85.00	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	DISC-11-766-2	85.00					
	SWT20073-3	85.25		0.059	0.142				DISC-11-766-3	85.25						
	SWT20073-4	85.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	DISC-11-766-4	85.50					
				0.118		0.114										
REFERENCE # E32Z 6149 D E42Z 6149 D KLY2-11-SC0A		TOP			2ND			OIL			REFERENCE # KLY5-11-SA0B					






MAZDA

MAZDA








ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.5L (153CID,2507CC),DOHC,6CYL, 84.500MM (3.327"), KL-G4 / 2000-2002																
626 / 00-02	SWT20073-0	84.50	Top:	1.500	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20073-1	84.75		0.059	0.120											
	SWT20073-2	85.00	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWT20073-3	85.25		0.059	0.142											
	SWT20073-4	85.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME							
			0.118	0.114												
REFERENCE #		TOP		2ND		OIL										
E32Z 6149 D																
E42Z 6149 D																
KLY2-11-SC0A																
2.5L (153CID,2507CC),SOHC,4CYL, 96.000MM (3.780"), C / 1998-2001																
B2500 / 98-01	SWT20076-0	96.00	Top:	1.500	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT20076-1	96.25		0.059	0.157											
	SWT20076-2	96.50	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE							
	SWT20076-3	96.75		0.059	0.157											
	SWT20076-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME							
			0.118	0.136												
REFERENCE #		TOP		2ND		OIL										
F67Z 6148 AA																
F87Z 6148 AA																
ZZP0-23-130																
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), AM1 / 1987-1988																
B2600 / 87-88	SWM31039-0	91.10	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-035-0	91.10	TL:	78.30	PL:	79.00	CHK.
	SWM31039-1	91.35		0.059	0.130				11-035-1	91.35	CH:	36.00	PD:	22.00	DIA	
	SWM31039-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-035-2	91.60	DIST1:	0.30	Head:	NONE	25.00
	SWM31039-3	91.85		0.059	0.150				11-035-3	91.85	DIST2:		Skirt:	NONE		
	SWM31039-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-035-4	92.10	DIST3:				
			0.157	0.128												
REFERENCE #		TOP		2ND		OIL		REFERENCE #								
AM15-11-SC0								AM01-11-SA0								
MD061258																
MD076170																
2.6L (159CID,2606CC),SOHC,4CYL, 92.000MM (3.622"), G6 / 1989-1994																
B2600i / 90-93 MPV / 89-94	SWT20064-0	92.00	Top:	1.500	X	3.300	BF-IB	STEEL	CHROME	11-580-0	92.00	TL:	73.70	PL:	63.00	CHK.
	SWT20064-1	92.25		0.059	0.130				11-580-1	92.25	CH:	35.40	PD:	23.00	DIA	
	SWT20064-2	92.50	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-580-2	92.50	DIST1:	-8.70	Head:	NONE	10.00
	SWT20064-3	92.75		0.059	0.161				11-580-3	92.75	DIST2:		Skirt:	NONE		
	SWT20064-4	93.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-580-4	93.00	DIST3:				
			0.157	0.126												
REFERENCE #		TOP		2ND		OIL		REFERENCE #								
G601-11-SC0A								G602-11-SA0								






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO								
3.0L (180CID,2954CC),DOHC,6CYL, 90.000MM (3.543"), JE48 / 1992-1995																		
929 / 92-95	SWT20062-0	90.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-759-0	90.00	TL:	70.70	PL:	63.00	CHK.		
	SWT20062-1	90.25		0.059		0.130				11-759-1	90.25	CH:	35.20	PD:	23.00		DIA	
	SWT20062-2	90.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-759-2	90.50	DIST1:	1.45	Head:	NONE	16.00		
	SWT20062-3	90.75		0.059		0.150				11-759-3	90.75	DIST2:	-5.60	Skirt:	MS			
	SWT20062-4	91.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-759-4	91.00	DIST3:						
			0.157	0.128														
	REFERENCE # JEY1-11-SC0		TOP	2ND		OIL				REFERENCE # JEY8-11-SAXB JEY8-11-SLXA		 						
																		
	3.0L (180CID,2954CC),SOHC,6CYL, 90.000MM (3.543"), JE / 1988-1993																	
	929 / 88-91 MPV / 89-93	SWT20062-0	90.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-575-0	90.00	TL:	74.00	PL:	77.00	CHK.	
SWT20062-1		90.25	0.059		0.130		11-575-1				90.25	CH:	35.50	PD:	23.00	DIA		
SWT20062-2		90.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-575-2	90.50	DIST1:	-3.60	Head:	NONE		10.00	
SWT20062-3		90.75		0.059		0.150				11-575-3	90.75	DIST2:		Skirt:	MS			
SWT20062-4		91.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-575-4	91.00	DIST3:						
			0.157	0.128														
REFERENCE # JEY1-11-SC0		TOP	2ND		OIL				REFERENCE # JEY6-11-SA0B		 							
																		
3.0L (180CID,2954CC),SOHC,6CYL, 90.000MM (3.543"), JE / 1994-1998																		
MPV / 94-98		SWT20062-0	90.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-704-0	90.00	TL:	71.30	PL:	63.00	CHK.	
	SWT20062-1	90.25	0.059		0.130		11-704-1				90.25	CH:	35.70	PD:	26.63	DIA		
	SWT20062-2	90.50	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-704-2	90.50	DIST1:	-3.60	Head:	NONE		5.00	
	SWT20062-3	90.75		0.059		0.150				11-704-3	90.75	DIST2:		Skirt:	MS			
	SWT20062-4	91.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-704-4	91.00	DIST3:						
			0.157	0.128														
	REFERENCE # JEY1-11-SC0		TOP	2ND		OIL				REFERENCE # JEY7-11-SAXA JEY7-11-SLXA		 						
																		
	3.0L (181CID,2967CC),DOHC,6CYL, 89.000MM (3.504"), AJ-DE / 2002-2008																	
	MAZDA 6 / 03-08 MPV / 02-06	SWF30021-0	89.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-868-0	89.00	TL:	52.60	PL:	60.50	CHK.	
SWF30021-1		89.25	0.047		0.138		11-868-1				89.25	CH:	30.00	PD:	21.01	DIA		
SWF30021-2		89.50	2nd:	1.500	X	4.100	TUC	CAST IRON	PHOSPHATE	11-868-2	89.50	DIST1:	1.00	Head:	NONE		7.00	
SWF30021-3		89.75		0.059		0.161				11-868-3	89.75	DIST2:		Skirt:	MS			
SWF30021-4		90.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-868-4	90.00	DIST3:						
			0.098	0.112														
REFERENCE # AL8Z 6148 A C2C005449 XW4Z 6148 A YF1Z 6148 BA		TOP	2ND		OIL				REFERENCE # 6E5Z 6100 BA AJTM-11-210 ZZDL-11-210		  							
																		






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
3.0L (181CID,2967CC),OHV,6CYL, 89.000MM (3.504"), VULCAN / 1998-2008											
B3000 / 98-08	SWF30016-0	89.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30016-1	89.25		0.059		0.136					
	SWF30016-2	89.50	2nd:	1.500	X	3.700	TUC	CAST IRON	PHOSPHATE		
	SWF30016-3	89.75		0.059		0.146					
	SWF30016-4	90.00	Oil:	3.000	X	2.950	NIFF-S	STEEL	CHROME		
				0.118		0.116					
	REFERENCE #		TOP	2ND	OIL						
	1F61-23-130										
	2F1Z 6148 AA										
	4F1Z 6148 CA										
ZZP1-23-130											
3.0L (182CID,2986CC),OHV,6CYL, 89.000MM (3.504"), VULCAN / 1994-1997											
B3000 / 94-97	SWT20075-0	89.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWT20075-1	89.25		0.059		0.136					
	SWT20075-2	89.50	2nd:	1.500	X	3.700	TUC	CAST IRON	PHOSPHATE		
	SWT20075-3	89.75		0.059		0.146					
	SWT20075-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME		
				0.157		0.126					
	REFERENCE #		TOP	2ND	OIL						
	F6DZ 6148 RA										
	F6DZ 6148 RA*										
	ZZMD-23-130										
3.5L (213CID,3496CC),DOHC,6CYL, 92.500MM (3.642"), MZI 3.5 / 2007-2007											
CX-9 / 07-07	SWF30026-0	92.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30026-1	92.75		0.047		0.122					
	SWF30026-2	93.00	2nd:	1.500	X	3.550	TUC	CAST IRON	PHOSPHATE		
	SWF30026-3	93.25		0.059		0.140					
	SWF30026-4	93.50	Oil:	2.500	X	2.750	NIFF-H	STEEL	NITRIDED		
				0.098		0.108					
	REFERENCE #		TOP	2ND	OIL						
	ATAZ 6148 C										
4.0L (245CID,4016CC),SOHC,6CYL, 100.400MM (3.953"), COLONGE 40 / 2004-2009											
B4000 / 04-09	SWF30012-0	100.40	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWF30012-1	100.65		0.047		0.138					
	SWF30012-2	100.90	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE		
	SWF30012-3	101.15		0.059		0.165					
	SWF30012-4	101.40	Oil:	3.000	X	3.250	NIFF-S	STEEL	CHROME		
				0.118		0.128					
	REFERENCE #		TOP	2ND	OIL						
	1F62-23-130										
	2U3Z 6148 AA										






MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
4.0L (245CID,4016CC),SOHC,6CYL, 100.400MM (3.953"), COLONGE V6 XS / 1991-2003										
B4000 / 94-03 NAVAJO / 91-94	SWT20072-0	100.40	Top:	1.600	X	4.000	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWT20072-1	100.65		0.063		0.157				
	SWT20072-2	100.90	2nd:	1.750	X	4.000	TUC	CAST IRON	PHOSPHATE	
	SWT20072-3	101.15		0.069		0.157				
	SWT20072-4	101.40	Oil:	3.500	X	3.150	NIFF-S	STEEL	CHROME	
			0.138	0.124						
	REFERENCE #		TOP	2ND		OIL				
F7TZ 6148 BA										
FOTZ 6148 M										
ZZM2-23-130										

MITSUBISHI


MITSUBISHI

1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15 / 1991-1996																
MIRAGE / 91-96	SWM31076-0	75.50	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-531-0	75.50	TL:	58.00	PL:	56.00	CHK. DIA
	SWM31076-1	75.75		0.047	0.106	11-531-1				75.75	CH:	29.00	PD:	18.00		
	SWM31076-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-531-2	76.00	DIST1:	-0.50	Head:	NONE	19.00
	SWM31076-3	76.25		0.059	0.130	11-531-3				76.25	DIST2:		Skirt:	NONE		
	SWM31076-4	76.50	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	11-531-4	76.50	DIST3:				
REFERENCE # MD158549 MD180804			TOP	2ND		OIL		REFERENCE # MD144901 MD320435								

1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15 / 1995-1996										
MIRAGE / 95-96	SWM31076-0	75.50	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWM31076-1	75.75		0.047		0.106				
	SWM31076-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	
	SWM31076-3	76.25		0.059		0.130				
	SWM31076-4	76.50	Oil:	3.000	X	2.800	NIFF-S	STEEL	NITRIDED	
			0.118	0.110						
REFERENCE #			TOP	2ND	OIL					
MD158549										
MD180804										





1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15 / 1997-1999																
MIRAGE / 97-99	SWM31145-0	75.50	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	DISC-11-748-0	75.50					
	SWM31145-1	75.75		0.047	0.106				DISC-11-748-1	75.75						
	SWM31145-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	DISC-11-748-2	76.00					
	SWM31145-3	76.25		0.059	0.130				DISC-11-748-3	76.25						
	SWM31145-4	76.50	Oil:	2.800	X	2.500	NIFF-S	STEEL	CHROME	DISC-11-748-4	76.50					
	REFERENCE # MD332715		TOP		2ND		OIL			REFERENCE # MD332841						
																






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15 / 1997-2002																
MIRAGE / 97-02	SWM31145-0	75.50	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31145-1	75.75		0.047	0.106											
	SWM31145-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE							
	SWM31145-3	76.25		0.059	0.130											
	SWM31145-4	76.50	Oil:	2.800	X	2.500	NIFF-S	STEEL	CHROME							
		0.110		0.098												
REFERENCE # MD332715		TOP	2ND		OIL											
																
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), 4G15,G15B,G4DJ / 1987-1994																
MIRAGE / 87-90 PRECIS / 90-94	SWM31063-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-530-0	75.50	TL:	58.60	PL:	60.00	CHK.
	SWM31063-1	75.75		0.059	0.112	11-530-1				75.75	CH:	29.40	PD:	18.00	DIA	
	SWM31063-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-530-2	76.00	DIST1:	-3.60	Head:	NONE	10.00
	SWM31063-3	76.25		0.059	0.130	11-530-3				76.25	DIST2:		Skirt:	NONE		
	SWM31063-4	76.50	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-530-4	76.50	DIST3:				
		0.157		0.128												
REFERENCE # 23040-21210 23040-24200 MD074725 MD156165 MD156169		TOP	2ND		OIL		REFERENCE # 23410-24110 MD099770				 					
																
1.5L (90CID,1468CC),SOHC,4CYL, 75.500MM (2.972"), G15B / 1985-1989																
MIRAGE / 85-86 PRECIS / 87-89	SWM31063-0	75.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-529-0	75.50	TL:	58.00	PL:	60.00	CHK.
	SWM31063-1	75.75		0.059	0.112	11-529-1				75.75	CH:	29.00	PD:	18.00	DIA	
	SWM31063-2	76.00	2nd:	1.500	X	3.300	T1	CAST IRON	PHOSPHATE	11-529-2	76.00	DIST1:	-0.70	Head:	NONE	7.00
	SWM31063-3	76.25		0.059	0.130	11-529-3				76.25	DIST2:		Skirt:	NONE		
	SWM31063-4	76.50	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-529-4	76.50	DIST3:				
		0.157		0.128												
REFERENCE # 23040-21210 23040-24200 MD074725 MD156165 MD156169		TOP	2ND		OIL		REFERENCE # 23410-21114 MD074715				 					
																
1.6L (97CID,1595CC),DOHC,4CYL, 82.300MM (3.240"), 4G61 / 1989-1989 TURBO																
MIRAGE / 89-89	SWM31049-0	82.30	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31049-1	82.55		0.047	0.122											
	SWM31049-2	82.80	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME							
	SWM31049-3	83.05		0.059	0.150											
	SWM31049-4	83.30	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED							
		0.118		0.112												
REFERENCE # 23040-33030 MD133495		TOP	2ND		OIL											
																






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO												
1.6L (97CID,1595CC),DOHC,4CYL, 82.300MM (3.240"), 4G61 / 1991-1992																						
MIRAGE / 91-92	SWM31049-0	82.30	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	DISC-11-546-0	82.30											
	SWM31049-1	82.55		0.047		0.122				DISC-11-546-1	82.55											
	SWM31049-2	82.80	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-546-2	82.80											
	SWM31049-3	83.05		0.059		0.150				DISC-11-546-3	83.05											
	SWM31049-4	83.30	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	DISC-11-546-4	83.30											
		0.118		0.112																		
	REFERENCE # 23040-33030 MD133495		TOP	2ND		OIL			REFERENCE # MD129932													
	1.6L (97CID,1597CC),SOHC,4CYL, 76.900MM (3.028"), G32B / 1985-1986 TURBO																					
	MIRAGE / 85-86	SWM31043-0	76.90	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-024-0							76.90				
SWM31043-1		77.15	0.059		0.122		DISC-11-024-1				77.15											
SWM31043-2		77.40	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	DISC-11-024-2	77.40											
SWM31043-3		77.65		0.059		0.138				DISC-11-024-3	77.65											
SWM31043-4		77.90	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-024-4	77.90											
		0.157		0.150																		
REFERENCE # MD012765		TOP	2ND		OIL			REFERENCE # MD074471														
1.6L (97CID,1597CC),SOHC,4CYL, 76.900MM (3.028"), G32B / 1987-1988 TURBO																						
MIRAGE / 87-88		SWM31043-0	76.90	Top:	1.500	X	3.100	BF	STEEL	CHROME	DISC-11-532-0	76.90										
	SWM31043-1	77.15	0.059		0.122		DISC-11-532-1				77.15											
	SWM31043-2	77.40	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	DISC-11-532-2	77.40											
	SWM31043-3	77.65		0.059		0.138				DISC-11-532-3	77.65											
	SWM31043-4	77.90	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-532-4	77.90											
		0.157		0.150																		
	REFERENCE # MD012765		TOP	2ND		OIL			REFERENCE # MD100254													
	1.8L (107CID,1755CC),SOHC,4CYL, 80.600MM (3.173"), 4G37 / 1990-1994																					
	ECLIPSE / 90-94	SWM31041-0	80.60	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-545-0	80.60							TL:	72.00	PL:	64.00
SWM31041-1		80.85	0.059		0.136		11-545-1				80.85											
SWM31041-2		81.10	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	11-545-2	81.10											
SWM31041-3		81.35		0.059		0.146				11-545-3	81.35											
SWM31041-4		81.60	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-545-4	81.60											
		0.157		0.130																		
REFERENCE # MD040465		TOP	2ND		OIL			REFERENCE # MD100416														






MITSUBISHI

MITSUBISHI





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (110CID,1795CC),SOHC,4CYL, 80.600MM (3.173"), G62B / 1983-1983																
CORDIA / 83-83 TREDIA / 83-83	SWM31040-0	80.60	Top:	2.000	X	3.500	BF	CAST IRON	CHROME	DISC-11-033-0	80.60					
	SWM31040-1	80.85		0.079	0.138				DISC-11-033-1	80.85						
	SWM31040-2	81.10	2nd:	2.000	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-033-2	81.10					
	SWM31040-3	81.35		0.079	0.146				DISC-11-033-3	81.35						
	SWM31040-4	81.60	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-033-4	81.60					
REFERENCE # MD040610		TOP	2ND	OIL						REFERENCE # MD040571						
1.8L (110CID,1795CC),SOHC,4CYL, 80.600MM (3.173"), G62B / 1984-1988 TURBO																
CORDIA / 84-88 TREDIA / 84-88	SWM31041-0	80.60	Top:	1.500	X	3.450	BF	STEEL	CHROME	DISC-11-034-0	80.60					
	SWM31041-1	80.85		0.059	0.136				DISC-11-034-1	80.85						
	SWM31041-2	81.10	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-034-2	81.10					
	SWM31041-3	81.35		0.059	0.146				DISC-11-034-3	81.35						
	SWM31041-4	81.60	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-034-4	81.60					
REFERENCE # MD040465		TOP	2ND	OIL						REFERENCE # MD074221						
1.8L (112CID,1834CC),SOHC,4CYL, 81.000MM (3.189"), 4G93 / 1993-1996																
MIRAGE / 93-96	SWM31079-0	81.00	Top:	1.200	X	3.200	BF	STEEL	CHROME	11-767-0	81.00	TL:	60.00	PL:	58.00	CHK.
	SWM31079-1	81.25		0.047	0.126				11-767-1	81.25	CH:	30.80	PD:	19.00	DIA	
	SWM31079-2	81.50	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	11-767-2	81.50	DIST1:	0.20	Head:	NONE	10.00
	SWM31079-3	81.75		0.047	0.142				11-767-3	81.75	DIST2:		Skirt:	NONE		
	SWM31079-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	11-767-4	82.00	DIST3:				
REFERENCE # MD173206		TOP	2ND	OIL						REFERENCE # MD318097						
1.8L (112CID,1834CC),SOHC,4CYL, 81.000MM (3.189"), 4G93 / 1997-2002																
MIRAGE / 97-02	SWM31079-0	81.00	Top:	1.200	X	3.200	BF	STEEL	CHROME	DISC-11-761-0	81.00					
	SWM31079-1	81.25		0.047	0.126				DISC-11-761-1	81.25						
	SWM31079-2	81.50	2nd:	1.200	X	3.600	T1	CAST IRON	PHOSPHATE	DISC-11-761-2	81.50					
	SWM31079-3	81.75		0.047	0.142				DISC-11-761-3	81.75						
	SWM31079-4	82.00	Oil:	2.800	X	2.700	NIFF-S	STEEL	CHROME	DISC-11-761-4	82.00					
REFERENCE # MD173206		TOP	2ND	OIL						REFERENCE # MD314278 MD347630						






MITSUBISHI

MITSUBISHI







ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
2.0L (122CID,1997CC),DOCH,4CYL, 85.000MM (3.346"), 4G63 / 2003-2006																	
LANCER EVO. / 03-06	SWM31143-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWM31143-1	85.25		0.047		0.122											
	SWM31143-2	85.50	2nd:	1.200	X	3.500	TUC	CAST IRON	PHOSPHATE								
	SWM31143-3	85.75		0.047		0.138											
	SWM31143-4	86.00	Oil:	2.000	X	2.300	NIFF-H	STEEL	CHROME								
		0.079	0.091														
REFERENCE # MN149594		TOP	2ND		OIL												
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1989-1992																	
ECLIPSE / 90-92 GALANT / 89-91	SWM31048-0	85.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED		11-540-0	85.00	TL:	67.00	PL:	66.00	CHK.
	SWM31048-1	85.25		0.047		0.122								11-540-1	85.25	CH:	35.00
	SWM31048-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-540-2	85.50	DIST1:	-2.10	Head:	NONE	10.00	
	SWM31048-3	85.75		0.059		0.150							11-540-3	85.75	DIST2:		Skirt:
	SWM31048-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-540-4	86.00	DIST3:					
		0.118	0.100														
REFERENCE # MD140923 MD144245		TOP	2ND		OIL					REFERENCE # MD129922							
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1990-1992 TURBO																	
ECLIPSE / 90-91 GALANT / 92-92	SWM31048-0	85.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-546-0	85.00	TL:	67.00	PL:	66.00	CHK.	
	SWM31048-1	85.25		0.047		0.122							11-546-1	85.25	CH:	35.00	PD:
	SWM31048-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-546-2	85.50	DIST1:	-5.40	Head:	AH	26.00	
	SWM31048-3	85.75		0.059		0.150							11-546-3	85.75	DIST2:		Skirt:
	SWM31048-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-546-4	86.00	DIST3:					
		0.118	0.100														
REFERENCE # MD140923 MD144245		TOP	2ND		OIL					REFERENCE # MD129232 MD129923							
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1993-1994 TURBO																	
ECLIPSE / 93-94	SWM31071-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-719-0	85.00	TL:	67.00	PL:	62.00	CHK.	
	SWM31071-1	85.25		0.047		0.122							11-719-1	85.25	CH:	35.00	PD:
	SWM31071-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-719-2	85.50	DIST1:	-5.40	Head:	AH	10.00	
	SWM31071-3	85.75		0.059		0.150							11-719-3	85.75	DIST2:		Skirt:
	SWM31071-4	86.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	NITRIDED	11-719-4	86.00	DIST3:					
		0.118	0.100														
REFERENCE # MD176437 MD195867		TOP	2ND		OIL					REFERENCE # MD308200							






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1997CC),DOHC,4CYL, 85.000MM (3.346"), 4G63 / 1995-1998 TURBO																
ECLIPSE / 95-98	SWM31103-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-758-0	85.00	TL:	67.00	PL:	62.00	CHK.
	SWM31103-1	85.25		0.047	0.122	11-758-1				85.25	CH:	35.00	PD:	22.00	DIA	
	SWM31103-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-758-2	85.50	DIST1:	-3.30	Head:	AH	10.00
	SWM31103-3	85.75		0.059	0.150	11-758-3				85.75	DIST2:	Skirt:	NONE			
	SWM31103-4	86.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	11-758-4	86.00	DIST3:				
			0.110	0.100												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #			 							
	MD195805					MD307820										
	MD313405															
	2.0L (122CID,1997CC),DOHC,4CYL, 87.500MM (3.445"), 420A / 1995-1999															
ECLIPSE / 95-99	SWM31120-0	87.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	11-735-0	87.50	TL:	64.80	PL:	75.00	CHK.
	SWM31120-1	87.75		0.047	0.136	11-735-1				87.75	CH:	31.40	PD:	21.00	DIA	
	SWM31120-2	88.00	2nd:	1.200	X	4.000	T1	CAST IRON	PHOSPHATE	11-735-2	88.00	DIST1:	0.90	Head:	NONE	13.00
	SWM31120-3	88.25		0.047	0.157	11-735-3				88.25	DIST2:	Skirt:	NONE			
	SWM31120-4	88.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-735-4	88.50	DIST3:				
			0.118	0.114												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #			 							
	4741401					4797613										
	M04741401					M04741372										
						M04797613										
2.0L (122CID,1997CC),SOHC,4CYL, 85.000MM (3.346"), 4G63 / 1993-1993																
GALANT / 93-93	SWM31103-0	85.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	DISC-11-710-0	85.00					
	SWM31103-1	85.25		0.047	0.122	DISC-11-710-1				85.25						
	SWM31103-2	85.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	DISC-11-710-2	85.50					
	SWM31103-3	85.75		0.059	0.150	DISC-11-710-3				85.75						
	SWM31103-4	86.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	NITRIDED	DISC-11-710-4	86.00					
			0.110	0.100												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #										
	MD195805					MD188097										
	MD313405															
	2.0L (122CID,1997CC),SOHC,4CYL, 85.000MM (3.346"), G63B / 1983-1988															
CORDIA / 84-88 PICKUP / 83-86 TREDIA / 84-88	SWM31013-0	85.00	Top:	2.000	X	3.100	BF	STEEL	NITRIDED	11-027-0	85.00	TL:	72.20	PL:	72.00	CHK.
	SWM31013-1	85.25		0.079	0.122	11-027-1				85.25	CH:	35.20	PD:	21.00	DIA	
	SWM31013-2	85.50	2nd:	2.000	X	3.700	T1	CAST IRON	PHOSPHATE	11-027-2	85.50	DIST1:	-5.20	Head:	NONE	30.00
	SWM31013-3	85.75		0.079	0.146	11-027-3				85.75	DIST2:	-7.70	Skirt:	NONE		
	SWM31013-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-027-4	86.00	DIST3:				
			0.157	0.128												
	REFERENCE #		TOP	2ND	OIL	REFERENCE #			 							
	MD040640					MD040591										






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1997CC),SOHC,4CYL, 85.000MM (3.346"), G63B / 1987-1992																
GALANT / 89-92	SWM31044-0	85.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	11-539-0	85.00	TL:	72.30	PL:	72.00	CHK.
MIGHTY MAX / 88-89	SWM31044-1	85.25		0.059	0.138					11-539-1	85.25	CH:	35.20	PD:	21.00	DIA
PICKUP / 87-89	SWM31044-2	85.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-539-2	85.50	DIST1:	-5.00	Head:	NONE	17.00
	SWM31044-3	85.75		0.059	0.150				11-539-3	85.75	DIST2:	-7.30	Skirt:	NONE		
	SWM31044-4	86.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-539-4	86.00	DIST3:				
				0.157		0.130										
REFERENCE # MD100467		TOP	2ND		OIL			REFERENCE # MD100372								
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 4B11,4B11T / 2008-2017																
LANCER / 08-15	SWG30042-0	86.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
LANCER EVO. / 08-14	SWG30042-1	86.25		0.047	0.120											
LANCER RALLIART / 09-15	SWG30042-2	86.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE							
	SWG30042-3	86.75		0.047	0.142											
OUTLANDER SPORT / 11-17	SWG30042-4	87.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME							
				0.079		0.096										
REFERENCE # 1110A436 23040-2C400 5191418AB		TOP	2ND		OIL											
2.0L (122CID,1999CC),SOHC,4CYL, 81.500MM (3.209"), 4G94 / 2002-2006																
LANCER / 02-06	SWM31164-0	81.50	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31164-1	81.75		0.047	0.106											
	SWM31164-2	82.00	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
	SWM31164-3	82.25		0.047	0.134											
	SWM31164-4	82.50	Oil:	2.500	X	2.450	NIFF-H	STEEL	CHROME							
				0.098		0.096										
REFERENCE # MD371157 MD371189		TOP	2ND		OIL											
2.3L (143CID,2346CC),SOHC,4CYL, 91.100MM (3.587"), 4D55 / 1983-1985 DIESEL																
PICKUP / 83-85	SDM31038-0	91.10	Top:	2.500	X	3.250	BF-K2	STEEL	CHROME	11-028-0	91.10	TL:	88.70	PL:	75.00	CHK.
	SDM31038-1	91.35		0.098	0.128					11-028-1	91.35	CH:	48.70	PD:	29.00	DIA
	SDM31038-2	91.60	2nd:	2.000	X	3.900	T1-K2	CAST IRON	CHROME	11-028-2	91.60	DIST1:	-2.30	Head:	NONE	10.00
	SDM31038-3	91.85		0.079	0.154					11-028-3	91.85	DIST2:	-2.60	Skirt:	NONE	
	SDM31038-4	92.10	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	11-028-4	92.10	DIST3:				
				0.157		0.171										
REFERENCE # E5TZ 6149 A MD103391		TOP	2ND		OIL			REFERENCE # MD103308								






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1993-1996																							
MIGHTY MAX / 93-96 PICKUP / 93-94	SWM31072-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-536-0	86.50	TL:	67.40	PL:	62.00	CHK.							
	SWM31072-1	86.75		0.047		0.122				11-536-1	86.75	CH:	35.00	PD:	22.00	DIA							
	SWM31072-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-536-2	87.00	DIST1:	0.30	Head:	NONE	10.00							
	SWM31072-3	87.25		0.059		0.150				11-536-3	87.25	DIST2:	0.40	Skirt:	NONE								
	SWM31072-4	87.50	Oil:	3.000	X	2.550	NIFF-S	STEEL	CHROME	11-536-4	87.50	DIST3:											
			0.118	0.100																			
	REFERENCE # MD195872		TOP	2ND		OIL				REFERENCE # MD188998													
	2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1993-1999																						
	ECLIPSE / 97-99 Expo / 93-95 Expo LRV / 93-94 GALANT / 94-98	SWM31116-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-709-0	86.50	TL:	67.10	PL:	62.00	CHK.						
		SWM31116-1	86.75		0.047		0.122				11-709-1	86.75	CH:	35.00	PD:	22.00	DIA						
SWM31116-2		87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-709-2	87.00	DIST1:	-4.30	Head:	NONE	12.00							
SWM31116-3		87.25		0.059		0.150				11-709-3	87.25	DIST2:		Skirt:	NONE								
SWM31116-4		87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-709-4	87.50	DIST3:											
			0.110	0.100																			
REFERENCE # MD195828		TOP	2ND		OIL				REFERENCE # MD188115 MD303071														
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1997-1999																							
MONTERO SPORT / 97-99		SWM31116-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	DISC-11-763-0	86.50											
		SWM31116-1	86.75		0.047		0.122				DISC-11-763-1	86.75											
	SWM31116-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	DISC-11-763-2	87.00												
	SWM31116-3	87.25		0.059		0.150				DISC-11-763-3	87.25												
	SWM31116-4	87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	DISC-11-763-4	87.50												
			0.110	0.100																			
	REFERENCE # MD195828		TOP	2ND		OIL				REFERENCE # MD341734													
	2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1997-2004																						
	ECLIPSE / 97-99 GALANT / 99-04	SWM31116-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
		SWM31116-1	86.75		0.047		0.122																
SWM31116-2		87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE														
SWM31116-3		87.25		0.059		0.150																	
SWM31116-4		87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME														
			0.110	0.100																			
REFERENCE # MD195828		TOP	2ND		OIL																		






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), 4G64 / 1999-2005																
ECLIPSE / 00-05	SWM31116-0	86.50	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	11-804-0	86.50	TL:	53.50	PL:	62.00	CHK.
ECLIPSE SPYDER / 01-05	SWM31116-1	86.75		0.047	0.122					11-804-1	86.75	CH:	30.50	PD:	22.00	DIA
GALANT / 99-99	SWM31116-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-804-2	87.00	DIST1:		Head:	NONE	10.00
OUTLANDER / 03-04	SWM31116-3	87.25		0.059	0.150					11-804-3	87.25	DIST2:		Skirt:	MS	
	SWM31116-4	87.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-804-4	87.50	DIST3:				
				0.110		0.100										
REFERENCE # MD195828		TOP	2ND		OIL					REFERENCE # MD357066 MD357067						
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), G64B / 1984-1986																
GALANT / 84-86	SWM31037-0	86.50	Top:	1.500	X	3.450	BF	STEEL	CHROME	DISC-11-537-0	86.50					
	SWM31037-1	86.75		0.059	0.136					DISC-11-537-1	86.75					
	SWM31037-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	DISC-11-537-2	87.00					
	SWM31037-3	87.25		0.059	0.150					DISC-11-537-3	87.25					
	SWM31037-4	87.50	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-537-4	87.50					
				0.157		0.130										
REFERENCE # MD085346		TOP	2ND		OIL					REFERENCE # MD068759						
2.4L (143CID,2350CC),SOHC,4CYL, 86.500MM (3.406"), G64B / 1987-1992																
GALANT / 87-88	SWM31037-0	86.50	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-538-0	86.50	TL:	72.40	PL:	72.00	CHK.
	SWM31037-1	86.75		0.059	0.136					11-538-1	86.75	CH:	34.90	PD:	21.00	DIA
	SWM31037-2	87.00	2nd:	1.500	X	3.800	TUC	CAST IRON	PHOSPHATE	11-538-2	87.00	DIST1:	0.50	Head:	NONE	15.00
	SWM31037-3	87.25		0.059	0.150					11-538-3	87.25	DIST2:	0.30	Skirt:	NONE	
	SWM31037-4	87.50	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	11-538-4	87.50	DIST3:				
				0.157		0.130										
REFERENCE # MD085346		TOP	2ND		OIL					REFERENCE # 23410-32610 MD105377						
2.4L (144CID,2359CC),DOHC,4CYL, 88.000MM (3.465"), 4B12 / 2008-2017																
LANCER / 09-15	SWG30041-0	88.00	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	11-908-0	88.00	TL:	51.50	PL:	58.00	CHK.
	SWG30041-1	88.25		0.047	0.120					11-908-1	88.25	CH:	27.20	PD:	21.00	DIA
	SWG30041-2	88.50	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE	11-908-2	88.50	DIST1:	-1.50	Head:	NONE	15.00
	SWG30041-3	88.75		0.047	0.142					11-908-3	88.75	DIST2:	-3.30	Skirt:	MS	
	OUTLANDER SPORT / 15-17	SWG30041-4	89.00	Oil:	2.000	X	2.450	NIFF-H	STEEL	CHROME	11-908-4	89.00	DIST3:			
				0.079		0.096										
REFERENCE # 1110A822 23040-25200 5191424AA		TOP	2ND		OIL					REFERENCE # 23410-25211 5191340AA						






MITSUBISHI

MITSUBISHI









ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (145CID,2378CC),SOHC,4CYL, 87.000MM (3.425"), 4G69 / 2004-2012																
ECLIPSE / 06-11 ECLIPSE SPYDER / 06-11 GALANT / 05-12 LANCER / 04-06 OUTLANDER / 04-06	SWM31161-0	87.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31161-1	87.25		0.047	0.122											
	SWM31161-2	87.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE							
	SWM31161-3	87.75		0.047	0.134											
	SWM31161-4	88.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED							
REFERENCE # 1110A966		TOP	2ND	OIL												
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1983-1985																
MONTERO / 83-83 PICKUP / 83-85	SWM31047-0	91.10	Top:	2.000	X	3.500	BF	DUCTILE IRON	CHROME	11-031-0	91.10	TL:	77.20	PL:	75.00	CHK. DIA 37.50
	SWM31047-1	91.35		0.079	0.138	11-031-1				91.35	CH:	35.20	PD:	22.00		
	SWM31047-2	91.60	2nd:	2.000	X	3.800	T1	CAST IRON	CHROME	11-031-2	91.60	DIST1:	Head:	NONE		
	SWM31047-3	91.85		0.079	0.150	11-031-3				91.85	DIST2:	Skirt:	NONE			
	SWM31047-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-031-4	92.10	DIST3:				
REFERENCE # MD025080 MD026835		TOP	2ND	OIL						REFERENCE # MD026921						
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1983-1989																
STARION / 83-89	SWM31039-0	91.10	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	DISC-11-544-0	91.10					
	SWM31039-1	91.35		0.059	0.130	DISC-11-544-1				91.35						
	SWM31039-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-544-2	91.60					
	SWM31039-3	91.85		0.059	0.150	DISC-11-544-3				91.85						
	SWM31039-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	DISC-11-544-4	92.10					
REFERENCE # AM15-11-SC0 MD061258 MD076170		TOP	2ND	OIL						REFERENCE # MD128450						
2.6L (156CID,2555CC),SOHC,4CYL, 91.100MM (3.587"), G54B / 1984-1989																
MIGHTY MAX / 88-89 MONTERO / 84-89 PICKUP / 86-89	SWM31039-0	91.10	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-035-0	91.10	TL:	78.30	PL:	79.00	CHK. DIA 25.00
	SWM31039-1	91.35		0.059	0.130	11-035-1				91.35	CH:	36.00	PD:	22.00		
	SWM31039-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-035-2	91.60	DIST1:	0.30	Head:	NONE	
	SWM31039-3	91.85		0.059	0.150	11-035-3				91.85	DIST2:	Skirt:	NONE			
	SWM31039-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-035-4	92.10	DIST3:				
REFERENCE # AM15-11-SC0 MD061258 MD076170		TOP	2ND	OIL						REFERENCE # AM01-11-SA0 AM15-11-SA0 MD071172						






MITSUBISHI

MITSUBISHI





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (181CID,2972CC),DOHC,6CYL, 91.100MM (3.587"), 6G72 / 1991-1999																
3000GT / 91-99 DIAMANTE / 92-95	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-543-0	91.10	TL:	66.50	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047	X	0.130				11-543-1	91.35	CH:	32.00	PD:	22.00	DIA
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-543-2	91.60	DIST1:	0.50	Head:	NONE	15.00
	SWM31078-3	91.85		0.059	X	0.150				11-543-3	91.85	DIST2:		Skirt:	NONE	
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-543-4	92.10	DIST3:				
REFERENCE # MD158334 MD301716 MD329755 MD334192		TOP	2ND		OIL		REFERENCE # MD307958				 					
3.0L (181CID,2972CC),DOHC,6CYL, 91.100MM (3.587"), 6G72T / 1991-1999																
3000GT / 91-99	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-547-0	91.10	TL:	65.90	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047	X	0.130				11-547-1	91.35	CH:	31.90	PD:	22.00	DIA
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-547-2	91.60	DIST1:	-3.40	Head:	NONE	15.00
	SWM31078-3	91.85		0.059	X	0.150				11-547-3	91.85	DIST2:		Skirt:	NONE	
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-547-4	92.10	DIST3:				
REFERENCE # MD158334 MD301716 MD329755 MD334192		TOP	2ND		OIL		REFERENCE # MD307972				 					
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 4G72,6G72 / 1995-1998 TURBO																
MONTERO / 95-96 MONTERO SPORT / 97-98	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-762-0	91.10	TL:	65.80	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047	X	0.130				11-762-1	91.35	CH:	31.80	PD:	22.00	DIA
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-762-2	91.60	DIST1:	-3.20	Head:	NONE	20.00
	SWM31078-3	91.85		0.059	X	0.150				11-762-3	91.85	DIST2:		Skirt:	NONE	
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-762-4	92.10	DIST3:				
REFERENCE # MD158334 MD301716 MD329755 MD334192		TOP	2ND		OIL		REFERENCE # MD318501				 					
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 1988-1993																
GALANT SIGMA / 88-90 MIGHTY MAX / 90-93 MONTERO / 89-93 PICKUP / 90-93 SIGMA / 89-90	SWM31080-0	91.10	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-549-0	91.10	TL:	68.20	PL:	64.00	CHK.
	SWM31080-1	91.35		0.059	X	0.128				11-549-1	91.35	CH:	32.20	PD:	22.00	DIA
	SWM31080-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-549-2	91.60	DIST1:	-3.00	Head:	NONE	8.00
	SWM31080-3	91.85		0.059	X	0.150				11-549-3	91.85	DIST2:		Skirt:	NONE	
	SWM31080-4	92.10	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-549-4	92.10	DIST3:				
REFERENCE # 23040-35010 23040-35500 MD104936 MD104939		TOP	2ND		OIL		REFERENCE # 23410-35114 23410-35144 23410-35214 23410-35244 MD119671 MD152563				 					






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 1992-1996																
DIAMANTE / 92-96	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	DISC-11-542-0	91.10					
	SWM31078-1	91.35		0.047		0.130				DISC-11-542-1	91.35					
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-542-2	91.60					
	SWM31078-3	91.85		0.059		0.150				DISC-11-542-3	91.85					
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	DISC-11-542-4	92.10					
		0.118	0.114													
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD158334							MD307944									
MD301716																
MD329755																
MD334192																
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 1994-1999																
3000GT / 97-99 MONTERO / 94-94 PICKUP / 94-94	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-707 -0	91.10	TL:	66.00	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047		0.130				11-707 -1	91.35	CH:	32.00	PD:	22.00	DIA
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-707 -2	91.60	DIST1:	-2.30	Head:	NONE	16.00
	SWM31078-3	91.85		0.059		0.150				11-707 -3	91.85	DIST2:	-7.10	Skirt:	NONE	
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-707 -4	92.10	DIST3:				
		0.118	0.114													
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD158334							MD197808		 							
MD301716							MD197814									
MD329755																
MD334192																
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 1999-1999																
GALANT / 99-99	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWM31078-1	91.35		0.047		0.130										
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME							
	SWM31078-3	91.85		0.059		0.150										
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME							
		0.118	0.114													
REFERENCE #		TOP	2ND		OIL											
MD158334																
MD301716																
MD329755																
MD334192																
3.0L (181CID,2972CC),SOHC,6CYL, 91.100MM (3.587"), 6G72 / 2000-2005																
ECLIPSE / 00-05 ECLIPSE SPYDER / 01-05 GALANT / 00-03 MONTERO SPORT / 00-03	SWM31078-0	91.10	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-817-0	91.10	TL:	64.20	PL:	64.00	CHK.
	SWM31078-1	91.35		0.047		0.130				11-817-1	91.35	CH:	30.20	PD:	22.00	DIA
	SWM31078-2	91.60	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-817-2	91.60	DIST1:	-1.30	Head:	NONE	15.00
	SWM31078-3	91.85		0.059		0.150				11-817-3	91.85	DIST2:		Skirt:	NONE	
	SWM31078-4	92.10	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-817-4	92.10	DIST3:				
		0.118	0.114													
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
MD158334							MD367088		 							
MD301716							MD367089									
MD329755																
MD334192																






MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.5L (213CID,3496CC),DOHC,6CYL, 93.000MM (3.661"), 6G74 / 1994-1996																
MONTERO / 94-96	SWM31121-0	93.00	Top:	1.500	X	3.450	BF-IB	STEEL	CHROME	11-749-0	93.00	TL:	86.00	PL:	64.00	CHK.
	SWM31121-1	93.25		0.059		0.136				11-749-1	93.25	CH:	32.00	PD:	22.00	DIA
	SWM31121-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE	11-749-2	93.50	DIST1:	-2.70	Head:	NONE	15.00
	SWM31121-3	93.75		0.059		0.154				11-749-3	93.75	DIST2:		Skirt:	NONE	
	SWM31121-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-749-4	94.00	DIST3:				
REFERENCE # 23040-39800 MD300569 MD322783		TOP			2ND			OIL			REFERENCE # MD308276					
3.5L (213CID,3496CC),SOHC,6CYL, 93.000MM (3.661"), 6G74 / 1997-2000																
DIAMANTE / 97-00 MONTERO / 97-00 MONTERO SPORT / 99-00	SWM31121-0	93.00	Top:	1.500	X	3.450	BF-IB	STEEL	CHROME	DISC-11-760-0	93.00					
	SWM31121-1	93.25		0.059		0.136				DISC-11-760-1	93.25					
	SWM31121-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE	DISC-11-760-2	93.50					
	SWM31121-3	93.75		0.059		0.154				DISC-11-760-3	93.75					
	SWM31121-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	DISC-11-760-4	94.00					
REFERENCE # 23040-39800 MD300569 MD322783		TOP			2ND			OIL			REFERENCE # MD332016					
3.5L (213CID,3496CC),SOHC,6CYL, 93.000MM (3.661"), 6G74 / 2001-2004																
DIAMANTE / 01-04 MONTERO / 01-02 MONTERO SPORT / 01-04	SWM31121-0	93.00	Top:	1.500	X	3.450	BF-IB	STEEL	CHROME	11-847-0	93.00	TL:	64.20	PL:	64.00	CHK.
	SWM31121-1	93.25		0.059		0.136				11-847-1	93.25	CH:	30.20	PD:	22.00	DIA
	SWM31121-2	93.50	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE	11-847-2	93.50	DIST1:	-4.70	Head:	AH	10.00
	SWM31121-3	93.75		0.059		0.154				11-847-3	93.75	DIST2:		Skirt:	NONE	
	SWM31121-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-847-4	94.00	DIST3:				
REFERENCE # 23040-39800 MD300569 MD322783		TOP			2ND			OIL			REFERENCE # MN140937 MN149038					
3.7L (226CID,3701CC),SOHC,6CYL, 93.000MM (3.661"), Power Tech 3.7 / 2006-2009																
RAIDER / 06-09	SWC10002-0	93.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-806-0	93.00	TL:	53.90	PL:	59.00	CHK.
	SWC10002-1	93.25		0.059		0.128				11-806-1	93.25	CH:	31.80	PD:	24.02	DIA
	SWC10002-2	93.50	2nd:	1.500	X	3.900	T1-RB	CAST IRON	PHOSPHATE	11-806-2	93.50	DIST1:		Head:	NONE	13.00
	SWC10002-3	93.75		0.059		0.154				11-806-3	93.75	DIST2:		Skirt:	MS	
	SWC10002-4	94.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-806-4	94.00	DIST3:				
AM Ring Available		TOP			2ND			OIL			REFERENCE # 5019316AA					
REFERENCE # 4897033AA 5012364AC 5241051 5241052		TOP			2ND			OIL								





mitsubishi

mitsubishi


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
3.8L (234CID,3828CC),SOHC,6CYL, 95.000MM (3.740"), 6G75 / 2003-2011															
ECLIPSE / 06-11	SWM31148-0	95.00	Top:	X	3.500 0.138	BF-IB	STEEL	NITRIDED	11-848-0	95.00	TL:	56.80	PL:	58.00	CHK.
ECLIPSE SPYDER / 07-11	SWM31148-1	95.25							11-848-1	95.25	CH:	29.10	PD:	22.00	DIA
ENDEVOR / 04-11	SWM31148-2	95.50	2nd:	X	3.400 0.134	TUC	CAST IRON	PHOSPHATE	11-848-2	95.50	DIST1:	0.20	Head:	AH	12.00
GALANT / 04-09	SWM31148-3	95.75							11-848-3	95.75	DIST2:	Skirt:	MS		
MONTERO / 03-06	SWM31148-4	96.00	Oil:	X	2.550 0.100	NIFF-H	STEEL	NITRIDED	11-848-4	96.00	DIST3:				
REFERENCE # MN183867		TOP 2ND OIL 							REFERENCE # MN128276 MN183040						
4.7L (287CID,4701CC),SOHC,8CYL, 93.000MM (3.661"), Power Tech 4.7 / 2006-2007															
RAIDER / 06-07	SWC10021-0	93.00	Top:	X	3.250 0.059	BF	STEEL	CHROME	11-807-0	93.00	TL:	53.90	PL:	59.00	CHK.
	SWC10021-1	93.25							11-807-1	93.25	CH:	31.80	PD:	24.02	DIA
	SWC10021-2	93.50	2nd:	X	3.900 0.059	T1-RC	CAST IRON	PHOSPHATE	11-807-2	93.50	DIST1:	Head:	NONE	13.00	
	SWC10021-3	93.75							11-807-3	93.75	DIST2:	Skirt:	MS		
	SWC10021-4	94.00	Oil:	X	3.000 0.118	NIF-S	STEEL	CHROME	11-807-4	94.00	DIST3:				
REFERENCE # 5012364AC		TOP 2ND OIL 							REFERENCE # 5012362AB 5012362AC						

NISSAN

NISSAN

1.2L (75CID,1237CC),4CYL, 75.000MM (2.953"), A12A / 1980-1981															
210 / 80-81	SWN30073-0	75.00	Top:	2.000	X	3.200	T1	DUCTILE IRON	CHROME	DISC-11-037-0	75.00				
	SWN30073-1	75.25		0.079	0.126				DISC-11-037-1	75.25					
	SWN30073-2	75.50	2nd:	2.000	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-037-2	75.50				
	SWN30073-3	75.75		0.079	0.126				DISC-11-037-3	75.75					
	SWN30073-4	76.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-037-4	76.00				
	REFERENCE # 12033-H8500	TOP			2ND			OIL			REFERENCE # 12010-H9022				
1.2L (75CID,1237CC),4CYL, 75.000MM (2.953"), A12A / 1982-1982															
210 / 82-82	SWN30073-0	75.00	Top:	2.000	X	3.200	T1	DUCTILE IRON	CHROME	DISC-11-040-0	75.00				
	SWN30073-1	75.25		0.079	0.126				DISC-11-040-1	75.25					
	SWN30073-2	75.50	2nd:	2.000	X	3.200	T1	CAST IRON	PHOSPHATE	DISC-11-040-2	75.50				
	SWN30073-3	75.75		0.079	0.126				DISC-11-040-3	75.75					
	SWN30073-4	76.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-040-4	76.00				
	REFERENCE # 12033-H8500	TOP			2ND			OIL			REFERENCE # 12010-H9512				






NISSAN

NISSAN





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.3L (79CID,1288CC),4CYL, 73.000MM (2.874"), A13 / 1974-1974																	
B210 / 74-74	SWN30026-0	73.00	Top:	2.000	X	3.000	T1	CAST IRON	CHROME	DISC-11-041-0	73.00						
	SWN30026-1	73.25		0.079		0.118				DISC-11-041-1	73.25						
	SWN30026-2	73.50	2nd:	2.000	X	3.000	T1	CAST IRON	PHOSPHATE	DISC-11-041-2	73.50						
	SWN30026-3	73.75		0.079		0.118				DISC-11-041-3	73.75						
	SWN30026-4	74.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	CHROME	DISC-11-041-4	74.00						
				0.157		0.118											
	REFERENCE # 12033-H6200		TOP	2ND		OIL			REFERENCE # 12010-H6211								
	1.4L (85CID,1397CC),4CYL, 76.000MM (2.992"), A14 / 1975-1982																
	210 / 79-82 310 / 79-80 B210 / 75-78	SWN30045-0	76.00	Top:	2.000	X	3.200	BF	STEEL	CHROME	DISC-11-044-0	76.00					
SWN30045-1		76.25	0.079		0.126		DISC-11-044-1				76.25						
SWN30045-2		76.50	2nd:	2.000	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-044-2	76.50						
SWN30045-3		76.75		0.079		0.134				DISC-11-044-3	76.75						
SWN30045-4		77.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-044-4	77.00						
				0.157		0.128											
REFERENCE # 12033-H7200 12033-H8920		TOP	2ND		OIL			REFERENCE # 12010-H7684 12010-H7685 12010-H7711									
1.4L (85CID,1397CC),4CYL, 76.000MM (2.992"), A14 / 1977-1978																	
B210 / 77-78		SWN30052-0	76.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	DISC-11-047-0	76.00					
	SWN30052-1	76.25	0.047		0.120		DISC-11-047-1				76.25						
	SWN30052-2	76.50	2nd:	2.000	X	3.400	TUC	CAST IRON	PHOSPHATE	DISC-11-047-2	76.50						
	SWN30052-3	76.75		0.079		0.134				DISC-11-047-3	76.75						
	SWN30052-4	77.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-047-4	77.00						
				0.157		0.128											
	REFERENCE # 12033-H7680 12033-H9820		TOP	2ND		OIL			REFERENCE # 12010-H8702								
	1.5L (91CID,1487CC),SOHC,4CYL, 76.000MM (2.992"), E15T / 1983-1983 TURBO																
	PULSAR / 83-83	SWN30057-0	76.00	Top:	1.500	X	2.650	BF	STEEL	CHROME	DISC-11-051-0	76.00					
SWN30057-1		76.25	0.059		0.104		DISC-11-051-1				76.25						
SWN30057-2		76.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	DISC-11-051-2	76.50						
SWN30057-3		76.75		0.059		0.134				DISC-11-051-3	76.75						
SWN30057-4		77.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	CHROME	DISC-11-051-4	77.00						
				0.157		0.118											
REFERENCE # 12033-50A00 12033-61A01		TOP	2ND		OIL			REFERENCE # 12010-17M12									






NISSAN

NISSAN


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO						
1.5L (91CID,1488CC),4CYL, 76.000MM (2.992"), A15 / 1979-1980																		
210 / 79-80	SWN30052-0	76.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	DISC-11-048-0	76.00							
	SWN30052-1	76.25		0.047		0.120				DISC-11-048-1	76.25							
	SWN30052-2	76.50	2nd:	2.000	X	3.400	TUC	CAST IRON	PHOSPHATE	DISC-11-048-2	76.50							
	SWN30052-3	76.75		0.079		0.134				DISC-11-048-3	76.75							
	SWN30052-4	77.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-048-4	77.00							
				0.157		0.128												
	REFERENCE # 12033-H7680 12033-H9820		TOP	2ND		OIL			REFERENCE # 12010-H9704									
																		
	1.5L (91CID,1488CC),4CYL, 76.000MM (2.992"), A15 / 1981-1982																	
	210 / 81-82 310 / 81-81	SWN30052-0	76.00	Top:	1.200	X	3.050	BF	STEEL	CHROME	11-049-0	76.00	TL:	65.00	PL:	63.00	CHK.	
SWN30052-1		76.25	0.047		0.120		11-049-1				76.25	CH:	30.00	PD:	19.00	DIA		
SWN30052-2		76.50	2nd:	2.000	X	3.400	TUC	CAST IRON	PHOSPHATE	11-049-2	76.50	DIST1:	-6.50	Head:	NONE	10.00		
SWN30052-3		76.75		0.079		0.134				11-049-3	76.75	DIST2:		Skirt:	NONE			
SWN30052-4		77.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-049-4	77.00	DIST3:						
				0.157		0.128												
REFERENCE # 12033-H7680 12033-H9820		TOP	2ND		OIL			REFERENCE # 12010-H9802		 								
																		
1.5L (91CID,1488CC),SOHC,4CYL, 76.000MM (2.992"), E15,E15S / 1982-1983																		
310 / 82-82 SENTRA / 82-83		SWN30057-0	76.00	Top:	1.500	X	2.650	BF	STEEL	CHROME	11-050-0	76.00	TL:	62.70	PL:	62.00	CHK.	
	SWN30057-1	76.25	0.059		0.104		11-050-1				76.25	CH:	32.50	PD:	19.00	DIA		
	SWN30057-2	76.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-050-2	76.50	DIST1:	-9.40	Head:	NONE	10.00		
	SWN30057-3	76.75		0.059		0.134				11-050-3	76.75	DIST2:		Skirt:	NONE			
	SWN30057-4	77.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	CHROME	11-050-4	77.00	DIST3:						
				0.157		0.118												
	REFERENCE # 12033-50A00 12033-61A01		TOP	2ND		OIL			REFERENCE # 12010-11M22		 							
																		
	1.6L (97CID,1595CC),4CYL, 83.000MM (3.268"), L16 / 1972-1972																	
	620 / 72-72	SWN30014-0	83.00	Top:	2.000	X	3.600	T1	CAST IRON	CHROME	DISC-11-053-0	83.00						
SWN30014-1		83.25	0.079		0.142		DISC-11-053-1				83.25							
SWN30014-2		83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-053-2	83.50							
SWN30014-3		83.75		0.079		0.150				DISC-11-053-3	83.75							
SWN30014-4		84.00	Oil:	4.000	X	3.750	NIFF-S	STEEL	CHROME	DISC-11-053-4	84.00							
				0.157		0.148												
REFERENCE # 12033-A3501		TOP	2ND		OIL			REFERENCE # 12010-23002										
																		




NISSAN
NISSAN





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.6L (97CID,1595CC),4CYL, 83.000MM (3.268"), L16 / 1973-1973																	
620 / 73-73	SWN30014-0	83.00	Top:	2.000	X	3.600	T1	CAST IRON	CHROME	DISC-11-054-0	83.00						
	SWN30014-1	83.25		0.079		0.142				DISC-11-054-1	83.25						
	SWN30014-2	83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-054-2	83.50						
	SWN30014-3	83.75		0.079		0.150				DISC-11-054-3	83.75						
	SWN30014-4	84.00	Oil:	4.000	X	3.750	NIFF-S	STEEL	CHROME	DISC-11-054-4	84.00						
		0.157		0.148													
	REFERENCE # 12033-A3501		TOP		2ND		OIL		REFERENCE # 12010-H2501								
																	
	1.6L (97CID,1595CC),OHV,4CYL, 87.200MM (3.433"), R16 / 1966-1967																
	411 / 66-67	SWN30069-0	87.20	Top:	2.000	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
SWN30069-1		87.45	0.079		0.159												
SWN30069-2		87.70	2nd:	2.500	X	4.050	TUC	CAST IRON	PHOSPHATE								
SWN30069-3		87.95		0.098		0.159											
SWN30069-4		88.20	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME								
		0.157		0.150													
REFERENCE # 12033-14601 12033-R9000		TOP		2ND		OIL											
																	
1.6L (97CID,1595CC),OHV,4CYL, 87.200MM (3.433"), R16 / 1966-1970																	
SRL 311 / 66-70		SWN30069-0	87.20	Top:	2.000	X	4.050	BF	CAST IRON	CHROME	DISC-11-055-0	87.20					
	SWN30069-1	87.45	0.079		0.159		DISC-11-055-1				87.45						
	SWN30069-2	87.70	2nd:	2.500	X	4.050	TUC	CAST IRON	PHOSPHATE	DISC-11-055-2	87.70						
	SWN30069-3	87.95		0.098		0.159				DISC-11-055-3	87.95						
	SWN30069-4	88.20	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME	DISC-11-055-4	88.20						
		0.157		0.150													
	REFERENCE # 12033-14601 12033-R9000		TOP		2ND		OIL		REFERENCE #								
																	
	1.6L (97CID,1595CC),SOHC,4CYL, 83.000MM (3.268"), L16 / 1972-1972																
	521 / 72-72	SWN30014-0	83.00	Top:	2.000	X	3.600	T1	CAST IRON	CHROME	DISC-11-053-0	83.00					
SWN30014-1		83.25	0.079		0.142		DISC-11-053-1				83.25						
SWN30014-2		83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-053-2	83.50						
SWN30014-3		83.75		0.079		0.150				DISC-11-053-3	83.75						
SWN30014-4		84.00	Oil:	4.000	X	3.750	NIFF-S	STEEL	CHROME	DISC-11-053-4	84.00						
		0.157		0.148													
REFERENCE # 12033-A3501		TOP		2ND		OIL		REFERENCE # 12010-23002									
																	






NISSAN

NISSAN



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (97CID,1597CC),DOHC,4CYL, 76.000MM (2.992"), GA16DE / 1991-1994																
NX / 91-93 SENTRA / 91-94	SWN30104-0	76.00	Top:	1.500	X	3.300	BF	DUCTILE IRON	CHROME	11-601-0	76.00	TL:	54.00	PL:	52.00	CHK.
	SWN30104-1	76.25		0.059	X	0.130				11-601-1	76.25	CH:	29.50	PD:	19.00	DIA
	SWN30104-2	76.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-601-2	76.50	DIST1:	-4.80	Head:	NONE	10.00
	SWN30104-3	76.75		0.059	X	0.126				11-601-3	76.75	DIST2:		Skirt:	NONE	
	SWN30104-4	77.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	CHROME	11-601-4	77.00	DIST3:				
REFERENCE # 12033-57Y01		TOP			2ND			OIL			REFERENCE # A2010-57Y00					
1.6L (97CID,1597CC),DOHC,4CYL, 76.000MM (2.992"), GA16DE / 1995-1999																
200SX / 95-98 SENTRA / 95-99	SWN30116-0	76.00	Top:	1.500	X	3.050	T1-IB	STEEL	CHROME	11-680-0	76.00	TL:	54.30	PL:	52.00	CHK.
	SWN30116-1	76.25		0.059	X	0.120				11-680-1	76.25	CH:	29.70	PD:	19.00	DIA
	SWN30116-2	76.50	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-680-2	76.50	DIST1:	-4.70	Head:	AH	12.00
	SWN30116-3	76.75		0.110	X	0.100				11-680-3	76.75	DIST2:		Skirt:	NONE	
	SWN30116-4	77.00								11-680-4	77.00	DIST3:				
REFERENCE # 12033-1M200		TOP			OIL			REFERENCE # A2010-0M210								
1.6L (97CID,1597CC),SOHC,4CYL, 76.000MM (2.992"), E16, E16i, E16S / 1983-1988																
PULSAR / 83-86 SENTRA / 83-88	SWN30057-0	76.00	Top:	1.500	X	2.650	BF	STEEL	CHROME	11-052-0	76.00	TL:	62.50	PL:	62.00	CHK.
	SWN30057-1	76.25		0.059	X	0.104				11-052-1	76.25	CH:	32.50	PD:	19.00	DIA
	SWN30057-2	76.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-052-2	76.50	DIST1:	-9.50	Head:	NONE	10.00
	SWN30057-3	76.75		0.059	X	0.134				11-052-3	76.75	DIST2:		Skirt:	NONE	
	SWN30057-4	77.00	Oil:	4.000	X	3.000	NIFF-S	STEEL	CHROME	11-052-4	77.00	DIST3:				
REFERENCE # 12033-50A00 12033-61A01		TOP			2ND			OIL			REFERENCE # 12010-33M22					
1.6L (97CID,1597CC),SOHC,4CYL, 76.000MM (2.992"), GA16i / 1989-1990																
PULSAR / 89-90 SENTRA / 89-90	SWN30097-0	76.00	Top:	1.500	X	2.670	BF	STEEL	CHROME	11-590-0	76.00	TL:	54.00	PL:	52.00	CHK.
	SWN30097-1	76.25		0.059	X	0.105				11-590-1	76.25	CH:	29.50	PD:	19.00	DIA
	SWN30097-2	76.50	2nd:	1.500	X	3.200	T1	CAST IRON	CHROME	11-590-2	76.50	DIST1:	-5.20	Head:	NONE	15.00
	SWN30097-3	76.75		0.059	X	0.126				11-590-3	76.75	DIST2:		Skirt:	NONE	
	SWN30097-4	77.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-590-4	77.00	DIST3:				
REFERENCE # 12033-84A11		TOP			2ND			OIL			REFERENCE # 12010-84A61					






NISSAN

NISSAN





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.6L (98CID,1598CC),DOHC,4CYL, 78.000MM (3.071"), CA16DE / 1987-1987																
PULSAR / 87-87	SWN30111-0	78.00	Top:	1.500	X	2.900	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30111-1	78.25		0.059		0.114										
	SWN30111-2	78.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE							
	SWN30111-3	78.75		0.059		0.134										
	SWN30111-4	79.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	CHROME							
REFERENCE # 12033-55M00		TOP		2ND		OIL										
1.6L (98CID,1598CC),DOHC,4CYL, 78.000MM (3.071"), HR16DE / 2009-2012																
VERSA / 09-12	SWN30196-0	78.00	Top:	1.200	X	2.450	BF-IB	STEEL	CHROME	11-893-0	78.00	TL:	46.80	PL:	53.50	CHK.
	SWN30196-1	78.25		0.047		0.096				11-893-1	78.25	CH:	28.50	PD:	19.00	DIA
	SWN30196-2	78.50	2nd:	1.200	X	2.700	T1	CAST IRON	PHOSPHATE	11-893-2	78.50	DIST1:	-4.50	Head:	AH	8.00
	SWN30196-3	78.75		0.047		0.106				11-893-3	78.75	DIST2:		Skirt:	MS	
	SWN30196-4	79.00	Oil:	2.000	X	2.300	NIFF-H	STEEL	CHROME	11-893-4	79.00	DIST3:				
REFERENCE # 12033-EE000		TOP		2ND		OIL				REFERENCE # A2010-ED500						
1.6L (98CID,1598CC),DOHC,4CYL, 78.000MM (3.071"), HR16DE / 2013-2017																
VERSA / 13-17	SWN30196-0	78.00	Top:	1.200	X	2.450	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30196-1	78.25		0.047		0.096										
	SWN30196-2	78.50	2nd:	1.200	X	2.700	T1	CAST IRON	PHOSPHATE							
	SWN30196-3	78.75		0.047		0.106										
	SWN30196-4	79.00	Oil:	2.000	X	2.300	NIFF-H	STEEL	CHROME							
REFERENCE # 12033-EE000		TOP		2ND		OIL										
1.6L (99CID,1618CC),DOHC,4CYL, 79.700MM (3.138"), MR16DDT / 2011-2015 TURBO																
JUKE / 11-15	SWN30186-0	79.70	Top:	1.200	X	2.500	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30186-1	79.95		0.047		0.098										
	SWN30186-2	80.20	2nd:	1.000	X	2.700	TUC	STEEL	PHOSPHATE							
	SWN30186-3	80.45		0.039		0.106										
	SWN30186-4	80.70	Oil:	2.000	X	2.400	NIFF-H	STEEL	NITRIDED							
REFERENCE # 12033-1KC0A		TOP		2ND		OIL										






NISSAN

NISSAN





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO										
1.7L (103CID,1680CC),4CYL, 80.00MM (3.150"), CD17 / 1983-1986 DIESEL																				
SENTRA / 83-86	SDN30088-0	80.00	Top:	1.750	X	2.850	BF-IB	STEEL	CHROME	DISC-11-056-0	80.00									
	SDN30088-1	80.25		0.069		0.112				DISC-11-056-1	80.25									
	SDN30088-2	80.50	2nd:	2.000	X	3.300	T1-IC	CAST IRON	CHROME	DISC-11-056-2	80.50									
	SDN30088-3	80.75		0.079		0.130				DISC-11-056-3	80.75									
	SDN30088-4	81.00	Oil:	3.000	X	3.250	E-BC16	STEEL	NITRIDED	DISC-11-056-4	81.00									
				0.118		0.128														
REFERENCE # 12033-16A10		TOP		2ND		OIL		REFERENCE # 12010-17A02												
																				
1.8L (108CID,1769CC),DOHC,4CYL, 80.00MM (3.150"), QG18DE / 2000-2002																				
SENTRA / 00-02	SWN30142-0	80.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-869-0	80.00	TL:	53.70	PL:	51.50	CHK.				
	SWN30142-1	80.25		0.047		0.112				11-869-1	80.25	CH:	29.10	PD:	19.00	DIA				
	SWN30142-2	80.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-869-2	80.50	DIST1:	-4.70	Head:	AH	12.50				
	SWN30142-3	80.75		0.047		0.134				11-869-3	80.75	DIST2:		Skirt:	NONE					
	SWN30142-4	81.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	CHROME	11-869-4	81.00	DIST3:								
				0.098		0.102														
REFERENCE # 12033-5M001 12033-5M060		TOP		2ND		OIL		REFERENCE # A2010-5M010		  										
																				
1.8L (108CID,1769CC),DOHC,4CYL, 80.00MM (3.150"), QG18DE / 2003-2006																				
SENTRA / 03-06	SWN30142-0	80.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-876-0	80.00	TL:	53.70	PL:	52.00	CHK.				
	SWN30142-1	80.25		0.047		0.112				11-876-1	80.25	CH:	29.20	PD:	18.99	DIA				
	SWN30142-2	80.50	2nd:	1.200	X	3.400	T1	CAST IRON	PHOSPHATE	11-876-2	80.50	DIST1:	-4.80	Head:	ARL	10.00				
	SWN30142-3	80.75		0.047		0.134				11-876-3	80.75	DIST2:		Skirt:	NONE					
	SWN30142-4	81.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	CHROME	11-876-4	81.00	DIST3:								
				0.098		0.102														
REFERENCE # 12033-5M001 12033-5M060		TOP		2ND		OIL		REFERENCE # A2010-F4670		  										
																				
1.8L (108CID,1770CC),SOHC,4CYL, 85.00MM (3.346"), L18 / 1973-1974																				
610 / 73-73 620 / 74-74 710 / 74-74	SWN30020-0	85.00	Top:	2.000	X	3.050	BF	STEEL	CHROME	DISC-11-057-0	85.00									
	SWN30020-1	85.25		0.079		0.120				DISC-11-057-1	85.25									
	SWN30020-2	85.50	2nd:	2.000	X	4.200	T1	CAST IRON	PHOSPHATE	DISC-11-057-2	85.50									
	SWN30020-3	85.75		0.079		0.165				DISC-11-057-3	85.75									
	SWN30020-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-057-4	86.00									
				0.157		0.128														
REFERENCE # 12033-A8702		TOP		2ND		OIL		REFERENCE # 12010-U2001												
																				






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
1.8L (110CID,1797CC),DOHC,4CYL, 84.000MM (3.307"), MR18DE / 2007-2014																
Cube / 09-14 VERSA / 07-12	SWN30154-0	84.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	11-849-0	84.00	TL:	52.80	PL:	53.00	CHK.
	SWN30154-1	84.25		0.047	0.104	11-849-1				84.25	CH:	31.20	PD:	19.99	DIA	
	SWN30154-2	84.50	2nd:	1.200	X	3.000	TUC	CAST IRON	PHOSPHATE	11-849-2	84.50	DIST1:	3.20	Head:	AH	5.50
	SWN30154-3	84.75		0.047	0.118	11-849-3				84.75	DIST2:		Skirt:	MS		
	SWN30154-4	85.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	CHROME	11-849-4	85.00	DIST3:				
REFERENCE # 12033-EN200 12033-EN20A		TOP		2ND		OIL			REFERENCE # A2010-ED800 A2010-ED80A							
1.8L (110CID,1809CC),DOHC,4CYL, 83.000MM (3.268"), CA18DE / 1988-1989																
PULSAR / 88-89	SWN30090-0	83.00	Top:	1.500	X	2.900	BF-IB	STEEL	NITRIDED	DISC-11-768-0	83.00					
	SWN30090-1	83.25		0.059	0.114	DISC-11-768-1				83.25						
	SWN30090-2	83.50	2nd:	1.500	X	3.600	T1	CAST IRON	CHROME	DISC-11-768-2	83.50					
	SWN30090-3	83.75		0.059	0.142	DISC-11-768-3				83.75						
	SWN30090-4	84.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	DISC-11-768-4	84.00					
REFERENCE # 12033-18F00 12033-D4210		TOP		2ND		OIL			REFERENCE # 12010-51E61							
1.8L (110CID,1809CC),SOHC,4CYL, 83.000MM (3.268"), CA18ET / 1984-1986 TURBO																
200SX / 84-86	SWN30090-0	83.00	Top:	1.500	X	2.900	BF-IB	STEEL	NITRIDED	DISC-11-058-0	83.00					
	SWN30090-1	83.25		0.059	0.114	DISC-11-058-1				83.25						
	SWN30090-2	83.50	2nd:	1.500	X	3.600	T1	CAST IRON	CHROME	DISC-11-058-2	83.50					
	SWN30090-3	83.75		0.059	0.142	DISC-11-058-3				83.75						
	SWN30090-4	84.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	DISC-11-058-4	84.00					
REFERENCE # 12033-18F00 12033-D4210		TOP		2ND		OIL			REFERENCE # 12010-17F11							
2.0L (119CID,1952CC),SOHC,4CYL, 85.000MM (3.346"), L20B / 1974-1979																
200SX / 77-79 510 / 78-79 610 / 74-76 620 / 75-79 710 / 75-77 PICKUP / 79-79	SWN30048-0	85.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	11-059-0	85.00	TL:	78.10	PL:	72.00	CHK.
	SWN30048-1	85.25		0.079	0.154	11-059-1				85.25	CH:	38.10	PD:	21.00	DIA	
	SWN30048-2	85.50	2nd:	2.000	X	4.200	T1	CAST IRON	PHOSPHATE	11-059-2	85.50	DIST1:	-2.20	Head:	NONE	15.00
	SWN30048-3	85.75		0.079	0.165	11-059-3				85.75	DIST2:		Skirt:	NONE		
	SWN30048-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-059-4	86.00	DIST3:				
REFERENCE # 12033-U6001 12033-W0815		TOP		2ND		OIL			REFERENCE # 12010-U6001 12010-U6021							








NISSAN

NISSAN


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (119CID,1952CC),SOHC,4CYL, 85.000MM (3.346"), L20B / 1980-1980																
720 / 80-80 PICKUP / 80-80	SWN30048-0	85.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	11-060-0	85.00	TL:	78.00	PL:	72.00	CHK.
	SWN30048-1	85.25		0.079	0.154	11-060-1				85.25	CH:	38.00	PD:	21.00	DIA	
	SWN30048-2	85.50	2nd:	2.000	X	4.200	T1	CAST IRON	PHOSPHATE	11-060-2	85.50	DIST1:	-3.00	Head:	NONE	15.00
	SWN30048-3	85.75		0.079	0.165	11-060-3				85.75	DIST2:		Skirt:	NONE		
	SWN30048-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-060-4	86.00	DIST3:				
REFERENCE # 12033-U6001 12033-W0815		TOP 2ND OIL						REFERENCE # 12010-04W11								
2.0L (119CID,1952CC),SOHC,4CYL, 85.000MM (3.346"), Z20 / 1983-1986																
720 / 83-86 PICKUP / 83-86	SWN30086-0	85.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	DISC-11-066-0	85.00					
	SWN30086-1	85.25		0.059	0.120	DISC-11-066-1				85.25						
	SWN30086-2	85.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-066-2	85.50					
	SWN30086-3	85.75		0.059	0.146	DISC-11-066-3				85.75						
	SWN30086-4	86.00	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	DISC-11-066-4	86.00					
REFERENCE # 12033-N8510 12033-N8520		TOP 2ND OIL						REFERENCE # 12010-82W11 12010-W4001								
2.0L (119CID,1952CC),SOHC,4CYL, 85.000MM (3.346"), Z20E,Z20S / 1980-1981																
200SX / 80-81 510 / 80-81	SWN30086-0	85.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-064-0	85.00	TL:	67.00	PL:	72.00	CHK.
	SWN30086-1	85.25		0.059	0.120	11-064-1				85.25	CH:	32.00	PD:	21.00	DIA	
	SWN30086-2	85.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	11-064-2	85.50	DIST1:	-1.50	Head:	NONE	20.00
	SWN30086-3	85.75		0.059	0.146	11-064-3				85.75	DIST2:	-2.50	Skirt:	NONE		
	SWN30086-4	86.00	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	11-064-4	86.00	DIST3:				
REFERENCE # 12033-N8510 12033-N8520		TOP 2ND OIL						REFERENCE # 12010-N8701								
2.0L (120CID,1974CC),SOHC,4CYL, 84.500MM (3.327"), CA20E / 1984-1989																
200SX / 84-88 STANZA / 84-89	SWN30053-0	84.50	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-062-0	84.50	TL:	65.00	PL:	61.00	CHK.
	SWN30053-1	84.75		0.059	0.120	11-062-1				84.75	CH:	30.00	PD:	20.00	DIA	
	SWN30053-2	85.00	2nd:	1.500	X	3.700	T1	CAST IRON	CHROME	11-062-2	85.00	DIST1:	-2.20	Head:	NONE	30.00
	SWN30053-3	85.25		0.059	0.146	11-062-3				85.25	DIST2:		Skirt:	NONE		
	SWN30053-4	85.50	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-062-4	85.50	DIST3:				
REFERENCE # 12033-04E10		TOP 2ND OIL						REFERENCE # 12010-10F11								




NISSAN
NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER						MEMO
2.0L (120CID,1974CC),SOHC,4CYL, 84.500MM (3.327"), CA20S / 1982-1983																
STANZA / 82-83	SWN30053-0	84.50	Top:	1.500	X	3.050	BF	STEEL	CHROME	DISC-11-063-0	84.50					
	SWN30053-1	84.75				0.059				0.120	DISC-11-063-1	84.75				
	SWN30053-2	85.00	2nd:	1.500	X	3.700	T1	CAST IRON	CHROME	DISC-11-063-2	85.00					
	SWN30053-3	85.25				0.059				0.146	DISC-11-063-3	85.25				
	SWN30053-4	85.50	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-063-4	85.50					
						0.157				0.120						
REFERENCE # 12033-04E10		TOP 2ND OIL   									REFERENCE # 12010-D1811					
2.0L (121CID,1982CC),OHV,4CYL, 87.200MM (3.433"), U20 / 1967-1970																
SRL 311 / 67-70	SWN30024-0	87.20	Top:	2.000	X	4.050	BF	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30024-1	87.45				0.079										
	SWN30024-2	87.70	2nd:	2.000	X	4.050	ES-TUC	CAST IRON	PHOSPHATE							
	SWN30024-3	87.95				0.079										
	SWN30024-4	88.20	Oil:	4.000	X	3.800	NIFF-S	STEEL	CHROME							
						0.157										
REFERENCE # 12033-25502		TOP 2ND OIL   														
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), SR20DE / 1991-1998																
200SX / 95-98 NX / 91-93 SENTRA / 91-94	SWN30102-0	86.00	Top:	1.500	X	3.050	BF-IB	STEEL	CHROME	11-602-0	86.00	TL:	63.00	PL:	60.00	CHK.
	SWN30102-1	86.25				0.059				0.120	11-602-1	86.25	CH:	32.00	PD:	22.00
	SWN30102-2	86.50	2nd:	1.500	X	3.650	T1	CAST IRON	CHROME	11-602-2	86.50	DIST1:	-0.90	Head:	NONE	10.00
	SWN30102-3	86.75				0.059				0.144	11-602-3	86.75	DIST2:		Skirt:	NONE
	SWN30102-4	87.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-602-4	87.00	DIST3:				
						0.118				0.118						
REFERENCE # 12033-53J01 12033-53J10		TOP 2ND OIL   									REFERENCE # A2010-63J00 A3020-63J00		  			
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), SR20DE / 1998-2001																
SENTRA / 98-01	SWN30123-0	86.00	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30123-1	86.25				0.047										
	SWN30123-2	86.50	2nd:	1.200	X	3.700	T1	CAST IRON	CHROME							
	SWN30123-3	86.75				0.047										
	SWN30123-4	87.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED							
						0.098										
REFERENCE # 12033-2J210 12033-4M802		TOP 2ND OIL   														






NISSAN

NISSAN









ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.0L (122CID,1999CC),DOCH,4CYL, 84.000MM (3.307"), MR20DE / 2013-2017																
NV200 / 13-17 NV200 TAXI / 14-17	SWN30154-0	84.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30154-1	84.25		0.047	X	0.104										
	SWN30154-2	84.50	2nd:	1.200	X	3.000	TUC	CAST IRON	PHOSPHATE							
	SWN30154-3	84.75		0.047	X	0.118										
	SWN30154-4	85.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	CHROME							
REFERENCE #		TOP	2ND	OIL												
12033-EN200																
12033-EN20A																
2.0L (122CID,1999CC),DOHC,4CYL, 84.000MM (3.307"), MR20DE / 2007-2012																
SENTRA / 07-12	SWN30154-0	84.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30154-1	84.25		0.047	X	0.104										
	SWN30154-2	84.50	2nd:	1.200	X	3.000	TUC	CAST IRON	PHOSPHATE							
	SWN30154-3	84.75		0.047	X	0.118										
	SWN30154-4	85.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	CHROME							
REFERENCE #		TOP	2ND	OIL												
12033-EN200																
12033-EN20A																
2.2L (132CID,2164CC),4CYL, 83.000MM (3.268"), SD22 / 1981-1982 DIESEL																
720 / 81-82 PICKUP / 81-82	SDN31027-0	83.00	Top:	2.500	X	3.500	BF	DUCTILE IRON	CHROME	11-068-0	83.00	TL:	90.00	PL:	71.00	CHK.
	SDN31027-1	83.25		0.098	X	0.138				11-068-1	83.25	CH:	48.00	PD:	26.00	DIA
	SDN31027-2	83.50	2nd:	2.000	X	3.400	T1-IC	DUCTILE IRON	CHROME	11-068-2	83.50	DIST1:	-2.00	Head:	NONE	15.00
	SDN31027-3	83.75		0.079	X	0.134				11-068-3	83.75	DIST2:	-0.50	Skirt:	NONE	
	SDN31027-4	84.00	Oil:	4.500	X	3.900	E-BC3	CAST IRON	CHROME	11-068-4	84.00	DIST3:				
REFERENCE #		TOP	2ND	OIL	REFERENCE #											
12033-R8112					12010-36W10											
2.2L (133CID,2181CC),SOHC,4CYL, 87.000MM (3.425"), Z22 / 1981-1982																
720 / 81-82 PICKUP / 81-82	SWN30054-0	87.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-069-0	87.00	TL:	72.00	PL:	64.00	CHK.
	SWN30054-1	87.25		0.059	X	0.120				11-069-1	87.25	CH:	32.00	PD:	21.00	DIA
	SWN30054-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-069-2	87.50	DIST1:	-2.50	Head:	NONE	10.00
	SWN30054-3	87.75		0.059	X	0.150				11-069-3	87.75	DIST2:		Skirt:	NONE	
	SWN30054-4	88.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-069-4	88.00	DIST3:				
REFERENCE #		TOP	2ND	OIL	REFERENCE #											
12033-06W20					12010-06W21											






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.2L (133CID,2181CC),SOHC,4CYL, 87.000MM (3.425"), Z22E / 1982-1983																
200SX / 82-83	SWN30054-0	87.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-236-0	87.00	TL:	67.00	PL:	72.00	CHK.
	SWN30054-1	87.25		0.059	0.120	11-236-1				87.25	CH:	32.00	PD:	21.00	DIA	
	SWN30054-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-236-2	87.50	DIST1:	-2.20	Head:	NONE	10.00
	SWN30054-3	87.75		0.059	0.150	11-236-3				87.75	DIST2:		Skirt:	NONE		
	SWN30054-4	88.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-236-4	88.00	DIST3:				
REFERENCE # 12033-06W20		TOP 2ND OIL   							REFERENCE # 12010-D8111		 					
2.4L (146CID,2389CC),6CYL, 83.000MM (3.268"), L24 / 1972-1973																
240Z / 72-73	SWN30034-0	83.00	Top:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	11-071-0	83.00	TL:	78.00	PL:	72.00	CHK.
	SWN30034-1	83.25		0.079	0.150	11-071-1				83.25	CH:	38.00	PD:	21.00	DIA	
	SWN30034-2	83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	11-071-2	83.50	DIST1:		Head:	NONE	25.00
	SWN30034-3	83.75		0.079	0.150	11-071-3				83.75	DIST2:		Skirt:	NONE		
	SWN30034-4	84.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	11-071-4	84.00	DIST3:				
REFERENCE # 12033-A8600 12033-E3100		TOP 2ND OIL   							REFERENCE # 12010-H2701		 					
2.4L (146CID,2389CC),DOHC,4CYL, 89.000MM (3.504"), KA24DE / 1991-1998																
240SX / 91-98	SWN30096-0	89.00	Top:	1.500	X	3.270	BF-IB	STEEL	CHROME	11-598-0	89.00	TL:	68.30	PL:	61.50	CHK.
	SWN30096-1	89.25		0.059	0.129	11-598-1				89.25	CH:	34.00	PD:	21.00	DIA	
	SWN30096-2	89.50	2nd:	1.500	X	3.900	T1	CAST IRON	CHROME	11-598-2	89.50	DIST1:	-6.60	Head:	AH	17.00
	SWN30096-3	89.75		0.059	0.154	11-598-3				89.75	DIST2:		Skirt:	NONE		
	SWN30096-4	90.00	Oil:	2.800	X	3.150	NIFF-S	STEEL	CHROME	11-598-4	90.00	DIST3:				
REFERENCE # 12033-53F01 12033-70F00		TOP 2ND OIL   							REFERENCE # A2010-53F00		  					
2.4L (146CID,2389CC),DOHC,4CYL, 89.000MM (3.504"), KA24DE / 1993-1997																
ALTIMA / 93-97	SWN30118-0	89.00	Top:	1.500	X	3.050	BF-IB	STEEL	CHROME	11-609-0	89.00	TL:	68.30	PL:	61.50	CHK.
	SWN30118-1	89.25		0.059	0.120	11-609-1				89.25	CH:	34.00	PD:	21.00	DIA	
	SWN30118-2	89.50	2nd:	1.500	X	3.900	T1	CAST IRON	CHROME	11-609-2	89.50	DIST1:	-6.60	Head:	AH	17.00
	SWN30118-3	89.75		0.059	0.154	11-609-3				89.75	DIST2:		Skirt:	NONE		
	SWN30118-4	90.00	Oil:	2.800	X	3.150	NIFF-S	STEEL	CHROME	11-609-4	90.00	DIST3:				
REFERENCE # 12033-4E100 12033-86G00		TOP 2ND OIL   							REFERENCE # A2010-1E400		  					






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (146CID,2389CC),DOHC,4CYL, 89.000MM (3.504"), KA24DE / 1998-2004																
ALTIMA / 98-01	SWN30143-0	89.00	Top:	1.200	X	3.250	BF-IB	STEEL	CHROME	11-755-0	89.00	TL:	60.90	PL:	57.00	CHK.
FRONTIER / 98-04	SWN30143-1	89.25		0.047		0.128				11-755-1	89.25	CH:	34.00	PD:	20.99	DIA
XTERRA / 00-04	SWN30143-2	89.50	2nd:	1.200	X	3.800	T1	CAST IRON	CHROME	11-755-2	89.50	DIST1:	-6.40	Head:	AH	10.00
	SWN30143-3	89.75		0.047		0.150				11-755-3	89.75	DIST2:	-6.50	Skirt:	NONE	
	SWN30143-4	90.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-755-4	90.00	DIST3:				
	REFERENCE # 12033-0Z810 12033-9E000		TOP	2ND		OIL			REFERENCE # A2010-1Z102 A2010-8Z310 A2010-9E000 A2010-9E001 A2010-9E002							
2.4L (146CID,2389CC),SOHC,4CYL, 89.000MM (3.504"), KA24E / 1989-1992																
240SX / 89-90	SWN30096-0	89.00	Top:	1.500	X	3.270	BF-IB	STEEL	CHROME	11-600-0	89.00	TL:	68.30	PL:	59.00	CHK.
AXXESS / 90-90	SWN30096-1	89.25		0.059		0.129				11-600-1	89.25	CH:	34.00	PD:	21.00	DIA
STANZA / 90-92	SWN30096-2	89.50	2nd:	1.500	X	3.900	T1	CAST IRON	CHROME	11-600-2	89.50	DIST1:	-0.50	Head:	NONE	5.00
	SWN30096-3	89.75		0.059		0.154				11-600-3	89.75	DIST2:		Skirt:	NONE	
	SWN30096-4	90.00	Oil:	2.800	X	3.150	NIFF-S	STEEL	CHROME	11-600-4	90.00	DIST3:				
	REFERENCE # 12033-53F01 12033-70F00		TOP	2ND		OIL			REFERENCE # 12010-40F10 A2010-30R10							
2.4L (146CID,2389CC),SOHC,4CYL, 89.000MM (3.504"), KA24E / 1990-1999																
PICKUP / 90-99	SWN30118-0	89.00	Top:	1.500	X	3.050	BF-IB	STEEL	CHROME	11-676-0	89.00	TL:	68.30	PL:	66.50	CHK.
	SWN30118-1	89.25		0.059		0.120				11-676-1	89.25	CH:	34.00	PD:	21.00	DIA
	SWN30118-2	89.50	2nd:	1.500	X	3.900	T1	CAST IRON	CHROME	11-676-2	89.50	DIST1:	-0.60	Head:	NONE	10.00
	SWN30118-3	89.75		0.059		0.154				11-676-3	89.75	DIST2:		Skirt:	NONE	
	SWN30118-4	90.00	Oil:	2.800	X	3.150	NIFF-S	STEEL	CHROME	11-676-4	90.00	DIST3:				
	REFERENCE # 12033-4E100 12033-86G00		TOP	2ND		OIL			REFERENCE # 12010-86G20							
2.4L (146CID,2389CC),SOHC,4CYL, 89.000MM (3.504"), Z24 / 1983-1984																
720 / 83-84	SWN30059-0	89.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-070-0	89.00	TL:	72.00	PL:	72.00	CHK.
PICKUP / 83-84	SWN30059-1	89.25		0.059		0.128				11-070-1	89.25	CH:	34.00	PD:	21.00	DIA
	SWN30059-2	89.50	2nd:	1.500	X	3.900	T1	CAST IRON	CHROME	11-070-2	89.50	DIST1:	-4.00	Head:	NONE	30.00
	SWN30059-3	89.75		0.059		0.154				11-070-3	89.75	DIST2:		Skirt:	NONE	
	SWN30059-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-070-4	90.00	DIST3:				
	REFERENCE # 12033-30W10		TOP	2ND		OIL			REFERENCE # 12010-30W11							






NISSAN

NISSAN





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (146CID,2389CC),SOHC,4CYL, 89.000MM (3.504"), Z24, Z24i / 1985-1989																
720 / 85-86	SWN30085-0	89.00	Top:	2.000	X	3.050	BF	STEEL	CHROME	11-238-0	89.00	TL:	70.40	PL:	66.50	CHK.
PATHFINDER / 87-87	SWN30085-1	89.25		0.079		0.120				11-238-1	89.25	CH:	33.80	PD:	21.00	DIA
PICKUP / 85-89	SWN30085-2	89.50	2nd:	1.500	X	3.900	T1	CAST IRON	PHOSPHATE	11-238-2	89.50	DIST1:	-4.00	Head:	NONE	10.00
VAN / 87-88	SWN30085-3	89.75		0.059		0.154				11-238-3	89.75	DIST2:		Skirt:	NONE	
	SWN30085-4	90.00	Oil:	4.000	X	3.200	NIFF-S	STEEL	CHROME	11-238-4	90.00	DIST3:				
				0.157		0.126										
REFERENCE # 12033-21G00 12033-21G10		TOP			2ND			OIL			REFERENCE # 12010-83W11					
2.4L (146CID,2393CC),6CYL, 83.000MM (3.268"), L24E / 1982-1984																
MAXIMA / 82-84	SWN30065-0	83.00	Top:	1.500	X	3.600	T1	CAST IRON	PHOSPHATE	DISC-11-078-0	83.00					
	SWN30065-1	83.25		0.059		0.142				DISC-11-078-1	83.25					
	SWN30065-2	83.50	2nd:	1.500	X	3.600	T1	CAST IRON	PHOSPHATE	DISC-11-078-2	83.50					
	SWN30065-3	83.75		0.059		0.142				DISC-11-078-3	83.75					
		SWN30065-4	84.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-078-4	84.00				
				0.157		0.120										
REFERENCE # 12033-W3100		TOP			2ND			OIL			REFERENCE # 12010-51L01					
2.4L (146CID,2393CC),6CYL, 83.000MM (3.268"), L24E / 1977-1978																
810 / 77-78	SWN30034-0	83.00	Top:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-073-0	83.00					
	SWN30034-1	83.25		0.079		0.150				DISC-11-073-1	83.25					
	SWN30034-2	83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-073-2	83.50					
	SWN30034-3	83.75		0.079		0.150				DISC-11-073-3	83.75					
		SWN30034-4	84.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	DISC-11-073-4	84.00				
				0.157		0.154										
REFERENCE # 12033-A8600 12033-E3100		TOP			2ND			OIL			REFERENCE # 12010-A8601					
2.4L (146CID,2393CC),6CYL, 83.000MM (3.268"), L24E / 1979-1980																
810 / 79-80	SWN30034-0	83.00	Top:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	11-076-0	83.00	TL:	78.00	PL:	72.00	CHK.
	SWN30034-1	83.25		0.079		0.150				11-076-1	83.25	CH:	38.00	PD:	21.00	DIA
	SWN30034-2	83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	11-076-2	83.50	DIST1:	-0.80	Head:	NONE	12.00
	SWN30034-3	83.75		0.079		0.150				11-076-3	83.75	DIST2:		Skirt:	NONE	
		SWN30034-4	84.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	11-076-4	84.00	DIST3:			
				0.157		0.154										
REFERENCE # 12033-A8600 12033-E3100		TOP			2ND			OIL			REFERENCE # 12010-H2501					






NISSAN

NISSAN



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.4L (146CID,2393CC),6CYL, 83.000MM (3.268"), L24E / 1981-1981																
810 / 81-81 MAXIMA / 81-81	SWN30064-0	83.00	Top:	1.500	X	3.600	T1	CAST IRON	CHROME	DISC-11-077-0	83.00					
	SWN30064-1	83.25		0.059	0.142	DISC-11-077-1				83.25						
	SWN30064-2	83.50	2nd:	2.000	X	3.500	ES-TUC	CAST IRON	PHOSPHATE	DISC-11-077-2	83.50					
	SWN30064-3	83.75		0.079	0.138	DISC-11-077-3				83.75						
	SWN30064-4	84.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	DISC-11-077-4	84.00					
REFERENCE # 12033-W2420		TOP	2ND	OIL	REFERENCE # 12010-W2402											
																
2.5L (152CID,2488CC),4CYL, 89.000MM (3.504"), SD25 / 1983-1986 DIESEL																
720 / 83-86 PICKUP / 83-86	SDN31023-0	89.00	Top:	2.500	X	3.700	BF	DUCTILE IRON	CHROME	DISC-11-079-0	89.00					
	SDN31023-1	89.25		0.098	0.146	DISC-11-079-1				89.25						
	SDN31023-2	89.50	2nd:	2.000	X	3.700	T1-IC	DUCTILE IRON	CHROME	DISC-11-079-2	89.50					
	SDN31023-3	89.75		0.079	0.146	DISC-11-079-3				89.75						
	SDN31023-4	90.00	Oil:	4.500	X	4.200	E-BC3	CAST IRON	CHROME	DISC-11-079-4	90.00					
REFERENCE # 12033-L2006		TOP	2ND	OIL	REFERENCE # 12010-29W00											
																
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), QR25DE / 2002-2006																
ALTIMA / 02-06 SENTRA SE-R / 02-06	SWN30140-0	89.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-852-0	89.00	TL:	54.80	PL:	57.00	CHK.
	SWN30140-1	89.25		0.047	0.122	11-852-1				89.25						
	SWN30140-2	89.50	2nd:	1.200	X	3.800	T1	CAST IRON	CHROME	11-852-2	89.50					
	SWN30140-3	89.75		0.047	0.150	11-852-3				89.75						
	SWN30140-4	90.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-852-4	90.00					
REFERENCE # 12033-8H301 12033-8J000 12033-EA000 12033-EA00B		TOP	2ND	OIL	REFERENCE # A2010-8J000 A2010-8J011											
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), QR25DE / 2005-2017																
FRONTIER / 05-17	SWN30140-0	89.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-881-0	89.00	TL:	61.50	PL:	57.00	CHK.
	SWN30140-1	89.25		0.047	0.122	11-881-1				89.25						
	SWN30140-2	89.50	2nd:	1.200	X	3.800	T1	CAST IRON	CHROME	11-881-2	89.50					
	SWN30140-3	89.75		0.047	0.150	11-881-3				89.75						
	SWN30140-4	90.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-881-4	90.00					
REFERENCE # 12033-8H301 12033-8J000 12033-EA000 12033-EA00B		TOP	2ND	OIL	REFERENCE # A2010-EA000 A2010-EA001											






NISSAN

NISSAN







ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), QR25DE / 2007-2013																	
ALTIMA / 07-12	SWN30189-0	89.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-894-0	89.00	TL:	53.50	PL:	57.00	CHK.	
ALTIMA HYBIRD / 07-11	SWN30189-1	89.25		0.047	0.114				11-894-1	89.25	CH:	32.40	PD:	20.00	DIA		
ROGUE / 08-13	SWN30189-2	89.50	2nd:	1.200	X	3.800	T1	CAST IRON	PHOSPHATE	11-894-2	89.50	DIST1:	-6.60	Head:	AH	10.00	
SENTRA SE-R / 07-12	SWN30189-3	89.75		0.047	0.150				11-894-3	89.75	DIST2:		Skirt:	MS			
	SWN30189-4	90.00	Oil:	2.000	X	2.250	NIFF-H	STEEL	NITRIDED	11-894-4	90.00	DIST3:					
	REFERENCE #	TOP	2ND		OIL		REFERENCE #										
	12033-ET80B						A2010-JA00C										
	12033-JA00B																
	12033-JG30A																
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), QR25DE / 2013-2017																	
ALTIMA / 13-17	SWN30189-0	89.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
ROGUE / 14-17	SWN30189-1	89.25		0.047	0.114												
	SWN30189-2	89.50	2nd:	1.200	X	3.800	T1	CAST IRON	PHOSPHATE								
	SWN30189-3	89.75		0.047	0.150												
	SWN30189-4	90.00	Oil:	2.000	X	2.250	NIFF-H	STEEL	NITRIDED								
			0.079	0.089													
	REFERENCE #	TOP	2ND		OIL												
	12033-ET80B																
	12033-JA00B																
	12033-JG30A																
2.8L (168CID,2753CC),6CYL, 84.500MM (3.327"), LD28 / 1981-1983 DIESEL																	
810 / 81-81	SDN30067-0	84.50	Top:	2.000	X	3.500	BF-IB	DUCTILE IRON	CHROME	DISC-11-086-0	84.50						
MAXIMA / 81-83	SDN30067-1	84.75		0.079	0.138				DISC-11-086-1	84.75							
	SDN30067-2	85.00	2nd:	2.000	X	3.500	T1-IC	CAST IRON	PHOSPHATE	DISC-11-086-2	85.00						
	SDN30067-3	85.25		0.079	0.138				DISC-11-086-3	85.25							
	SDN30067-4	85.50	Oil:	4.000	X	4.100	E-BC16	CAST IRON	CHROME	DISC-11-086-4	85.50						
			0.157	0.161													
	REFERENCE #	TOP	2ND		OIL		REFERENCE #										
	12033-60L00						12010-W2502										
2.8L (168CID,2753CC),SOHC,6CYL, 86.000MM (3.386"), L28E / 1975-1979																	
280Z / 75-78	SWN30047-0	86.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	11-081-0	86.00	TL:	78.30	PL:	72.00	CHK.	
280ZX / 79-79	SWN30047-1	86.25		0.079	0.154				11-081-1	86.25	CH:	38.00	PD:	21.00	DIA		
	SWN30047-2	86.50	2nd:	2.000	X	4.050	T1	CAST IRON	PHOSPHATE	11-081-2	86.50	DIST1:	-3.00	Head:	NONE	15.00	
	SWN30047-3	86.75		0.079	0.159				11-081-3	86.75	DIST2:		Skirt:	NONE			
	SWN30047-4	87.00	3rd:	2.000	X	4.050	T1	CAST IRON	PHOSPHATE	11-081-4	87.00	DIST3:					
			Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME								
			0.157	0.128													
	REFERENCE #	TOP	2ND		3RD		OIL		REFERENCE #								
	12033-N4200								12010-Y4111								
	12033-P8370								12010-Y4131								






NISSAN

NISSAN



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.8L (168CID,2753CC),SOHC,6CYL, 86.000MM (3.386"), L28E / 1980-1980																
280ZX / 80-80	SWN30047-0	86.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	11-082-0	86.00	TL:	78.20	PL:	72.00	CHK.
	SWN30047-1	86.25		0.079		0.154				11-082-1	86.25	CH:	38.00	PD:	21.00	DIA
	SWN30047-2	86.50	2nd:	2.000	X	4.050	T1	CAST IRON	PHOSPHATE	11-082-2	86.50	DIST1:	-2.00	Head:	NONE	22.00
	SWN30047-3	86.75		0.079		0.159				11-082-3	86.75	DIST2:		Skirt:	NONE	
	SWN30047-4	87.00	3rd:	2.000	X	4.050	T1	CAST IRON	PHOSPHATE	11-082-4	87.00	DIST3:				
			Oil:	4.000		3.250				NIFF-S	STEEL	CHROME				
				0.157	0.128											
	REFERENCE #	TOP	2ND	3RD	OIL	REFERENCE #					 					
	12033-N4200					12010-Y8621										
	12033-P8370															
2.8L (168CID,2753CC),SOHC,6CYL, 86.000MM (3.386"), L28E / 1981-1983																
280ZX / 81-83	SWN30066-0	86.00	Top:	1.500	X	3.600	BF	DUCTILE IRON	CHROME	11-084-0	86.00	TL:	78.80	PL:	72.00	CHK.
	SWN30066-1	86.25		0.059		0.142				11-084-1	86.25	CH:	38.50	PD:	21.00	DIA
	SWN30066-2	86.50	2nd:	2.000	X	4.050	TUC	CAST IRON	PHOSPHATE	11-084-2	86.50	DIST1:		Head:	NONE	15.00
	SWN30066-3	86.75		0.079		0.159				11-084-3	86.75	DIST2:		Skirt:	NONE	
	SWN30066-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-084-4	87.00	DIST3:				
				0.157		0.128										
	REFERENCE #	TOP	2ND	OIL	REFERENCE #					 						
	12033-P7910				12010-P7912											
	12033-P9010															
	2.8L (168CID,2753CC),SOHC,6CYL, 86.000MM (3.386"), L28ET / 1981-1983 TURBO															
280ZX / 81-83	SWN30066-0	86.00	Top:	1.500	X	3.600	BF	DUCTILE IRON	CHROME	DISC-11-085-0	86.00					
	SWN30066-1	86.25		0.059		0.142				DISC-11-085-1	86.25					
	SWN30066-2	86.50	2nd:	2.000	X	4.050	TUC	CAST IRON	PHOSPHATE	DISC-11-085-2	86.50					
	SWN30066-3	86.75		0.079		0.159				DISC-11-085-3	86.75					
	SWN30066-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-085-4	87.00					
				0.157		0.128										
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	12033-P7910				12010-P9012											
	12033-P9010															
	3.0L (181CID,2960CC),DOHC,6CYL, 87.000MM (3.425"), VE30DE / 1992-1994															
MAXIMA / 92-94	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-675-0	87.00	TL:	64.50	PL:	67.00	CHK.
	SWN30058-1	87.25		0.059		0.122				11-675-1	87.25	CH:	32.00	PD:	22.00	DIA
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-675-2	87.50	DIST1:		Head:	NONE	10.00
	SWN30058-3	87.75		0.059		0.150				11-675-3	87.75	DIST2:		Skirt:	NONE	
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED	11-675-4	88.00	DIST3:				
				0.110		0.118										
	REFERENCE #	TOP	2ND	OIL	REFERENCE #					  						
	12033-17V01				A2010-96E00											
	12033-21V01															
	12033-96E01															
12033-F6511																
F6XZ 6148 AA																






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO								
3.0L (181CID,2960CC),DOHC,6CYL, 87.000MM (3.425"), VG30DE / 1990-1996																		
300ZX / 90-96	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-727-0	87.00	TL:	61.00	PL:	69.00	CHK.		
	SWN30058-1	87.25		0.059		0.122				11-727-1	87.25	CH:	32.00	PD:	22.00	DIA		
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-727-2	87.50	DIST1:	1.50	Head:	NONE	10.00		
	SWN30058-3	87.75		0.059		0.150				11-727-3	87.75	DIST2:	-1.20	Skirt:	NONE			
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED	11-727-4	88.00	DIST3:						
	AM Ring Available			0.110		0.118												
	REFERENCE #		TOP			2ND			OIL			REFERENCE #		  				
	12033-17V01											A2010-30P00						
	12033-21V01																	
	12033-96E01																	
	12033-F6511																	
	F6XZ 6148 AA																	
3.0L (181CID,2960CC),DOHC,6CYL, 87.000MM (3.425"), VG30DETT / 1990-1996 TURBO																		
300ZX / 90-96	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
	SWN30058-1	87.25		0.059		0.122												
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME									
	SWN30058-3	87.75		0.059		0.150												
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED									
	AM Ring Available			0.110		0.118												
	REFERENCE #		TOP			2ND			OIL									
	12033-17V01																	
	12033-21V01																	
	12033-96E01																	
	12033-F6511																	
	F6XZ 6148 AA																	
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30E / 1984-1994																		
300ZX / 84-89 MAXIMA / 85-94	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	DISC-11-088-0	87.00							
	SWN30058-1	87.25		0.059		0.122				DISC-11-088-1	87.25							
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-088-2	87.50							
	SWN30058-3	87.75		0.059		0.150				DISC-11-088-3	87.75							
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED	DISC-11-088-4	88.00							
	AM Ring Available			0.110		0.118												
	REFERENCE #		TOP			2ND			OIL			REFERENCE #		  				
	12033-17V01											12010-V7101						
	12033-21V01																	
	12033-96E01																	
	12033-F6511																	
	F6XZ 6148 AA																	






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30E / 1987-1995																
200SX / 87-88 PATHFINDER / 90-95 PICKUP / 90-95	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-603-0	87.00	TL:	67.00	PL:	64.00	CHK.
	SWN30058-1	87.25		0.059	0.122	11-603-1				87.25	CH:	32.00	PD:	21.00	DIA	
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-603-2	87.50	DIST1:		Head:	NONE	10.00
	SWN30058-3	87.75		0.059	0.150	11-603-3				87.75	DIST2:		Skirt:	NONE		
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED	11-603-4	88.00	DIST3:				
AM Ring Available				0.110	0.118											
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033-17V01							12010-21P61									
12033-21V01							12010-V7175									
12033-96E01							A2010-10G03									
12033-F6511							F7XZ 6108 AA									
F6XZ 6148 AA																
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30E / 1993-1998																
QUEST / 93-98	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-681-0	87.00	TL:	67.80	PL:	64.00	CHK.
	SWN30058-1	87.25		0.059	0.122	11-681-1				87.25	CH:	31.85	PD:	21.00	DIA	
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	11-681-2	87.50	DIST1:	0.80	Head:	NONE	10.00
	SWN30058-3	87.75		0.059	0.150	11-681-3				87.75	DIST2:	0.15	Skirt:	NONE		
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED	11-681-4	88.00	DIST3:				
AM Ring Available				0.110	0.118											
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033-17V01							A2010-1B100									
12033-21V01							A2010-1B110									
12033-96E01																
12033-F6511																
F6XZ 6148 AA																
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30ET / 1984-1989 TURBO																
300ZX / 84-89	SWN30058-0	87.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	DISC-11-089-0	87.00					
	SWN30058-1	87.25		0.059	0.122	DISC-11-089-1				87.25						
	SWN30058-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-089-2	87.50					
	SWN30058-3	87.75		0.059	0.150	DISC-11-089-3				87.75						
	SWN30058-4	88.00	Oil:	2.800	X	3.000	NIFF-S	STEEL	NITRIDED	DISC-11-089-4	88.00					
AM Ring Available				0.110	0.118											
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033-17V01							12010-02P01									
12033-21V01																
12033-96E01																
12033-F6511																
F6XZ 6148 AA																
3.0L (181CID,2960CC),SOHC,6CYL, 87.000MM (3.425"), VG30i / 1987-1989																
PATHFINDER / 87-89	SWN30093-0	87.00	Top:	2.000	X	3.100	BF-IB	STEEL	NITRIDED	DISC-11-607-0	87.00					
	SWN30093-1	87.25		0.079	0.122	DISC-11-607-1				87.25						
	SWN30093-2	87.50	2nd:	1.500	X	3.800	T1	CAST IRON	CHROME	DISC-11-607-2	87.50					
	SWN30093-3	87.75		0.059	0.150	DISC-11-607-3				87.75						
	SWN30093-4	88.00	Oil:	2.800	X	3.100	NIFF-S	STEEL	CHROME	DISC-11-607-4	88.00					
				0.110	0.122											
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033-15G00							12010-13G63									
							A2010-13G61									






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.0L (182CID,2987CC),DOHC,6CYL, 93.000MM (3.661"), VQ30DE / 1995-2001																
MAXIMA / 95-01	SWN30115-0	93.00	Top:	1.200	X	3.250	BF	STEEL	CHROME	11-711-0	93.00	TL:	58.30	PL:	58.00	CHK.
	SWN30115-1	93.25		0.047	0.128	11-711-1				93.25	CH:	30.20	PD:	22.00	DIA	
	SWN30115-2	93.50	2nd:	1.200	X	4.000	T1	CAST IRON	CHROME	11-711-2	93.50	DIST1:	-0.40	Head:	AH	14.00
	SWN30115-3	93.75		0.047	0.157	11-711-3				93.75	DIST2:		Skirt:	MS		
	SWN30115-4	94.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME	11-711-4	94.00	DIST3:				
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	12033-2Y900				A2010-2Y900											
	12033-2Y903				A2010-2Y910											
	12033-38U01				A2010-38U10											
					A2010-39U00											
3.3L (200CID,3272CC),SOHC,6CYL, 91.500MM (3.602"), VG33E / 1996-2004																
FRONTIER / 00-04 PATHFINDER / 96-00 XTERRA / 00-04	SWN30120-0	91.50	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-728-0	91.50	TL:	63.00	PL:	60.00	CHK.
	SWN30120-1	91.75		0.059	0.128	11-728-1				91.75	CH:	32.00	PD:	20.98	DIA	
	SWN30120-2	92.00	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-728-2	92.00	DIST1:	-1.50	Head:	AH	11.00
	SWN30120-3	92.25		0.059	0.157	11-728-3				92.25	DIST2:		Skirt:	NONE		
	SWN30120-4	92.50	Oil:	2.800	X	3.050	NIFF-S	STEEL	CHROME	11-728-4	92.50	DIST3:				
	REFERENCE #	TOP	2ND	OIL	REFERENCE #											
	12033-0W000				A2010-1W200											
	12033-7B000				A2010-1W261											
	12033-7Z800				A2010-5S600											
	XF5Z 6148 AA				A2010-5S661											
					A2010-5S700											
					A2010-5S761											
3.3L (200CID,3272CC),SOHC,6CYL, 91.500MM (3.602"), VG33E,VG33ER / 1999-2004																
FRONTIER / 99-04 QUEST / 99-02 XTERRA / 02-04	SWN30120-0	91.50	Top:	1.500	X	3.250	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30120-1	91.75		0.059	0.128											
	SWN30120-2	92.00	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME							
	SWN30120-3	92.25		0.059	0.157											
	SWN30120-4	92.50	Oil:	2.800	X	3.050	NIFF-S	STEEL	CHROME							
	REFERENCE #	TOP	2ND	OIL												
	12033-0W000															
	12033-7B000															
	12033-7Z800															
	XF5Z 6148 AA															
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2001-2004																
PATHFINDER / 01-04	SWN30131-0	95.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30131-1	95.75		0.047	0.136											
	SWN30131-2	96.00	2nd:	1.200	X	4.100	T1	CAST IRON	PHOSPHATE							
	SWN30131-3	96.25		0.047	0.161											
	SWN30131-4	96.50	Oil:	2.500	X	2.750	NIFF-S	STEEL	CHROME							
	REFERENCE #	TOP	2ND	OIL												
	12033-4W001															
	12033-4W005															
	12033-8J100															






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2002-2009																
350Z ROADSTER / 03-06	SWN30131-0	95.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	11-860-0	95.50	TL:	53.90	PL:	58.00	CHK.
ALTIMA / 02-06	SWN30131-1	95.75		0.047		0.136				11-860-1	95.75	CH:	29.50	PD:	22.00	DIA
ALTIMA SE-R / 05-06	SWN30131-2	96.00	2nd:	1.200	X	4.100	T1	CAST IRON	PHOSPHATE	11-860-2	96.00	DIST1:	0.80	Head:	AH	6.00
MAXIMA / 02-08	SWN30131-3	96.25		0.047		0.161				11-860-3	96.25	DIST2:		Skirt:	MS	
MURANO / 03-07	SWN30131-4	96.50	Oil:	2.500	X	2.750	NIFF-S	STEEL	CHROME	11-860-4	96.50	DIST3:				
QUEST / 04-09			0.098	0.108												
REFERENCE #		TOP	2ND		OIL				REFERENCE #							
12033-4W001									A2010-7Y001							
12033-4W005									A2010-8J110							
12033-8J100																
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2007-2017																
ALTIMA / 07-15	SWN30191-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	11-907-0	95.50	TL:	49.60	PL:	54.00	CHK.
MAXIMA / 09-17	SWN30191-1	95.75		0.047		0.122				11-907-1	95.75	CH:	29.00	PD:	22.00	DIA
MURANO / 08-15	SWN30191-2	96.00	2nd:	1.200	X	4.100	TUC	CAST IRON	PHOSPHATE	11-907-2	96.00	DIST1:	-2.20	Head:	AH	10.00
QUEST / 11-15	SWN30191-3	96.25		0.047		0.161				11-907-3	96.25	DIST2:		Skirt:	MS	
	SWN30191-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED	11-907-4	96.50	DIST3:				
			0.079	0.102												
REFERENCE #		TOP	2ND		OIL				REFERENCE #							
12033-JA10D									12010-9N00B							
12033-JP00A									12010-9N00C							
12033-JP10D									A2010-JA10A							
12035-1EA0B									A2010-JA11B							
									A2010-JP00C							
									A2010-JP00D							
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35DE / 2013-2015																
PATHFINDER / 13-15	SWN30191-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30191-1	95.75		0.047		0.122										
	SWN30191-2	96.00	2nd:	1.200	X	4.100	TUC	CAST IRON	PHOSPHATE							
	SWN30191-3	96.25		0.047		0.161										
	SWN30191-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED							
			0.079	0.102												
REFERENCE #		TOP	2ND		OIL											
12033-JA10D																
12033-JP00A																
12033-JP10D																
12035-1EA0B																
3.5L (213CID,3498CC),DOHC,6CYL, 95.500MM (3.760"), VQ35HR / 2007-2008																
350Z ROADSTER / 07-08	SWN30162-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30162-1	95.75		0.047		0.122										
	SWN30162-2	96.00	2nd:	1.200	X	3.700	TUC	CAST IRON	PHOSPHATE							
	SWN30162-3	96.25		0.047		0.146										
	SWN30162-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED							
			0.079	0.102												
REFERENCE #		TOP	2ND		OIL											
12033-JK20A																
12033-JK20B																
12033-JK20C																






NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.7L (226CID,3696CC),DOHC,6CYL, 95.500MM (3.760"), VQ37VHR / 2009-2017																
370Z / 09-17	SWN30162-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWN30162-1	95.75		0.047		0.122										
	SWN30162-2	96.00	2nd:	1.200	X	3.700	TUC	CAST IRON	PHOSPHATE							
	SWN30162-3	96.25		0.047		0.146										
	SWN30162-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED							
				0.079		0.102										
	REFERENCE #		TOP	2ND	OIL											
	12033-JK20A															
	12033-JK20B															
	12033-JK20C															
4.0L (241CID,3954CC),DOHC,6CYL, 95.500MM (3.760"), VQ40DE / 2005-2011																
FRONTIER / 05-11	SWN30131-0	95.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	11-878-0	95.50	TL:	55.10	PL:	58.00	CHK.
PATHFINDER / 05-11	SWN30131-1	95.75		0.047		0.136				11-878-1	95.75	CH:	31.60	PD:	21.99	DIA
XTERRA / 05-11	SWN30131-2	96.00	2nd:	1.200	X	4.100	T1	CAST IRON	PHOSPHATE	11-878-2	96.00	DIST1:	-3.00	Head:	AH	6.00
	SWN30131-3	96.25		0.047		0.161				11-878-3	96.25	DIST2:		Skirt:	MS	
	SWN30131-4	96.50	Oil:	2.500	X	2.750	NIFF-S	STEEL	CHROME	11-878-4	96.50	DIST3:				
		0.098	0.108													
REFERENCE #		TOP	2ND	OIL	REFERENCE #											
12033-4W001					12010-EA200											
12033-4W005					12010-EA20B											
12033-8J100																
4.0L (241CID,3954CC),DOHC,6CYL, 95.500MM (3.760"), VQ40DE / 2012-2015																
FRONTIER / 12-15	SWN30191-0	95.50	Top:	1.200	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
NV1500 / 12-15	SWN30191-1	95.75		0.047		0.122										
NV2500HD / 12-15	SWN30191-2	96.00	2nd:	1.200	X	4.100	TUC	CAST IRON	PHOSPHATE							
PATHFINDER / 12-12	SWN30191-3	96.25		0.047		0.161										
XTERRA / 12-15	SWN30191-4	96.50	Oil:	2.000	X	2.600	NIFF-H	STEEL	NITRIDED							
				0.079		0.102										
REFERENCE #		TOP	2ND	OIL												
12033-JA10D																
12033-JP00A																
12033-JP10D																
12035-1EA0B																
5.6L (339CID,5552CC),DOHC,8CYL, 98.000MM (3.858"), VK56DE / 2004-2009																
ARMADA / 05-07	SWN30149-0	98.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-879-0	98.00	TL:	52.00	PL:	59.60	CHK.
PATHFINDER / 08-09	SWN30149-1	98.25		0.059		0.136				11-879-1	98.25	CH:	31.60	PD:	22.00	DIA
TITAN / 04-09	SWN30149-2	98.50	2nd:	1.500	X	4.300	TUC	CAST IRON	PHOSPHATE	11-879-2	98.50	DIST1:	-4.20	Head:	AH	6.00
	SWN30149-3	98.75		0.059		0.169				11-879-3	98.75	DIST2:		Skirt:	MS	
	SWN30149-4	99.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	CHROME	11-879-4	99.00	DIST3:				
		0.098	0.102													
REFERENCE #		TOP	2ND	OIL	REFERENCE #											
12033-7S001					A2010-7S000											
12033-7S01B																
12033-ZE00A																





NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
5.6L (339CID,5552CC),DOHC,8CYL, 98.000MM (3.858"), VK56DE / 2008-2015											
ARMADA / 08-15	SWN30149-0	98.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: <u>www.npramerica.com</u> for the latest product availability information.	
NV2500HD / 12-15	SWN30149-1	98.25		0.059		0.136					
NV3500HD / 12-15	SWN30149-2	98.50	2nd:	1.500	X	4.300	TUC	CAST IRON	PHOSPHATE		
PATHFINDER / 10-12	SWN30149-3	98.75		0.059		0.169					
TITAN / 10-15	SWN30149-4	99.00	Oil:	2.500	X	2.600	NIFF-S	STEEL	CHROME		
				0.098		0.102					
	REFERENCE #	TOP	2ND	OIL							
	12033-7S001										
	12033-7S01B										
	12033-ZE00A										

SAAB


SAAB

2.0L (122CID,1994CC),DOHC,4CYL, 92.000MM (3.622"), EJ20 / 2005-2005										
9-2X / 05-05	SWF20060-0	92.00	Top:	1.200	X	3.300	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWF20060-1	92.25		0.047	0.130					
	SWF20060-2	92.50	2nd:	1.200	X	3.800	TUC	CAST IRON	PHOSPHATE	
	SWF20060-3	92.75		0.047	0.150					
	SWF20060-4	93.00	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME	
		0.098	0.110							
REFERENCE # 12033AD190			TOP	2ND	OIL					

2.5L (150CID,2457CC),SOHC,4CYL, 99.500MM (3.917"), EJ253 / 2005-2006																
9-2X / 05-06	SWF20066-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	11-788-0	99.50	TL:	50.00	PL:	64.00	CHK.
	SWF20066-1	99.75		0.047	0.136	11-788-1				99.75	CH:	29.50	PD:	23.00	DIA	
	SWF20066-2	100.00	2nd:	1.200	X	4.000	TUC	CAST IRON	PHOSPHATE	11-788-2	100.00	DIST1:	-1.70	Head:	NONE	10.00
	SWF20066-3	100.25		0.047	0.157	11-788-3				100.25	DIST2:	Skirt:	MS			
	SWF20066-4	100.50	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME	11-788-4	100.50	DIST3:				
REFERENCE #			TOP	2ND		OIL			REFERENCE #							
12033AB010									12006AB470							
12033AB250									12006AC070							

2.5L (150CID,2457CC),SOHC,4CYL, 99.500MM (3.917"), EJ255 / 2006-2006																
9-2X / 06-06	SWF20068-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	11-910-0	99.50	TL:	51.30	PL:	64.00	CHK. DIA 13.00
	SWF20068-1	99.75		0.047	0.136	11-910-1				99.75	CH:	30.40	PD:	23.00		
	SWF20068-2	100.00	2nd:	1.200	X	4.000	TUC	CAST IRON	PHOSPHATE	11-910-2	100.00	DIST1:	-3.20	Head:	AH	
	SWF20068-3	100.25		0.047	0.157	11-910-3				100.25	DIST2:	-4.70	Skirt:	MS		
	SWF20068-4	100.50	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	11-910-4	100.50	DIST3:	-5.40			
REFERENCE #			TOP	2ND		OIL			REFERENCE #							
12033AB340									12006AD210							
12033AC000									12006AD810							






SAAB

SAAB


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
3.0L (181CID,2962CC),DOHC,6CYL, 86.000MM (3.386"), ELLESMERE L81 / 1999-2003																							
9-5 / 00-03	SWG10016-0	86.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
9-5 Sportcombi / 99-99	SWG10016-1	86.25		0.047	0.114	TUC	CAST IRON	PHOSPHATE															
	SWG10016-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE														
	SWG10016-3	86.75		0.059	0.138	NIFF-S	STEEL	NITRIDED															
	SWG10016-4	87.00	Oil:	3.000	X	3.050	NIFF-S	STEEL	NITRIDED														
	AM Ring Available		0.118	0.120																			
REFERENCE #		TOP	2ND	OIL																			
88 22 413																							
9118853																							
5.3L (325CID,5328CC),OHV,8CYL, 96.000MM (3.780"), Vortec 5300 IV / 2005-2009																							
9-7X / 05-09	SWG10005-0	96.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-899-0	96.00	TL:	59.30	PL:	65.00	CHK.							
	SWG10005-1	96.25		0.059	0.130	T1-RB	CAST IRON	PHOSPHATE	11-899-1	96.25	CH:	33.60	PD:	23.96	DIA								
	SWG10005-2	96.50	2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	11-899-2	96.50	DIST1:		Head:	AH	16.00							
	SWG10005-3	96.75		0.059	0.157	NIFF-S	STEEL	NITRIDED	11-899-3	96.75	DIST2:		Skirt:	MS									
	SWG10005-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	11-899-4	97.00	DIST3:											
	AM Ring Available		0.118	0.126																			
REFERENCE #		TOP	2ND	OIL							REFERENCE #												
12456338											89017577												
19208677																							
8-12456-338-0																							
6.0L (364CID,5957CC),OHV,8CYL, 101.600MM (4.000"), Vortec 6000 LS2 / 2008-2009																							
9-7X / 08-09	SWG10031-0	101.60	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWG10031-1	101.85		0.047	0.138	TUC	CAST IRON	PHOSPHATE															
	SWG10031-2	102.10	2nd:	1.500	X	4.200	TUC	CAST IRON	PHOSPHATE														
	SWG10031-3	102.35		0.059	0.165	NIFF-H	STEEL	CHROME															
	SWG10031-4	102.60	Oil:	2.500	X	2.550	NIFF-H	STEEL	CHROME														
			0.098	0.100																			
REFERENCE #		TOP	2ND	OIL																			
19178307																							
8-89017-484-0																							
89017484																							

SCION

SCION

1.5L (91CID,1497CC),DOHC,4CYL, 75.000MM (2.953"), 1NZ-FE / 2004-2006																
xA / 04-06 xB / 04-06	SWT10192-0	75.00	Top:	1.200	X	2.500	BF	STEEL	NITRIDED	11-776-0	75.00	TL:	49.00	PL:	53.00	CHK. DIA 10.00
	SWT10192-1	75.25		0.047		0.098				11-776-1	75.25	CH:	30.10	PD:	18.00	
	SWT10192-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-776-2	75.50	DIST1:	-6.20	Head:	NONE	
	SWT10192-3	75.75		0.047		0.110				11-776-3	75.75	DIST2:	-2.20	Skirt:	NONE	
	SWT10192-4	76.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED	11-776-4	76.00	DIST3:				
				0.079		0.087										
REFERENCE #			TOP	2ND		OIL		REFERENCE #								
13011-21041								13101-21030								
13011-21120								13101-21160								






SCION

SCION

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (110CID,1798CC),DOHC,4CYL, 80.500MM (3.169"), 2ZR-FE / 2008-2014																	
xD / 08-14	SWT10232-0	80.50	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWT10232-1	80.75		0.039	0.114												
	SWT10232-2	81.00	2nd:	1.000	X	2.500	TUC	STEEL	PHOSPHATE								
	SWT10232-3	81.25		0.039	0.098												
	SWT10232-4	81.50	Oil:	1.500	X	1.950	NIFF-H	STEEL	CHROME								
			0.059	0.077													
REFERENCE #		TOP	2ND		OIL												
13011-0T010																	
13011-37110																	
19185554																	
2.4L (144CID,2362CC),DOHC,4CYL, 88.500MM (3.484"), 2AZ-FE / 2005-2006																	
tC / 05-06	SWT10182-0	88.50	Top:	1.200	X	2.700	BF	STEEL	CHROME	11-792-0	88.50	TL:	55.80	PL:	56.00	CHK.	
	SWT10182-1	88.75		0.047	0.106				11-792-1	88.75	CH:	33.70	PD:	22.00	DIA		
	SWT10182-2	89.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-792-2	89.00	DIST1:	-6.40	Head:	AH	4.00	
	SWT10182-3	89.25		0.047	0.126				11-792-3	89.25	DIST2:		Skirt:	MS			
	SWT10182-4	89.50	Oil:	2.000	X	2.450	NIFF-H	STEEL	NITRIDED	11-792-4	89.50	DIST3:					
			0.079	0.096													
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
13011-23100								13211-28030-A0									
13011-28102		13211-28031-A0															
2.4L (144CID,2362CC),DOHC,4CYL, 88.500MM (3.484"), 2AZ-FE / 2007-2015																	
tC / 07-10 xB / 08-15	SDT10200-0	88.50	Top:	1.000	X	2.700	BF	STEEL	NITRIDED	11-896-0	88.50	TL:	55.80	PL:	56.00	CHK.	
	SDT10200-1	88.75		0.039	0.106				11-896-1	88.75	CH:	35.80	PD:	22.00	DIA		
	SDT10200-2	89.00	2nd:	1.000	X	2.700	TUC	CAST IRON	PHOSPHATE	11-896-2	89.00	DIST1:	-7.80	Head:	AH	6.00	
	SDT10200-3	89.25		0.039	0.106				11-896-3	89.25	DIST2:		Skirt:	MS			
	SDT10200-4	89.50	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-896-4	89.50	DIST3:					
			0.079	0.108													
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
13011-0H031								13211-28112-A0									
13011-28161																	
2.5L (152CID,2494CC),DOHC,4CYL, 90.000MM (3.543"), 2AR-FE / 2011-2015																	
tC / 11-15	SDT10226-0	90.00	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	11-897-0	90.00	TL:	53.30	PL:	56.00	CHK.	
	SDT10226-1	90.25		0.039	0.114				11-897-1	90.25	CH:	34.80	PD:	22.00	DIA		
	SDT10226-2	90.50	2nd:	1.000	X	2.700	TUC	STEEL	PHOSPHATE	11-897-2	90.50	DIST1:	3.70	Head:	AH	10.00	
	SDT10226-3	90.75		0.039	0.106				11-897-3	90.75	DIST2:	-4.40	Skirt:	MS			
	SDT10226-4	91.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-897-4	91.00	DIST3:					
			0.079	0.108													
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
13011-36020								13211-0V011-A0									
		13211-0V012-B0															
		13211-36032-C0															






SUBARU


SUBARU



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO								
1.2L (73CID,1189CC),SOHC,3CYL, 78.000MM (3.071"), EF12 / 1987-1994																		
JUSTY / 87-94	SWF20054-0	78.00	Top:	1.200	X	3.000	BF	STEEL	CHROME	DISC-11-620-0	78.00							
	SWF20054-1	78.25		0.047		0.118				DISC-11-620-1	78.25							
	SWF20054-2	78.50	2nd:	1.500	X	3.300	T1	CAST IRON	CHROME	DISC-11-620-2	78.50							
	SWF20054-3	78.75		0.059		0.130				DISC-11-620-3	78.75							
	SWF20054-4	79.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	DISC-11-620-4	79.00							
REFERENCE # 12033KA151 480035800		TOP	2ND	OIL			REFERENCE # 12006KA062											
1.4L (83CID,1361CC),OHV,4CYL, 85.000MM (3.346"), EA63 / 1973-1974																		
LEONE 1400 / 73-74	SWF20014-0	85.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	DISC-11-135-0	85.00							
	SWF20014-1	85.25		0.079		0.154				DISC-11-135-1	85.25							
	SWF20014-2	85.50	2nd:	2.000	X	3.900	T1	CAST IRON	PHOSPHATE	DISC-11-135-2	85.50							
	SWF20014-3	85.75		0.079		0.154				DISC-11-135-3	85.75							
	SWF20014-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-135-4	86.00							
REFERENCE # 380030100		TOP	2ND	OIL			REFERENCE # 380050100											
1.4L (83CID,1361CC),OHV,4CYL, 85.000MM (3.346"), EA63 / 1976-1976																		
LEONE 1600 / 76-76	SWF20014-0	85.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	DISC-11-136-0	85.00							
	SWF20014-1	85.25		0.079		0.154				DISC-11-136-1	85.25							
	SWF20014-2	85.50	2nd:	2.000	X	3.900	T1	CAST IRON	PHOSPHATE	DISC-11-136-2	85.50							
	SWF20014-3	85.75		0.079		0.154				DISC-11-136-3	85.75							
	SWF20014-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-136-4	86.00							
REFERENCE # 380030100		TOP	2ND	OIL			REFERENCE # 380057000											
1.6L (97CID,1595CC),OHV,4CYL, 92.000MM (3.622"), EA71 / 1976-1984																		
BRAT / 78-80 DL SEDAN / 78-81 FE / 79-79 GF / 78-79 GL SEDAN / 79-80 GLF / 80-80 LEONE 1600 / 76-84	SWF20017-0	92.00	Top:	2.000	X	4.000	BF	CAST IRON	CHROME	DISC-11-137-0	92.00							
	SWF20017-1	92.25		0.079		0.157				DISC-11-137-1	92.25							
	SWF20017-2	92.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	DISC-11-137-2	92.50							
	SWF20017-3	92.75		0.079		0.157				DISC-11-137-3	92.75							
	SWF20017-4	93.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	DISC-11-137-4	93.00							
REFERENCE # 380034310 380034320		TOP	2ND	OIL			REFERENCE # 380054300 380054320											





SUBARU
SUBARU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (109CID,1781CC),OHV,4CYL, 92.000MM (3.622"), EA81 / 1980-1986																
BRAT / 81-86	SWF20057-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	DISC-11-138-0	92.00					
DL SEDAN / 82-84	SWF20057-1	92.25		0.047	0.130					DISC-11-138-1	92.25					
GL SEDAN / 82-86	SWF20057-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-138-2	92.50					
GLF / 82-82	SWF20057-3	92.75		0.059	0.146					DISC-11-138-3	92.75					
LEONE 1800 / 80-86	SWF20057-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME	DISC-11-138-4	93.00					
			0.157	0.144												
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033AA000									480057110							
12033AA060																
480037100																
1.8L (109CID,1781CC),OHV,4CYL, 92.000MM (3.622"), EA81 / 1983-1984 TURBO																
BRAT / 83-84	SWF20057-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	DISC-11-139-0	92.00					
GL SEDAN / 83-84	SWF20057-1	92.25		0.047	0.130					DISC-11-139-1	92.25					
LEONE 1800 / 83-84	SWF20057-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-139-2	92.50					
	SWF20057-3	92.75		0.059	0.146					DISC-11-139-3	92.75					
	SWF20057-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME	DISC-11-139-4	93.00					
			0.157	0.144												
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033AA000									480057300							
12033AA060																
480037100																
1.8L (109CID,1781CC),SOHC,4CYL, 92.000MM (3.622"), EA82 / 1985-1988																
BRAT / 85-86	SWF20057-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
DL SEDAN / 85-86	SWF20057-1	92.25		0.047	0.130											
GL SEDAN / 85-88	SWF20057-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE							
GL TBI / 86-86	SWF20057-3	92.75		0.059	0.146											
GL-10 SEDAN / 85-86	SWF20057-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME							
GL-10 TBI / 86-86			0.157	0.144												
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033AA000																
12033AA060																
480037100																
1.8L (109CID,1781CC),SOHC,4CYL, 92.000MM (3.622"), EA82 / 1987-1989																
DL COUPE / 87-89	SWF20057-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	DISC-11-616-0	92.00					
DL SEDAN / 87-89	SWF20057-1	92.25		0.047	0.130					DISC-11-616-1	92.25					
DL WAGON / 87-87	SWF20057-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-616-2	92.50					
GL COUPE / 87-89	SWF20057-3	92.75		0.059	0.146					DISC-11-616-3	92.75					
GL SEDAN / 87-89	SWF20057-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME	DISC-11-616-4	93.00					
GL WAGON / 87-89			0.157	0.144												
REFERENCE #		TOP	2ND		OIL		REFERENCE #									
12033AA000									12013AA000							
12033AA060									12018AA000							
480037100																


SUBARU
SUBARU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO							
1.8L (109CID,1781CC),SOHC,4CYL, 92.000MM (3.622"), EA82 / 1987-1990																	
GL MFI / 87-88	SWF20057-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	DISC-11-712-0	92.00						
GL-10 MFI / 87-89	SWF20057-1	92.25		0.047	0.130					DISC-11-712-1	92.25						
LOYALE / 90-90	SWF20057-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	DISC-11-712-2	92.50						
RX MFI / 87-89	SWF20057-3	92.75		0.059	0.146					DISC-11-712-3	92.75						
XT MFI / 87-89	SWF20057-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME	DISC-11-712-4	93.00						
				0.157		0.144											
REFERENCE # 12033AA000 12033AA060 480037100		TOP 2ND OIL   									REFERENCE # 12006AA240						
1.8L (109CID,1781CC),SOHC,4CYL, 92.000MM (3.622"), EA82 / 1987-1994																	
DL TBI / 87-89	SWF20057-0	92.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-610-0	92.00	TL:	65.00	PL:	70.00	CHK.	
GL TBI / 87-89	SWF20057-1	92.25		0.047	0.130					11-610-1	92.25	CH:	31.50	PD:	21.00	DIA	
GL-10 SEDAN / 87-89	SWF20057-2	92.50	2nd:	1.500	X	3.700	T1	CAST IRON	PHOSPHATE	11-610-2	92.50	DIST1:		Head:	NONE	10.00	
GL-10 TBI / 87-88	SWF20057-3	92.75		0.059	0.146					11-610-3	92.75	DIST2:		Skirt:	NONE		
LOYALE / 90-94	SWF20057-4	93.00	Oil:	4.000	X	3.650	NIFF-S	STEEL	CHROME	11-610-4	93.00	DIST3:					
				0.157		0.144											
REFERENCE # 12033AA000 12033AA060 480037100		TOP 2ND OIL   									REFERENCE # 12013AA030 12018AA030		  				
1.8L (111CID,1820CC),SOHC,4CYL, 87.900MM (3.461"), EJ18 / 1993-1997																	
IMPREZA / 93-97	SWF20043-0	87.90	Top:	1.200	X	3.100	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWF20043-1	88.15		0.047	0.122												
	SWF20043-2	88.40	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE								
	SWF20043-3	88.65		0.059	0.142												
	SWF20043-4	88.90	Oil:	3.000	X	3.100	NIFF-S	STEEL	CHROME								
				0.118		0.122											
REFERENCE # 12033AA090		TOP 2ND OIL   															
2.0L (122CID,1994CC),DOHC,4CYL, 92.000MM (3.622"), EJ20 / 2002-2005																	
IMPREZA WRX / 02-05	SWF20060-0	92.00	Top:	1.200	X	3.300	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWF20060-1	92.25		0.047	0.130												
	SWF20060-2	92.50	2nd:	1.200	X	3.800	TUC	CAST IRON	PHOSPHATE								
	SWF20060-3	92.75		0.047	0.150												
	SWF20060-4	93.00	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME								
				0.098		0.110											
REFERENCE # 12033AD190		TOP 2ND OIL   															






SUBARU

SUBARU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1995CC),DOHC,4CYL, 84.000MM (3.307"), FB20 / 2012-2017																
IMPREZA / 12-15	SWF20073-0	84.00	Top:	1.000	X	2.670	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
IMPREZA WRX / 15-17	SWF20073-1	84.25		0.039	0.105											
XV Crosstrek / 13-15	SWF20073-2	84.50	2nd:	1.000	X	2.700	TUC	STEEL	PHOSPHATE							
	SWF20073-3	84.75		0.039	0.106											
	SWF20073-4	85.00		Oil:	2.000	X	2.500	NIFF-H	STEEL		CHROME					
			0.079	0.098												
REFERENCE # 12033AC360		TOP	2ND		OIL											
2.2L (135CID,2212CC),SOHC,4CYL, 96.900MM (3.815"), EJ22 / 1990-1999																
IMPREZA / 96-99	SWF20045-0	96.90	Top:	1.200	X	3.250	BF-IB	STEEL	CHROME	11-612-0	96.90	TL:	68.10	PL:	58.00	CHK.
LEGACY / 90-96	SWF20045-1	97.15		0.047	0.128					11-612-1	97.15	CH:	33.30	PD:	23.00	DIA
	SWF20045-2	97.40	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE	11-612-2	97.40	DIST1:	-2.60	Head:	NONE	10.00
	SWF20045-3	97.65		0.059	0.154				11-612-3	97.65	DIST2:		Skirt:	NONE		
	SWF20045-4	97.90		Oil:	3.000	X	3.300	NIFF-S	STEEL	CHROME	11-612-4	97.90	DIST3:			
			0.118	0.130												
REFERENCE # 12033AA210		TOP	2ND		OIL		REFERENCE # 12013AA231 12018AA231									
2.2L (135CID,2212CC),SOHC,4CYL, 96.900MM (3.815"), EJ22 / 1991-1994 TURBO																
LEGACY / 91-94	SWF20067-0	96.90	Top:	1.500	X	3.250	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWF20067-1	97.15		0.059	0.128											
	SWF20067-2	97.40	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE							
	SWF20067-3	97.65		0.059	0.154											
	SWF20067-4	97.90		Oil:	3.000	X	3.300	NIFF-S	STEEL		CHROME					
			0.118	0.130												
REFERENCE # 12033AA390 12033AA450		TOP	2ND		OIL											
2.2L (135CID,2212CC),SOHC,4CYL, 96.900MM (3.815"), EJ22 / 1997-1999																
IMPREZA / 97-98	SWF20045-0	96.90	Top:	1.200	X	3.250	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
LEGACY / 97-99	SWF20045-1	97.15		0.047	0.128											
	SWF20045-2	97.40	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE							
	SWF20045-3	97.65		0.059	0.154											
	SWF20045-4	97.90		Oil:	3.000	X	3.300	NIFF-S	STEEL		CHROME					
			0.118	0.130												
REFERENCE # 12033AA210		TOP	2ND		OIL											






SUBARU

SUBARU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.5L (150CID,2457CC),DOHC,4CYL, 99.500MM (3.917"), EJ255 / 2004-2012																
BAJA / 04-06	SWF20068-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	11-910-0	99.50	TL:	51.30	PL:	64.00	CHK.
Forester / 04-12	SWF20068-1	99.75		0.047	X	0.136				11-910-1	99.75	CH:	30.40	PD:	23.00	DIA
IMPREZA / 06-12	SWF20068-2	100.00	2nd:	1.200	X	4.000	TUC	CAST IRON	PHOSPHATE	11-910-2	100.00	DIST1:	-3.20	Head:	AH	13.00
IMPREZA WRX / 07-12	SWF20068-3	100.25		0.047	X	0.157				11-910-3	100.25	DIST2:	-4.70	Skirt:	MS	
LEGACY / 05-12	SWF20068-4	100.50	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	11-910-4	100.50	DIST3:	-5.40			
OUTBACK H4 / 05-09				0.079	X	0.106										
REFERENCE # 12033AB340 12033AC000		TOP		2ND		OIL		REFERENCE # 12006AD210 12006AD810								
2.5L (150CID,2457CC),DOHC,4CYL, 99.500MM (3.917"), EJ257 / 2004-2010																
IMPREZA WRX STi / 04-10	SWF20068-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	11-911-0	99.50	TL:	51.40	PL:	64.00	CHK.
	SWF20068-1	99.75		0.047	X	0.136				11-911-1	99.75	CH:	30.70	PD:	22.99	DIA
	SWF20068-2	100.00	2nd:	1.200	X	4.000	TUC	CAST IRON	PHOSPHATE	11-911-2	100.00	DIST1:	-2.00	Head:	AH	15.00
	SWF20068-3	100.25		0.047	X	0.157				11-911-3	100.25	DIST2:	-5.10	Skirt:	MS	
	SWF20068-4	100.50	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	11-911-4	100.50	DIST3:	-5.40			
REFERENCE # 12033AB340 12033AC000		TOP		2ND		OIL		REFERENCE # 12006AC390								
2.5L (150CID,2457CC),DOHC,4CYL, 99.500MM (3.917"), EJ25D / 1996-1996																
LEGACY / 96-96	SWF20064-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	DISC-11-789-0	99.50					
	SWF20064-1	99.75		0.047	X	0.136				DISC-11-789-1	99.75					
	SWF20064-2	100.00	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	DISC-11-789-2	100.00					
	SWF20064-3	100.25		0.059	X	0.157				DISC-11-789-3	100.25					
	SWF20064-4	100.50	Oil:	2.800	X	3.100	NIFF-S	STEEL	CHROME	DISC-11-789-4	100.50					
REFERENCE # 12033AA760		TOP		2ND		OIL		REFERENCE # 12013AB020 12018AB020								
2.5L (150CID,2457CC),DOHC,4CYL, 99.500MM (3.917"), EJ25D / 1997-1999																
Forester / 98-98	SWF20064-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	DISC-11-787-0	99.50					
IMPREZA / 98-98	SWF20064-1	99.75		0.047	X	0.136				DISC-11-787-1	99.75					
LEGACY / 97-99	SWF20064-2	100.00	2nd:	1.500	X	4.000	TUC	CAST IRON	PHOSPHATE	DISC-11-787-2	100.00					
	SWF20064-3	100.25		0.059	X	0.157				DISC-11-787-3	100.25					
	SWF20064-4	100.50	Oil:	2.800	X	3.100	NIFF-S	STEEL	CHROME	DISC-11-787-4	100.50					
REFERENCE # 12033AA760		TOP		2ND		OIL		REFERENCE # 12006AA410								






SUBARU

SUBARU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO												
2.5L (150CID,2457CC),SOHC,4CYL, 99.500MM (3.917"), EJ251,EJ252,EJ259 / 2000-2006																						
BAJA / 03-06	SWF20066-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	11-788-0	99.50	TL:	50.00	PL:	64.00	CHK.						
Forester / 00-03	SWF20066-1	99.75		0.047		0.136				11-788-1	99.75	CH:	29.50	PD:	23.00	DIA						
IMPREZA / 00-02	SWF20066-2	100.00	2nd:	1.200	X	4.000	TUC	CAST IRON	PHOSPHATE	11-788-2	100.00	DIST1:	-1.70	Head:	NONE	10.00						
LEGACY / 00-04	SWF20066-3	100.25		0.047		0.157				11-788-3	100.25	DIST2:		Skirt:	MS							
OUTBACK H4 / 00-04	SWF20066-4	100.50	Oil:	2.500	X	2.800	NIFF-S	STEEL	CHROME	11-788-4	100.50	DIST3:										
	REFERENCE # 12033AB010 12033AB250		TOP	2ND		OIL		REFERENCE # 12006AB470 12006AC070														
2.5L (150CID,2457CC),SOHC,4CYL, 99.500MM (3.917"), EJ253 / 2006-2011																						
IMPREZA / 06-11	SWF20068-0	99.50	Top:	1.200	X	3.450	BF-IB	STEEL	CHROME	11-921-0	99.50	TL:	51.50	PL:	64.00	CHK.						
LEGACY / 06-09	SWF20068-1	99.75		0.047		0.136				11-921-1	99.75	CH:	30.70	PD:	23.00	DIA						
OUTBACK H4 / 06-09	SWF20068-2	100.00	2nd:	1.200	X	4.000	TUC	CAST IRON	PHOSPHATE	11-921-2	100.00	DIST1:	3.30	Head:	NONE	10.00						
	SWF20068-3	100.25		0.047		0.157				11-921-3	100.25	DIST2:	-3.50	Skirt:	MS							
	SWF20068-4	100.50	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	11-921-4	100.50	DIST3:										
	REFERENCE # 12033AB340 12033AC000		TOP	2ND		OIL		REFERENCE # 12013AB250 12018AB250														
3.0L (183CID,2999CC),DOHC,6CYL, 89.200MM (3.512"), EZ30,EZ30D / 2001-2009																						
B9 TRIBECA / 06-07	SWF20070-0	89.20	Top:	1.200	X	3.050	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
LEGACY / 08-09	SWF20070-1	89.45		0.047		0.120																
OUTBACK H6 / 01-09	SWF20070-2	89.70	2nd:	1.200	X	3.600	TUC	CAST IRON	PHOSPHATE													
	SWF20070-3	89.95		0.047		0.142																
	SWF20070-4	90.20	Oil:	2.500	X	2.900	NIFF-H	STEEL	CHROME													
	REFERENCE # 12033AB130		TOP	2ND		OIL																
3.3L (202CID,3318CC),DOHC,6CYL, 96.900MM (3.815"), EG33 / 1992-1997																						
SVX / 92-97	SWF20067-0	96.90	Top:	1.500	X	3.250	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.												
	SWF20067-1	97.15		0.059		0.128																
	SWF20067-2	97.40	2nd:	1.500	X	3.900	TUC	CAST IRON	PHOSPHATE													
	SWF20067-3	97.65		0.059		0.154																
	SWF20067-4	97.90	Oil:	3.000	X	3.300	NIFF-S	STEEL	CHROME													
	REFERENCE # 12033AA390 12033AA450		TOP	2ND		OIL																











SUBARU

SUBARU


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO
3.6L (221CID,3629CC),DOHC,6CYL, 92.000MM (3.622"), EZ36 / 2008-2015										
B9 TRIBECA / 08-14 LEGACY / 10-15 OUTBACK H6 / 10-15	SWF20069-0	92.00	Top:	1.200	X	3.300	BF-IB	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWF20069-1	92.25		0.047	0.130					
	SWF20069-2	92.50	2nd:	1.200	X	3.800	TUC	CAST IRON	PHOSPHATE	
	SWF20069-3	92.75		0.047	0.150					
	SWF20069-4	93.00	Oil:	2.000	X	2.700	NIFF-H	STEEL	CHROME	
		0.079	0.106							
	REFERENCE # 12033AC060	TOP	2ND	OIL						

SUZUKI

SUZUKI

1.3L (79CID,1298CC),DOHC,4CYL, 74.000MM (2.913"), G13K / 1989-1994																
SWIFT / 89-94	SWS20143-0	74.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	11-627-0	74.00	TL:	56.20	PL:	61.00	CHK.
	SWS20143-1	74.25		0.047	0.112	11-627-1				74.25	CH:	29.20	PD:	19.00	DIA	
	SWS20143-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	11-627-2	74.50	DIST1:		Head:	NONE	14.00
	SWS20143-3	74.75		0.059	0.126	11-627-3				74.75	DIST2:		Skirt:	NONE		
	SWS20143-4	75.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-627-4	75.00	DIST3:				
		0.110		0.100												
REFERENCE # 12140-82X50 91173873 96068389			TOP  2ND  OIL 						REFERENCE # 12111-86501-0A0							
1.3L (79CID,1298CC),SOHC,4CYL, 74.000MM (2.913"), G13BA / 1989-1997																
SAMURAI / 90-92 SWIFT / 89-97	SWS20143-0	74.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	11-626-0	74.00	TL:	56.20	PL:	65.00	CHK.
	SWS20143-1	74.25		0.047	0.112	11-626-1				74.25	CH:	29.30	PD:	17.00	DIA	
	SWS20143-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	11-626-2	74.50	DIST1:	-4.80	Head:	NONE	12.00
	SWS20143-3	74.75		0.059	0.126	11-626-3				74.75	DIST2:		Skirt:	NONE		
	SWS20143-4	75.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-626-4	75.00	DIST3:				
		0.110		0.100												
REFERENCE # 12140-82X50 91173873 96068389			TOP  2ND  OIL 						REFERENCE # 12100-61840-0A0 12100-63850-0A0							
1.3L (79CID,1298CC),SOHC,4CYL, 74.000MM (2.913"), G13BB / 1998-2001																
SWIFT / 98-01	SWS20186-0	74.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-769-0	74.00	TL:	56.00	PL:	61.50	CHK.
	SWS20186-1	74.25		0.047	0.106	11-769-1				74.25	CH:	29.00	PD:	19.00	DIA	
	SWS20186-2	74.50	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-769-2	74.50	DIST1:	-1.80	Head:	NONE	10.00
	SWS20186-3	74.75		0.047	0.126	11-769-3				74.75	DIST2:		Skirt:	NONE		
	SWS20186-4	75.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-769-4	75.00	DIST3:				
		0.098		0.112												
REFERENCE # 12140-63E50			TOP  2ND  OIL 						REFERENCE # 12111-63E10-0A0							






SUZUKI

SUZUKI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.3L (81CID,1324CC),SOHC,4CYL, 74.000MM (2.913"), G13A / 1986-1988																
SAMURAI / 86-88	SWS20141-0	74.00	Top:	1.200	X	2.800	BF	STEEL	CHROME	11-625-0	74.00	TL:	55.30	PL:	65.00	CHK.
	SWS20141-1	74.25		0.047	0.110	11-625-1				74.25	CH:	28.40	PD:	17.00	DIA	
	SWS20141-2	74.50	2nd:	1.500	X	3.200	T1	CAST IRON	PHOSPHATE	11-625-2	74.50	DIST1:	-1.30	Head:	NONE	10.00
	SWS20141-3	74.75		0.059	0.126	11-625-3				74.75	DIST2:		Skirt:	NONE		
	SWS20141-4	75.00	Oil:	2.800	X	2.800	MIFF-S	STEEL	CHROME	11-625-4	75.00	DIST3:				
REFERENCE # 12140-82X50		TOP 2ND OIL 							REFERENCE # 12111-83000-0A0 96066387							
1.3L (81CID,1324CC),SOHC,4CYL, 74.000MM (2.913"), G13A / 1989-1989																
SIDEKICK / 89-89	SWS20143-0	74.00	Top:	1.200	X	2.850	BF-IB	STEEL	CHROME	11-628-0	74.00	TL:	55.30	PL:	62.00	CHK.
	SWS20143-1	74.25		0.047	0.112	11-628-1				74.25	CH:	28.30	PD:	17.00	DIA	
	SWS20143-2	74.50	2nd:	1.500	X	3.200	T1-IB	CAST IRON	PHOSPHATE	11-628-2	74.50	DIST1:		Head:	NONE	7.50
	SWS20143-3	74.75		0.059	0.126	11-628-3				74.75	DIST2:		Skirt:	NONE		
	SWS20143-4	75.00	Oil:	2.800	X	2.550	NIFF-S	STEEL	CHROME	11-628-4	75.00	DIST3:				
REFERENCE # 12140-82X50 91173873 96068389		TOP 2ND OIL 							REFERENCE # 12111-82010-0A0							
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), G16A / 1989-1995																
SIDEKICK / 89-95	SWS20142-0	75.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-629-0	75.00	TL:	58.20	PL:	63.00	CHK.
	SWS20142-1	75.25		0.047	0.106	11-629-1				75.25	CH:	28.50	PD:	19.00	DIA	
	SWS20142-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-629-2	75.50	DIST1:	-3.30	Head:	NONE	10.00
	SWS20142-3	75.75		0.059	0.126	11-629-3				75.75	DIST2:	-4.70	Skirt:	NONE		
	SWS20142-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-629-4	76.00	DIST3:				
REFERENCE # 12140-60A50 91173290 96067669		TOP 2ND OIL 							REFERENCE # 12111-60A02-0A0 96067795							
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), G16KV / 1992-1997																
SIDEKICK / 92-97	SWS20142-0	75.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	11-630-0	75.00	TL:	55.20	PL:	61.50	CHK.
	SWS20142-1	75.25		0.047	0.106	11-630-1				75.25	CH:	28.20	PD:	19.00	DIA	
	SWS20142-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	11-630-2	75.50	DIST1:	-4.10	Head:	NONE	21.00
	SWS20142-3	75.75		0.059	0.126	11-630-3				75.75	DIST2:		Skirt:	NONE		
	SWS20142-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	11-630-4	76.00	DIST3:				
REFERENCE # 12140-60A50 91173290 96067669		TOP 2ND OIL 							REFERENCE # 12100-71820-0A0 96068583							






SUZUKI

SUZUKI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO								
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), G16KV / 1996-1998																		
X-90 / 96-98	SWS20142-0	75.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	DISC-11-805-0	75.00							
	SWS20142-1	75.25		0.047	0.106	DISC-11-805-1				75.25								
	SWS20142-2	75.50	2nd:	1.500	X	3.200	TUC	CAST IRON	PHOSPHATE	DISC-11-805-2	75.50							
	SWS20142-3	75.75		0.059	0.126	DISC-11-805-3				75.75								
	SWS20142-4	76.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	NITRIDED	DISC-11-805-4	76.00							
				0.110	0.110													
REFERENCE # 12140-60A50 91173290 96067669		TOP			2ND			OIL			REFERENCE # 12100-61850-0B0							
1.6L (97CID,1590CC),SOHC,4CYL, 75.000MM (2.953"), G16S / 1995-2001																		
ESTEEM / 95-01 SIDEKICK / 98-98 VITARA / 99-01	SWS20190-0	75.00	Top:	1.200	X	2.700	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.								
	SWS20190-1	75.25		0.047	0.106													
	SWS20190-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE									
	SWS20190-3	75.75		0.047	0.110													
	SWS20190-4	76.00	Oil:	2.500	X	2.450	NIFF-H	STEEL	NITRIDED									
				0.098	0.096													
REFERENCE # 12140-61G00 12140-61G50		TOP			2ND			OIL										
1.8L (112CID,1840CC),DOHC,4CYL, 84.000MM (3.307"), J18A / 1996-2002																		
ESTEEM / 99-02 SIDEKICK / 96-98	SWS20178-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-775-0	84.00	TL:	58.90	PL:	58.00	CHK.		
	SWS20178-1	84.25		0.047	0.114	11-775-1				84.25	CH:	29.40	PD:	21.00	DIA			
	SWS20178-2	84.50	2nd:	1.500	X	3.550	TUC	CAST IRON	CHROME	11-775-2	84.50	DIST1:	-4.90	Head:	NONE	10.00		
	SWS20178-3	84.75		0.059	0.140	11-775-3				84.75	DIST2:	Skirt:	NONE					
	SWS20178-4	85.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-775-4	85.00	DIST3:						
				0.098	0.112													
REFERENCE # 12140-86FA0 91174392		TOP			2ND			OIL			REFERENCE # 12100-65810-0A0 12100-86830-0A0							
2.0L (122CID,1995CC),DOHC,4CYL, 84.000MM (3.307"), J20A / 1999-2003																		
AERIO / 02-03 VITARA / 99-03	SWS20178-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-775-0	84.00	TL:	58.90	PL:	58.00	CHK.		
	SWS20178-1	84.25		0.047	0.114	11-775-1				84.25	CH:	29.40	PD:	21.00	DIA			
	SWS20178-2	84.50	2nd:	1.500	X	3.550	TUC	CAST IRON	CHROME	11-775-2	84.50	DIST1:	-4.90	Head:	NONE	10.00		
	SWS20178-3	84.75		0.059	0.140	11-775-3				84.75	DIST2:	Skirt:	NONE					
	SWS20178-4	85.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-775-4	85.00	DIST3:						
				0.098	0.112													
REFERENCE # 12140-86FA0 91174392		TOP			2ND			OIL			REFERENCE # 12100-65810-0A0 12100-86830-0A0							






SUZUKI

SUZUKI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1995CC),DOHC,4CYL, 84.000MM (3.307"), J20B / 2007-2012																
SX-4 / 07-12 SX-4 CROSSOVER / 07-12	SWS20216-0	84.00	Top:	1.200	X	2.500	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWS20216-1	84.25		0.047	0.098											
	SWS20216-2	84.50	2nd:	1.200	X	3.000	TUC	CAST IRON	CHROME							
	SWS20216-3	84.75		0.047	0.118											
	SWS20216-4	85.00	Oil:	2.500	X	2.450	NIFF-H	STEEL	NITRIDED							
	REFERENCE # 12140-65J00		TOP	2ND	OIL											
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), KL5J / 2004-2008																
FORENZA / 04-08 RENO / 05-08	SWG10019-0	86.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWG10019-1	86.25		0.047	0.114											
	SWG10019-2	86.50	2nd:	1.500	X	3.500	TUC	CAST IRON	PHOSPHATE							
	SWG10019-3	86.75		0.059	0.138											
	SWG10019-4	87.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	CHROME							
	REFERENCE # 12140-85Z00 21018813 96180138		TOP	2ND	OIL											
2.4L (146CID,2393CC),DOHC,4CYL, 92.000MM (3.622"), J24B / 2009-2012																
GRAND VITARA / 09-12 KIZASHI / 10-12	SWS20215-0	92.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWS20215-1	92.25		0.047	0.122											
	SWS20215-2	92.50	2nd:	1.000	X	3.100	TUC	DUCTILE IRON	PHOSPHATE							
	SWS20215-3	92.75		0.039	0.122											
	SWS20215-4	93.00	Oil:	2.000	X	2.550	NIFF-H	STEEL	NITRIDED							
	REFERENCE # 12140-78K00		TOP	2ND	OIL											
2.5L (152CID,2488CC),DOHC,4CYL, 89.000MM (3.504"), QR25DE / 2009-2012																
EQUATOR / 09-12	SWN30140-0	89.00	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	11-881-0	89.00	TL:	61.50	PL:	57.00	CHK.
	SWN30140-1	89.25		0.047	0.122				11-881-1	89.25	CH:	32.90	PD:	19.99	DIA	
	SWN30140-2	89.50	2nd:	1.200	X	3.800	T1	CAST IRON	CHROME	11-881-2	89.50	DIST1:	5.90	Head:	ARL	9.50
	SWN30140-3	89.75		0.047	0.150				11-881-3	89.75	DIST2:		Skirt:	MS		
	SWN30140-4	90.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-881-4	90.00	DIST3:				
	REFERENCE # 12033-8H301 12033-8J000 12033-EA000 12033-EA00B		TOP	2ND	OIL						REFERENCE # A2010-EA000 A2010-EA001					





SUZUKI

SUZUKI


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO													
2.5L (152CID,2494CC),DOHC,6CYL, 84.000MM (3.307"), H25A / 1999-2005																							
GRAND VITARA / 99-05	SWS20207-0	84.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-883-0	84.00	TL:	58.90	PL:	58.00	CHK.							
	SWS20207-1	84.25		0.047		0.114				11-883-1	84.25	CH:	29.40	PD:	21.00	DIA							
	SWS20207-2	84.50	2nd:	1.500	X	3.550	TUC	CAST IRON	CHROME	11-883-2	84.50	DIST1:	-4.90	Head:	NONE	10.00							
	SWS20207-3	84.75		0.059		0.140				11-883-3	84.75	DIST2:		Skirt:	NONE								
	SWS20207-4	85.00	Oil:	2.500	X	2.850	NIFF-S	STEEL	NITRIDED	11-883-4	85.00	DIST3:											
			0.098	0.112																			
REFERENCE # 12140-86FA0		TOP		2ND		OIL		REFERENCE # 12100-86831-0A0															
2.7L (167CID,2736CC),DOHC,6CYL, 88.000MM (3.465"), H27A / 2006-2008																							
GRAND VITARA / 07-08 XL-7 / 06-06	SWS20210-0	88.00	Top:	1.200	X	3.300	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWS20210-1	88.25		0.047		0.130																	
	SWS20210-2	88.50	2nd:	1.500	X	3.300	TUC	CAST IRON	CHROME														
	SWS20210-3	88.75		0.059		0.130																	
	SWS20210-4	89.00	Oil:	2.800	X	2.850	NIFF-S	STEEL	NITRIDED														
			0.110	0.112																			
REFERENCE # 12140-52D00		TOP		2ND		OIL																	
4.0L (241CID,3954CC),DOHC,6CYL, 95.500MM (3.760"), VQ40DE / 2009-2012																							
EQUATOR / 09-12	SWN30131-0	95.50	Top:	1.200	X	3.450	BF	STEEL	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.													
	SWN30131-1	95.75		0.047		0.136																	
	SWN30131-2	96.00	2nd:	1.200	X	4.100	T1	CAST IRON	PHOSPHATE														
	SWN30131-3	96.25		0.047		0.161																	
	SWN30131-4	96.50	Oil:	2.500	X	2.750	NIFF-S	STEEL	CHROME														
			0.098	0.108																			
REFERENCE # 12033-4W001 12033-4W005 12033-8J100		TOP		2ND		OIL																	

TOYOTA

TOYOTA

1.2L (71CID,1166CC),OHV,4CYL, 75.000MM (2.953"), 3K-C / 1973-1979																
COROLLA / 73-79	SWT10052-0	75.00	Top:	2.000	X	3.600	BF	STEEL	CHROME	11-140-0	75.00	TL:	75.00	PL:	61.00	CHK.
	SWT10052-1	75.25		0.079		0.142				11-140-1	75.25	CH:	36.00	PD:	18.00	DIA
	SWT10052-2	75.50	2nd:	2.000	X	3.600	T1	CAST IRON	PHOSPHATE	11-140-2	75.50	DIST1:		Head:	NONE	12.00
	SWT10052-3	75.75		0.079		0.142				11-140-3	75.75	DIST2:		Skirt:	NONE	
	SWT10052-4	76.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-140-4	76.00	DIST3:				
REFERENCE #			TOP	2ND		OIL		REFERENCE #								
13011-13030								13101-24010								
13011-24011								13101-24011-02								






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
1.3L (79CID,1290CC),OHV,4CYL, 75.000MM (2.953"), 4K-C / 1981-1982																	
STARLET / 81-82	SWT10052-0	75.00	Top:	2.000	X	3.600	BF	STEEL	CHROME	11-140-0	75.00	TL:	75.00	PL:	61.00	CHK.	
	SWT10052-1	75.25		0.079	0.142				11-140-1	75.25	CH:	36.00	PD:	18.00	DIA		
	SWT10052-2	75.50	2nd:	2.000	X	3.600	T1	CAST IRON	PHOSPHATE	11-140-2	75.50	DIST1:		Head:	NONE	12.00	
	SWT10052-3	75.75		0.079	0.142				11-140-3	75.75	DIST2:		Skirt:	NONE			
	SWT10052-4	76.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	CHROME	11-140-4	76.00	DIST3:					
			0.157	0.120													
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-13030					13101-24010											
	13011-24011					13101-24011-02											
	1.3L (79CID,1290CC),SOHC,4CYL, 75.000MM (2.953"), 4K-E / 1983-1984																
STARLET / 83-84	SWT10109-0	75.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-141-0	75.00	TL:	69.00	PL:	61.00	CHK.	
	SWT10109-1	75.25		0.059	0.120				11-141-1	75.25	CH:	36.00	PD:	18.00	DIA		
	SWT10109-2	75.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-141-2	75.50	DIST1:	-4.00	Head:	NONE	10.00	
	SWT10109-3	75.75		0.059	0.134				11-141-3	75.75	DIST2:	-6.70	Skirt:	NONE			
	SWT10109-4	76.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-141-4	76.00	DIST3:					
			0.157	0.120													
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-13010					13101-13021											
	1.5L (89CID,1452CC),SOHC,4CYL, 77.500MM (3.051"), 1A-C / 1980-1980																
	TERCEL / 80-80	SWT10078-0	77.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-142-0	77.50	TL:	61.00	PL:	61.00	CHK.
SWT10078-1		77.75	0.059		0.112				11-142-1	77.75	CH:	31.00	PD:	18.00	DIA		
SWT10078-2		78.00	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-142-2	78.00	DIST1:	-3.20	Head:	NONE	10.00	
SWT10078-3		78.25		0.059	0.134				11-142-3	78.25	DIST2:		Skirt:	NONE			
SWT10078-4		78.50	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-142-4	78.50	DIST3:					
			0.110	0.110													
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
13011-15011					13101-15010												
1.5L (89CID,1452CC),SOHC,4CYL, 77.500MM (3.051"), 3A-C / 1982-1988																	
TERCEL / 82-88		SWT10078-0	77.50	Top:	1.500	X	2.850	BF	STEEL	CHROME	11-143-0	77.50	TL:	61.00	PL:	61.00	CHK.
	SWT10078-1	77.75	0.059		0.112				11-143-1	77.75	CH:	31.00	PD:	18.00	DIA		
	SWT10078-2	78.00	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-143-2	78.00	DIST1:	-3.00	Head:	NONE	10.00	
	SWT10078-3	78.25		0.059	0.134				11-143-3	78.25	DIST2:		Skirt:	NONE			
	SWT10078-4	78.50	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-143-4	78.50	DIST3:					
			0.110	0.110													
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-15011					13101-15020-02											






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
1.5L (89CID,1456CC),DOHC,4CYL, 74.000MM (2.913"), 5E-FE / 1992-1998																
PASEO / 92-95 TERCEL / 95-98	SWT10128-0	74.00	Top:	1.200	X	2.700	BF	STEEL	CHROME	11-656-0	74.00	TL:	58.60	PL:	59.00	CHK.
	SWT10128-1	74.25		0.047	0.106	11-656-1				74.25	CH:	29.70	PD:	18.00	DIA	
	SWT10128-2	74.50	2nd:	1.200	X	3.100	TUC	CAST IRON	PHOSPHATE	11-656-2	74.50	DIST1:	0.70	Head:	NONE	10.00
	SWT10128-3	74.75		0.047	0.122	11-656-3				74.75	DIST2:	-0.20	Skirt:	NONE		
	SWT10128-4	75.00	Oil:	3.000	X	2.800	NIFF-S	STEEL	CHROME	11-656-4	75.00	DIST3:				
REFERENCE # 13011-11140 13011-11160		TOP			2ND			OIL			REFERENCE # 13101-11131-01 13101-11161-01					
1.5L (89CID,1456CC),SOHC,4CYL, 73.000MM (2.874"), 3E,3E-E / 1987-1994																
TERCEL / 87-94	SWT10143-0	73.00	Top:	1.500	X	2.650	BF	STEEL	CHROME	11-650-0	73.00	TL:	62.00	PL:	59.00	CHK.
	SWT10143-1	73.25		0.059	0.104	11-650-1				73.25	CH:	30.00	PD:	18.00	DIA	
	SWT10143-2	73.50	2nd:	1.500	X	3.100	TUC	CAST IRON	PHOSPHATE	11-650-2	73.50	DIST1:	-2.90	Head:	NONE	10.00
	SWT10143-3	73.75		0.059	0.122	11-650-3				73.75	DIST2:		Skirt:	NONE		
	SWT10143-4	74.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	11-650-4	74.00	DIST3:				
REFERENCE # 13011-11090		TOP			2ND			OIL			REFERENCE # 13101-11081-02					
1.5L (91CID,1496CC),DOHC,4CYL, 75.000MM (2.953"), 1NZ-FE / 2000-2015																
ECHO / 00-05 YARIS / 07-15	SWT10192-0	75.00	Top:	1.200	X	2.500	BF	STEEL	NITRIDED	11-776-0	75.00	TL:	49.00	PL:	53.00	CHK.
	SWT10192-1	75.25		0.047	0.098	11-776-1				75.25	CH:	30.10	PD:	18.00	DIA	
	SWT10192-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-776-2	75.50	DIST1:	-6.20	Head:	NONE	10.00
	SWT10192-3	75.75		0.047	0.110	11-776-3				75.75	DIST2:	-2.20	Skirt:	NONE		
	SWT10192-4	76.00	Oil:	2.000	X	2.200	NIFF-H	STEEL	NITRIDED	11-776-4	76.00	DIST3:				
REFERENCE # 13011-21041 13011-21120		TOP			2ND			OIL			REFERENCE # 13101-21030 13101-21160					
1.5L (91CID,1497CC),DOHC,4CYL, 75.000MM (2.953"), 1NZ-FXE / 2001-2004																
PRIUS HYBRID / 01-04	SDT10222-0	75.00	Top:	1.200	X	2.500	BF	STEEL	NITRIDED	11-895-0	75.00	TL:	49.50	PL:	53.00	CHK.
	SDT10222-1	75.25		0.047	0.098	11-895-1				75.25	CH:	30.70	PD:	18.00	DIA	
	SDT10222-2	75.50	2nd:	1.200	X	2.800	TUC	CAST IRON	PHOSPHATE	11-895-2	75.50	DIST1:	-3.30	Head:	NONE	7.00
	SDT10222-3	75.75		0.047	0.110	11-895-3				75.75	DIST2:		Skirt:	NONE		
	SDT10222-4	76.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-895-4	76.00	DIST3:				
REFERENCE # 13011-21070		TOP			2ND			OIL			REFERENCE # 13101-21070					








TOYOTA


TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.5L (91CID,1497CC),DOHC,4CYL, 75.000MM (2.953"), 1NZ-FXE / 2005-2015																
PRIUS HYBRID / 05-09	SWT10229-0	75.00	Top:	0.800	X	2.500	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
PRIUS HYBRID C / 12-15	SWT10229-1	75.25		0.031	0.098											
	SWT10229-2	75.50	2nd:	1.000	X	2.300	T1	STEEL	PHOSPHATE							
	SWT10229-3	75.75		0.039	0.091											
	SWT10229-4	76.00	Oil:	1.500	X	2.100	NIFF-H	STEEL	CHROME							
				0.059	0.083											
REFERENCE #		TOP	2ND	OIL												
13011-21100																
13011-21110																
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-F,4A-FE / 1988-1992																
CELICA / 90-92	SWT10142-0	81.00	Top:	1.500	X	2.700	BF	STEEL	NITRIDED	11-649-0	81.00	TL:	61.10	PL:	61.00	CHK.
COROLLA / 88-92	SWT10142-1	81.25		0.059	0.106					11-649-1	81.25	CH:	30.60	PD:	18.00	DIA
	SWT10142-2	81.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-649-2	81.50	DIST1:	-3.00	Head:	NONE	10.00
	SWT10142-3	81.75		0.059	0.134					11-649-3	81.75	DIST2:	-2.80	Skirt:	NONE	
	SWT10142-4	82.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-649-4	82.00	DIST3:				
				0.118	0.112											
REFERENCE #		TOP	2ND	OIL						REFERENCE #						
13011-16130										13101-16090-01						
94847305										94847306						
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-FE / 1993-1997																
COROLLA / 93-97	SWT10156-0	81.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-714-0	81.00	TL:	55.60	PL:	56.00	CHK.
	SWT10156-1	81.25		0.047	0.114					11-714-1	81.25	CH:	30.50	PD:	20.00	DIA
	SWT10156-2	81.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-714-2	81.50	DIST1:	-2.50	Head:	NONE	15.00
	SWT10156-3	81.75		0.059	0.134					11-714-3	81.75	DIST2:		Skirt:	NONE	
	SWT10156-4	82.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-714-4	82.00	DIST3:				
				0.118	0.112											
REFERENCE #		TOP	2ND	OIL						REFERENCE #						
13011-16300										13101-16160-01						
13011-16340										94853590						
94854159																
94855500																
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-GE,4A-GELC / 1988-1990																
COROLLA / 88-90	SWT10108-0	81.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-660-0	81.00	TL:	64.50	PL:	61.00	CHK.
MR2 / 88-89	SWT10108-1	81.25		0.059	0.122					11-660-1	81.25	CH:	30.50	PD:	20.00	DIA
	SWT10108-2	81.50	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	11-660-2	81.50	DIST1:	0.30	Head:	NONE	10.00
	SWT10108-3	81.75		0.059	0.138					11-660-3	81.75	DIST2:		Skirt:	NONE	
	SWT10108-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-660-4	82.00	DIST3:				
				0.110	0.110											
REFERENCE #		TOP	2ND	OIL						REFERENCE #						
13011-16011										13101-16070-01						
13011-16170										94844692						
94840036																
94845462																


TOYOTA
TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-GEC,4A-GELC / 1985-1987																
COROLLA / 85-87 MR2 / 85-87	SWT10108-0	81.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-659-0	81.00	TL:	64.80	PL:	61.00	CHK. DIA
	SWT10108-1	81.25		0.059	0.122				11-659-1	81.25	CH:	30.00	PD:	18.00		
	SWT10108-2	81.50	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	11-659-2	81.50	DIST1:	-4.00	Head:	NONE	
	SWT10108-3	81.75		0.059	0.138				11-659-3	81.75	DIST2:	-5.00	Skirt:	NONE		
	SWT10108-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-659-4	82.00	DIST3:				
REFERENCE # 13011-16011 13011-16170 94840036 94845462		TOP			2ND			OIL			REFERENCE # 13101-16020-02					
1.6L (97CID,1587CC),DOHC,4CYL, 81.000MM (3.189"), 4A-GZE / 1988-1989 SUPERCHARGER																
MR2 / 88-89	SWT10145-0	81.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT10145-1	81.25		0.059	0.122											
	SWT10145-2	81.50	2nd:	1.500	X	3.400	TUC	CAST IRON	CHROME							
	SWT10145-3	81.75		0.059	0.134											
	SWT10145-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME							
REFERENCE # 13011-16090		TOP			2ND			OIL								
1.6L (97CID,1587CC),SOHC,4CYL, 81.000MM (3.189"), 4A-C,4A-LC / 1983-1988																
COROLLA / 83-88	SWT10108-0	81.00	Top:	1.500	X	3.100	BF	STEEL	CHROME	11-144-0	81.00	TL:	60.50	PL:	61.00	CHK. DIA 13.00
	SWT10108-1	81.25		0.059	0.122				11-144-1	81.25	CH:	30.50	PD:	18.00		
	SWT10108-2	81.50	2nd:	1.500	X	3.500	T1	CAST IRON	PHOSPHATE	11-144-2	81.50	DIST1:	-3.00	Head:	NONE	
	SWT10108-3	81.75		0.059	0.138				11-144-3	81.75	DIST2:		Skirt:	NONE		
	SWT10108-4	82.00	Oil:	2.800	X	2.800	NIFF-S	STEEL	CHROME	11-144-4	82.00	DIST3:				
REFERENCE # 13011-16011 13011-16170 94840036 94845462		TOP			2ND			OIL			REFERENCE # 13103-16010 94850643					
1.6L (97CID,1588CC),OHV,4CYL, 85.000MM (3.346"), 2T-C / 1972-1973																
CARINA / 72-73	SWT10059-0	85.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	DISC-11-147-0	85.00					
	SWT10059-1	85.25		0.059	0.128				DISC-11-147-1	85.25						
	SWT10059-2	85.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-147-2	85.50					
	SWT10059-3	85.75		0.059	0.150				DISC-11-147-3	85.75						
	SWT10059-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-147-4	86.00					
REFERENCE # 13011-28030		TOP			2ND			OIL			REFERENCE # 13101-26040					










TOYOTA

TOYOTA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
1.6L (97CID,1588CC),OHV,4CYL, 85.000MM (3.346"), 2T-C / 1972-1977																
CARINA / 72-73 COROLLA / 73-77	SWT10040-0	85.00	Top:	2.000	X	4.000	BF	CAST IRON	CHROME	11-145-0	85.00	TL:	91.10	PL:	66.00	CHK.
	SWT10040-1	85.25		0.079	0.157				11-145-1	85.25	CH:	39.00	PD:	22.00	DIA	
	SWT10040-2	85.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	11-145-2	85.50	DIST1:	6.10	Head:	NONE	25.00
	SWT10040-3	85.75		0.079	0.157				11-145-3	85.75	DIST2:		Skirt:	NONE		
	SWT10040-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-145-4	86.00	DIST3:				
REFERENCE # 13011-26020 13011-36020		TOP			2ND			OIL			REFERENCE # 13101-26011					
1.6L (97CID,1588CC),OHV,4CYL, 85.000MM (3.346"), 2T-C / 1973-1976																
COROLLA / 73-76	SWT10040-0	85.00	Top:	2.000	X	4.000	BF	CAST IRON	CHROME	DISC-11-146-0	85.00					
	SWT10040-1	85.25		0.079	0.157				DISC-11-146-1	85.25						
	SWT10040-2	85.50	2nd:	2.000	X	4.000	T1	CAST IRON	PHOSPHATE	DISC-11-146-2	85.50					
	SWT10040-3	85.75		0.079	0.157				DISC-11-146-3	85.75						
	SWT10040-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-146-4	86.00					
REFERENCE # 13011-26020 13011-36020		TOP			2ND			OIL			REFERENCE # 13101-26021					
1.6L (97CID,1588CC),OHV,4CYL, 85.000MM (3.346"), 2T-C / 1978-1979																
COROLLA / 78-79	SWT10059-0	85.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	DISC-11-148-0	85.00					
	SWT10059-1	85.25		0.059	0.128				DISC-11-148-1	85.25						
	SWT10059-2	85.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-148-2	85.50					
	SWT10059-3	85.75		0.059	0.150				DISC-11-148-3	85.75						
	SWT10059-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-148-4	86.00					
REFERENCE # 13011-28030		TOP			2ND			OIL			REFERENCE # 13101-26031					
1.8L (108CID,1762CC),DOHC,4CYL, 81.000MM (3.189"), 7A-FE / 1993-1997																
CELICA / 94-97 COROLLA / 93-97	SWT10156-0	81.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-713-0	81.00	TL:	56.00	PL:	56.00	CHK.
	SWT10156-1	81.25		0.047	0.114				11-713-1	81.25	CH:	30.50	PD:	20.00	DIA	
	SWT10156-2	81.50	2nd:	1.500	X	3.400	T1	CAST IRON	PHOSPHATE	11-713-2	81.50	DIST1:	-3.40	Head:	NONE	10.00
	SWT10156-3	81.75		0.059	0.134				11-713-3	81.75	DIST2:		Skirt:	NONE		
	SWT10156-4	82.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-713-4	82.00	DIST3:				
REFERENCE # 13011-16300 13011-16340 94854159 94855500		TOP			2ND			OIL			REFERENCE # 13101-16150-01 94853591					






TOYOTA
TOYOTA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.8L (108CID,1770CC),OHV,4CYL, 85.000MM (3.346"), 3T-C / 1980-1982																
COROLLA / 80-82	SWT10059-0	85.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-149-0	85.00	TL:	82.50	PL:	66.00	CHK.
	SWT10059-1	85.25		0.059	0.128	11-149-1				85.25	CH:	35.20	PD:	22.00	DIA	
	SWT10059-2	85.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-149-2	85.50	DIST1:	-5.40	Head:	NONE	30.00
	SWT10059-3	85.75		0.059	0.150	11-149-3				85.75	DIST2:		Skirt:	NONE		
	SWT10059-4	86.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-149-4	86.00	DIST3:				
	REFERENCE # 13011-28030	TOP 2ND OIL 							REFERENCE # 13101-28010							
1.8L (109CID,1794CC),DOHC,4CYL, 79.000MM (3.110"), 1ZZ-FE / 1998-2008																
CELICA / 00-05 COROLLA / 98-99 MATRIX / 03-08	SWT10183-0	79.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	11-756-0	79.00	TL:	51.60	PL:	50.00	CHK.
	SWT10183-1	79.25		0.047	0.104	11-756-1				79.25	CH:	29.90	PD:	20.00	DIA	
	SWT10183-2	79.50	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-756-2	79.50	DIST1:	-4.20	Head:	NONE	10.00
	SWT10183-3	79.75		0.047	0.126	11-756-3				79.75	DIST2:	2.30	Skirt:	NONE		
	SWT10183-4	80.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	CHROME	11-756-4	80.00	DIST3:				
	REFERENCE # 13011-0D010 13011-22040 13011-22150 88972331 94856686 94859421	TOP 2ND OIL 							REFERENCE # 13101-22020 94856684							
1.8L (109CID,1794CC),DOHC,4CYL, 79.000MM (3.110"), 1ZZ-FE / 2000-2006																
MR2 SPYDER / 00-06	SWT10183-0	79.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	DISC-11-790-0	79.00					
	SWT10183-1	79.25		0.047	0.104	DISC-11-790-1				79.25						
	SWT10183-2	79.50	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	DISC-11-790-2	79.50					
	SWT10183-3	79.75		0.047	0.126	DISC-11-790-3				79.75						
	SWT10183-4	80.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	CHROME	DISC-11-790-4	80.00					
	REFERENCE # 13011-0D010 13011-22040 13011-22150 88972331 94856686 94859421	TOP 2ND OIL 							REFERENCE # 13101-22031							




TOYOTA
TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO												
1.8L (109CID,1794CC),DOHC,4CYL, 79.000MM (3.110"), 1ZZ-FE / 2000-2008																								
COROLLA / 00-08	SWT10183-0	79.00	Top:	1.200	X	2.650	BF	STEEL	CHROME	11-777-0	79.00	TL:	51.70	PL:	50.00	CHK.								
	SWT10183-1	79.25		0.047	0.104	11-777-1				79.25	CH:	29.80	PD:	20.01	DIA									
	SWT10183-2	79.50	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-777-2	79.50	DIST1:	2.40	Head:	AH	19.50								
	SWT10183-3	79.75		0.047	0.126	11-777-3				79.75	DIST2:		Skirt:	MS										
	SWT10183-4	80.00	Oil:	3.000	X	2.550	NIFF-S	STEEL	CHROME	11-777-4	80.00	DIST3:												
				0.118	0.100																			
	REFERENCE #		TOP	2ND		OIL		REFERENCE #																
	13011-0D010						13101-0D040																	
	13011-22040						13101-22140																	
	13011-22150						88969051																	
	88972331						88972330																	
	94856686						94859420																	
	94859421																							
1.8L (110CID,1796CC),DOHC,4CYL, 82.000MM (3.228"), 2ZZ-EE,2ZZ-GE / 2000-2006																								
CELICA / 00-05 MATRIX / 03-06	SWT10196-0	82.00	Top:	1.200	X	2.850	BF	STEEL	CHROME	11-802-0	82.00	TL:	57.70	PL:	56.58	CHK.								
	SWT10196-1	82.25		0.047	0.112	11-802-1				82.25	CH:	31.30	PD:	20.01	DIA									
	SWT10196-2	82.50	2nd:	1.200	X	3.050	TUC	CAST IRON	PHOSPHATE	11-802-2	82.50	DIST1:	1.40	Head:	NONE	25.00								
	SWT10196-3	82.75		0.047	0.120	11-802-3				82.75	DIST2:		Skirt:	NONE										
	SWT10196-4	83.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	CHROME	11-802-4	83.00	DIST3:												
				0.118	0.126																			
	REFERENCE #		TOP	2ND		OIL		REFERENCE #																
	13011-88601						13101-88601																	
	88969557																							
	1.8L (110CID,1798CC),DOHC,4CYL, 80.500MM (3.169"), 2ZR-FE,2ZR-FXE / 2009-2015																							
COROLLA / 09-15 MATRIX / 09-13 PRIUS HYBRID / 10-15 PRIUS HYBRID V / 12-15	SWT10232-0	80.50	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.														
	SWT10232-1	80.75		0.039	0.114																			
	SWT10232-2	81.00	2nd:	1.000	X	2.500	TUC	STEEL	PHOSPHATE															
	SWT10232-3	81.25		0.039	0.098																			
	SWT10232-4	81.50	Oil:	1.500	X	1.950	NIFF-H	STEEL	CHROME															
				0.059	0.077																			
	REFERENCE #		TOP	2ND		OIL																		
	13011-0T010																							
	13011-37110																							
	19185554																							
	1.8L (112CID,1839CC),4CYL, 83.000MM (3.268"), 1CL-LC,1CL-LTC / 1984-1985																							
	CAMRY / 84-85 COROLLA / 84-85	SDT10081-0	83.00	Top:	2.000	X	3.050	BF-K2	STEEL								CHROME	DISC-11-150-0	83.00					
		SDT10081-1	83.25		0.079	0.120	DISC-11-150-1			83.25														
SDT10081-2		83.50	2nd:	2.000	X	3.800	T1	CAST IRON	CHROME	DISC-11-150-2	83.50													
SDT10081-3		83.75		0.079	0.150	DISC-11-150-3				83.75														
SDT10081-4		84.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	DISC-11-150-4	84.00													
				0.157	0.171																			
REFERENCE #		TOP	2ND		OIL		REFERENCE #																	
13011-64070						13101-64010																		
						13101-64040																		






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.9L (113CID,1858CC),4CYL, 86.000MM (3.386"), 8R-C / 1970-1971																
CELICA / 71-71 CORONA / 70-71	SWT10019-0	86.00	Top:	2.000	X	3.900	T1	CAST IRON	CHROME	DISC-11-151-0	86.00					
	SWT10019-1	86.25		0.079	0.154				DISC-11-151-1	86.25						
	SWT10019-2	86.50	2nd:	2.500	X	3.900	T1	CAST IRON	CHROME	DISC-11-151-2	86.50					
	SWT10019-3	86.75		0.098	0.154				DISC-11-151-3	86.75						
	SWT10019-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-151-4	87.00					
REFERENCE # 13011-33022		TOP		2ND		OIL		REFERENCE # 13101-33010								
1.9L (116CID,1897CC),4CYL, 88.000MM (3.465"), 3R-C / 1968-1969																
CORONA / 68-69	SWT10022-0	88.00	Top:	2.500	X	4.100	T1	CAST IRON	CHROME	DISC-11-152-0	88.00					
	SWT10022-1	88.25		0.098	0.161				DISC-11-152-1	88.25						
	SWT10022-2	88.50	2nd:	2.500	X	4.100	TUC	CAST IRON	PHOSPHATE	DISC-11-152-2	88.50					
	SWT10022-3	88.75		0.098	0.161				DISC-11-152-3	88.75						
	SWT10022-4	89.00	Oil:	5.000	X	4.050	BC3	STEEL	CHROME	DISC-11-152-4	89.00					
REFERENCE # 13011-40010		TOP		2ND		OIL		REFERENCE # 13101-40010								
2.0L (120CID,1968CC),4CYL, 88.500MM (3.484"), 18R-C / 1972-1974																
CELICA / 72-74 CORONA / 73-74 PICKUP / 72-74	SWT10043-0	88.50	Top:	2.000	X	4.200	BF	CAST IRON	CHROME	11-153-0	88.50	TL:	84.80	PL:	75.00	CHK.
	SWT10043-1	88.75		0.079	0.165				11-153-1	88.75	CH:	39.80	PD:	22.00	DIA	
	SWT10043-2	89.00	2nd:	2.500	X	4.200	T1	CAST IRON	CHROME	11-153-2	89.00	DIST1:		Head:	NONE	20.00
	SWT10043-3	89.25		0.098	0.165				11-153-3	89.25	DIST2:		Skirt:	NONE		
	SWT10043-4	89.50	Oil:	4.000	X	3.850	NIFF-S	STEEL	CHROME	11-153-4	89.50	DIST3:				
REFERENCE # 13011-38020		TOP		2ND		OIL		REFERENCE # 13101-34030								
2.0L (120CID,1974CC),4CYL, 86.000MM (3.386"), 2CT-LC / 1986-1986																
CAMRY / 86-86	SDT10096-0	86.00	Top:	2.000	X	3.050	BF-K2	STEEL	CHROME	DISC-11-655-0	86.00					
	SDT10096-1	86.25		0.079	0.120				DISC-11-655-1	86.25						
	SDT10096-2	86.50	2nd:	2.000	X	3.600	T1	CAST IRON	CHROME	DISC-11-655-2	86.50					
	SDT10096-3	86.75		0.079	0.142				DISC-11-655-3	86.75						
	SDT10096-4	87.00	Oil:	4.000	X	4.000	E-BC16	STEEL	NITRIDED	DISC-11-655-4	87.00					
REFERENCE # 13011-64150		TOP		2ND		OIL		REFERENCE # 13101-64070-02								






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.0L (122CID,1995CC),SOHC,4CYL, 84.000MM (3.307"), 2SE-LC / 1983-1986																	
CAMRY / 83-86 CELICA / 86-86	SWT10088-0	84.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	DISC-11-154-0	84.00						
	SWT10088-1	84.25		0.059	0.136				DISC-11-154-1	84.25							
	SWT10088-2	84.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-154-2	84.50						
	SWT10088-3	84.75		0.059	0.150				DISC-11-154-3	84.75							
	SWT10088-4	85.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	CHROME	DISC-11-154-4	85.00						
REFERENCE # 13011-74021		TOP		2ND		OIL					REFERENCE # 13101-74010						
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 1AZ-FE / 2001-2003																	
RAV4 / 01-03	SWT10186-0	86.00	Top:	1.200	X	2.700	BF	STEEL	NITRIDED	11-850-0	86.00	TL:	60.80	PL:	56.00	CHK.	
	SWT10186-1	86.25		0.047	0.106				11-850-1	86.25	CH:	40.80	PD:	22.00	DIA		
	SWT10186-2	86.50	2nd:	1.200	X	3.100	TUC	CAST IRON	PHOSPHATE	11-850-2	86.50	DIST1:	-5.80	Head:	NONE	10.00	
	SWT10186-3	86.75		0.047	0.122				11-850-3	86.75	DIST2:	-2.15	Skirt:	MS			
	SWT10186-4	87.00	Oil:	2.000	X	2.500	NIFF-H	STEEL	NITRIDED	11-850-4	87.00	DIST3:					
REFERENCE # 13011-28120		TOP		2ND		OIL					REFERENCE # 13211-28060-A0						
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 3S-FE / 1987-1991																	
CAMRY / 87-91 CELICA / 87-89	SWT10119-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-644-0	86.00	TL:	68.40	PL:	66.00	CHK.	
	SWT10119-1	86.25		0.059	0.128				11-644-1	86.25	CH:	35.00	PD:	20.01	DIA		
	SWT10119-2	86.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-644-2	86.50	DIST1:	-3.90	Head:	NONE	7.00	
	SWT10119-3	86.75		0.059	0.150				11-644-3	86.75	DIST2:		Skirt:	NONE			
	SWT10119-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-644-4	87.00	DIST3:					
REFERENCE # 13011-74072		TOP		2ND		OIL					REFERENCE # 13101-74112-02						
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 3S-FE / 1996-1997																	
RAV4 / 96-97	SWT10119-0	86.00	Top:	1.500	X	3.250	BF	STEEL	CHROME	11-723-0	86.00	TL:	67.90	PL:	66.00	CHK.	
	SWT10119-1	86.25		0.059	0.128				11-723-1	86.25	CH:	35.00	PD:	22.00	DIA		
	SWT10119-2	86.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-723-2	86.50	DIST1:	-5.00	Head:	NONE	20.00	
	SWT10119-3	86.75		0.059	0.150				11-723-3	86.75	DIST2:		Skirt:	NONE			
	SWT10119-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-723-4	87.00	DIST3:					
REFERENCE # 13011-74072		TOP		2ND		OIL					REFERENCE # 13101-74100-01						






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 3S-FE / 1998-2000																
RAV4 / 98-00	SWT10162-0	86.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-795-0	86.00	TL:	59.10	PL:	56.00	CHK.
	SWT10162-1	86.25		0.047		0.114				11-795-1	86.25	CH:	35.00	PD:	22.00	DIA
	SWT10162-2	86.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-795-2	86.50	DIST1:	-3.90	Head:	NONE	15.00
	SWT10162-3	86.75		0.047		0.134				11-795-3	86.75	DIST2:		Skirt:	NONE	
	SWT10162-4	87.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-795-4	87.00	DIST3:				
REFERENCE # 13011-74361		TOP	2ND	OIL		REFERENCE # 13101-74191-01										
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 3SG-ELC / 1986-1989																
CELICA / 86-89	SWT10141-0	86.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-648-0	86.00	TL:	67.10	PL:	66.00	CHK.
	SWT10141-1	86.25		0.047		0.130				11-648-1	86.25	CH:	35.10	PD:	22.00	DIA
	SWT10141-2	86.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-648-2	86.50	DIST1:	-5.00	Head:	NONE	10.00
	SWT10141-3	86.75		0.059		0.142				11-648-3	86.75	DIST2:		Skirt:	NONE	
	SWT10141-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-648-4	87.00	DIST3:				
REFERENCE # 13011-88363 13011-88380 13011-88381		TOP	2ND	OIL		REFERENCE # 13101-74032-02										
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 3SG-TE / 1988-1989 TURBO																
CELICA / 88-89	SWT10141-0	86.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-646-0	86.00	TL:	67.10	PL:	66.00	CHK.
	SWT10141-1	86.25		0.047		0.130				11-646-1	86.25	CH:	35.00	PD:	22.00	DIA
	SWT10141-2	86.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-646-2	86.50	DIST1:	-1.60	Head:	NONE	5.00
	SWT10141-3	86.75		0.059		0.142				11-646-3	86.75	DIST2:	-5.10	Skirt:	NONE	
	SWT10141-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-646-4	87.00	DIST3:				
REFERENCE # 13011-88363 13011-88380 13011-88381		TOP	2ND	OIL		REFERENCE # 13101-88380-01										
2.0L (122CID,1998CC),DOHC,4CYL, 86.000MM (3.386"), 3SG-TE / 1990-1995 TURBO																
CELICA / 90-93 MR2 / 91-95	SWT10141-0	86.00	Top:	1.200	X	3.300	BF	STEEL	CHROME	11-647-0	86.00	TL:	62.10	PL:	66.00	CHK.
	SWT10141-1	86.25		0.047		0.130				11-647-1	86.25	CH:	35.10	PD:	22.00	DIA
	SWT10141-2	86.50	2nd:	1.500	X	3.600	TUC	CAST IRON	PHOSPHATE	11-647-2	86.50	DIST1:	-0.80	Head:	NONE	11.00
	SWT10141-3	86.75		0.059		0.142				11-647-3	86.75	DIST2:		Skirt:	NONE	
	SWT10141-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-647-4	87.00	DIST3:				
REFERENCE # 13011-88363 13011-88380 13011-88381		TOP	2ND	OIL		REFERENCE # 13101-88381-01										






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.0L (122CID,1998CC),OHV,4CYL, 86.000MM (3.386"), 3Y-EC / 1984-1985																
VAN / 84-85	SWT10090-0	86.00	Top:	1.500	X	3.450	BF	STEEL	CHROME	11-155-0	86.00	TL:	70.00	PL:	66.00	CHK.
	SWT10090-1	86.25		0.059	0.136	11-155-1				86.25	CH:	35.00	PD:	22.00	DIA	
	SWT10090-2	86.50	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-155-2	86.50	DIST1:	-5.00	Head:	NONE	0.00
	SWT10090-3	86.75		0.059	0.157	11-155-3				86.75	DIST2:		Skirt:	NONE		
	SWT10090-4	87.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-155-4	87.00	DIST3:				
REFERENCE # 13011-71012		TOP	2ND	OIL	REFERENCE # 13101-43051-02 13101-73010-02											
2.2L (132CID,2164CC),DOHC,4CYL, 87.000MM (3.425"), 5S-FE / 1990-1991																
CELICA / 90-91 MR2 / 91-91	SWT10149-0	87.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	11-657-0	87.00	TL:	63.00	PL:	66.00	CHK.
	SWT10149-1	87.25		0.059	0.138	11-657-1				87.25	CH:	32.60	PD:	22.00	DIA	
	SWT10149-2	87.50	2nd:	1.500	X	3.600	T1	CAST IRON	CHROME	11-657-2	87.50	DIST1:	-5.00	Head:	NONE	10.00
	SWT10149-3	87.75		0.059	0.142	11-657-3				87.75	DIST2:		Skirt:	NONE		
	SWT10149-4	88.00	Oil:	3.000	X	2.850	NIFF-S	STEEL	CHROME	11-657-4	88.00	DIST3:				
REFERENCE # 13011-74150		TOP	2ND	OIL	REFERENCE # 13101-74080-01											
2.2L (132CID,2164CC),DOHC,4CYL, 87.000MM (3.425"), 5S-FE / 1990-1999																
CAMRY / 92-97 CELICA / 90-99 MR2 / 91-95	SWT10133-0	87.00	Top:	1.500	X	3.500	BF	STEEL	CHROME	11-654-0	87.00	TL:	63.00	PL:	66.00	CHK.
	SWT10133-1	87.25		0.059	0.138	11-654-1				87.25	CH:	32.50	PD:	22.00	DIA	
	SWT10133-2	87.50	2nd:	1.500	X	3.600	T1	CAST IRON	CHROME	11-654-2	87.50	DIST1:	-4.70	Head:	NONE	10.00
	SWT10133-3	87.75		0.059	0.142	11-654-3				87.75	DIST2:		Skirt:	NONE		
	SWT10133-4	88.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-654-4	88.00	DIST3:				
REFERENCE # 13011-74290		TOP	2ND	OIL	REFERENCE # 13101-74130-01											
2.2L (132CID,2164CC),DOHC,4CYL, 87.000MM (3.425"), 5S-FE / 1998-2001																
CAMRY / 98-01 CAMRY SOLARA / 98-01	SWT10166-0	87.00	Top:	1.200	X	2.900	BF	STEEL	CHROME	11-750-0	87.00	TL:	56.50	PL:	66.00	CHK.
	SWT10166-1	87.25		0.047	0.114	11-750-1				87.25	CH:	32.50	PD:	22.00	DIA	
	SWT10166-2	87.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-750-2	87.50	DIST1:	-4.50	Head:	NONE	15.00
	SWT10166-3	87.75		0.047	0.134	11-750-3				87.75	DIST2:		Skirt:	NONE		
	SWT10166-4	88.00	Oil:	3.000	X	2.750	NIFF-S	STEEL	NITRIDED	11-750-4	88.00	DIST3:				
REFERENCE # 13011-74370		TOP	2ND	OIL	REFERENCE # 13101-03060											






TOYOTA

TOYOTA







ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
2.2L (134CID,2188CC),4CYL, 90.000MM (3.543"), L / 1981-1981																
PICKUP / 81-81	SDT10066-0	90.00	Top:	2.500	X	3.800	BF	DUCTILE IRON	CHROME	DISC-11-633-0	90.00					
	SDT10066-1	90.25		0.098	0.150	DISC-11-633-1				90.25						
	SDT10066-2	90.50	2nd:	2.000	X	4.000	T1	CAST IRON	CHROME	DISC-11-633-2	90.50					
	SDT10066-3	90.75		0.079	0.157	DISC-11-633-3				90.75						
	SDT10066-4	91.00	Oil:	4.000	X	4.200	E-BC3	CAST IRON	CHROME	DISC-11-633-4	91.00					
	REFERENCE # 13011-54021	TOP			2ND			OIL			REFERENCE # 13101-54010					
2.2L (134CID,2188CC),4CYL, 90.000MM (3.543"), L / 1982-1982																
PICKUP / 82-82	SDT10082-0	90.00	Top:	2.000	X	3.350	BF-K2	STEEL	CHROME	11-634-0	90.00	TL:	99.00	PL:	73.50	CHK.
	SDT10082-1	90.25		0.079	0.132	11-634-1				90.25	CH:	52.00	PD:	27.00	DIA	
	SDT10082-2	90.50	2nd:	2.000	X	4.000	T1	CAST IRON	CHROME	11-634-2	90.50	DIST1:	-1.40	Head:	NONE	32.00
	SDT10082-3	90.75		0.079	0.157	11-634-3				90.75	DIST2:		Skirt:	NONE		
	SDT10082-4	91.00	Oil:	4.000	X	4.350	E-BC3	STEEL	NITRIDED	11-634-4	91.00	DIST3:				
	REFERENCE # 13011-54080	TOP			2ND			OIL			REFERENCE # 13101-54021					
2.2L (134CID,2188CC),4CYL, 90.000MM (3.543"), L / 1983-1983																
PICKUP / 83-83	SDT10082-0	90.00	Top:	2.000	X	3.350	BF-K2	STEEL	CHROME	DISC-11-635-0	90.00					
	SDT10082-1	90.25		0.079	0.132	DISC-11-635-1				90.25						
	SDT10082-2	90.50	2nd:	2.000	X	4.000	T1	CAST IRON	CHROME	DISC-11-635-2	90.50					
	SDT10082-3	90.75		0.079	0.157	DISC-11-635-3				90.75						
	SDT10082-4	91.00	Oil:	4.000	X	4.350	E-BC3	STEEL	NITRIDED	DISC-11-635-4	91.00					
	REFERENCE # 13011-54080	TOP			2ND			OIL			REFERENCE # 13101-54040					
2.2L (134CID,2189CC),SOHC,4CYL, 88.500MM (3.484"), 20R / 1975-1980																
CELICA / 75-80	SWT10043-0	88.50	Top:	2.000	X	4.200	BF	CAST IRON	CHROME	11-157-0	88.50	TL:	88.10	PL:	75.00	CHK.
CORONA / 75-80	SWT10043-1	88.75		0.079	0.165	11-157-1				88.75	CH:	38.70	PD:	22.00	DIA	
PICKUP / 75-80	SWT10043-2	89.00	2nd:	2.500	X	4.200	T1	CAST IRON	CHROME	11-157-2	89.00	DIST1:	2.80	Head:	NONE	20.00
	SWT10043-3	89.25		0.098	0.165	11-157-3				89.25	DIST2:		Skirt:	NONE		
	SWT10043-4	89.50	Oil:	4.000	X	3.850	NIFF-S	STEEL	CHROME	11-157-4	89.50	DIST3:				
	REFERENCE # 13011-38020	TOP			2ND			OIL			REFERENCE # 13101-38020					






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.2L (137CID,2237CC),OHV,4CYL, 91.000MM (3.583"), 4Y-EC / 1986-1989																	
VAN / 86-89	SWT10111-0	91.00	Top:	1.500	X	3.250	BF-IB	STEEL	CHROME	11-637-0	91.00	TL:	65.00	PL:	66.00	CHK.	
	SWT10111-1	91.25		0.059	0.128	11-637-1				91.25	CH:	35.00	PD:	22.00	DIA		
	SWT10111-2	91.50	2nd:	1.500	X	3.950	TUC	CAST IRON	CHROME	11-637-2	91.50	DIST1:	-6.20	Head:	NONE	25.00	
	SWT10111-3	91.75		0.059	0.156	11-637-3				91.75	DIST2:		Skirt:	NONE			
	SWT10111-4	92.00	Oil:	4.000	X	3.100	NIFF-S	STEEL	CHROME	11-637-4	92.00	DIST3:					
			0.157	0.122													
	REFERENCE # 13011-73032		TOP			2ND			OIL			REFERENCE # 13101-73031-01 13101-76012-71		 			
																	
	2.3L (137CID,2253CC),6CYL, 75.000MM (2.953"), 2M / 1972-1972																
	CORONA / 72-72	SXT10004-0	75.00	Top:	2.000	X	3.600	T1	CAST IRON	CHROME	DISC-11-161-0	75.00					
SXT10004-1		75.25	0.079		0.142	DISC-11-161-1	75.25										
SXT10004-2		75.50	2nd:	2.000	X	3.600	T1	CAST IRON	PHOSPHATE	DISC-11-161-2	75.50						
SXT10004-3		75.75		0.079	0.142	DISC-11-161-3				75.75							
SXT10004-4		76.00	Oil:	4.000	X	3.150	NIFF-S	STEEL	CHROME	DISC-11-161-4	76.00						
			0.157	0.124													
REFERENCE # 13011-41015		TOP			2ND			OIL			REFERENCE # 13101-42020						
																	
2.4L (144CID,2362CC),DOHC,4CYL, 88.500MM (3.484"), 2AZ-FE / 2001-2007																	
CAMRY / 02-06 CAMRY SOLARA / 02-06 HIGHLANDER / 01-07 RAV4 / 04-05		SWT10182-0	88.50	Top:	1.200	X	2.700	BF	STEEL	CHROME	11-792-0	88.50	TL:	55.80	PL:	56.00	CHK.
	SWT10182-1	88.75	0.047		0.106	11-792-1	88.75				CH:	33.70	PD:	22.00	DIA		
	SWT10182-2	89.00	2nd:	1.200	X	3.200	TUC	CAST IRON	PHOSPHATE	11-792-2	89.00	DIST1:	-6.40	Head:	AH	4.00	
	SWT10182-3	89.25		0.047	0.126	11-792-3				89.25	DIST2:		Skirt:	MS			
	SWT10182-4	89.50	Oil:	2.000	X	2.450	NIFF-H	STEEL	NITRIDED	11-792-4	89.50	DIST3:					
			0.079	0.096													
	REFERENCE # 13011-23100 13011-28102		TOP			2ND			OIL			REFERENCE # 13211-28030-A0 13211-28031-A0		  			
																	
	2.4L (144CID,2362CC),DOHC,4CYL, 88.500MM (3.484"), 2AZ-FE / 2006-2013																
	CAMRY / 07-09 CAMRY SOLARA / 07-08 COROLLA / 09-10 MATRIX / 09-13 RAV4 / 06-08	SDT10200-0	88.50	Top:	1.000	X	2.700	BF	STEEL	NITRIDED	11-896-0	88.50	TL:	55.80	PL:	56.00	CHK.
SDT10200-1		88.75	0.039		0.106	11-896-1	88.75				CH:	35.80	PD:	22.00	DIA		
SDT10200-2		89.00	2nd:	1.000	X	2.700	TUC	CAST IRON	PHOSPHATE	11-896-2	89.00	DIST1:	-7.80	Head:	AH	6.00	
SDT10200-3		89.25		0.039	0.106	11-896-3				89.25	DIST2:		Skirt:	MS			
SDT10200-4		89.50	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-896-4	89.50	DIST3:					
			0.079	0.108													
REFERENCE # 13011-0H031 13011-28161		TOP			2ND			OIL			REFERENCE # 13211-28112-A0		  				
																	






TOYOTA

TOYOTA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
2.4L (144CID,2362CC),DOHC,4CYL, 88.500MM (3.484"), 2AZ-FXE / 2007-2011																
CAMRY HYBRID / 07-11	SDT10200-0	88.50	Top:	1.000	X	2.700	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDT10200-1	88.75		0.039	0.106											
	SDT10200-2	89.00	2nd:	1.000	X	2.700	TUC	CAST IRON	PHOSPHATE							
	SDT10200-3	89.25		0.039	0.106											
	SDT10200-4	89.50	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED							
REFERENCE # 13011-0H031 13011-28161		TOP		2ND		OIL										
2.4L (144CID,2366CC),SOHC,4CYL, 92.000MM (3.622"), 20R,22R,22R-EC / 1981-1985																
4 RUNNER / 84-85 CELICA / 81-85 CORONA / 81-82 PICKUP / 81-85	SWT10077-0	92.00	Top:	2.000	X	3.450	BF	STEEL	CHROME	11-241-0	92.00	TL:	92.50	PL:	75.00	CHK.
	SWT10077-1	92.25		0.079	0.136				11-241-1	92.25	CH:	39.00	PD:	22.00	DIA	
	SWT10077-2	92.50	2nd:	2.500	X	4.200	T1	CAST IRON	PHOSPHATE	11-241-2	92.50	DIST1:	1.50	Head:	NONE	32.00
	SWT10077-3	92.75		0.098	0.165				11-241-3	92.75	DIST2:	6.50	Skirt:	NONE		
	SWT10077-4	93.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	11-241-4	93.00	DIST3:				
AM Ring Available		0.157	0.128													
REFERENCE # 13011-35020		TOP		2ND		OIL					REFERENCE # 13101-35020					
2.4L (144CID,2366CC),SOHC,4CYL, 92.000MM (3.622"), 22R,22R-E,22R-EC / 1986-1995																
4 RUNNER / 86-95 PICKUP / 86-95	SWT10103-0	92.00	Top:	1.500	X	3.300	BF	STEEL	CHROME	11-239-0	92.00	TL:	63.40	PL:	70.00	CHK.
	SWT10103-1	92.25		0.059	0.130				11-239-1	92.25	CH:	34.40	PD:	22.00	DIA	
	SWT10103-2	92.50	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-239-2	92.50	DIST1:	-1.60	Head:	NONE	26.00
	SWT10103-3	92.75		0.059	0.157				11-239-3	92.75	DIST2:		Skirt:	NONE		
	SWT10103-4	93.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-239-4	93.00	DIST3:				
AM Ring Available		0.157	0.128													
REFERENCE # 13011-35041 13011-35052		TOP		2ND		OIL					REFERENCE # 13101-35032-01 13101-35032-02					
2.4L (144CID,2366CC),SOHC,4CYL, 92.000MM (3.622"), 22R-TEC / 1985-1988																
4 RUNNER / 86-87 PICKUP / 85-88	SWT10103-0	92.00	Top:	1.500	X	3.300	BF	STEEL	CHROME	11-677-0	92.00	TL:	63.80	PL:	73.00	CHK.
	SWT10103-1	92.25		0.059	0.130				11-677-1	92.25	CH:	34.80	PD:	22.00	DIA	
	SWT10103-2	92.50	2nd:	1.500	X	4.000	T1	CAST IRON	CHROME	11-677-2	92.50	DIST1:	-5.30	Head:	NONE	10.00
	SWT10103-3	92.75		0.059	0.157				11-677-3	92.75	DIST2:	-5.60	Skirt:	NONE		
	SWT10103-4	93.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-677-4	93.00	DIST3:				
AM Ring Available		0.157	0.128													
REFERENCE # 13011-35041 13011-35052		TOP		2ND		OIL					REFERENCE # 13101-35050-02					






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.4L (149CID,2438CC),DOHC,4CYL, 95.000MM (3.740"), 2RZ-FE / 1995-2004																	
TACOMA / 95-04	SWT10139-0	95.00	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	11-745-0	95.00	TL:	59.00	PL:	70.00	CHK.	
	SWT10139-1	95.25		0.059	0.138				11-745-1	95.25	CH:	35.60	PD:	24.00	DIA		
	SWT10139-2	95.50	2nd:	1.500	X	3.450	TUC	STEEL	CHROME	11-745-2	95.50	DIST1:	-0.90	Head:	AH	7.00	
	SWT10139-3	95.75		0.059	0.136				11-745-3	95.75	DIST2:		Skirt:	MS			
	SWT10139-4	96.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-745-4	96.00	DIST3:					
				0.157	0.120												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-75040																
	13011-75041																
	2.4L (149CID,2438CC),DOHC,4CYL, 95.000MM (3.740"), 2TZ-FE / 1991-1995																
PREVIA / 91-95	SWT10127-0	95.00	Top:	1.750	X	3.650	BF	STEEL	CHROME	11-636-0	95.00	TL:	67.50	PL:	70.00	CHK.	
	SWT10127-1	95.25		0.069	0.144				11-636-1	95.25	CH:	35.50	PD:	24.00	DIA		
	SWT10127-2	95.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-636-2	95.50	DIST1:	-2.20	Head:	NONE	15.00	
	SWT10127-3	95.75		0.059	0.150				11-636-3	95.75	DIST2:	-2.50	Skirt:	NONE			
	SWT10127-4	96.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-636-4	96.00	DIST3:					
				0.157	0.128												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-76050																
	2.4L (149CID,2438CC),DOHC,4CYL, 95.000MM (3.740"), 2TZ-FZE / 1995-1997																
	PREVIA / 95-97	SWT10127-0	95.00	Top:	1.750	X	3.650	BF	STEEL	CHROME	11-725-0	95.00	TL:	67.50	PL:	70.00	CHK.
SWT10127-1		95.25	0.069		0.144				11-725-1	95.25	CH:	35.50	PD:	24.00	DIA		
SWT10127-2		95.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-725-2	95.50	DIST1:	-2.00	Head:	AH	15.00	
SWT10127-3		95.75		0.059	0.150				11-725-3	95.75	DIST2:		Skirt:	NONE			
SWT10127-4		96.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-725-4	96.00	DIST3:					
				0.157	0.128												
REFERENCE #		TOP	2ND		OIL		REFERENCE #										
13011-76050																	
2.4L (149CID,2446CC),4CYL, 92.000MM (3.622"), 2L / 1984-1985 DIESEL																	
PICKUP / 84-85		SDT10089-0	92.00	Top:	2.000	X	3.350	BF-K2	STEEL	NITRIDED	11-632-0	92.00	TL:	86.20	PL:	74.00	CHK.
	SDT10089-1	92.25	0.079		0.132				11-632-1	92.25	CH:	49.20	PD:	27.00	DIA		
	SDT10089-2	92.50	2nd:	2.000	X	3.300	T1	STEEL	NITRIDED	11-632-2	92.50	DIST1:	-1.30	Head:	NONE	10.00	
	SDT10089-3	92.75		0.079	0.130				11-632-3	92.75	DIST2:		Skirt:	NONE			
	SDT10089-4	93.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	11-632-4	93.00	DIST3:					
				0.157	0.171												
	REFERENCE #		TOP	2ND		OIL		REFERENCE #									
	13011-54062																






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO								
2.4L (149CID,2446CC),4CYL, 92.000MM (3.622"), 2L-T / 1985-1985 DIESEL, TURBO																				
PICKUP / 85-85	SDT10089-0	92.00	Top:	2.000	X	3.350	BF-K2	STEEL	NITRIDED	11-631-0	92.00	TL:	86.20	PL:	74.00	CHK.				
	SDT10089-1	92.25		0.079	0.132				11-631-1	92.25	CH:	49.20	PD:	29.00	DIA					
	SDT10089-2	92.50	2nd:	2.000	X	3.300	T1	STEEL	NITRIDED	11-631-2	92.50	DIST1:	-2.40	Head:	NONE	15.00				
	SDT10089-3	92.75		0.079	0.130				11-631-3	92.75	DIST2:		Skirt:	NONE						
	SDT10089-4	93.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED	11-631-4	93.00	DIST3:								
REFERENCE # 13011-54062		TOP			2ND			OIL			REFERENCE # 13101-54050-02									
2.5L (152CID,2494CC),DOHC,4CYL, 90.000MM (3.543"), 2AR-FE / 2009-2017																				
CAMRY / 10-17 RAV4 / 09-15	SDT10226-0	90.00	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	11-897-0	90.00	TL:	53.30	PL:	56.00	CHK.				
	SDT10226-1	90.25		0.039	0.114				11-897-1	90.25	CH:	34.80	PD:	22.00	DIA					
	SDT10226-2	90.50	2nd:	1.000	X	2.700	TUC	STEEL	PHOSPHATE	11-897-2	90.50	DIST1:	3.70	Head:	AH	10.00				
	SDT10226-3	90.75		0.039	0.106				11-897-3	90.75	DIST2:	-4.40	Skirt:	MS						
	SDT10226-4	91.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-897-4	91.00	DIST3:								
REFERENCE # 13011-36020		TOP			2ND			OIL			REFERENCE # 13211-0V011-A0 13211-0V012-B0 13211-36032-C0									
2.5L (152CID,2494CC),DOHC,4CYL, 90.000MM (3.543"), 2AR-FE,2AR-FXE / 2010-2017																				
AVALON HYBRID / 13-15 CAMRY / 10-17 CAMRY HYBRID / 12-17 RAV4 HYBRID / 16-17	SDT10226-0	90.00	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
	SDT10226-1	90.25		0.039	0.114															
	SDT10226-2	90.50	2nd:	1.000	X	2.700	TUC	STEEL	PHOSPHATE											
	SDT10226-3	90.75		0.039	0.106															
	SDT10226-4	91.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED											
REFERENCE # 13011-36020		TOP			2ND			OIL												
2.5L (153CID,2507CC),DOHC,6CYL, 87.500MM (3.445"), 2VZ-FE / 1988-1991																				
CAMRY / 88-91	SWT10148-0	87.50	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-651-0	87.50	TL:	65.20	PL:	63.00	CHK.				
	SWT10148-1	87.75		0.059	0.130				11-651-1	87.75	CH:	32.30	PD:	21.00	DIA					
	SWT10148-2	88.00	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-651-2	88.00	DIST1:	-2.20	Head:	AH	10.00				
	SWT10148-3	88.25		0.059	0.150				11-651-3	88.25	DIST2:		Skirt:	NONE						
	SWT10148-4	88.50	Oil:	3.000	X	2.900	NIFF-S	STEEL	CHROME	11-651-4	88.50	DIST3:								
REFERENCE # 13011-62040		TOP			2ND			OIL			REFERENCE # 13101-62020-01									






TOYOTA

TOYOTA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
2.6L (156CID,2563CC),SOHC,6CYL, 80.000MM (3.150"), 4M / 1973-1973																	
CORONA / 73-73	SXT10041-0	80.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	DISC-11-166-0	80.00						
	SXT10041-1	80.25		0.079	0.150				DISC-11-166-1	80.25							
	SXT10041-2	80.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-166-2	80.50						
	SXT10041-3	80.75		0.079	0.150				DISC-11-166-3	80.75							
	SXT10041-4	81.00	Oil:	4.000	X	3.850	NIFF-S	STEEL	CHROME	DISC-11-166-4	81.00						
				0.157	0.152												
REFERENCE # 13011-45021		TOP			2ND			OIL			REFERENCE # 13101-45011						
2.6L (156CID,2563CC),SOHC,6CYL, 80.000MM (3.150"), 4M, 4M-E / 1978-1980																	
CRESSIDA / 78-79 SUPRA / 79-80	SXT10041-0	80.00	Top:	2.000	X	3.800	BF	CAST IRON	CHROME	DISC-11-167-0	80.00						
	SXT10041-1	80.25		0.079	0.150				DISC-11-167-1	80.25							
	SXT10041-2	80.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-167-2	80.50						
	SXT10041-3	80.75		0.079	0.150				DISC-11-167-3	80.75							
	SXT10041-4	81.00	Oil:	4.000	X	3.850	NIFF-S	STEEL	CHROME	DISC-11-167-4	81.00						
				0.157	0.152												
REFERENCE # 13011-45021		TOP			2ND			OIL			REFERENCE # 13101-45021						
2.7L (163CID,2672CC),DOHC,4CYL, 90.000MM (3.543"), 1AR-FE / 2009-2015																	
HIGHLANDER / 09-15 SIENNA / 11-12 VENZA / 09-15	SDT10226-0	90.00	Top:	1.000	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SDT10226-1	90.25		0.039	0.114												
	SDT10226-2	90.50	2nd:	1.000	X	2.700	TUC	STEEL	PHOSPHATE								
	SDT10226-3	90.75		0.039	0.106												
	SDT10226-4	91.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED								
				0.079	0.108												
REFERENCE # 13011-36020		TOP			2ND			OIL									
2.7L (164CID,2693CC),DOHC,4CYL, 95.000MM (3.740"), 2TR-FE / 2005-2015																	
4 RUNNER / 10-10 TACOMA / 05-15	SDT10193-0	95.00	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-880-0	95.00	TL:	59.30	PL:	62.00	CHK.	
	SDT10193-1	95.25		0.047	0.114				11-880-1	95.25	CH:	39.30	PD:	22.00	DIA		
	SDT10193-2	95.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-880-2	95.50	DIST1:	-8.60	Head:	AH	10.00	
	SDT10193-3	95.75		0.047	0.134				11-880-3	95.75	DIST2:	-4.50	Skirt:	MS			
	SDT10193-4	96.00	Oil:	2.000	X	2.750	E-BC16	STEEL	NITRIDED	11-880-4	96.00	DIST3:	-2.22				
				0.079	0.108												
REFERENCE # 13011-75110		TOP			2ND			OIL			REFERENCE # 13101-75130						






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
2.7L (164CID,2693CC),DOHC,4CYL, 95.000MM (3.740"), 3RZ-FE / 1994-2004																
4 RUNNER / 96-00	SWT10139-0	95.00	Top:	1.500	X	3.500	BF	STEEL	NITRIDED	11-724-0	95.00	TL:	61.00	PL:	70.00	CHK.
T100 / 94-98	SWT10139-1	95.25		0.059	0.138				11-724-1	95.25	CH:	37.20	PD:	24.00	DIA	
TACOMA / 95-04	SWT10139-2	95.50	2nd:	1.500	X	3.450	TUC	STEEL	CHROME	11-724-2	95.50	DIST1:	-2.60	Head:	AH	10.00
	SWT10139-3	95.75		0.059	0.136				11-724-3	95.75	DIST2:		Skirt:	MS		
	SWT10139-4	96.00	Oil:	4.000	X	3.050	NIFF-S	STEEL	NITRIDED	11-724-4	96.00	DIST3:				
	REFERENCE #	TOP	2ND	OIL			REFERENCE #			  						
	13011-75040						13101-75040									
	13011-75041						13101-75041									
2.8L (168CID,2759CC),DOHC,6CYL, 83.000MM (3.268"), 5M-E / 1981-1982																
CRESSIDA / 81-82	SWT10072-0	83.00	Top:	2.000	X	3.050	BF	STEEL	CHROME	DISC-11-168-0	83.00					
	SWT10072-1	83.25		0.079	0.120				DISC-11-168-1	83.25						
	SWT10072-2	83.50	2nd:	2.000	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-168-2	83.50					
	SWT10072-3	83.75		0.079	0.150				DISC-11-168-3	83.75						
	SWT10072-4	84.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	CHROME	DISC-11-168-4	84.00					
	REFERENCE #	TOP	2ND	OIL			REFERENCE #									
	13011-43010						13101-43011-02									
	13011-43031															
2.8L (168CID,2759CC),DOHC,6CYL, 83.000MM (3.268"), 5M-GE / 1982-1983																
CRESSIDA / 83-83	SWT10079-0	83.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	DISC-11-169-0	83.00					
	SWT10079-1	83.25		0.059	0.122				DISC-11-169-1	83.25						
	SWT10079-2	83.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	DISC-11-169-2	83.50					
	SWT10079-3	83.75		0.059	0.150				DISC-11-169-3	83.75						
	SWT10079-4	84.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	CHROME	DISC-11-169-4	84.00					
	REFERENCE #	TOP	2ND	OIL			REFERENCE #									
	13011-42060						13101-43041-02									
2.8L (168CID,2759CC),DOHC,6CYL, 83.000MM (3.268"), 5M-GE / 1984-1988																
CRESSIDA / 84-88	SWT10079-0	83.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-641-0	83.00	TL:	74.10	PL:	66.00	CHK.
	SWT10079-1	83.25		0.059	0.122				11-641-1	83.25	CH:	32.90	PD:	22.00	DIA	
	SWT10079-2	83.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-641-2	83.50	DIST1:	3.30	Head:	NONE	15.00
	SWT10079-3	83.75		0.059	0.150				11-641-3	83.75	DIST2:		Skirt:	NONE		
	SWT10079-4	84.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	CHROME	11-641-4	84.00	DIST3:				
	REFERENCE #	TOP	2ND	OIL			REFERENCE #			  						
	13011-42060						13101-43051-02									






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
3.0L (180CID,2954CC),DOHC,6CYL, 83.000MM (3.268"), 7M-GE / 1986-1992																
CRESSIDA / 89-92 SUPRA / 86-92	SWT10079-0	83.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-642-0	83.00	TL:	71.00	PL:	66.00	CHK.
	SWT10079-1	83.25		0.059	0.122				11-642-1	83.25	CH:	33.00	PD:	22.00	DIA	
	SWT10079-2	83.50	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-642-2	83.50	DIST1:	-3.30	Head:	NONE	10.00
	SWT10079-3	83.75		0.059	0.150				11-642-3	83.75	DIST2:		Skirt:	NONE		
	SWT10079-4	84.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	CHROME	11-642-4	84.00	DIST3:				
REFERENCE # 13011-42060		TOP		2ND		OIL			REFERENCE # 13101-42060 13101-42070-01							
3.0L (180CID,2954CC),DOHC,6CYL, 83.000MM (3.268"), 7M-GTE / 1987-1992 TURBO																
SUPRA / 87-92	SWT10115-0	83.00	Top:	1.500	X	3.100	BF	STEEL	NITRIDED	11-639-0	83.00	TL:	71.00	PL:	66.00	CHK.
	SWT10115-1	83.25		0.059	0.122				11-639-1	83.25	CH:	33.00	PD:	22.00	DIA	
	SWT10115-2	83.50	2nd:	1.500	X	3.700	TUC	DUCTILE IRON	CHROME	11-639-2	83.50	DIST1:	-5.80	Head:	NONE	10.00
	SWT10115-3	83.75		0.059	0.146				11-639-3	83.75	DIST2:		Skirt:	NONE		
	SWT10115-4	84.00	Oil:	4.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-639-4	84.00	DIST3:				
REFERENCE # 13011-42011		TOP		2ND		OIL			REFERENCE # 13101-42050-02							
3.0L (181CID,2958CC),DOHC,6CYL, 87.500MM (3.445"), 3VZ-E / 1992-1993																
CAMRY / 92-93	SWT10144-0	87.50	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-661-0	87.50	TL:	62.20	PL:	62.00	CHK.
	SWT10144-1	87.75		0.059	0.130				11-661-1	87.75	CH:	34.00	PD:	22.00	DIA	
	SWT10144-2	88.00	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-661-2	88.00	DIST1:	-3.40	Head:	NONE	10.00
	SWT10144-3	88.25		0.059	0.150				11-661-3	88.25	DIST2:		Skirt:	NONE		
	SWT10144-4	88.50	Oil:	4.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-661-4	88.50	DIST3:				
AM Ring Available				0.157		0.112										
REFERENCE # 13011-62060		TOP		2ND		OIL			REFERENCE # 13101-62040-01							
3.0L (181CID,2958CC),SOHC,6CYL, 87.500MM (3.445"), 3VZ-E / 1988-1995																
4 RUNNER / 88-95 PICKUP / 88-95 T100 / 93-94	SWT10144-0	87.50	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-653-0	87.50	TL:	62.60	PL:	63.00	CHK.
	SWT10144-1	87.75		0.059	0.130				11-653-1	87.75	CH:	33.70	PD:	21.00	DIA	
	SWT10144-2	88.00	2nd:	1.500	X	3.800	T1	CAST IRON	PHOSPHATE	11-653-2	88.00	DIST1:	-3.80	Head:	NONE	2.00
	SWT10144-3	88.25		0.059	0.150				11-653-3	88.25	DIST2:		Skirt:	NONE		
	SWT10144-4	88.50	Oil:	4.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-653-4	88.50	DIST3:				
AM Ring Available				0.157		0.112										
REFERENCE # 13011-62060		TOP		2ND		OIL			REFERENCE # 13101-65040-01 13301-65040-01							






TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO				
3.0L (181CID,2959CC),DOHC,6CYL, 86.000MM (3.386"), 2JZ-GTE / 1993-1998 TURBO																
SUPRA / 93-98	SWT10134-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-778-0	86.00	TL:	65.00	PL:	66.00	CHK.
	SWT10134-1	86.25		0.059		0.130				11-778-1	86.25	CH:	34.00	PD:	22.00	DIA
	SWT10134-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-778-2	86.50	DIST1:	-3.80	Head:	AH	12.30
	SWT10134-3	86.75		0.059		0.150				11-778-3	86.75	DIST2:		Skirt:	MS	
	SWT10134-4	87.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	NITRIDED	11-778-4	87.00	DIST3:				
REFERENCE # 13011-46041 13011-46051		TOP		2ND		OIL		REFERENCE # 13101-46091								
3.0L (183CID,2995CC),DOHC,6CYL, 87.500MM (3.445"), 1MZ-FE / 1994-2006																
AVALON / 95-04 CAMRY / 94-06 CAMRY SOLARA / 98-03 HIGHLANDER / 01-03 SIENNA / 98-03	SWT10177-0	87.50	Top:	1.200	X	2.900	BF	STEEL	NITRIDED	11-720-0	87.50	TL:	51.00	PL:	54.00	CHK.
	SWT10177-1	87.75		0.047		0.114				11-720-1	87.75	CH:	31.20	PD:	22.00	DIA
	SWT10177-2	88.00	2nd:	1.200	X	3.300	T1	CAST IRON	PHOSPHATE	11-720-2	88.00	DIST1:		Head:	AH	10.00
	SWT10177-3	88.25		0.047		0.130				11-720-3	88.25	DIST2:		Skirt:	MS	
	SWT10177-4	88.50	Oil:	3.000	X	2.850	NIFF-S	STEEL	NITRIDED	11-720-4	88.50	DIST3:				
REFERENCE # 13011-0A020 13011-20022		TOP		2ND		OIL		REFERENCE # 13101-0A020 13101-20030 13301-0A020 13301-20020								
3.0L (183CID,2997CC),DOHC,6CYL, 86.000MM (3.386"), 2JZ-GE / 1993-1998																
SUPRA / 93-98	SWT10134-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	DISC-11-770-0	86.00					
	SWT10134-1	86.25		0.059		0.130				DISC-11-770-1	86.25					
	SWT10134-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	DISC-11-770-2	86.50					
	SWT10134-3	86.75		0.059		0.150				DISC-11-770-3	86.75					
	SWT10134-4	87.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	NITRIDED	DISC-11-770-4	87.00					
REFERENCE # 13011-46041 13011-46051		TOP		2ND		OIL		REFERENCE # 13101-46031								
3.0L (183CID,2997CC),DOHC,6CYL, 86.000MM (3.386"), 2JZ-GE / 1998-1998																
SUPRA / 98-98	SWT10134-0	86.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-851-0	86.00	TL:	59.00	PL:	66.00	CHK.
	SWT10134-1	86.25		0.059		0.130				11-851-1	86.25	CH:	34.00	PD:	22.00	DIA
	SWT10134-2	86.50	2nd:	1.500	X	3.800	TUC	CAST IRON	CHROME	11-851-2	86.50	DIST1:	-2.30	Head:	NONE	10.00
	SWT10134-3	86.75		0.059		0.150				11-851-3	86.75	DIST2:		Skirt:	MS	
	SWT10134-4	87.00	Oil:	4.000	X	2.900	NIFF-S	STEEL	NITRIDED	11-851-4	87.00	DIST3:				
REFERENCE # 13011-46041 13011-46051		TOP		2ND		OIL		REFERENCE # 13101-46081								






TOYOTA

TOYOTA



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
3.3L (202CID,3311CC),DOHC,6CYL, 92.000MM (3.622"), 3MZ-FE,3MZ-FXE / 2004-2010															
CAMRY / 04-06	SWT10228-0	92.00	Top:	X	2.850 0.112	BF	STEEL	CHROME	11-867-0	92.00	TL:	54.50	PL:	56.00	CHK.
CAMRY SOLARA / 04-08	SWT10228-1	92.25							11-867-1	92.25	CH:	31.20	PD:	22.00	DIA
HIGHLANDER / 04-08	SWT10228-2	92.50	2nd:	X	3.800 0.150	TUC	CAST IRON	PHOSPHATE	11-867-2	92.50	DIST1:	-0.60	Head:	AH	9.40
HIGHLANDER H / 06-10	SWT10228-3	92.75							11-867-3	92.75	DIST2:		Skirt:	MS	
SIENNA / 04-06	SWT10228-4	93.00	Oil:	X	2.550 0.100	NIFF-S	STEEL	NITRIDED	11-867-4	93.00	DIST3:				
REFERENCE #		TOP	2ND	OIL	REFERENCE #										
13011-0A030					13101-0A040										
13011-0A031															
13011-0A040															
3.4L (206CID,3378CC),DOHC,6CYL, 93.500MM (3.681"), 5VZ-FE / 1995-2004															
4 RUNNER / 96-02	SWT10178-0	93.50	Top:	X	3.300 0.130	BF	STEEL	NITRIDED	11-722-0	93.50	TL:	63.00	PL:	62.00	CHK.
T100 / 96-98	SWT10178-1	93.75							11-722-1	93.75	CH:	34.00	PD:	22.00	DIA
TACOMA / 95-04	SWT10178-2	94.00	2nd:	X	4.000 0.157	T1	CAST IRON	PHOSPHATE	11-722-2	94.00	DIST1:	-4.90	Head:	AH	10.00
TUNDRA / 00-04	SWT10178-3	94.25							11-722-3	94.25	DIST2:		Skirt:	NONE	
	SWT10178-4	94.50	Oil:	X	2.850 0.112	NIFF-S	STEEL	NITRIDED	11-722-4	94.50	DIST3:				
REFERENCE #		TOP	2ND	OIL	REFERENCE #										
13011-62100					13101-62060-01										
3.5L (211CID,3456CC),DOHC,6CYL, 94.000MM (3.701"), 2GR-FE / 2005-2015															
AVALON / 05-15	SDT10194-0	94.00	Top:	X	2.900 0.114	BF-IB	STEEL	NITRIDED	11-870-0	94.00	TL:	52.50	PL:	56.00	CHK.
CAMRY / 07-15	SDT10194-1	94.25							11-870-1	94.25	CH:	31.30	PD:	22.00	DIA
HIGHLANDER / 09-15	SDT10194-2	94.50	2nd:	X	2.900 0.114	TUC	STEEL	PHOSPHATE	11-870-2	94.50	DIST1:	2.10	Head:	AH	5.50
RAV4 / 07-12	SDT10194-3	94.75							11-870-3	94.75	DIST2:		Skirt:	MS	
SIENNA / 07-15	SDT10194-4	95.00	Oil:	X	2.750 0.108	E-BC16	STEEL	NITRIDED	11-870-4	95.00	DIST3:				
VENZA / 09-15															
REFERENCE #		TOP	2ND	OIL	REFERENCE #										
13011-0P040					13101-0P053										
13011-31130					13101-31090										
13011-31140					13101-31092-A0										
13011-31142					13101-31092-B0										
13011-31160															
3.5L (211CID,3456CC),DOHC,6CYL, 94.000MM (3.701"), 2GR-FXE / 2011-2015															
HIGHLANDER H / 11-15	SDT10194-0	94.00	Top:	X	2.900 0.114	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDT10194-1	94.25													
	SDT10194-2	94.50	2nd:	X	2.900 0.114	TUC	STEEL	PHOSPHATE							
	SDT10194-3	94.75													
	SDT10194-4	95.00	Oil:	X	2.750 0.108	E-BC16	STEEL	NITRIDED							
REFERENCE #		TOP	2ND	OIL											
13011-0P040															
13011-31130															
13011-31140															
13011-31142															
13011-31160															









TOYOTA

TOYOTA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
3.9L (237CID,3878CC),6CYL, 90.000MM (3.543"), F / 1971-1971																
LAND CRUISER / 71-71	SWT10026-0	90.00	Top:	3.000	X	3.700	T1	CAST IRON	CHROME	11-171-0	90.00	TL:	95.50	PL:	80.00	CHK.
	SWT10026-1	90.25		0.118	0.146				11-171-1	90.25	CH:	47.50	PD:	25.15	DIA	
	SWT10026-2	90.50	2nd:	3.000	X	3.700	T1	CAST IRON	PHOSPHATE	11-171-2	90.50	DIST1:		Head:	NONE	0.00
	SWT10026-3	90.75		0.118	0.146				11-171-3	90.75	DIST2:		Skirt:	NONE		
	SWT10026-4	91.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	11-171-4	91.00	DIST3:				
			Oil2:	4.000	X	3.700	C1	CAST IRON	PHOSPHATE							
				0.157		0.154										
				0.157		0.146										
	REFERENCE #	TOP	2ND	OIL	OIL2	REFERENCE #					 					
	13011-60011					13101-60011										
3.9L (237CID,3878CC),6CYL, 90.000MM (3.543"), F / 1972-1972																
LAND CRUISER / 72-72	SWT10044-0	90.00	Top:	2.000	X	4.000	T1	CAST IRON	CHROME	DISC-11-172-0	90.00					
	SWT10044-1	90.25		0.079	0.157				DISC-11-172-1	90.25						
	SWT10044-2	90.50	2nd:	2.500	X	4.000	T1	CAST IRON	PHOSPHATE	DISC-11-172-2	90.50					
	SWT10044-3	90.75		0.098	0.157				DISC-11-172-3	90.75						
	SWT10044-4	91.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	DISC-11-172-4	91.00					
			Oil2:	4.000	X	4.000	BC3	CAST IRON	PHOSPHATE							
				0.157		0.157										
				0.157		0.157										
	REFERENCE #	TOP	2ND	OIL	OIL2	REFERENCE #										
	13011-60040					13101-60020										
3.9L (237CID,3878CC),6CYL, 90.000MM (3.543"), F / 1973-1974																
LAND CRUISER / 73-74	SWT10044-0	90.00	Top:	2.000	X	4.000	T1	CAST IRON	CHROME	DISC-11-173-0	90.00					
	SWT10044-1	90.25		0.079	0.157				DISC-11-173-1	90.25						
	SWT10044-2	90.50	2nd:	2.500	X	4.000	T1	CAST IRON	PHOSPHATE	DISC-11-173-2	90.50					
	SWT10044-3	90.75		0.098	0.157				DISC-11-173-3	90.75						
	SWT10044-4	91.00	Oil:	4.000	X	3.900	NIFF-S	STEEL	CHROME	DISC-11-173-4	91.00					
			Oil2:	4.000	X	4.000	BC3	CAST IRON	PHOSPHATE							
				0.157		0.157										
				0.157		0.157										
	REFERENCE #	TOP	2ND	OIL	OIL2	REFERENCE #										
	13011-60040					13101-60030										
4.0L (241CID,3955CC),DOHC,6CYL, 94.000MM (3.701"), 1GR-FE / 2003-2015																
4 RUNNER / 03-15 FJ CRUISER / 07-14 TACOMA / 05-15 TACOMA X-RUNNER / 05-13 TUNDRA / 05-14	SWT10195-0	94.00	Top:	1.200	X	3.250	BF	STEEL	CHROME	11-871-0	94.00	TL:	56.50	PL:	62.00	CHK.
	SWT10195-1	94.25		0.047	0.128				11-871-1	94.25	CH:	32.70	PD:	22.00	DIA	
	SWT10195-2	94.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE	11-871-2	94.50	DIST1:	2.80	Head:	AH	8.00
	SWT10195-3	94.75		0.047	0.134				11-871-3	94.75	DIST2:		Skirt:	MS		
	SWT10195-4	95.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED	11-871-4	95.00	DIST3:				
				0.079		0.110										
	REFERENCE #	TOP	2ND	OIL	REFERENCE #					  						
	13011-0P020 13011-31100 13011-31210				13101-0P020 13101-31030 13101-31120-A0											




TOYOTA
TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
4.0L (241CID,3956CC),6CYL, 94.000MM (3.701"), 3F-E / 1988-1992																	
LAND CRUISER / 88-92	SWT10151-0	94.00	Top:	2.000	X	3.300	BF	STEEL	NITRIDED	11-673-0	94.00	TL:	79.70	PL:	75.00	CHK.	
	SWT10151-1	94.25		0.079	0.130				11-673-1	94.25	CH:	37.40	PD:	22.00	DIA		
	SWT10151-2	94.50	2nd:	2.000	X	4.000	T1	CAST IRON	CHROME	11-673-2	94.50	DIST1:	0.30	Head:	NONE	27.50	
	SWT10151-3	94.75		0.079	0.157				11-673-3	94.75	DIST2:		Skirt:	NONE			
	SWT10151-4	95.00	Oil:	4.000	X	3.250	NIFF-S	STEEL	NITRIDED	11-673-4	95.00	DIST3:					
			0.157	0.128													
	REFERENCE # 13011-76013-71		TOP	2ND		OIL					REFERENCE # 13101-61032-01						
																	
4.2L (258CID,4230CC),6CYL, 94.000MM (3.701"), 2F / 1981-1987																	
LAND CRUISER / 81-87	SWT10049-0	94.00	Top:	2.000	X	4.200	BF	CAST IRON	CHROME	11-175-0	94.00	TL:	95.80	PL:	72.00	CHK.	
	SWT10049-1	94.25		0.079	0.165				11-175-1	94.25	CH:	47.58	PD:	25.15	DIA		
	SWT10049-2	94.50	2nd:	2.500	X	4.200	T1	CAST IRON	CHROME	11-175-2	94.50	DIST1:	0.30	Head:	NONE	15.00	
	SWT10049-3	94.75		0.098	0.165				11-175-3	94.75	DIST2:		Skirt:	NONE			
	SWT10049-4	95.00	Oil:	4.000	X	3.850	NIFF-S	STEEL	CHROME	11-175-4	95.00	DIST3:					
			0.157	0.152													
	REFERENCE # 13011-76012-71		TOP	2ND		OIL					REFERENCE # 13101-76008-71						
																	
4.2L (258CID,4230CC),OHV,6CYL, 94.000MM (3.701"), 2F / 1975-1980																	
LAND CRUISER / 75-80	SWT10049-0	94.00	Top:	2.000	X	4.200	BF	CAST IRON	CHROME	11-174-0	94.00	TL:	95.50	PL:	72.00	CHK.	
	SWT10049-1	94.25		0.079	0.165				11-174-1	94.25	CH:	47.22	PD:	25.15	DIA		
	SWT10049-2	94.50	2nd:	2.500	X	4.200	T1	CAST IRON	CHROME	11-174-2	94.50	DIST1:	6.50	Head:	NONE	15.00	
	SWT10049-3	94.75		0.098	0.165				11-174-3	94.75	DIST2:		Skirt:	NONE			
	SWT10049-4	95.00	Oil:	4.000	X	3.850	NIFF-S	STEEL	CHROME	11-174-4	95.00	DIST3:					
			0.157	0.152													
	REFERENCE # 13011-76012-71		TOP	2ND		OIL					REFERENCE # 13101-61020						
																	
4.5L (273CID,4477CC),DOHC,6CYL, 100.000MM (3.937"), 1FZ-FE,1ZF-TE / 1993-1997																	
LAND CRUISER / 93-97	SWT10184-0	100.00	Top:	1.750	X	3.700	BF-IB	STEEL	NITRIDED	DISC-11-700-0	100.00						
	SWT10184-1	100.25		0.069	0.146				DISC-11-700-1	100.25							
	SWT10184-2	100.50	2nd:	2.000	X	3.800	TUC	CAST IRON	CHROME	DISC-11-700-2	100.50						
	SWT10184-3	100.75		0.079	0.150				DISC-11-700-3	100.75							
	SWT10184-4	101.00	Oil:	4.000	X	3.300	NIFF-S	STEEL	NITRIDED	DISC-11-700-4	101.00						
			0.157	0.130													
	REFERENCE # 13011-66021		TOP	2ND		OIL					REFERENCE # 13101-66040-01						
																	






TOYOTA

TOYOTA


ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER		MEMO					
4.6L (281CID,4608CC),DOHC,8CYL, 94.000MM (3.701"), 1UR-FE / 2010-2015																	
SEQUOIA / 10-12 TUNDRA / 10-15	SWT10236-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWT10236-1	94.25		0.047		0.114											
	SWT10236-2	94.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE								
	SWT10236-3	94.75		0.047		0.134											
	SWT10236-4	95.00		Oil:		2.000							X	2.800	NIFF-H	STEEL	NITRIDED
			0.079	0.110													
REFERENCE # 13011-0S011		TOP		2ND		OIL											
4.7L (285CID,4663CC),DOHC,8CYL, 94.000MM (3.701"), 2UZ-FE / 1998-2005																	
4 RUNNER / 03-05 LAND CRUISER / 98-03 SEQUOIA / 01-04 TUNDRA / 00-05	SWT10203-0	94.00	Top:	1.500	X	3.300	BF	STEEL	NITRIDED	11-801-0	94.00	TL:	60.30	PL:	62.00	CHK.	
	SWT10203-1	94.25		0.059		0.130											
	SWT10203-2	94.50	2nd:	1.500	X	4.000	T1	CAST IRON	PHOSPHATE	11-801-2	94.50	DIST1:	-6.80	Head:	AH	10.50	
	SWT10203-3	94.75		0.059		0.157											
	SWT10203-4	95.00		Oil:		4.000				X	2.550	NIFF-S	STEEL	NITRIDED	11-801-3	94.75	DIST2:
			0.157	0.100	11-801-4	95.00	DIST3:										
REFERENCE # 13011-50140		TOP		2ND		OIL				REFERENCE # 13101-50050-01 13301-50040-01							
4.7L (285CID,4663CC),DOHC,8CYL, 94.000MM (3.701"), 2UZ-FE / 2004-2009																	
4 RUNNER / 06-09 LAND CRUISER / 04-07 SEQUOIA / 05-08 TUNDRA / 06-09	SWT10240-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	11-912-0	94.00	TL:	54.70	PL:	62.00	CHK.	
	SWT10240-1	94.25		0.047		0.114											
	SWT10240-2	94.50	2nd:	1.200	X	3.900	TUC	CAST IRON	PHOSPHATE	11-912-2	94.50	DIST1:	2.30	Head:	AH	15.00	
	SWT10240-3	94.75		0.047		0.154											
	SWT10240-4	95.00		Oil:		3.000				X	2.550	NIFF-S	STEEL	NITRIDED	11-912-3	94.75	DIST2:
			0.118	0.100	11-912-4	95.00	DIST3:										
REFERENCE # 13011-50162		TOP		2ND		OIL				REFERENCE # 13101-50082-01 13103-50081-01							
5.7L (346CID,5663CC),DOHC,8CYL, 94.000MM (3.701"), 3UR-FE / 2007-2017																	
LAND CRUISER / 08-11 LAND CRUISER / 13-17 SEQUOIA / 08-15 TUNDRA / 07-15	SWT10236-0	94.00	Top:	1.200	X	2.900	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.							
	SWT10236-1	94.25		0.047		0.114											
	SWT10236-2	94.50	2nd:	1.200	X	3.400	TUC	CAST IRON	PHOSPHATE								
	SWT10236-3	94.75		0.047		0.134											
	SWT10236-4	95.00		Oil:		2.000							X	2.800	NIFF-H	STEEL	NITRIDED
			0.079	0.110													
REFERENCE # 13011-0S011		TOP		2ND		OIL											




UD TRUCKS
UD TRUCKS

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO	
7.7L (469CID,7684CC),DOHC,6CYL, 112.000MM (4.409"), J08E-UJ / 2009-2010 DIESEL											
1800HD / 09-10	SDH20102-0	112.00	Top:	2.500	X	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
2000 / 09-10	SDH20102-1	112.25		0.098		0.163					
2300DH / 09-10	SDH20102-2	112.50	2nd:	2.000	X	4.300	T1	STEEL	NITRIDED		
2300LP / 09-10	SDH20102-3	112.75		0.079		0.169					
2600 / 09-10	SDH20102-4	113.00	Oil:	4.000	X	4.350	E-BC16	STEEL	NITRIDED		
2600LP / 09-10				0.157		0.171					
3300 / 09-10	REFERENCE # 13011-4040A		TOP	2ND		OIL					
											


VOLKSWAGEN
VOLKSWAGEN



1.8L (109CID,1781CC),DOHC,4CYL, 81.000MM (3.189"), AEB, AWM, ATW, AWP / 1998-2005																
JETTA / 00-04	SWL03456-0	81.00	Top:	1.500	X	3.050	BF	STEEL	CHROME	11-872-0	81.00	TL:	53.70	PL:	50.00	CHK.
NEW BEETLE / 99-05	SWL03456-1	81.25		0.059		0.120				11-872-1	81.25	CH:	32.70	PD:	19.00	DIA
PASSAT / 98-05	SWL03456-2	81.50	2nd:	1.750	X	3.450	TUC	CAST IRON	PHOSPHATE	11-872-2	81.50	DIST1:	-1.90	Head:	AH	8.00
	SWL03456-3	81.75		0.069	0.136				11-872-3	81.75	DIST2:		Skirt:	MS		
	SWL03456-4	82.00	Oil:	2.000	X	2.800	NIFF-H	STEEL	NITRIDED	11-872-4	82.00	DIST3:				
REFERENCE # 058 198 151 B 06B 198 151 B			TOP	2ND		OIL		REFERENCE # 058 107 065 F 06B 107 065 N								

1.8L (109CID,1786CC),DOHC,4CYL, 81.000MM (3.189"), PL / 1986-1989										
JETTA / 88-89 SCIROCCO / 86-88	SWL02405-0	81.00	Top:	1.500	X	3.350	BF-IB	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SWL02405-1	81.25		0.059		0.132				
	SWL02405-2	81.50	2nd:	1.750	X	3.350	TUC	CAST IRON	PHOSPHATE	
	SWL02405-3	81.75		0.069		0.132				
	SWL02405-4	82.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	
		0.118		0.118						
	REFERENCE # 026 198 151 A		TOP	2ND	OIL					


1.8L (109CID,1786CC),SOHC,4CYL, 81.000MM (3.189"), 2H,PG,RD / 1985-1993										
CABRIOLET / 90-93	SWL02405-0	81.00	Top:	1.500	X	3.350	BF-IB	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
CORRADO / 90-92	SWL02405-1	81.25		0.059		0.132				
GOLF / 88-92	SWL02405-2	81.50	2nd:	1.750	X	3.350	TUC	CAST IRON	PHOSPHATE	
JETTA / 85-88	SWL02405-3	81.75		0.069		0.132				
	SWL02405-4	82.00	Oil:	3.000	X	3.000	NIFF-S	STEEL	CHROME	
				0.118		0.118				
REFERENCE # 026 198 151 A			TOP	2ND		OIL				




VOLKSWAGEN
VOLKSWAGEN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO						
1.9L (116CID,1896CC),SOHC,4CYL, 79.500MM (3.130"), 1Z,AAZ, AHU,AHU, ALH,BEW / 1996-2006 DIESEL																
JETTA / 96-06 NEW BEETLE / 98-06 PASSAT / 96-97	SDL03460-0 SDL03460-1 SDL03460-2 SDL03460-3 SDL03460-4	79.50 79.75 80.00 80.25 80.50	Top: 2nd: Oil:	1.750 0.069 2.000 0.079 3.000 0.118	X X X X X	2.000 0.079 3.300 0.130 3.650 0.144	BF T1-RC E-BC16	STEEL CAST IRON STEEL	CHROME PHOSPHATE CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
REFERENCE # 038 198 151 044 198 151 044 198 151 C		TOP 2ND OIL   														
2.0L (121CID,1984CC),DOHC,4CYL, 82.500MM (3.248"), BPY / 2006-2012 TURBO																
CC / 09-12 EOS / 07-12 GLI / 10-10 GTI / 06-12 JETTA / 06-09 PASSAT / 06-10 TIGUAN / 09-12	SWL03461-0 SWL03461-1 SWL03461-2 SWL03461-3 SWL03461-4	82.50 82.75 83.00 83.25 83.50	Top: 2nd: Oil:	1.200 0.047 1.500 0.059 2.000 0.079	X X X X X	3.100 0.122 3.450 0.136 2.800 0.110	BF-IB TUC NIFF-S	STEEL CAST IRON STEEL	NITRIDED PHOSPHATE NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
REFERENCE # 053 198 151 C 06A 198 151 C 06D 198 151 B 06D 198 151 G 06F 198 151 A		TOP 2ND OIL   														
2.0L (121CID,1984CC),SOHC,4CYL, 82.500MM (3.248"), 9A,ABA,AGG, ADY,AVH, AZG, BEV / 1990-2006																
CABRIO / 96-02 GOLF / 96-06 JETTA / 96-04 JETTA III / 93-95 JETTA SPORTWAGON / 98-04 PASSAT / 90-96	SWL03461-0 SWL03461-1 SWL03461-2 SWL03461-3 SWL03461-4	82.50 82.75 83.00 83.25 83.50	Top: 2nd: Oil:	1.200 0.047 1.500 0.059 2.000 0.079	X X X X X	3.100 0.122 3.450 0.136 2.800 0.110	BF-IB TUC NIFF-S	STEEL CAST IRON STEEL	NITRIDED PHOSPHATE NITRIDED	11-9000-0 11-9000-1 11-9000-2 11-9000-3 11-9000-4	82.50 82.75 83.00 83.25 83.50	TL: CH: DIST1: DIST2: DIST3:	50.60 30.60 -5.50	PL: PD: Head: Skirt:	56.00 21.00 NONE MS	CHK. DIA 5.40
REFERENCE # 053 198 151 C 06A 198 151 C 06D 198 151 B 06D 198 151 G 06F 198 151 A		TOP 2ND OIL   						REFERENCE # 037 107 065 M 037 107 065 N 053 107 065 H		  						
2.0L (121CID,1984CC),SOHC,4CYL, 82.500MM (3.248"), AVH, AZG, BEV / 1998-2005																
NEW BEETLE / 98-05	SWL03461-0 SWL03461-1 SWL03461-2 SWL03461-3 SWL03461-4	82.50 82.75 83.00 83.25 83.50	Top: 2nd: Oil:	1.200 0.047 1.500 0.059 2.000 0.079	X X X X X	3.100 0.122 3.450 0.136 2.800 0.110	BF-IB TUC NIFF-S	STEEL CAST IRON STEEL	NITRIDED PHOSPHATE NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
REFERENCE # 053 198 151 C 06A 198 151 C 06D 198 151 B 06D 198 151 G 06F 198 151 A		TOP 2ND OIL   														





VOLKSWAGEN


VOLKSWAGEN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	X	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT	PISTON PART NUMBER	MEMO					
2.5L (151CID,2480CC),DOHC,5CYL, 82.500MM (3.248"), BGP, BGQ, BPR, BPS,CBTA, CBUA / 2005-2012																
GOLF / 10-12	SWL03296-0 5	82.50	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
JETTA / 05-12	SWL03296-1 5	82.75		0.047		0.122										
JETTA SPORTWAGON / 09-12	SWL03296-2 5	83.00		2nd:	1.500	X	3.450	TUC	CAST IRON							
	SWL03296-3 5	83.25		0.059		0.136										
NEW BEETLE / 06-10	SWL03296-4 5	83.50	Oil:	2.000	X	2.800	NIFF-S	STEEL	NITRIDED							
RABBIT / 06-09				0.079		0.110										
REFERENCE #		TOP	2ND		OIL											
06D 198 151 C																
06F 198 151 A																
2.8L (169CID,2771CC),DOHC,6CYL, 82.500MM (3.248"), AHA, ATQ / 2000-2005																
PASSAT / 00-05	SWL03296-0 6	82.50	Top:	1.200	X	3.100	BF-IB	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWL03296-1 6	82.75		0.047		0.122										
	SWL03296-2 6	83.00		2nd:	1.500	X	3.450	TUC	CAST IRON							
	SWL03296-3 6	83.25		0.059		0.136										
	SWL03296-4 6	83.50	Oil:	2.000	X	2.800	NIFF-S	STEEL	NITRIDED							
				0.079		0.110										
REFERENCE #		TOP	2ND		OIL											
06A 198 151 C																
06C 198 151 B																
3.8L (231CID,3778CC),OHV,6CYL, 96.000MM (3.780"), EGH / 2009-2010																
ROUTAN / 09-10	SWC10015-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	11-864-0	96.00	TL:	54.10	PL:	71.50	CHK.
	SWC10015-1	96.25		0.047		0.138				11-864-1	96.25	CH:	32.30	PD:	22.89	DIA
	SWC10015-2	96.50		2nd:	1.500	X	4.000	T1-RB	CAST IRON	PHOSPHATE	11-864-2	96.50	DIST1:	-2.30	Head:	NONE
	SWC10015-3	96.75		0.059		0.157				11-864-3	96.75	DIST2:		Skirt:	MS	
	SWC10015-4	97.00	Oil:	3.000	X	3.200	NIFF-S	STEEL	NITRIDED	11-864-4	97.00	DIST3:				
				0.118		0.126										
REFERENCE #		TOP	2ND		OIL					REFERENCE #						
4773023										4666129AA						
68001386AA										5019338AA						
4.0L (241CID,3952CC),SOHC,6CYL, 96.000MM (3.780"), EGQ & EGS / 2009-2010																
ROUTAN / 09-10	SWC10013-0	96.00	Top:	1.200	X	3.500	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWC10013-1	96.25		0.047		0.138										
	SWC10013-2	96.50		2nd:	1.500	X	4.000	TUC	CAST IRON							
	SWC10013-3	96.75		0.059		0.157										
	SWC10013-4	97.00	Oil:	3.000	X	3.450	NIFF-S	STEEL	CHROME							
				0.118		0.136										
REFERENCE #		TOP	2ND		OIL											
4897035AA																
4897035AB																



COMMERCIAL VEHICLE APPLICATIONS

CHRYSLER




CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
3.6L (220.0 CID, 3,604.0 CC), DOHC, 6CYL, 24VALVE, 96.00mm (3.780"), PENTASTAR 3.6																	
GASOLINE ENGINE	SWC10025-0	96.00	TOP:	1.500	x	3.500	BF	STEEL	NITRIDED	11-916-0	96.00	TL:	51.80	PL:	52.00	CHK. DIA 9.00	
	SWC10025-1	96.25		0.059		0.138				11-916-1	96.25	CH:	28.70	PD:	22.00		
	SWC10025-2	96.50	2ND:	1.500	x	4.700	TUC	CAST IRON	PHOSPHATE	11-916-2	96.50	DIST1:	-0.30	HEAD:	AH		
	SWC10025-3	96.75		0.059		0.185				11-916-3	96.75	DIST2:		SKIRT:	MS		
	SWC10025-4	97.00	OIL:	2.500	x	2.850	NIFF-H	STEEL	NITRIDED	11-916-4	97.00	DIST3:					
						0.098		0.112									
	REFERENCE #:	68078776AA	TOP	2ND	OIL	REFERENCE #:						5018018AB					
	5.2L (318.0 CID, 5,211.0 CC), DOHC, 8CYL, 16VALVE, 99.31mm (3.910"), MAGNUM 5.2																
	GASOLINE ENGINE	SWC10019-0	99.31	TOP:	1.980	x	4.500	BF-IB	DUCTILE IRON	NITRIDED	11-821-0	99.31	TL:	86.40	PL:	76.00	CHK. DIA 14.00
		SWC10019-1	99.56		0.078		0.177				11-821-1	99.56	CH:	43.80	PD:	22.00	
SWC10019-2		99.81	2ND:	1.980	x	4.500	T1-RB	CAST IRON	PHOSPHATE	11-821-2	99.81	DIST1:		HEAD:	NONE		
SWC10019-3		100.06		0.078		0.177				11-821-3	100.06	DIST2:		SKIRT:	NONE		
SWC10019-4		100.31	OIL:	4.760	x	4.200	NIFF-S	STEEL	NITRIDED	11-821-4	100.31	DIST3:					
						0.187		0.165									
REFERENCE #:		2808550 2808553 3780007	TOP	2ND	OIL	REFERENCE #:						4397779					
5.7L (345.0 CID, 5,654.0 CC), OHV, 8CYL, 16VALVE, 99.50mm (3.917"), HEMI 5.7																	
GASOLINE ENGINE		SWC10016-0	99.50	TOP:	1.500	x	3.500	BF	STEEL	NITRIDED	11-873-0	99.50	TL:	58.70	PL:	71.00	CHK. DIA 6.00
		SWC10016-1	99.75		0.059		0.138				11-873-1	99.75	CH:	30.70	PD:	24.00	
	SWC10016-2	100.00	2ND:	1.500	x	4.500	T1-RB	CAST IRON	PHOSPHATE	11-873-2	100.00	DIST1:	4.00	HEAD:	AH		
	SWC10016-3	100.25		0.059		0.177				11-873-3	100.25	DIST2:		SKIRT:	MS		
	SWC10016-4	100.50	OIL:	3.000	x	2.850	NIFF-S	STEEL	NITRIDED	11-873-4	100.50	DIST3:					
						0.118		0.112									
	REFERENCE #:	5086002AA	TOP	2ND	OIL	REFERENCE #:						5086010AB (LEFT) 5086011AB (RIGHT)					
	5.7L (345.0 CID, 5,654.0 CC), OHV, 8CYL, 16VALVE, 99.50mm (3.917"), HEMI 5.7																
	GASOLINE ENGINE	SWC10016-0	99.50	TOP:	1.500	x	3.500	BF	STEEL	NITRIDED	11-861-0	99.50	TL:	59.00	PL:	71.00	CHK. DIA 5.00
		SWC10016-1	99.75		0.059		0.138				11-861-1	99.75	CH:	31.00	PD:	24.00	
SWC10016-2		100.00	2ND:	1.500	x	4.500	T1-RB	CAST IRON	PHOSPHATE	11-861-2	100.00	DIST1:	4.00	HEAD:	AH		
SWC10016-3		100.25		0.059		0.177				11-861-3	100.25	DIST2:		SKIRT:	MS		
SWC10016-4		100.50	OIL:	3.000	x	2.850	NIFF-S	STEEL	NITRIDED	11-861-4	100.50	DIST3:					
						0.118		0.112									
REFERENCE #:		5086002AA	TOP	2ND	OIL	REFERENCE #:						53021539AD (LEFT) 53021538AD (RIGHT)					
5.7L (345.0 CID, 5,654.0 CC), OHV, 8CYL, 16VALVE, 99.50mm (3.910"), HEMI 5.7																	
GASOLINE ENGINE		SWC10024-0	99.50	TOP:	1.200	x	3.100	BF	STEEL	NITRIDED	11-913-0	99.50	TL:	53.30	PL:	75.00	CHK. DIA 10.00
		SWC10024-1	99.75		0.047		0.122				11-913-1	99.75	CH:	30.00	PD:	24.00	
	SWC10024-2	100.00	2ND:	1.200	x	4.000	TUC	CAST IRON	PHOSPHATE	11-913-2	100.00	DIST1:	2.30	HEAD:	AH		
	SWC10024-3	100.25		0.047		0.157				11-913-3	100.25	DIST2:		SKIRT:	MS		
	SWC10024-4	100.50	OIL:	2.000	x	2.700	NIFF-H	STEEL	NITRIDED	11-913-4	100.50	DIST3:					
						0.079		0.106									
	REFERENCE #:	68046210AB	TOP	2ND	OIL	REFERENCE #:						53022257AE (LEFT) 53022257AE (RIGHT)					
	5.9L (360.0 CID, 5,899.0 CC), OHV, 8CYL, 24VALVE, 102.00mm (4.016"), ISB 5.9																
	DIESEL ENGINE	SDC10022-0	102.00	TOP:	2.840	x	4.200	BF-K1	DUCTILE IRON	CHROME	11-856-0	102.00	TL:	105.20	PL:	83.00	CHK. DIA 20.00
		SDC10022-1	102.25		0.112		0.165				11-856-1	102.25	CH:	71.40	PD:	40.00	
SDC10022-2		102.50	2ND:	2.385	x	4.300	T1-RB	CAST IRON	PHOSPHATE	11-856-2	102.50	DIST1:	-12.50	HEAD:	NONE		
SDC10022-3		102.75		0.094		0.169				11-856-3	102.75	DIST2:		SKIRT:	NONE		
SDC10022-4		103.00	OIL:	4.000	x	4.300	E-BC16	CAST IRON	CHROME	11-856-4	103.00	DIST3:					
						0.157		0.169									
REFERENCE #:		4089258	TOP	2ND	OIL	REFERENCE #:						3970192					
TURBO																	



COMMERCIAL VEHICLE APPLICATIONS

CHRYSLER

CHRYSLER

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO						
5.9L (360.0 CID, 5,899.0 CC), OHV, 8CYL, 24VALVE, 102.00mm (4.016"), 6BT									TURBO							
DIESEL ENGINE	SDC10022-0	102.00	TOP:	2.840	x	4.200	BF-K1	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDC10022-1	102.25		0.112	x	0.165										
	SDC10022-2	102.50	2ND:	2.385	x	4.300	T1-RB	CAST IRON	PHOSPHATE							
	SDC10022-3	102.75		0.094	x	0.169										
	SDC10022-4	103.00	OIL:	4.000	x	4.300	E-BC16	CAST IRON	CHROME							
				0.157	x	0.169										
	REFERENCE #: 4089258		TOP	2ND	OIL											
6.7L (408.0 CID, 6,690.0 CC), OHV, 6CYL, 24VALVE, 107.00mm (4.213"), ISB 5.9									TURBO							
DIESEL ENGINE	SDC10023-0	107.00	TOP:	2.750	x	4.400	BF-K1	DUCTILE IRON	CHROME	11-885-0	107.00	TL:	103.20	PL:	90.50	CHK. DIA
	SDC10023-1	107.25		0.108	x	0.173				11-885-1	107.25	CH:	69.40	PD:	40.00	
	SDC10023-2	107.50	2ND:	2.500	x	4.500	T1-RB	CAST IRON	PHOSPHATE	11-885-2	107.50	DIST1:	-22.00	HEAD:	NONE	
	SDC10023-3	107.75		0.098	x	0.177				11-885-3	107.75	DIST2:		SKIRT:	NONE	
	SDC10023-4	108.00	OIL:	3.500	x	4.150	E-BC16	CAST IRON	CHROME	11-885-4	108.00	DIST3:				
				0.138	x	0.163										
	REFERENCE #: 4955366		TOP	2ND	OIL					REFERENCE #: 4955365						



COMMERCIAL VEHICLE APPLICATIONS


FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
4.2L (256.0 CID, 4,195.0 CC), OHV, 6CYL, 12VALVE, 96.80mm (3.811"), ESSEX 42																	
GASOLINE ENGINE	SWF30004-0	96.80	TOP:	1.500	x	3.300	BF	STEEL	NITRIDED	11-826-0	96.80	TL:	59.10	PL:	63.30	CHK. DIA 11.50	
	SWF30004-1	97.05		0.059	x	0.130				11-826-1	97.05	CH:	31.80	PD:	23.00		
	SWF30004-2	97.30	2ND:	1.500	x	4.200	T1-RB	CAST IRON	PHOSPHATE	11-826-2	97.30	DIST1:	-3.60	HEAD:	NONE		
	SWF30004-3	97.55		0.059	x	0.165				11-826-3	97.55	DIST2:		SKIRT:	MS		
	SWF30004-4	97.80	OIL:	3.000	x	3.200	NIFF-S	STEEL	NITRIDED	11-826-4	97.80	DIST3:					
					0.118	x	0.126										
	REFERENCE #: 2L3Z 6148 KA F6ZZ 6148 A		TOP		2ND		OIL		REFERENCE #: XL3Z 6108 AA								
	4.6L (281.0 CID, 4,605.0 CC), SOHC, 8CYL, 16VALVE, 90.20mm (3.551"), TRITON 46GT																
	GASOLINE ENGINE	SWF30006-0	90.20	TOP:	1.500	x	3.300	BF	STEEL	NITRIDED	11-820-0	90.20	TL:	56.20	PL:	62.00	CHK. DIA 11.00
SWF30006-1		90.45		0.059	x	0.130				11-820-1	90.45	CH:	30.86	PD:	22.00		
SWF30006-2		90.70	2ND:	1.500	x	4.100	TUC	CAST IRON	PHOSPHATE	11-820-2	90.70	DIST1:	-3.86	HEAD:	NONE		
SWF30006-3		90.95		0.059	x	0.161				11-820-3	90.95	DIST2:		SKIRT:	MS		
SWF30006-4		91.20	OIL:	3.000	x	3.100	NIFF-S	STEEL	NITRIDED	11-820-4	91.20	DIST3:					
					0.118	x	0.122										
REFERENCE #: 2L3Z 6148 AA F2AZ 6148 A F7AZ 6148 AA		TOP		2ND		OIL		REFERENCE #: F8AZ 6108 AA									
5.4L (330.0 CID, 5,408.0 CC), SOHC, 8CYL, 16VALVE, 90.20mm (3.551"), TRITON 54																	
GASOLINE ENGINE		SWF30006-0	90.20	TOP:	1.500	x	3.300	BF	STEEL	NITRIDED	11-810-0	90.20	TL:	52.00	PL:	61.00	CHK. DIA 5.00
	SWF30006-1	90.45		0.059	x	0.130				11-810-1	90.45	CH:	31.00	PD:	22.00		
	SWF30006-2	90.70	2ND:	1.500	x	4.100	TUC	CAST IRON	PHOSPHATE	11-810-2	90.70	DIST1:	-1.75	HEAD:	NONE		
	SWF30006-3	90.95		0.059	x	0.161				11-810-3	90.95	DIST2:		SKIRT:	MS		
	SWF30006-4	91.20	OIL:	3.000	x	3.100	NIFF-S	STEEL	NITRIDED	11-810-4	91.20	DIST3:					
					0.118	x	0.122										
	REFERENCE #: 2L3Z 6148 AA F2AZ 6148 A F7AZ 6148 AA		TOP		2ND		OIL		REFERENCE #: XC3Z 6108 CA								
	5.9L (360.0 CID, 5,899.0 CC), OHV, 8CYL, 24VALVE, 102.00mm (4.016"), ISB 5.9																
	DIESEL ENGINE	SDC10022-0	102.00	TOP:	2.840	x	4.200	BF-K1	DUCTILE IRON	CHROME	11-856-0	102.00	TL:	105.20	PL:	83.00	CHK. DIA 20.00
SDC10022-1		102.25		0.112	x	0.165				11-856-1	102.25	CH:	71.40	PD:	40.00		
SDC10022-2		102.50	2ND:	2.385	x	4.300	T1-RB	CAST IRON	PHOSPHATE	11-856-2	102.50	DIST1:	-12.50	HEAD:	NONE		
SDC10022-3		102.75		0.094	x	0.169				11-856-3	102.75	DIST2:		SKIRT:	NONE		
SDC10022-4		103.00	OIL:	4.000	x	4.300	E-BC16	CAST IRON	CHROME	11-856-4	103.00	DIST3:					
					0.157	x	0.169										
REFERENCE #: 4089258		TOP		2ND		OIL		REFERENCE #: 3970192									
6.0L (363.0 CID, 5,954.0 CC), OHV, 8CYL, 32VALVE, 95.00mm (3.740"), POWERSTROKE 6.0																	
DIESEL ENGINE		Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information. Piston Ring: 95.00mm X 2.25mm X 2.00mm X 3.50mm								11-857-0	95.00	TL:	85.80	PL:	65.00	CHK. DIA 15.00	
									11-857-1	95.25	CH:	52.04	PD:	34.00			
									11-857-2	95.50	DIST1:	-16.40	HEAD:	NONE			
									11-857-3	95.75	DIST2:		SKIRT:	MS			
									11-857-4	96.00	DIST3:						
									REFERENCE #: 3C3Z 6108 AA								
	6.4L (391.0 CID, 6,399.0 CC), OHV, 8CYL, 32VALVE, 98.20mm (3.866"), POWERSTROKE 6.4																
	DIESEL ENGINE	SDF30022-0	98.20	TOP:	2.350	x	3.500	BF-K1	STEEL	NITRIDED	11-886-0	98.20	TL:	78.90	PL:	75.00	CHK. DIA 15.00
		SDF30022-1	98.45		0.093	x	0.138				11-886-1	98.45	CH:	52.15	PD:	38.50	
SDF30022-2		98.70	2ND:	2.000	x	4.300	T1-RB	CAST IRON	PHOSPHATE	11-886-2	98.70	DIST1:	-15.95	HEAD:	NONE		
SDF30022-3		98.95		0.079	x	0.169				11-886-3	98.95	DIST2:		SKIRT:	MS		
SDF30022-4		99.20	OIL:	3.000	x	3.250	E-BC16	STEEL	NITRIDED	11-886-4	99.20	DIST3:					
					0.118	x	0.128										
REFERENCE #: 4C3Z 6148 AA		TOP		2ND		OIL		REFERENCE #: 8C3Z 6108 EB									




COMMERCIAL VEHICLE APPLICATIONS

FORD

FORD

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO						
6.7L (406.0 CID, 6,651.0 CC), OHV, 8CYL, 32VALVE, 99.00mm (3.898"), POWERSTROKE 6.7T TURBO																
DIESEL ENGINE	SDF30025-0	99.00	TOP:	2.850	x	3.600	BF-K1	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDF30025-1	99.25		0.112		0.142										
	SDF30025-2	99.50	2ND:	2.000	x	3.600	TUC	CAST IRON	PHOSPHATE							
	SDF30025-3	99.75		0.079		0.142										
	SDF30025-4	100.00	OIL:	2.500	x	2.850	E-BC16	STEEL	NITRIDED							
	REFERENCE #: BC3Z 6148 A		TOP	2ND	OIL											
6.7L (408.0 CID, 6,690.0 CC), OHV, 6CYL, 24VALVE, 107.00mm (4.213"), ISB 5.9 TURBO																
DIESEL ENGINE	SDC10023-0	107.00	TOP:	2.750	x	4.400	BF-K1	DUCTILE IRON	CHROME	11-885-0	107.00	TL:	103.20	PL:	90.50	CHK. DIA 20.00
	SDC10023-1	107.25		0.108		0.173				11-885-1	107.25	CH:	69.40	PD:	40.00	
	SDC10023-2	107.50	2ND:	2.500	x	4.500	T1-RB	CAST IRON	PHOSPHATE	11-885-2	107.50	DIST1:	-22.00	HEAD:	NONE	
	SDC10023-3	107.75		0.098		0.177				11-885-3	107.75	DIST2:		SKIRT:	NONE	
	SDC10023-4	108.00	OIL:	3.500	x	4.150	E-BC16	CAST IRON	CHROME	11-885-4	108.00	DIST3:				
	REFERENCE #: 4955366		TOP	2ND	OIL					REFERENCE #: 4955365						
7.3L (444.0 CID, 7,276.0 CC), OHV, 8CYL, 16VALVE, 104.40mm (4.110"), POWERSTROKE 7.3T TURBO																
DIESEL ENGINE	SDF30020-0	104.40	TOP:	3.000	x	3.900	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDF30020-1	104.65		0.118		0.154										
	SDF30020-2	104.90	2ND:	2.000	x	4.000	T1-RB	CAST IRON	PHOSPHATE							
	SDF30020-3	105.15		0.079		0.157										
	SDF30020-4	105.40	OIL:	3.500	x	3.850	E-BC16	CAST IRON	CHROME							
	REFERENCE #: F7TZ 6148 AA F81Z 6148 ZZ		TOP	2ND	OIL											




COMMERCIAL VEHICLE APPLICATIONS



GMC

GMC

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO
4.8L (294.0 CID, 4,818.0 CC), OHV, 8CYL, 16VALVE, 96.00mm (3.780"), Vortec 4800 LY2										
GASOLINE ENGINE	SWG10005-0	96.00	1.500	x	3.300	BF	STEEL	NITRIDED	11-899-0	96.00 TL: 59.30 PL: 65.00
	SWG10005-1	96.25	0.059	x	0.130				11-899-1	96.25 CH: 33.60 PD: 23.96
	SWG10005-2	96.50	1.500	x	4.000	TUC	CAST IRON	PHOSPHATE	11-899-2	96.50 DIST1: HEAD: AH
	SWG10005-3	96.75	0.059	x	0.157				11-899-3	96.75 DIST2: SKIRT: MS
	SWG10005-4	97.00	3.000	x	3.200	NIFF-S	STEEL	NITRIDED	11-899-4	97.00 DIST3: 16.00
			0.118	x	0.126					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12456338									
4.8L (294.0 CID, 4,818.0 CC), OHV, 8CYL, 16VALVE, 96.00mm (3.780"), Vortec 4800 LY2										
GASOLINE ENGINE	SWG10005-0	96.00	1.500	x	3.300	BF	STEEL	NITRIDED	11-900-0	96.00 TL: 64.80 PL: 63.50
	SWG10005-1	96.25	0.059	x	0.130				11-900-1	96.25 CH: 33.60 PD: 23.96
	SWG10005-2	96.50	1.500	x	4.000	TUC	CAST IRON	PHOSPHATE	11-900-2	96.50 DIST1: HEAD: MS
	SWG10005-3	96.75	0.059	x	0.157				11-900-3	96.75 DIST2: SKIRT: MS
	SWG10005-4	97.00	3.000	x	3.200	NIFF-S	STEEL	NITRIDED	11-900-4	97.00 DIST3: 25.00
			0.118	x	0.126					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12456338									
5.7L (350.0 CID, 5,735.0 CC), OHV, 8CYL, 16VALVE, 101.60mm (4.000"), Vortec 5700 L31										
GASOLINE ENGINE	SWI10197-0	101.60	1.500	x	3.650	BF	STEEL	CHROME	11-828-0	101.60 TL: 66.00 PL: 69.70
	SWI10197-1	101.85	0.059	x	0.144				11-828-1	101.85 CH: 39.40 PD: 23.56
	SWI10197-2	102.10	1.500	x	4.200	TUC	CAST IRON	PHOSPHATE	11-828-2	102.10 DIST1: HEAD: NONE
	SWI10197-3	102.35	0.059	x	0.165				11-828-3	102.35 DIST2: SKIRT: NONE
	SWI10197-4	102.60	3.000	x	3.350	NIFF-S	STEEL	CHROME	11-828-4	102.60 DIST3: 12.00
			0.118	x	0.132					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12456342									
	12522848									
	88894243									
5.7L (350.0 CID, 5,735.0 CC), OHV, 8CYL, 16VALVE, 101.60mm (4.000"), Vortec 5700 LQ4										
GASOLINE ENGINE	SWI10197-0	101.60	1.500	x	3.650	BF	STEEL	CHROME	11-823-0	101.60 TL: 60.60 PL: 70.00
	SWI10197-1	101.85	0.059	x	0.144				11-823-1	101.85 CH: 33.80 PD: 24.00
	SWI10197-2	102.10	1.500	x	4.200	TUC	CAST IRON	PHOSPHATE	11-823-2	102.10 DIST1: HEAD: NONE
	SWI10197-3	102.35	0.059	x	0.165				11-823-3	102.35 DIST2: SKIRT: MS
	SWI10197-4	102.60	3.000	x	3.350	NIFF-S	STEEL	CHROME	11-823-4	102.60 DIST3: 21.00
			0.118	x	0.132					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12456342									
	12522848									
	88894243									
6.0L (364.0 CID, 5,967.0 CC), OHV, 8CYL, 16VALVE, 101.60mm (4.000"), Vortec 6000 L76, L96										
GASOLINE ENGINE	SWG10031-0	101.60	1.200	x	3.500	BF	STEEL	NITRIDED	11-889-0	101.60 TL: 57.90 PL: 65.00
	SWG10031-1	101.85	0.047	x	0.138				11-889-1	101.85 CH: 33.90 PD: 23.96
	SWG10031-2	102.10	1.500	x	4.200	TUC	CAST IRON	PHOSPHATE	11-889-2	102.10 DIST1: HEAD: NONE
	SWG10031-3	102.35	0.059	x	0.165				11-889-3	102.35 DIST2: SKIRT: MS
	SWG10031-4	102.60	2.500	x	2.550	NIFF-H	STEEL	CHROME	11-889-4	102.60 DIST3: 13.00
			0.098	x	0.100					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	19178307									
	89017484									
6.5L (395.0 CID, 6,473.0 CC), OHV, 8CYL, 16 VALVE, 103.00mm (4.055"), GM 6.5 DIESEL										
DIESEL ENGINE	SDG10024-0	103.00	2.800	x	3.700	BF-K1-IB	STEEL	NITRIDED	11-830-0	103.00 TL: 91.80 PL: 70.00
	SDG10024-1	103.25	0.110	x	0.146				11-830-1	103.25 CH: 53.50 PD: 31.00
	SDG10024-2	103.50	2.000	x	4.100	T1-IB	CAST IRON	PHOSPHATE	11-830-2	103.50 DIST1: HEAD: AH
	SDG10024-3	103.75	0.079	x	0.161				11-830-3	103.75 DIST2: SKIRT: NONE
	SDG10024-4	104.00	4.000	x	4.150	E-BC16	STEEL	NITRIDED	11-830-4	104.00 DIST3: 17.00
			0.157	x	0.163					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12369198									




COMMERCIAL VEHICLE APPLICATIONS

GMC

GMC

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
6.6L (403.0 CID, 6,599.0 CC), OHV, 8CYL, 32VALVE, 103.0mm (4.055"), DURAMAX LB7, LLY										TURBO							
DIESEL ENGINE	SDI10183-0	103.00	TOP:	2.948	x	3.900	BF-K1	STEEL	NITRIDED	11-884-0	103.00	TL:	89.82	PL:	81.00	CHK. DIA 20.00	
	SDI10183-1	103.25		0.116	x	0.154				11-884-1	103.25	CH:	49.82	PD:	34.50		
	SDI10183-2	103.50	2ND:	2.000	x	4.400	T1-IC	CAST IRON	PHOSPHATE	11-884-2	103.50	DIST1:	-15.20	HEAD:	NONE		
	SDI10183-3	103.75		0.079	x	0.173				11-884-3	103.75	DIST2:		SKIRT:	MS		
	SDI10183-4	104.00	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED	11-884-4	104.00	DIST3:					
				0.118	x	0.118											
	REFERENCE #: 88894243		TOP		2ND		OIL			REFERENCE #: 97303756 (LEFT) 97303755 (RIGHT)							
	6.6L (403.0 CID, 6,599.0 CC), OHV, 8CYL, 32VALVE, 103.0mm (4.055"), DURAMAX LBZ, LMM, LGH										TURBO						
	DIESEL ENGINE	SDI10183-0	103.00	TOP:	2.948	x	3.900	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
		SDI10183-1	103.25		0.116	x	0.154										
SDI10183-2		103.50	2ND:	2.000	x	4.400	T1-IC	CAST IRON	PHOSPHATE								
SDI10183-3		103.75		0.079	x	0.173											
SDI10183-4		104.00	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED								
				0.118	x	0.118											
REFERENCE #: 88894243			TOP		2ND		OIL										
6.6L (403.0 CID, 6,599.0 CC), OHV, 8CYL, 32VALVE, 103.0mm (4.055"), DURAMAX LML										TURBO							
DIESEL ENGINE		SDI10183-0	103.00	TOP:	2.948	x	3.900	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
		SDI10183-1	103.25		0.116	x	0.154										
	SDI10183-2	103.50	2ND:	2.000	x	4.400	T1-IC	CAST IRON	PHOSPHATE								
	SDI10183-3	103.75		0.079	x	0.173											
	SDI10183-4	104.00	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED								
				0.118	x	0.118											
	REFERENCE #: 88894243		TOP		2ND		OIL										
	7.8L (475.0 CID, 7,785.0 CC), SOHC, 6CYL, 24VALVE, 115.0mm (4.528"), DURAMAX LG4										TURBO						
	DIESEL ENGINE	SDI10178-0	115.00	TOP:	2.948	x	4.100	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
		SDI10178-1	115.25		0.116	x	0.161										
SDI10178-2		115.50	2ND:	2.000	x	4.300	T1-IB	STEEL	NITRIDED								
SDI10178-3		115.75		0.079	x	0.169											
SDI10178-4		116.00	3RD:	2.500	x	4.800	TUC	CAST IRON	CHROME								
			OIL:	3.000	x	3.100	E-BC16	STEEL	NITRIDED								
				0.118	x	0.122											
REFERENCE #: 94391502			TOP		2ND		3RD	OIL									




COMMERCIAL VEHICLE APPLICATIONS

HINO

HINO

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO	
5.1L (313.0 CID, 5,123.0 CC), 4CYL, 112.0mm (4.409"), J05E											
DIESEL ENGINE	SDH20108-0	112.00	TOP:	2.500	x	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDH20108-1	112.25		0.098	x	0.163					
	SDH20108-2	112.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED		
	SDH20108-3	112.75		0.079	x	0.169					
	SDH20108-4	113.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED		
				0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL						
	13011-E0350										
5.3L (330.0 CID, 5,307.0 CC), 4CYL, 114.0mm (4.488"), J05C											
DIESEL ENGINE	SDH20081-0	114.00	TOP:	3.000	x	4.500	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDH20081-1	114.25		0.118	x	0.177					
	SDH20081-2	114.50	2ND:	2.000	x	4.300	T1-IB	STEEL	NITRIDED		
	SDH20081-3	114.75		0.079	x	0.169					
	SDH20081-4	115.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED		
				0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL						
	13011-3391B										
	13011-1380A										
5.3L (330.0 CID, 5,307.0 CC), 4CYL, 114.0mm (4.488"), J05C											
DIESEL ENGINE	SDH20086-0	114.00	TOP:	2.500	x	4.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDH20086-1	114.25		0.098	x	0.169					
	SDH20086-2	114.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED		
	SDH20086-3	114.75		0.079	x	0.169					
	SDH20086-4	115.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED		
				0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL						
	13011-3880A										
	13011-3940A										
	13011-3221A										
6.4L (391.0 CID, 6,403.0 CC), 5CYL, 112.0mm (4.409"), J07E											
DIESEL ENGINE	SDH30104-0	112.00	TOP:	2.500	x	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDH30104-1	112.25		0.098	x	0.163					
	SDH30104-2	112.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED		
	SDH30104-3	112.75		0.079	x	0.169					
	SDH30104-4	113.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED		
				0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL						
	13011-4050A										
6.4L (391.0 CID, 6,403.0 CC), 5CYL, 112.0mm (4.409"), J07E											
DIESEL ENGINE	SDH30109-0	112.00	TOP:	2.948	x	4.100	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDH30109-1	112.25		0.116	x	0.161					
	SDH30109-2	112.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED		
	SDH30109-3	112.75		0.079	x	0.169					
	SDH30109-4	113.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED		
				0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL						
	13011-E0370										
6.6L (405.0 CID, 6,634.0 CC), 5CYL, 114.0mm (4.488"), J07C											
DIESEL ENGINE	SDH20087-0	114.00	TOP:	2.500	x	4.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDH20087-1	114.25		0.098	x	0.169					
	SDH20087-2	114.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED		
	SDH20087-3	114.75		0.079	x	0.169					
	SDH20087-4	115.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED		
				0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL						
	13011-3660A										
	13011-3900A										




COMMERCIAL VEHICLE APPLICATIONS

HINO

HINO

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO
6.6L (405.0 CID, 6,634.0 CC), 5CYL, 114.0mm (4.488"), J07C										
DIESEL ENGINE	SDH20082-0	114.00	TOP:	3.000	x	4.500	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH20082-1	114.25		0.118		0.177				
	SDH20082-2	114.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED	
	SDH20082-3	114.75		0.079		0.169				
	SDH20082-4	115.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
	REFERENCE #:		TOP			2ND			OIL	
	13011-3371A									
	13011-3371B									
7.7L (469.0 CID, 7,684.0 CC), 6CYL, 112.0mm (4.409"), J08E										
DIESEL ENGINE	SDH30102-0	112.00	TOP:	2.500	x	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH30102-1	112.25		0.098		0.163				
	SDH30102-2	112.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED	
	SDH30102-3	112.75		0.079		0.169				
	SDH30102-4	113.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
	REFERENCE #:		TOP			2ND			OIL	
	13011-4040A									
8.0L (486.0 CID, 7,961.0 CC), 6CYL, 114.0mm (4.488"), J08C										
DIESEL ENGINE	SDH20067-0	114.00	TOP:	3.000	x	4.500	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH20067-1	114.25		0.118		0.177				
	SDH20067-2	114.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED	
	SDH20067-3	114.75		0.079		0.169				
	SDH20067-4	115.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
	REFERENCE #:		TOP			2ND			OIL	
	13011-2960A									
	13011-2961A									
8.0L (486.0 CID, 7,961.0 CC), 6CYL, 114.0mm (4.488"), J08C										
DIESEL ENGINE	SDH20088-0	114.00	TOP:	2.500	x	4.300	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH20088-1	114.25		0.098		0.169				
	SDH20088-2	114.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED	
	SDH20088-3	114.75		0.079		0.169				
	SDH20088-4	115.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED	
				0.157		0.171				
	REFERENCE #:		TOP			2ND			OIL	
	13011-3570A									
	13011-3820A									
	13011-3890B									




COMMERCIAL VEHICLE APPLICATIONS




ISUZU

ISUZU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO
2.4L (145.0 CID, 2,369.0 CC), 4CYL, 86.00mm (3.386"), C240										
DIESEL ENGINE	SDI10051-0	86.00	TOP:	2.000	x	3.500	T1	DUCTILE IRON	PHOSPHATE	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10051-1	86.25		0.079	x	0.138				
	SDI10051-2	86.50	2ND:	2.000	x	3.500	T1	CAST IRON	PHOSPHATE	
	SDI10051-3	86.75		0.079	x	0.138				
	SDI10051-4	87.00	3RD:	2.000	x	3.500	TUC	CAST IRON	PHOSPHATE	
				0.079	x	0.138				
			OIL:	5.000	x	4.200	E-BC3	CAST IRON	PHOSPHATE	
				0.197	x	0.165				
	REFERENCE #:		TOP	2ND	3RD	OIL				
	9-12181-603-0									
2.4L (145.0 CID, 2,369.0 CC), 4CYL, 86.00mm (3.386"), C240										
DIESEL ENGINE	SDI10093-0	86.00	TOP:	2.500	x	4.000	BF	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10093-1	86.25		0.098	x	0.157				
	SDI10093-2	86.50	2ND:	2.000	x	3.500	T1-IC	CAST IRON	CHROME	
	SDI10093-3	86.75		0.079	x	0.138				
	SDI10093-4	87.00	OIL:	5.000	x	4.300	E-BC3	CAST IRON	CHROME	
				0.197	x	0.169				
	REFERENCE #:		TOP	2ND	OIL					
	8-94104-954-0									
	5-12121-022-0									
	5-12121-022-1									
2.4L (145.0 CID, 2,369.0 CC), 4CYL, 86.00mm (3.386"), C240										
DIESEL ENGINE	SDI10095-0	86.00	TOP:	2.500	x	3.800	T1	CAST IRON	PHOSPHATE	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10095-1	86.25		0.098	x	0.136				
	SDI10095-2	86.50	2ND:	2.000	x	3.500	TUC	CAST IRON	PHOSPHATE	
	SDI10095-3	86.75		0.079	x	0.138				
	SDI10095-4	87.00	OIL:	5.000	x	4.200	E-BC3	CAST IRON	PHOSPHATE	
				0.197	x	0.165				
	REFERENCE #:		TOP	2ND	OIL					
	8-94104-949-0									
3.0L (183.0 CID, 2,999.0 CC), 4CYL, 95.40mm (3.756"), 4J11-TC										
DIESEL ENGINE	SDI10215-0	95.40	TOP:	2.000	x	3.450	BF-K2	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10215-1	95.65		0.079	x	0.136				
	SDI10215-2	95.90	2ND:	2.000	x	4.400	T1-IC	CAST IRON	CHROME	
	SDI10215-3	96.15		0.079	x	0.173				
	SDI10215-4	96.40	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED	
				0.118	x	0.118				
	REFERENCE #:		TOP	2ND	OIL					
	8-98053-579-0									
3.0L (183.0 CID, 2,999.0 CC), 4CYL, 95.40mm (3.756"), 4J11-TC										
DIESEL ENGINE	SDI10210-0	95.40	TOP:	2.000	x	3.450	BF-K2	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10210-1	95.65		0.079	x	0.136				
	SDI10210-2	95.90	2ND:	1.500	x	4.000	T1	CAST IRON	CHROME	
	SDI10210-3	96.15		0.059	x	0.157				
	SDI10210-4	96.40	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED	
				0.118	x	0.118				
	REFERENCE #:		TOP	2ND	OIL					
	8-97388-734-0									
5.2L (317.0 CID, 5,193.0 CC), 4CYL, 115.00mm (4.528"), 4HK1-TC										
DIESEL ENGINE	SDI10207-0	95.40	TOP:	2.948	x	4.150	BF-K1	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDI10207-1	95.65		0.116	x	0.163				
	SDI10207-2	95.90	2ND:	2.000	x	4.300	T1-IB	CAST IRON	CHROME	
	SDI10207-3	96.15		0.079	x	0.169				
	SDI10207-4	96.40	3RD:	2.500	x	4.800	TUC	STEEL	NITRIDED	
				0.098	x	0.189				
			OIL:	3.000	x	3.100	E-BC16	CAST IRON	PHOSPHATE	
				0.118	x	0.122				
	REFERENCE #:		TOP	2ND	3RD	OIL				
	8-98017-166-0									



COMMERCIAL VEHICLE APPLICATIONS

ISUZU

ISUZU

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
6.0L (364.0 CID, 5,967.0 CC), OHV, 8CYL, 16VALVE, 101.60mm (4.000"), Vortec 6000 L96																	
GASOLINE ENGINE	SWG10031-0	101.60	TOP:	1.200	x	3.500	BF	STEEL	NITRIDED	11-889-0	101.60	TL:	57.90	PL:	65.00	CHK. DIA 13.00	
	SWG10031-1	101.85		0.047	0.138	11-889-1				101.85	CH:	33.90	PD:	23.96			
	SWG10031-2	102.10	2ND:	1.500	x	4.200	TUC	CAST IRON	PHOSPHATE	11-889-2	102.10	DIST1:	-1.40	HEAD:	NONE		
	SWG10031-3	102.35		0.059	0.165	11-889-3				102.35	DIST2:	SKIRT:	MS				
	SWG10031-4	102.60	OIL:	2.500	x	2.550	NIFF-H	STEEL	CHROME	11-889-4	102.60	DIST3:					
				0.098	0.100												
	REFERENCE #: 8-89017-484-0		TOP 2ND OIL   							REFERENCE #: 5018018AB		  					
	6.6L (403.0 CID, 6,599.0 CC), OHV, 8CYL, 32VALVE, 103.0mm (4.055"), 8GF1											TURBO					
	DIESEL ENGINE	SDI10183-0	103.00	TOP:	2.948	x	3.900	BF-K1	STEEL	NITRIDED	11-884-0	103.00	TL:	89.82	PL:	81.00	CHK. DIA 20.00
		SDI10183-1	103.25		0.116	0.154	11-884-1				103.25	CH:	49.82	PD:	34.50		
SDI10183-2		103.50	2ND:	2.000	x	4.400	T1-IC	CAST IRON	PHOSPHATE	11-884-2	103.50	DIST1:	-15.20	HEAD:	NONE		
SDI10183-3		103.75		0.079	0.173	11-884-3				103.75	DIST2:	SKIRT:	NONE				
SDI10183-4		104.00	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED	11-884-4	104.00	DIST3:					
				0.118	0.118												
REFERENCE #: 8-97250-331-2		TOP 2ND OIL   							REFERENCE #: 97303756 (LEFT) 97303755 (RIGHT)		  						



COMMERCIAL VEHICLE APPLICATIONS

MAZDA

MAZDA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO					
1.5L (91.0 CID, 1,484.0 CC), 4CYL, 75.00mm (2.953"), UA															
GASOLINE ENGINE	SCT20010-0	75.00	2.500	x	3.300	T1	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SCT20010-1	75.25	0.098	x	0.130	TUC	CAST IRON	PHOSPHATE							
	SCT20010-2	75.50	2.500	x	3.300	TUC	CAST IRON	PHOSPHATE							
	SCT20010-3	75.75	0.098	x	0.130	TUC	CAST IRON	PHOSPHATE							
	SCT20010-4	76.00	4.000	x	3.300	BC1	CAST IRON	CHROME							
			0.157	x	0.130										
	REFERENCE #: 0107-11-999		TOP	2ND	OIL										
2.0L (121.0 CID, 1,985.0 CC), 4CYL, 82.00mm (3.228"), VA															
GASOLINE ENGINE	SCT20012-0	82.00	2.500	x	3.600	T1	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SCT20012-1	82.25	0.098	x	0.142	T1	CAST IRON	PHOSPHATE							
	SCT20012-2	82.50	2.500	x	3.600	T1	CAST IRON	PHOSPHATE							
	SCT20012-3	82.75	0.098	x	0.142	T1	CAST IRON	PHOSPHATE							
	SCT20012-4	83.00	4.500	x	3.600	BC16	CAST IRON	CHROME							
			0.177	x	0.142										
	REFERENCE #: 0164-11-999		TOP	2ND	OIL										
2.2L (133.0 CID, 2,184.0 CC), SOHC, 4CYL, 16VALVE, 86.00mm (3.386"), F2															
GASOLINE ENGINE	SWT20048-0	86.00	1.500	x	3.250	BF	STEEL	CHROME	11-582-0	86.00	TL:	71.50	PL:	66.00	CHK. DIA 15.00
	SWT20048-1	86.25	0.059	x	0.128	BF	STEEL	CHROME	11-582-1	86.25	CH:	36.50	PD:	22.00	
	SWT20048-2	86.50	1.500	x	3.800	TUC	CAST IRON	PHOSPHATE	11-582-2	86.50	DIST1:	-7.00	HEAD:	NONE	
	SWT20048-3	86.75	0.059	x	0.150	TUC	CAST IRON	PHOSPHATE	11-582-3	86.75	DIST2:		SKIRT:	NONE	
	SWT20048-4	87.00	4.000	x	3.200	NIFF-S	STEEL	CHROME	11-582-4	87.00	DIST3:				
			0.157	x	0.126										
	REFERENCE #: F2Y1-11-SC0 F801-23-130		TOP	2ND	OIL						REFERENCE #: F2Y2-11-SA0A				
2.2L (133.0 CID, 2,184.0 CC), SOHC, 4CYL, 16VALVE, 86.00mm (3.386"), F2															
GASOLINE ENGINE	SWT20048-0	86.00	1.500	x	3.250	BF	STEEL	CHROME	11-583-0	86.00	TL:	71.00	PL:	67.00	CHK. DIA 10.00
	SWT20048-1	86.25	0.059	x	0.128	BF	STEEL	CHROME	11-583-1	86.25	CH:	36.50	PD:	22.00	
	SWT20048-2	86.50	1.500	x	3.800	TUC	CAST IRON	PHOSPHATE	11-583-2	86.50	DIST1:	-5.40	HEAD:	NONE	
	SWT20048-3	86.75	0.059	x	0.150	TUC	CAST IRON	PHOSPHATE	11-583-3	86.75	DIST2:		SKIRT:	NONE	
	SWT20048-4	87.00	4.000	x	3.200	NIFF-S	STEEL	CHROME	11-583-4	87.00	DIST3:				
			0.157	x	0.126										
	REFERENCE #: F2Y1-11-SC0 F801-23-130		TOP	2ND	OIL						REFERENCE #: F2Y4-11-SA0A				
2.2L (133.0 CID, 2,184.0 CC), SOHC, 4CYL, 16VALVE, 86.00mm (3.386"), F2															
GASOLINE ENGINE	SWT20048-0	86.00	1.500	x	3.250	BF	STEEL	CHROME	11-573-0	86.00	TL:	71.40	PL:	67.00	CHK. DIA 15.00
	SWT20048-1	86.25	0.059	x	0.128	BF	STEEL	CHROME	11-573-1	86.25	CH:	36.50	PD:	22.00	
	SWT20048-2	86.50	1.500	x	3.800	TUC	CAST IRON	PHOSPHATE	11-573-2	86.50	DIST1:	-9.50	HEAD:	NONE	
	SWT20048-3	86.75	0.059	x	0.150	TUC	CAST IRON	PHOSPHATE	11-573-3	86.75	DIST2:		SKIRT:	NONE	
	SWT20048-4	87.00	4.000	x	3.200	NIFF-S	STEEL	CHROME	11-573-4	87.00	DIST3:				
			0.157	x	0.126										
	REFERENCE #: F2Y1-11-SC0 F801-23-130		TOP	2ND	OIL						REFERENCE #: F220-11-SA0				
2.2L (133.0 CID, 2,184.0 CC), SOHC, 4CYL, 16VALVE, 86.00mm (3.386"), FE															
GASOLINE ENGINE	SWT20048-0	86.00	1.500	x	3.250	BF	STEEL	CHROME	11-129-0	86.00	TL:	70.80	PL:	67.00	CHK. DIA 10.00
	SWT20048-1	86.25	0.059	x	0.128	BF	STEEL	CHROME	11-129-1	86.25	CH:	34.00	PD:	22.00	
	SWT20048-2	86.50	1.500	x	3.800	TUC	CAST IRON	PHOSPHATE	11-129-2	86.50	DIST1:	-2.60	HEAD:	NONE	
	SWT20048-3	86.75	0.059	x	0.150	TUC	CAST IRON	PHOSPHATE	11-129-3	86.75	DIST2:		SKIRT:	NONE	
	SWT20048-4	87.00	4.000	x	3.200	NIFF-S	STEEL	CHROME	11-129-4	87.00	DIST3:				
			0.157	x	0.126										
	REFERENCE #: F2Y1-11-SC0 F801-23-130		TOP	2ND	OIL						REFERENCE #: FE01-23-200				



COMMERCIAL VEHICLE APPLICATIONS


MITSUBISHI












MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
1.2L (76.0 CID, 1,238.0 CC), SOHC, 4CYL, 8VALVE, 73.00mm (2.784"), 4G33																	
GASOLINE ENGINE	SWM31016-0	73.00	TOP:	1.500	x	3.300	BF	STEEL	CHROME	11-249-0	73.00	TL:	70.00	PL:	64.00	CHK. DIA	
	SWM31016-1	73.25		0.059	x	0.130				11-249-1	73.25	CH:	32.70	PD:	19.00		
	SWM31016-2	73.50	2ND:	1.500	x	3.300	T1	CAST IRON	PHOSPHATE	11-249-2	73.50	DIST1:		HEAD:	NONE		20.00
	SWM31016-3	73.75		0.059	x	0.130				11-249-3	73.75	DIST2:		SKIRT:	NONE		
	SWM31016-4	74.00	OIL:	4.000	x	3.000	NIFF-S	STEEL	CHROME	11-249-4	74.00	DIST3:					
					0.157	x	0.118										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD009625								MD009580								
	MD115500								MD009581								
	1.6L (97.0 CID, 1,597.0 CC), SOHC, 4CYL, 8VALVE, 76.90mm (3.028"), 4G32																
GASOLINE ENGINE	SWM31043-0	76.90	TOP:	1.500	x	3.100	BF	STEEL	CHROME	11-3024-0	76.90	TL:	68.00	PL:	64.00	CHK. DIA	
	SWM31043-1	77.15		0.059	x	0.122				11-3024-1	77.15	CH:	34.00	PD:	19.00		
	SWM31043-2	77.40	2ND:	1.500	x	3.500	T1	CAST IRON	PHOSPHATE	11-3024-2	77.40	DIST1:	-2.40	HEAD:	NONE		16.00
	SWM31043-3	77.65		0.059	x	0.138				11-3024-3	77.65	DIST2:		SKIRT:	NONE		
	SWM31043-4	77.90	OIL:	4.000	x	3.800	NIFF-S	STEEL	CHROME	11-3024-4	77.90	DIST3:					
					0.157	x	0.150										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD012765								MD105495								
	MD062387																
	2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), 4G63																
GASOLINE ENGINE	SWM31048-0	85.00	TOP:	1.200	x	3.100	BF	STEEL	NITRIDED	11-540-0	85.00	TL:	67.00	PL:	66.00	CHK. DIA	
	SWM31048-1	85.25		0.047	x	0.122				11-540-1	85.25	CH:	35.00	PD:	21.00		
	SWM31048-2	85.50	2ND:	1.500	x	3.800	TUC	CAST IRON	CHROME	11-540-2	85.50	DIST1:	-2.10	HEAD:	NONE		10.00
	SWM31048-3	85.75		0.059	x	0.150				11-540-3	85.75	DIST2:		SKIRT:	NONE		
	SWM31048-4	86.00	OIL:	3.000	x	2.550	NIFF-S	STEEL	NITRIDED	11-540-4	86.00	DIST3:					
					0.118	x	0.100										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD133485								MD1292242								
	2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), 4G63																
	GASOLINE ENGINE	SWM31048-0	85.00	TOP:	1.200	x	3.100	BF	STEEL	NITRIDED	11-546-0	85.00	TL:	67.00	PL:	66.00	CHK. DIA
SWM31048-1		85.25		0.047	x	0.122				11-546-1	85.25	CH:	35.00	PD:	21.00		
SWM31048-2		85.50	2ND:	1.500	x	3.800	TUC	CAST IRON	CHROME	11-546-2	85.50	DIST1:	-5.40	HEAD:	AH	26.00	
SWM31048-3		85.75		0.059	x	0.150				11-546-3	85.75	DIST2:		SKIRT:	NONE		
SWM31048-4		86.00	OIL:	3.000	x	2.550	NIFF-S	STEEL	NITRIDED	11-D807-4	86.00	DIST3:					
					0.118	x	0.100										
REFERENCE #:			TOP	2ND	OIL				REFERENCE #:								
MD133485									MD129232								
5.9L (360.0 CID, 5,899.0 CC), OHV, 8CYL, 16VALVE, 101.60MM (4.000"), MAGNUM 5.9 / 1994-2003																	
GASOLINE ENGINE		SWM31048-0	85.00	TOP:	1.200	x	3.100	BF	STEEL	NITRIDED	11-3045-0	85.00	TL:	67.50	PL:	62.00	CHK. DIA
	SWM31048-1	85.25		0.047	x	0.122				11-3045-1	85.25	CH:	35.50	PD:	22.00		
	SWM31048-2	85.50	2ND:	1.500	x	3.800	TUC	CAST IRON	CHROME	11-3045-2	85.50	DIST1:	-1.70	HEAD:	NONE	10.00	
	SWM31048-3	85.75		0.059	x	0.150				11-3045-3	85.75	DIST2:		SKIRT:	NONE		
	SWM31048-4	86.00	OIL:	3.000	x	2.550	NIFF-S	STEEL	NITRIDED	11-3045-4	86.00	DIST3:					
					0.118	x	0.100										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD133485								MD188289								
	2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), 4G63																
	GASOLINE ENGINE	SWM31071-0	85.00	TOP:	1.200	x	3.100	BF-IB	STEEL	NITRIDED	11-718-0	85.00	TL:	67.00	PL:	62.00	CHK. DIA
SWM31071-1		85.25		0.047	x	0.122				11-718-1	85.25	CH:	35.00	PD:	22.00		
SWM31071-2		85.50	2ND:	1.500	x	3.800	TUC	CAST IRON	CHROME	11-718-2	85.50	DIST1:	-2.20	HEAD:	NONE	10.00	
SWM31071-3		85.75		0.059	x	0.150				11-718-3	85.75	DIST2:	-3.60	SKIRT:	NONE		
SWM31071-4		86.00	OIL:	3.000	x	2.550	NIFF-S	STEEL	NITRIDED	11-718-4	86.00	DIST3:					
					0.118	x	0.100										
REFERENCE #:			TOP	2ND	OIL				REFERENCE #:								
MD195850									MD190262								




COMMERCIAL VEHICLE APPLICATIONS





MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), 4G63																	
GASOLINE ENGINE	SWM31071-0	85.00	TOP:	1.200	x	3.100	BF-IB	STEEL	NITRIDED	11-719-0	85.00	TL:	67.00	PL:	62.00	CHK. DIA	
	SWM31071-1	85.25		0.047		0.122				11-719-1	85.25	CH:	35.00	PD:	22.00		
	SWM31071-2	85.50	2ND:	1.500	x	3.800	TUC	CAST IRON	CHROME	11-719-2	85.50	DIST1:	-5.40	HEAD:	AH		10.00
	SWM31071-3	85.75		0.059		0.150				11-719-3	85.75	DIST2:		SKIRT:	NONE		
	SWM31071-4	86.00	OIL:	3.000	x	2.550	NIFF-S	STEEL	NITRIDED	11-719-4	86.00	DIST3:					
					0.118		0.100										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD195850								MD308200								
	2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), G63B																
	GASOLINE ENGINE	SWM31013-0	85.00	TOP:	2.000	x	3.100	BF	STEEL	NITRIDED	11-027-0	85.00	TL:	72.20	PL:	72.00	CHK. DIA
SWM31013-1		85.25		0.079		0.122				11-027-1	85.25	CH:	35.20	PD:	21.00		
SWM31013-2		85.50	2ND:	2.000	x	3.700	T1	CAST IRON	PHOSPHATE	11-027-2	85.50	DIST1:	-5.20	HEAD:	NONE	30.00	
SWM31013-3		85.75		0.079		0.146				11-027-3	85.75	DIST2:	-7.70	SKIRT:	NONE		
SWM31013-4		86.00	OIL:	4.000	x	3.250	NIFF-S	STEEL	CHROME	11-027-4	86.00	DIST3:					
					0.157		0.128										
REFERENCE #:			TOP	2ND	OIL				REFERENCE #:								
MD040640									MD040591								
MD040840																	
MD042580																	
2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), G63B																	
GASOLINE ENGINE	SWM31013-0	85.00	TOP:	2.000	x	3.100	BF	STEEL	NITRIDED	11-3042-0	85.00	TL:	74.00	PL:	72.00	CHK. DIA	
	SWM31013-1	85.25		0.079		0.122				11-3042-1	85.25	CH:	35.20	PD:	21.00		
	SWM31013-2	85.50	2ND:	2.000	x	3.700	T1	CAST IRON	PHOSPHATE	11-3042-2	85.50	DIST1:	2.00	HEAD:	NONE		22.00
	SWM31013-3	85.75		0.079		0.146				11-3042-3	85.75	DIST2:		SKIRT:	NONE		
	SWM31013-4	86.00	OIL:	4.000	x	3.250	NIFF-S	STEEL	CHROME	11-3042-4	86.00	DIST3:					
					0.157		0.128										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD040640								MD040821								
	MD040840																
	MD042580																
2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), G63B																	
GASOLINE ENGINE	SWM31034-0	85.00	TOP:	1.500	x	3.050	BF	STEEL	CHROME	11-539-0	85.00	TL:	72.30	PL:	72.00	CHK. DIA	
	SWM31034-1	85.25		0.059		0.120				11-539-1	85.25	CH:	35.20	PD:	21.00		
	SWM31034-2	85.50	2ND:	1.500	x	3.800	T1	CAST IRON	PHOSPHATE	11-539-2	85.50	DIST1:	-5.00	HEAD:	NONE		17.00
	SWM31034-3	85.75		0.059		0.150				11-539-3	85.75	DIST2:	-7.30	SKIRT:	NONE		
	SWM31034-4	86.00	OIL:	4.000	x	3.150	NIFF-S	STEEL	CHROME	11-539-4	86.00	DIST3:					
					0.157		0.124										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD100467								MD100372								
	2.4L (143.0 CID, 2,350.0 CC), SOHC, 4CYL, 12VALVE, 86.50mm (3.406"), 4G64																
	GASOLINE ENGINE	SWM31037-0	86.50	TOP:	1.500	x	3.050	BF	STEEL	CHROME	11-538-0	86.50	TL:	72.40	PL:	72.00	CHK. DIA
SWM31037-1		86.75		0.059		0.120				11-538-1	86.75	CH:	34.90	PD:	21.00		
SWM31037-2		87.00	2ND:	1.500	x	3.800	T1	CAST IRON	PHOSPHATE	11-538-2	87.00	DIST1:	0.50	HEAD:	NONE	15.00	
SWM31037-3		87.25		0.059		0.150				11-538-3	87.25	DIST2:	0.30	SKIRT:	NONE		
SWM31037-4		87.50	OIL:	4.000	x	3.150	NIFF-S	STEEL	CHROME	11-538-4	87.50	DIST3:					
					0.157		0.124										
REFERENCE #:			TOP	2ND	OIL				REFERENCE #:								
MD085346									MD105377								
2.4L (143.0 CID, 2,350.0 CC), SOHC, 4CYL, 12VALVE, 86.50mm (3.406"), 4G64																	
GASOLINE ENGINE		SWM31072-0	86.50	TOP:	1.500	x	3.050	BF-IB	STEEL	CHROME	11-536-0	86.50	TL:	67.40	PL:	62.00	CHK. DIA
	SWM31072-1	86.75		0.059		0.120				11-536-1	86.75	CH:	35.00	PD:	22.00		
	SWM31072-2	87.00	2ND:	1.500	x	3.800	TUC	CAST IRON	PHOSPHATE	11-536-2	87.00	DIST1:	0.30	HEAD:	NONE	10.00	
	SWM31072-3	87.25		0.059		0.150				11-536-3	87.25	DIST2:	0.40	SKIRT:	NONE		
	SWM31072-4	87.50	OIL:	4.000	x	3.150	NIFF-S	STEEL	CHROME	11-536-4	87.50	DIST3:					
					0.157		0.124										
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:								
	MD195872								MD1988998								




COMMERCIAL VEHICLE APPLICATIONS

MITSUBISHI

MITSUBISHI

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO						
2.4L (143.0 CID, 2,350.0 CC), SOHC, 4CYL, 12VALVE, 86.50mm (3.406"), 4G64																
GASOLINE ENGINE	SWM31116-0	86.50	TOP:	1.200	x	3.100	BF-IB	STEEL	CHROME	11-709-0	86.50	TL:	67.10	PL:	62.00	CHK. DIA 12.00
	SWM31116-1	86.75		0.047		0.122				11-709-1	86.75	CH:	65.00	PD:	22.00	
	SWM31116-2	87.00	2ND:	1.500	x	3.800	TUC	CAST IRON	PHOSPHATE	11-709-2	87.00	DIST1:	-4.30	HEAD:	NONE	
	SWM31116-3	87.25		0.059		0.150				11-709-3	87.25	DIST2:		SKIRT:	NONE	
	SWM31116-4	87.50	OIL:	2.800	x	2.550	NIFF-S	STEEL	CHROME	11-709-4	87.50	DIST3:				
REFERENCE #: MD195828 MD194597		TOP			2ND			OIL			REFERENCE #: MD303071		 			
2.6L (156.0 CID, 2,555.0 CC), SOHC, 4CYL, 12VALVE, 91.10mm (3.587"), G54B																
GASOLINE ENGINE	SWM31047-0	91.10	TOP:	1.200	x	3.100	BF	DUCTILE IRON	CHROME	11-031-0	91.10	TL:	77.20	PL:	75.00	CHK. DIA 37.50
	SWM31047-1	91.35		0.047		0.122				11-031-1	91.35	CH:	35.20	PD:	22.00	
	SWM31047-2	91.60	2ND:	1.500	x	3.800	T1	CAST IRON	CHROME	11-031-2	91.60	DIST1:		HEAD:	NONE	
	SWM31047-3	91.85		0.059		0.150				11-031-3	91.85	DIST2:		SKIRT:	NONE	
	SWM31047-4	92.10	OIL:	2.800	x	2.550	NIFF-S	STEEL	CHROME	11-031-4	92.10	DIST3:				
REFERENCE #: MD025089 MD026835 MD026920		TOP			2ND			OIL			REFERENCE #: MD026921		 			
2.6L (156.0 CID, 2,555.0 CC), SOHC, 4CYL, 12VALVE, 91.10mm (3.587"), G54B																
GASOLINE ENGINE	SWM31039-0	91.10	TOP:	1.200	x	3.100	BF	STEEL	NITRIDED	11-035-0	91.10	TL:	78.30	PL:	79.00	CHK. DIA 25.00
	SWM31039-1	91.35		0.047		0.122				11-035-1	91.35	CH:	36.00	PD:	22.00	
	SWM31039-2	91.60	2ND:	1.500	x	3.800	T1	CAST IRON	PHOSPHATE	11-035-2	91.60	DIST1:	0.30	HEAD:	NONE	
	SWM31039-3	91.85		0.059		0.150				11-035-3	91.85	DIST2:		SKIRT:	NONE	
	SWM31039-4	92.10	OIL:	2.800	x	2.550	NIFF-S	STEEL	NITRIDED	11-035-4	92.10	DIST3:				
REFERENCE #: MD061258 MD076170 MD101895		TOP			2ND			OIL			REFERENCE #: MD071172		 			




COMMERCIAL VEHICLE APPLICATIONS

NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO	
1.5L (91.0 CID, 1,487.0 CC), SOHC, 4CYL, 8VALVE, 76.00mm (2.992"), A15											
GASOLINE ENGINE	SWN30052-0	76.00	TOP:	1.200	x	3.050	BF	STEEL	CHROME	11-049-0	76.00 TL: 65.00 PL: 63.00
	SWN30052-1	76.25		0.047		0.120				11-049-1	76.25 CH: 30.00 PD: 19.00
	SWN30052-2	76.50	2ND:	2.000	x	3.400	TUC	CAST IRON	PHOSPHATE	11-049-2	76.50 DIST1: -6.50 HEAD: NONE
	SWN30052-3	76.75		0.079		0.134				11-049-3	76.75 DIST2: SKIRT: NONE
	SWN30052-4	77.00	OIL:	4.000	x	3.250	NIFF-S	STEEL	CHROME	11-049-4	77.00 DIST3: 10.00
				0.157		0.128					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-H7680								12010-H9802		
	12033-H9800										
	12033-H9810										
2.0L (121.0 CID, 1,982.0 CC), OHV, 4CYL, 87.20mm (3.433"), H20											
GASOLINE ENGINE	SWN30052-0	76.00	TOP:	1.200	x	3.050	BF	STEEL	CHROME	11-3208-0	76.00 TL: 65.00 PL: 63.00
	SWN30052-1	76.25		0.047		0.120				11-3208-1	76.25 CH: 30.00 PD: 19.00
	SWN30052-2	76.50	2ND:	2.000	x	3.400	TUC	CAST IRON	PHOSPHATE	11-3208-2	76.50 DIST1: -2.80 HEAD: NONE
	SWN30052-3	76.75		0.079		0.134				11-3208-3	76.75 DIST2: SKIRT: NONE
	SWN30052-4	77.00	OIL:	4.000	x	3.250	NIFF-S	STEEL	CHROME	11-3208-4	77.00 DIST3: 10.00
				0.157		0.128					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-H7680								12010-H9704		
	12033-H9800										
	12033-H9810										
2.0L (121.0 CID, 1,982.0 CC), OHV, 4CYL, 87.20mm (3.433"), H20											
GASOLINE ENGINE	SWN30069-0	87.20	TOP:	2.000	x	4.050	BF	CAST IRON	CHROME	11-247-0	87.20 TL: 84.00 PL: 73.00
	SWN30069-1	87.45		0.079		0.159				11-247-1	87.45 CH: 41.00 PD: 22.00
	SWN30069-2	87.70	2ND:	2.500	x	4.050	TUC	CAST IRON	PHOSPHATE	11-247-2	87.70 DIST1: -1.60 HEAD: NONE
	SWN30069-3	87.95		0.098		0.159				11-247-3	87.95 DIST2: SKIRT: NONE
	SWN30069-4	88.20	OIL:	4.000	x	3.800	NIFF-S	STEEL	CHROME	11-247-4	88.20 DIST3: 0.00
				0.157		0.150					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-R9000								12010-74001		
	12033-Y4460								12010-R9001		
	12033-R9023										
2.2L (132.0 CID, 2,164.0 CC), 4CYL, 83.00mm (3.268"), SD22											
DIESEL ENGINE	Piston Rings for this application are not currently available Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information. Piston Ring: 83.00mm x 2.25mm x 2.00mm x 2.00mm x 4.00mm								11-3249-0	83.00 TL: 90.00 PL: 71.00	
									11-3249-1	83.25 CH: 48.00 PD: 26.00	
									11-3249-2	83.50 DIST1: -0.60 HEAD: NONE	
									11-3249-3	83.75 DIST2: SKIRT: NONE	
									11-3249-4	84.00 DIST3: 16.00	
									REFERENCE #:		
									12010-R8110		
2.2L (132.0 CID, 2,164.0 CC), 4CYL, 83.00mm (3.268"), SD22											
DIESEL ENGINE	SDN31027-0	83.00	TOP:	2.500	x	3.500	BF	DUCTILE IRON	MOLY	11-068-0	83.00 TL: 90.00 PL: 71.00
	SDN31027-1	83.25		0.098		0.138				11-068-1	83.25 CH: 48.00 PD: 26.00
	SDN31027-2	83.50	2ND:	2.500	x	3.400	T1-IC	CAST IRON	PHOSPHATE	11-068-2	83.50 DIST1: -2.00 HEAD: NONE
	SDN31027-3	83.75		0.098		0.134				11-068-3	83.75 DIST2: SKIRT: NONE
	SDN31027-4	84.00	OIL:	4.500	x	3.900	E-BC3	CAST IRON	CHROME	11-068-4	84.00 DIST3: 15.00
				0.177		0.154					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-R8100								12010-36W10		
	12033-R8103								12010-R8111		
	12033-R8104										
2.4L (146.0 CID, 2,389.0 CC), SOHC, 4CYL, 8VALVE, 89.00mm (3.504"), Z24											
GASOLINE ENGINE	SWN30059-0	89.00	TOP:	1.500	x	3.250	BF	STEEL	CHROME	11-070-0	89.00 TL: 72.00 PL: 72.00
	SWN30059-1	89.25		0.059		0.128				11-070-1	89.25 CH: 34.00 PD: 21.00
	SWN30059-2	89.50	2ND:	1.500	x	3.900	T1	CAST IRON	CHROME	11-070-2	89.50 DIST1: -4.00 HEAD: NONE
	SWN30059-3	89.75		0.059		0.154				11-070-3	89.75 DIST2: SKIRT: NONE
	SWN30059-4	90.00	OIL:	4.000	x	3.200	NIFF-S	STEEL	CHROME	11-070-4	90.00 DIST3: 30.00
				0.157		0.126					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-10W00								12010-30W01		
	12033-10W10								12010-30W11		



COMMERCIAL VEHICLE APPLICATIONS


NISSAN

NISSAN

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO	
2.4L (146.0 CID, 2,389.0 CC), SOHC, 4CYL, 8VALVE, 89.00mm (3.504"), Z24i											
GASOLINE ENGINE	SWN30085-0	89.00	TOP:	2.000	x	3.080	BF-IB	STEEL	CHROME	11-238-0	89.00 TL: 70.40 PL: 66.50
	SWN30085-1	89.25		0.079	x	0.121				11-238-1	89.25 CH: 33.80 PD: 21.00
	SWN30085-2	89.50	2ND:	1.500	x	3.900	T1	CAST IRON	PHOSPHATE	11-238-2	89.50 DIST1: -4.00 HEAD: NONE
	SWN30085-3	89.75		0.059	x	0.154				11-238-3	89.75 DIST2: SKIRT: NONE
	SWN30085-4	90.00	OIL:	4.000	x	3.200	NIFF-S	STEEL	CHROME	11-238-4	90.00 DIST3:
				0.157	x	0.126					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-83W00								12010-83W01		
	12033-13G10								12010-83W11		
2.5L (151.0 CID, 2,472.0 CC), OHV, 4CYL, 92.00mm (3.622"), H25											
GASOLINE ENGINE	Piston Rings for this application are not currently available Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information. Piston Ring: 83.00mm x 2.25mm x 2.00mm x 2.00mm x 4.00mm								11-251-0	92.00 TL: 71.00 PL: 72.00	
									11-251-1	92.25 CH: 36.00 PD: 21.00	
									11-251-2	92.50 DIST1: -7.30 HEAD: NONE	
									11-251-3	92.75 DIST2: SKIRT: NONE	
									11-251-4	93.00 DIST3:	
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12010-60K00								12010-60K00		
2.5L (152.0 CID, 2,488.0 CC), DOHC, 4CYL, 16VALVE, 89.00mm (3.504"), QR25DE											
GASOLINE ENGINE	SWN30140-0	89.00	TOP:	1.200	x	3.100	BF-IB	STEEL	NITRIDED	11-881-0	89.00 TL: 61.50 PL: 57.00
	SWN30140-1	89.25		0.047	x	0.122				11-881-1	89.25 CH: 32.90 PD: 19.99
	SWN30140-2	89.50	2ND:	1.200	x	3.800	T1	CAST IRON	CHROME	11-881-2	89.50 DIST1: 5.90 HEAD: ARL
	SWN30140-3	89.75		0.047	x	0.150				11-881-3	89.75 DIST2: SKIRT: MS
	SWN30140-4	90.00	OIL:	2.500	x	2.850	NIFF-S	STEEL	NITRIDED	11-881-4	90.00 DIST3:
				0.098	x	0.112					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-EA000								A2010-EA000		
	12033-EA00B								A2010-EA001		
3.2L (198.0 CID, 3,268.0 CC), 6CYL, 83.00mm (3.268"), SD33T											
DIESEL ENGINE	SDN31028-0	83.00	TOP:	2.500	x	3.500	BF-K2	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SDN31028-1	83.25		0.098	x	0.138					
	SDN31028-2	83.50	2ND:	2.000	x	3.400	T1-IC	DUCTILE IRON	CHROME		
	SDN31028-3	83.75		0.079	x	0.134					
	SDN31028-4	84.00	OIL:	4.000	x	4.000	E-BC3	CAST IRON	CHROME		
				0.157	x	0.157					
	REFERENCE #:		TOP	2ND	OIL						
	12033-C8704										
4.0L (241.0 CID, 3,954.0 CC), DOHC, 6CYL, 24VALVE, 95.50mm (3.760"), VQ40DE											
GASOLINE ENGINE	SWN30131-0	95.50	TOP:	1.200	x	3.450	BF	STEEL	CHROME	11-878-0	95.50 TL: 55.10 PL: 58.00
	SWN30131-1	95.75		0.047	x	0.136				11-878-1	95.75 CH: 31.60 PD: 21.99
	SWN30131-2	96.00	2ND:	1.200	x	4.100	T1	CAST IRON	PHOSPHATE	11-878-2	96.00 DIST1: -3.00 HEAD: AH
	SWN30131-3	96.25		0.047	x	0.161				11-878-3	96.25 DIST2: SKIRT: MS
	SWN30131-4	96.50	OIL:	2.500	x	2.750	NIFF-S	STEEL	CHROME	11-878-4	96.50 DIST3:
				0.098	x	0.108					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:		
	12033-8J100								12010-EA200		
									12010-EA20B		
4.0L (241.0 CID, 3,954.0 CC), DOHC, 6CYL, 24VALVE, 95.50mm (3.760"), VQ40DE											
GASOLINE ENGINE	SWN30191-0	95.50	TOP:	1.200	x	3.100	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.	
	SWN30191-1	95.75		0.047	x	0.122					
	SWN30191-2	96.00	2ND:	1.200	x	3.800	TUC	CAST IRON	CHROME		
	SWN30191-3	96.25		0.047	x	0.150					
	SWN30191-4	96.50	OIL:	2.500	x	2.850	NIFF-H	STEEL	NITRIDED		
				0.098	x	0.112					
	REFERENCE #:		TOP	2ND	OIL						
	12033-JP00A										






COMMERCIAL VEHICLE APPLICATIONS

NISSAN



NISSAN














ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
4.2L (254.0 CID, 4,169.0 CC), OHV, 6CYL, 96.00mm (3.780"), TB42																	
GASOLINE ENGINE	SWN30122-0	96.00	TOP:	2.000	x	3.300	BF	STEEL	NITRIDED	11-3299-0	96.00	TL:	55.40	PL:	59.00	CHK. DIA	
	SWN30122-1	96.25		0.079	x	0.130				11-3299-1	96.25	CH:	33.50	PD:	24.02		
	SWN30122-2	96.50	2ND:	2.000	x	4.200	T1	CAST IRON	PHOSPHATE	11-3299-2	96.50	DIST1:	2.00	HEAD:	NONE		10.00
	SWN30122-3	96.75		0.079	x	0.165				11-3299-3	96.75	DIST2:		SKIRT:	MS		
	SWN30122-4	97.00	OIL:	4.000	x	3.250	NIFF-S	STEEL	NITRIDED	11-3299-4	97.00	DIST3:					
					0.157	x	0.128										
	REFERENCE #: 12033-03J00	TOP	2ND	OIL	REFERENCE #: 12010-03J61												
	5.6L (339.0 CID, 5,552.0 CC), DOHC, 8CYL, 32VALVE, 98.00mm (3.858"), VK56DE																
	GASOLINE ENGINE	SWN30149-0	98.00	TOP:	1.500	x	3.450	BF	STEEL	CHROME	11-879-0	98.00	TL:	52.00	PL:	59.60	CHK. DIA
		SWN30149-1	98.25		0.059	x	0.136				11-879-1	98.25	CH:	31.60	PD:	22.00	
SWN30149-2		98.50	2ND:	1.500	x	4.300	TUC	CAST IRON	PHOSPHATE	11-879-2	98.50	DIST1:	-4.20	HEAD:	AH	6.00	
SWN30149-3		98.75		0.059	x	0.169				11-879-3	98.75	DIST2:		SKIRT:	MS		
SWN30149-4		99.00	OIL:	2.500	x	2.600	NIFF-S	STEEL	CHROME	11-879-4	99.00	DIST3:					
					0.098	x	0.102										
REFERENCE #: 12033-7S001 12033-EZ00A		TOP	2ND	OIL	REFERENCE #: A2010-7S000												



COMMERCIAL VEHICLE APPLICATIONS


TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO							
1.3L (82.0 CID, 1,345.0 CC), OHV, 4CYL, 76.60mm (3.016"), 3P																	
GASOLINE ENGINE	SWT10009-0	76.60	TOP:	2.000	x	3.500	T1	CAST IRON	CHROME	11-244-0	76.60	TL:	84.00	PL:	65.00	CHK. DIA	
	SWT10009-1	76.85		0.079	x	0.138				11-244-1	76.85	CH:	41.00	PD:	20.00		
	SWT10009-2	77.10	2ND:	2.000	x	3.500	T1	CAST IRON	PHOSPHATE	11-244-2	77.10	DIST1:		HEAD:	NONE		13.50
	SWT10009-3	77.35		0.079	x	0.138				11-244-3	77.35	DIST2:		SKIRT:	NONE		
	SWT10009-4	77.60	OIL:	4.000	x	3.300	NIFF-S	STEEL	CHROME	11-244-4	77.60	DIST3:					
					0.157	x	0.130										
	REFERENCE #:	13011-23030	TOP	2ND	OIL				REFERENCE #:	13011-23010 13011-23011	  						
	1.3L (82.0 CID, 1,345.0 CC), OHV, 4CYL, 76.60mm (3.016"), 4P																
	GASOLINE ENGINE	SWT10009-0	76.60	TOP:	2.000	x	3.500	T1	CAST IRON	CHROME	11-245-0	76.60	TL:	84.00	PL:	65.00	CHK. DIA
		SWT10009-1	76.85		0.079	x	0.138				11-245-1	76.85	CH:	41.00	PD:	20.00	
SWT10009-2		77.10	2ND:	2.000	x	3.500	T1	CAST IRON	PHOSPHATE	11-245-2	77.10	DIST1:		HEAD:	NONE	13.50	
SWT10009-3		77.35		0.079	x	0.138				11-245-3	77.35	DIST2:		SKIRT:	NONE		
SWT10009-4		77.60	OIL:	4.000	x	3.300	NIFF-S	STEEL	CHROME	11-245-4	77.60	DIST3:					
					0.157	x	0.130										
REFERENCE #:		13011-23030	TOP	2ND	OIL				REFERENCE #:	13011-78001 13011-96001	  						
1.5L (91.0 CID, 1,486.0 CC), OHV, 4CYL, 80.50mm (3.169"), 5K																	
GASOLINE ENGINE		SWT10099-0	80.50	TOP:	1.500	x	3.100	BF	STEEL	NITRIDED	11-3729-0	80.50	TL:	80.50	PL:	61.00	CHK. DIA
		SWT10099-1	80.75		0.059	x	0.122				11-3729-1	80.75	CH:	36.00	PD:	18.00	
	SWT10099-2	81.00	2ND:	1.500	x	3.650	T1	CAST IRON	PHOSPHATE	11-3729-2	81.00	DIST1:	-3.00	HEAD:	NONE	13.50	
	SWT10099-3	81.25		0.059	x	0.144				11-3729-3	81.25	DIST2:		SKIRT:	NONE		
	SWT10099-4	81.50	OIL:	4.000	x	3.250	NIFF-S	STEEL	NITRIDED	11-3729-4	81.50	DIST3:					
					0.157	x	0.128										
	REFERENCE #:	13011-13040 13011-13050 13011-13090	TOP	2ND	OIL				REFERENCE #:	13011-13040	  						
	1.5L (91.0 CID, 1,490.0 CC), OHV, 4CYL, 78.00mm (3.071"), 2R																
	GASOLINE ENGINE	SWT10014-0	78.00	TOP:	2.000	x	3.700	T1	CAST IRON	CHROME	11-243-0	78.00	TL:	78.00	PL:	75.00	CHK. DIA
		SWT10014-1	78.25		0.079	x	0.146				11-243-1	78.25	CH:	39.00	PD:	22.00	
SWT10014-2		78.50	2ND:	2.500	x	3.600	TUC	CAST IRON	CHROME	11-243-2	78.50	DIST1:		HEAD:	NONE	0.00	
SWT10014-3		78.75		0.098	x	0.142				11-243-3	78.75	DIST2:		SKIRT:	NONE		
SWT10014-4		79.00	OIL:	4.000	x	3.050	NIFF-S	STEEL	CHROME	11-243-4	79.00	DIST3:					
					0.157	x	0.120										
REFERENCE #:		13011-31010 13011-31030 13011-31040	TOP	2ND	OIL				REFERENCE #:	13011-31010 13011-31011	  						
1.9L (119.0 CID, 1,944.0 CC), OHV, 4CYL, 88.00mm (3.465"), 5R																	
GASOLINE ENGINE		SWT10069-0	88.00	TOP:	2.000	x	3.700	T1	CAST IRON	CHROME	11-246-0	88.00	TL:	85.40	PL:	75.00	CHK. DIA
		SWT10069-1	88.25		0.079	x	0.146				11-246-1	88.25	CH:	39.00	PD:	22.00	
	SWT10069-2	88.50	2ND:	2.500	x	3.600	TUC	CAST IRON	CHROME	11-246-2	88.50	DIST1:		HEAD:	NONE	0.00	
	SWT10069-3	88.75		0.098	x	0.142				11-246-3	88.75	DIST2:		SKIRT:	NONE		
	SWT10069-4	89.00	OIL:	4.000	x	3.050	NIFF-S	STEEL	CHROME	11-246-4	89.00	DIST3:					
					0.157	x	0.120										
	REFERENCE #:	13011-44043	TOP	2ND	OIL				REFERENCE #:	13011-44015 13011-44016	  						
	2.2L (137.0 CID, 2,237.0 CC), OHV, 4CYL, 8VALVE, 91.00mm (3.583"), 4Y																
	GASOLINE ENGINE	SWT10111-0	91.00	TOP:	1.500	x	3.250	BF-IB	STEEL	CHROME	11-637-0	91.00	TL:	65.00	PL:	66.00	CHK. DIA
		SWT10111-1	91.25		0.059	x	0.128				11-637-1	91.25	CH:	35.00	PD:	22.00	
SWT10111-2		91.50	2ND:	1.500	x	3.950	TUC	CAST IRON	PHOSPHATE	11-637-2	91.50	DIST1:	-6.20	HEAD:	NONE	25.00	
SWT10111-3		91.75		0.059	x	0.156				11-637-3	91.75	DIST2:		SKIRT:	NONE		
SWT10111-4		92.00	OIL:	4.000	x	3.100	NIFF-S	STEEL	CHROME	11-637-4	92.00	DIST3:					
					0.157	x	0.122										
REFERENCE #:		13011-73020 13011-73030 13011-73040	TOP	2ND	OIL				REFERENCE #:	13011-73030	  						




COMMERCIAL VEHICLE APPLICATIONS

TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO											
2.5L (151.0 CID, 2,481.0 CC), 4CYL, 88.00mm (3.465"), 2J																					
DIESEL ENGINE	SDT10050-0	101.60	TOP:	2.540	x	3.800	BF-K3	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.											
	SDT10050-1	101.85		0.100		0.150															
	SDT10050-2	102.10	2ND:	2.500	x	3.800	T1	CAST IRON	CHROME												
	SDT10050-3	102.35		0.098		0.150															
	SDT10050-4	102.60	OIL:	4.000	x	4.200	E-BC3	CAST IRON	CHROME												
				0.157		0.165															
	REFERENCE #:		TOP	2ND	OIL																
	13011-48022																				
	13011-48023																				
	13011-48030																				
2.5L (152.0 CID, 2,494.0 CC), 4CYL, 92.00mm (3.622"), 2KD																					
DIESEL ENGINE	SDT10180-0	92.00	TOP:	2.000	x	2.900	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.											
	SDT10180-1	92.25		0.079		0.114															
	SDT10180-2	92.50	2ND:	1.500	x	2.900	T1	STEEL	NITRIDED												
	SDT10180-3	92.75		0.059		0.114															
	SDT10180-4	93.00	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED												
				0.118		0.118															
	REFERENCE #:		TOP	2ND	OIL																
	13011-30030																				
	13011-30031																				
	13011-30060																				
2.7L (164.0 CID, 2,693.0 CC), DOHC, 4CYL, 16VALVE, 95.00mm (3.740"), 2TR-FE																					
GASOLINE ENGINE	SDT10193-0	95.00	TOP:	1.200	x	2.900	BF	STEEL	NITRIDED	11-880-0	95.00	TL:	59.30	PL:	62.00	CHK. DIA					
	SDT10193-1	95.25		0.047		0.114				11-880-1	95.25	CH:	39.30	PD:	22.00						
	SDT10193-2	95.50	2ND:	1.200	x	3.400	TUC	CAST IRON	PHOSPHATE	11-880-2	95.50	DIST1:	-8.60	HEAD:	AH						
	SDT10193-3	95.75		0.047		0.134				11-880-3	95.75	DIST2:	-4.50	SKIRT:	MS						
	SDT10193-4	96.00	OIL:	2.000	x	2.750	E-BC16	STEEL	NITRIDED	11-880-4	96.00	DIST3:	-2.22								
				0.079		0.108															
	REFERENCE #:		TOP	2ND	OIL						REFERENCE #:										
	13011-75110										13101-75130										
	3.0L (182.0 CID, 2,982.0 CC), 4CYL, 96.00mm (3.780"), 1KD																				
	DIESEL ENGINE	SDT10175-0	96.00	TOP:	2.000	x	3.350	BF-K2	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.										
SDT10175-1		96.25		0.079		0.132															
SDT10175-2		96.50	2ND:	1.500	x	3.300	T1	STEEL	NITRIDED												
SDT10175-3		96.75		0.059		0.130															
SDT10175-4		97.00	OIL:	3.000	x	3.000	E-BC16	STEEL	NITRIDED												
				0.118		0.118															
REFERENCE #:			TOP	2ND	OIL																
13011-30020																					
13011-30021																					
13011-30022																					
3.0L (182.0 CID, 2,985.0 CC), 4CYL, 99.50mm (3.917"), 5L																					
DIESEL ENGINE	SDT10167-0	99.50	TOP:	2.000	x	3.600	BF-K2	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.											
	SDT10167-1	99.75		0.079		0.142															
	SDT10167-2	100.00	2ND:	1.500	x	3.700	TUC	STEEL	NITRIDED												
	SDT10167-3	100.25		0.059		0.146															
	SDT10167-4	100.50	OIL:	3.000	x	4.350	E-BC16	STEEL	NITRIDED												
				0.118		0.171															
	REFERENCE #:		TOP	2ND	OIL																
	13011-54130																				
3.9L (237.0 CID, 3,878.0 CC), 6CYL, 90.00mm (3.543"), F																					
GASOLINE ENGINE	SWT10026-0	90.00	TOP:	3.000	x	3.700	T1	CAST IRON	CHROME	11-171-0	90.00	TL:	95.50	PL:	80.00	CHK. DIA					
	SWT10026-1	90.25		0.118		0.146				11-171-1	90.25	CH:	47.50	PD:	25.15						
	SWT10026-2	90.50	2ND:	3.000	x	3.700	T1	CAST IRON	PHOSPHATE	11-171-2	90.50	DIST1:		HEAD:	NONE						
	SWT10026-3	90.75		0.118		0.146				11-171-3	90.75	DIST2:		SKIRT:	NONE						
	SWT10026-4	91.00	OIL1:	4.000	x	3.900	NIFF-S	STEEL	CHROME	11-171-4	91.00	DIST3:									
				0.157		0.154															
			OIL2:	4.000	x	3.700	C1	CAST IRON	PHOSPHATE												
				0.157		0.146				REFERENCE #:											
	13011-69021		TOP	2ND	OIL1	OIL2						13101-60011									




COMMERCIAL VEHICLE APPLICATIONS

TOYOTA

TOYOTA

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO						
3.0L (182.0 CID, 2,982.0 CC), 4CYL, 96.00mm (3.780"), 1KD																
GASOLINE ENGINE	SWT10044-0	96.00	TOP:	2.000	x	4.000	T1	CAST IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SWT10044-1	96.25		0.079	x	0.157										
	SWT10044-2	96.50	2ND:	2.500	x	4.000	T1	CAST IRON	PHOSPHATE							
	SWT10044-3	96.75		0.098	x	0.157										
	SWT10044-4	97.00	OIL1:	4.000	x	3.900	NIFF-S	STEEL	CHROME							
				0.157	x	0.154										
			OIL2:	4.000	x	4.000	C1	CAST IRON	PHOSPHATE							
				0.157	x	0.157										
	REFERENCE #:		TOP	2ND	OIL1	OIL2										
	13011-60040															
4.0L (243.0 CID, 3,980.0 CC), 6CYL, 91.00mm (3.583"), 2H																
DIESEL ENGINE	SDT10075-0	91.00	TOP:	2.540	x	4.000	BF-K3	DUCTILE IRON	CHROME	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.						
	SDT10075-1	91.25		0.100	x	0.157										
	SDT10075-2	91.50	2ND:	2.500	x	4.000	T1	CAST IRON	CHROME							
	SDT10075-3	91.75		0.098	x	0.157										
	SDT10075-4	92.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED							
				0.157	x	0.171										
	REFERENCE #:		TOP	2ND	OIL											
	13011-68010															
	13011-68020															
	13011-96601															
4.2L (258.0 CID, 4,230.0 CC), 4CYL, 94.00mm (3.701"), 2F																
GASOLINE ENGINE	SWT10049-0	94.00	TOP:	2.000	x	4.200	BF	CAST IRON	CHROME	11-174-0	94.00	TL:	95.50	PL:	72.00	CHK. DIA
	SWT10049-1	94.25		0.079	x	0.165				11-174-1	94.25	CH:	47.22	PD:	25.15	
	SWT10049-2	94.50	2ND:	2.500	x	4.200	T1	CAST IRON	CHROME	11-174-2	94.50	DIST1:	6.50	HEAD:	NONE	
	SWT10049-3	94.75		0.098	x	0.165				11-174-3	94.75	DIST2:		SKIRT:	NONE	
	SWT10049-4	95.00	OIL:	4.000	x	3.850	NIFF-S	CAST IRON	CHROME	11-174-4	95.00	DIST3:				
				0.157	x	0.152										
	REFERENCE #:		TOP	2ND	OIL						REFERENCE #:					
	13011-61010										13011-61020					
4.2L (258.0 CID, 4,230.0 CC), 4CYL, 94.00mm (3.701"), 2F																
DAKOTA / 98-03	SWT10049-0	94.00	TOP:	2.000	x	4.200	BF	CAST IRON	CHROME	11-175-0	94.00	TL:	95.80	PL:	72.00	CHK. DIA
	SWT10049-1	94.25		0.079	x	0.165				11-175-1	94.25	CH:	47.58	PD:	25.15	
	SWT10049-2	94.50	2ND:	2.500	x	4.200	T1	CAST IRON	CHROME	11-175-2	94.50	DIST1:	0.30	HEAD:	NONE	
	SWT10049-3	94.75		0.098	x	0.165				11-175-3	94.75	DIST2:		SKIRT:	NONE	
	SWT10049-4	95.00	OIL:	4.000	x	3.850	NIFF-S	CAST IRON	CHROME	11-175-4	95.00	DIST3:				
				0.157	x	0.152										
	REFERENCE #:		TOP	2ND	OIL						REFERENCE #:					
	13011-61010										13011-61011					

COMMERCIAL VEHICLE APPLICATIONS

UD TRUCKS




UD TRUCKS

ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO
5.9L (360.0 CID, 5,899.0 CC), OHV, 8CYL, 16VALVE, 101.60MM (4.000"), MAGNUM 5.9 / 1994-2003										
DIESEL ENGINE	SDH20108-0	112.00	TOP:	2.500	x	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDC20108-1	112.25		0.098	x	0.163				
	SDC20108-2	112.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED	
	SDC20108-3	112.75		0.079	x	0.169				
	SDC20108-4	113.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED	
			0.157		0.171					
	REFERENCE #: 13011-E0350		TOP	2ND	OIL					
7.7L (469.0 CID, 7,684.0 CC), 6CYL, 112.0mm (4.409"), J08E										
DIESEL ENGINE	SDH30102-0	112.00	TOP:	2.500	x	4.150	BF	STEEL	NITRIDED	Pistons for this application are not currently available. Refer to the NPR of America online catalog at: www.npramerica.com for the latest product availability information.
	SDH30102-1	112.25		0.098	x	0.163				
	SDH30102-2	112.50	2ND:	2.000	x	4.300	T1	STEEL	NITRIDED	
	SDH30102-3	112.75		0.079	x	0.169				
	SDH30102-4	113.00	OIL:	4.000	x	4.350	E-BC16	STEEL	NITRIDED	
			0.157		0.171					
	REFERENCE #: 13011-4040A		TOP	2ND	OIL					



PISTONS & RINGS USED IN APPLICATIONS OUTSIDE OF USA



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO
DAEWOO: 1.0L (61.0 CID, 995.0 CC), SOHC, 4CYL, 8VALVE, 68.50mm (2.697"), S-TEC II										
GASOLINE ENGINE	SWD20011-0	68.50	1.200	x	2.650	BF-IB	STEEL	CHROME	11-8002-0	68.50 TL: 52.30 PL: 53.00
	SWD20011-1	68.75	0.047	x	0.104				11-8002-1	68.75 CH: 25.30 PD: 17.00
	SWD20011-2	69.00	1.200	x	2.800	T1	CAST IRON	PHOSPHATE	11-8002-2	69.00 DIST1: -3.20 HEAD: NONE
	SWD20011-3	69.25	0.047	x	0.110				11-8002-3	69.25 DIST2: SKIRT: NONE
	SWD20011-4	69.50	2.500	x	2.800	NIFF-S	STEEL	CHROME	11-8002-4	69.50 DIST3:
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	96325192								96325189	
									96325191	
									96567383	
HYUNDAI: 1.0L (61.0 CID, 999.0 CC), SOHC, 4CYL, 66.00mm (2.598"), G4HC										
GASOLINE ENGINE	SWG30018-0	66.00	1.200	x	2.250	BF	STEEL	CHROME	11-8504-0	66.00 TL: 48.00 PL: 60.00
	SWG30018-1	66.25	0.047	x	0.089				11-8504-1	66.25 CH: 25.00 PD: 17.00
	SWG30018-2	66.50	1.200	x	2.900	T1	CAST IRON	PHOSPHATE	11-8504-2	66.50 DIST1: -4.00 HEAD: NONE
	SWG30018-3	66.75	0.047	x	0.114				11-8504-3	66.75 DIST2: -4.50 SKIRT: NONE
	SWG30018-4	67.00	2.500	x	2.750	NIFF-S	STEEL	CHROME	11-8504-4	67.00 DIST3:
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	23040-02700								23410-02700	
									23410-02710	
									23410-02720	
MITSUBISHI: 2.0L (122.0 CID, 1,997.0 CC), DOHC, 4CYL, 16VALVE, 85.00mm (3.346"), G63B										
GASOLINE ENGINE	SWM31013-0	85.00	2.000	x	3.100	BF	STEEL	NITRIDED	11-3042-0	85.00 TL: 74.00 PL: 72.00
	SWM31013-1	85.25	0.079	x	0.122				11-3042-1	85.25 CH: 35.20 PD: 21.00
	SWM31013-2	85.50	2.000	x	3.700	T1	CAST IRON	PHOSPHATE	11-3042-2	85.50 DIST1: 2.00 HEAD: NONE
	SWM31013-3	85.75	0.079	x	0.146				11-3042-3	85.75 DIST2: SKIRT: NONE
	SWM31013-4	86.00	4.000	x	3.250	NIFF-S	STEEL	CHROME	11-3042-4	86.00 DIST3:
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	MD040640								MD040821	
	MD040840									
	MD042580									
MITSUBISHI: 2.4L (143.0 CID, 3,537.0 CC), 4CYL, 91.10mm (3.587"), 4D55T										
DIESEL ENGINE	SDM31055-0	91.10	2.500	x	3.500	BF	DUCTILE IRON	CHROME	11-3048-0	91.10 TL: 88.70 PL: 75.00
	SDM31055-1	91.35	0.098	x	0.138				11-3048-1	91.35 CH: 48.70 PD: 29.00
	SDM31055-2	91.60	2.500	x	3.400	T1	DUCTILE IRON	CHROME	11-3048-2	91.60 DIST1: -2.30 HEAD: NONE
	SDM31055-3	91.85	0.098	x	0.134				11-3048-3	91.85 DIST2: -2.60 SKIRT: NONE
	SDM31055-4	92.10	4.500	x	3.900	E-BC16	STEEL	CHROME	11-3048-4	92.10 DIST3: -3.00
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	MD050395								MD050011	
NISSAN: 1.5L (91.0 CID, 1,487.0 CC), SOHC, 4CYL, 8VALVE, 76.00mm (2.992"), A15										
GASOLINE ENGINE	SWN30052-0	76.00	1.20	x	3.05	BF	STEEL	CHROME	11-3208-0	76.00 TL: 65.00 PL: 63.00
	SWN30052-1	76.25	0.047	x	0.120				11-3208-1	76.25 CH: 30.00 PD: 19.00
	SWN30052-2	76.50	2.00	x	3.40	TUC	CAST IRON	PHOSPHATE	11-3208-2	76.50 DIST1: -2.80 HEAD: NONE
	SWN30052-3	76.75	0.079	x	0.134				11-3208-3	76.75 DIST2: SKIRT: NONE
	SWN30052-4	77.00	4.00	x	3.25	NIFF-S	STEEL	CHROME	11-3208-4	77.00 DIST3:
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12033-H7680								12010-H9704	
	12033-H9800									
	12033-H9810									
NISSAN: 2.2L (132.0 CID, 2,164.0 CC), 4CYL, 83.00mm (3.268"), SD22										
DIESEL ENGINE	SJN31003-0	83.00	2.500	x	3.500	BF	CAST IRON	CHROME	11-3249-0	83.00 TL: 90.00 PL: 71.00
	SJN31003-1	83.25	0.098	x	0.138				11-3249-1	83.25 CH: 48.00 PD: 26.00
	SJN31003-2	83.50	2.000	x	3.400	T1	CAST IRON	CHROME	11-3249-2	83.50 DIST1: -0.60 HEAD: NONE
	SJN31003-3	83.75	0.079	x	0.134				11-3249-3	83.75 DIST2: -2.00 SKIRT: NONE
	SJN31003-4	84.00	2.000	x	3.400	T1	CAST IRON	CHROME	11-3249-4	84.00 DIST3:
	REFERENCE #:		TOP	2ND	OIL1	OIL2			REFERENCE #:	
	12033-37500								12010-J5310	
	12033-76201								12010-Y1411	
									12010-Y5210	




PISTONS & RINGS USED IN APPLICATIONS OUTSIDE OF USA





ENGINE MODEL APPLICATION	PISTON RING PART NUMBER	MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER	MEMO
NISSAN: 2.2L (132.0 CID, 2,164.0 CC), 4CYL, 83.00mm (3.268"), SD22										
DIESEL ENGINE	SDN31023-0	83.00	TOP: 2.500	x	3.700	BF	DUCTILE IRON	CHROME	11-3048-0	83.00 TL: 90.00 PL: 71.00
	SDN31023-1	83.25	0.098	x	0.146				11-3048-1	83.25 CH: 48.00 PD: 26.00
	SDN31023-2	83.50	2ND: 2.000	x	3.700	T1-IC	DUCTILE IRON	CHROME	11-3048-2	83.50 DIST1: -0.60 HEAD: NONE
	SDN31023-3	83.75	0.079	x	0.146				11-3048-3	83.75 DIST2: -1.70 SKIRT: NONE
	SDN31023-4	84.00	OIL: 4.500	x	4.200	E-BC3	CAST IRON	CHROME	11-3048-4	84.00 DIST3: 15.00
			0.177	x	0.165					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12033-L2004								12010-09W10	
	12033-L2005								12010-T6202	
	12033-L2006								12010-T6272	
NISSAN: 2.7L (163.0 CID, 2,664.0 CC), 4CYL, 96.00mm (3.780"), TD27										
DIESEL ENGINE	SDN31035-0	96.00	TOP: 2.500	x	3.650	BF	STEEL	CHROME	11-3301-0	96.00 TL: 87.00 PL: 80.00
	SDN31035-1	96.25	0.098	x	0.144				11-3301-1	96.25 CH: 50.20 PD: 28.00
	SDN31035-2	96.50	2ND: 2.000	x	4.000	T1-IC	DUCTILE IRON	CHROME	11-3301-2	96.50 DIST1: -1.50 HEAD: NONE
	SDN31035-3	96.75	0.079	x	0.157				11-3301-3	96.75 DIST2: SKIRT: NONE
	SDN31035-4	97.00	OIL: 4.000	x	4.350	E-BC3	STEEL	NITRIDED	11-3301-4	97.00 DIST3: 33.00
			0.157	x	0.171					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	12033-43G11								12010-10T02	
	12033-43G10									
TOYOTA: 1.8L (111.0 CID, 1,812.0 CC), 4CYL, 86.00mm (3.386"), 2Y										
GASOLINE ENGINE	SWT10090-0	86.00	TOP: 1.500	x	3.450	BF	STEEL	CHROME	11-3759-0	86.00 TL: 70.00 PL: 66.00
	SWT10090-1	86.25	0.059	x	0.136				11-3759-1	86.25 CH: 35.00 PD: 22.00
	SWT10090-2	86.50	2ND: 1.500	x	4.000	T1	CAST IRON	CHROME	11-3759-2	86.50 DIST1: -2.20 HEAD: NONE
	SWT10090-3	86.75	0.059	x	0.157				11-3759-3	86.75 DIST2: SKIRT: NONE
	SWT10090-4	87.00	OIL: 4.000	x	3.250	NIFF-S	STEEL	CHROME	11-3759-4	87.00 DIST3: 26.00
			0.157	x	0.128					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	13011-71010								13101-72010	
	13011-71020									
	13011-71030									
TOYOTA: 4.0L (241.0 CID, 3,955.0 CC), 6CYL, 94.00mm (3.701"), 3F										
GASOLINE ENGINE	SWT10106-0	94.00	TOP: 1.500	x	3.500	BF	STEEL	NITRIDED	11-3794-0	94.00 TL: 79.50 PL: 75.00
	SWT10106-1	94.25	0.059	x	0.138				11-3794-1	94.25 CH: 37.50 PD: 22.00
	SWT10106-2	94.50	2ND: 1.500	x	4.000	T1	CAST IRON	PHOSPHATE	11-3794-2	94.50 DIST1: HEAD: NONE
	SWT10106-3	94.75	0.059	x	0.157				11-3794-3	94.75 DIST2: SKIRT: NONE
	SWT10106-4	95.00	OIL: 4.000	x	3.300	NIFF-S	STEEL	CHROME	11-3794-4	95.00 DIST3: 26.00
			0.157	x	0.130					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	13011-61060								13101-61030	
TOYOTA: 1.5L (91.0 CID, 1,486.0 CC), OHV, 4CYL, 80.50mm (3.169"), 5K										
GASOLINE ENGINE	SWT10099-0	80.50	TOP: 1.50	x	3.10	BF	STEEL	NITRIDED	11-3729-0	80.50 TL: 80.50 PL: 61.00
	SWT10099-1	80.75	0.059	x	0.122				11-3729-1	80.75 CH: 36.00 PD: 18.00
	SWT10099-2	81.00	2ND: 1.50	x	3.65	T1	CAST IRON	PHOSPHATE	11-3729-2	81.00 DIST1: -3.00 HEAD: NONE
	SWT10099-3	81.25	0.059	x	0.144				11-3729-3	81.25 DIST2: SKIRT: NONE
	SWT10099-4	81.50	OIL: 4.00	x	3.25	NIFF-S	STEEL	NITRIDED	11-3729-4	81.50 DIST3: 13.50
			0.157	x	0.128					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	13011-13040								13101-13040	
	13011-13050									
	13011-13090									
TOYOTA: 3.2L (193.0 CID, 3,168.0 CC), 4CYL, 98.00mm (3.858"), 2B										
DIESEL ENGINE	SJT10084-0	98.00	TOP: 2.540	x	4.100	BF-K3	DUCTILE IRON	CHROME	11-3807-0	98.00 TL: 101.30 PL: 79.00
	SJT10084-1	98.25	0.100	x	0.161				11-3807-1	98.25 CH: 52.30 PD: 29.00
	SJT10084-2	98.50	2ND: 2.500	x	4.300	T1	CAST IRON	CHROME	11-3807-2	98.50 DIST1: -2.80 HEAD: NONE
	SJT10084-3	98.75	0.098	x	0.169				11-3807-3	98.75 DIST2: SKIRT: NONE
	SJT10084-4	99.00	OIL: 4.500	x	4.400	E-BC3	CAST IRON	CHROME	11-3807-4	99.00 DIST3: 18.00
			0.177	x	0.173					
	REFERENCE #:		TOP	2ND	OIL				REFERENCE #:	
	13011-57010								13101-57011	



PISTONS & RINGS USED IN APPLICATIONS OUTSIDE OF USA



ENGINE MODEL APPLICATION	PISTON RING PART NUMBER		MEMO	h1 (B)	x	a1 (T)	RING SHAPE	RING MAT.	SURFACE TREAT.	PISTON PART NUMBER		MEMO					
TOYOTA: 3.2L (182.0 CID, 2,977.0 CC), 4CYL, 95.00mm (3.740"), B																	
DIESEL ENGINE	SJT10070-0	95.00	TOP:	2.540	x	4.100	BF-K3	DUCTILE IRON	CHROME	11-3799-0	95.00	TL:	101.30	PL:	79.00	CHK. DIA	
	SJT10070-1	95.25		0.100	0.161	11-3799-1				95.25	CH:	52.30	PD:	29.00			
	SJT10070-2	95.50	2ND:	2.500	x	4.300	T1	CAST IRON	CHROME	11-3799-2	95.50	DIST1:	-2.50	HEAD:	NONE		33.00
	SJT10070-3	95.75		0.098	0.169	11-3799-3				95.75	DIST2:	-3.60	SKIRT:	NONE			
	SJT10070-4	96.00	OIL:	4.500	x	4.400	E-BC3	CAST IRON	CHROME	11-3799-4	96.00	DIST3:					
				0.177	0.173												
	REFERENCE #:			TOP	2ND		OIL		REFERENCE #:								
	13011-56012								13101-56020								
	13011-56013								13101-56030								
	13011-56021																

