External Security Configuration Assessment

LOCAL QA — ӘҒҚҢӨҰҮҺІ / Финальная проверка complex

Security Snapshot

Generated: 2026-10-24 17:35 UTC · Report: d63f1281-8cc3-4b69-a410-6f7fdad75dc4

Policy: starter-risk-1 · assessment-2

Limited external configuration assessment

This is a limited external configuration assessment, not a penetration test, compliance audit or guarantee of safety. Missing, failed or stale checks do not prove security. Human task completion is not technical resolution.

Executive summary

Saved evidence is available for 4 of 4 enrolled domains. Assessment status: Ready. Findings below describe only the observed scope.

Coverage and recorded findings	Count
Currently authorized domains	4
Unverified or expired domains	0
Domains with usable saved evidence	4
Domains without usable evidence	0
Domains with stale evidence	0
Historical findings excluded from assessed scope	0

Open / High: 4 · Open / Low: 12 · Open / Medium: 8

Top priorities

No.	Risk level / domain	Recorded issue
1	High long-authorized-domain-3-for-local-layout-verification.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION
2	High long-authorized-domain-2-for-local-layout-verification.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION
3	High long-authorized-domain-1-for-local-layout-verification.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION

Scope and method

Only authorized domain names and saved, supported observations are assessed: DNS email-record context, TLS certificate trust/renewal, and root HTTP/HTTPS responses and selected headers. Observation times differ from the report creation time. Failed, inconclusive and unrecorded checks remain gaps, not successful checks.

Excluded: internal networks, malware detection, account auditing, exploitation, port sweeping, continuous monitoring and compliance certification. Current domain proof does not establish permission for every service behind a domain.

Domain	Scope status	Last collection (UTC)
long-authorized-domain-0-for-local-layout-verification.example.com	Evidence available Completed	2026-10-24 17:35 UTC
long-authorized-domain-1-for-local-layout-verification.example.com	Evidence available Completed	2026-10-24 17:35 UTC
long-authorized-domain-2-for-local-layout-verification.example.com	Evidence available Completed	2026-10-24 17:35 UTC
long-authorized-domain-3-for-local-layout-verification.example.com	Evidence available Completed	2026-10-24 17:35 UTC

Findings and evidence

01 / Certificate renewal was due within 7 days

High · Open · long-authorized-domain-3-for-local-layout-verification.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/914ac411-03e2-4455-bd9a-af4b90ff24e2

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776928 not_after: 1793295328 protocol: TLSv1.3	4ae7da79-a75b-49a0-a7e6-2edecd7ff494

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

02 / Certificate renewal was due within 7 days

High · Open · long-authorized-domain-2-for-local-layout-verification.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/e6fedd6e-a3fa-4bcc-ba1b-03530dedc958

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776927 not_after: 1793295327 protocol: TLSv1.3	01f51a59-18c6-4885-9ef4-7959ba4de7ff

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

03 / Certificate renewal was due within 7 days

High · Open · long-authorized-domain-1-for-local-layout-verification.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/2bf9e899-68b2-40a0-b625-05dacf8805d7

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776926 not_after: 1793295326 protocol: TLSv1.3	32b84a55-8706-45c2-b7f6-edde717428ff

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

04 / Certificate renewal was due within 7 days

High · Open · long-authorized-domain-0-for-local-layout-verification.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/380550de-58ef-460f-9e58-99f20f419618

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776925 not_after: 1793295325 protocol: TLSv1.3	8fcb1991-6dde-49a2-b7d2-f14b1fcf8ae5

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

05 / Multiple SPF policies were observed

Medium · Open · long-authorized-domain-3-for-local-layout-verification.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/46bfe3f5-0c92-45c6-8cc6-5c629aa98b5b

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	c5ca0087-fa10-41da -bf89-98f3ca08855d

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

06 / Multiple SPF policies were observed

Medium · Open · long-authorized-domain-2-for-local-layout-verification.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/f13cc47d-fbc2-4770-bd61-37037a9440bd

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	2ce36568-1db4-4d25-aa3e-ac5be08f9cc9

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

07 / Multiple SPF policies were observed

Medium · Open · long-authorized-domain-1-for-local-layout-verification.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/99f618fc-bee7-4377-bb28-389be83a4f91

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	3d074d57-d02b-47b6-aa59-9160912fa29f

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

08 / Multiple SPF policies were observed

Medium · Open · long-authorized-domain-0-for-local-layout-verification.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/7ea19951-17a4-4755-a75c-3abcaf8c7d05

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	590a7025-216d-4eb7-8224-62c90faea2c4

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

09 / Review a basic DMARC policy format problem

Medium · Open · long-authorized-domain-3-for-local-layout-verification.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/4518f448-2463-4e60-9783-34138dce784a

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	bf4ead72-5eff-4408-b73a-0e7f9bc063c5

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

10 / Review a basic DMARC policy format problem

Medium · Open · long-authorized-domain-2-for-local-layout-verification.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/824d7cdf-6444-4354-b20d-269953e77d57

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	baaa15d6-dbb2-443c-8053-a90b4df4b4da

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

11 / Review a basic DMARC policy format problem

Medium · Open · long-authorized-domain-1-for-local-layout-verification.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/cfbdad55-9a47-4613-8551-b3c6d14de79a

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	f51df092-9d9b-456b -8b3c-9efeead63866

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

12 / Review a basic DMARC policy format problem

Medium · Open · long-authorized-domain-0-for-local-layout-verification.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/d42def71-dfdd-43f1-a30f-cfc3eaa6ca77

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	0908569f-b877-4fd6-b6a1-95b2181c67ee

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

13 / Review the response content-type safeguard

Low · Open · long-authorized-domain-3-for-local-layout-verification.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/878d1270-1aa3-4873-86d1-72c3b55c3153

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776928 not_after: 1793295328 protocol: TLSv1.3	4ae7da79-a75b-49a0-a7e6-2edecd7ff494
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	181ffec4-3945-44b2-b5ea-3287f215d9f5
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	6aa311db-9f22-40bf-8bf2-c9b1189780f2

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

14 / Review the HTTPS transport policy

Low · Open · long-authorized-domain-3-for-local-layout-verification.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/a59c66cc-9f34-49e7-8223-e21898b32abf

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776928 not_after: 1793295328 protocol: TLSv1.3	4ae7da79-a75b-49a0-a7e6-2edecd7ff494
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	181ffec4-3945-44b2-b5ea-3287f215d9f5
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	86e722c5-9fc1-40f5-aa66-0edacda37726

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

15 / HTTP root does not immediately redirect to HTTPS

Low · Open · long-authorized-domain-3-for-local-layout-verification.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/4f6a266a-cda0-4868-b758-d0ca7d5b74e4

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776928 not_after: 1793295328 protocol: TLSv1.3	4ae7da79-a75b-49a0-a7e6-2edecd7ff494
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	181ffec4-3945-44b2-b5ea-3287f215d9f5
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	1a1e3a51-4542-46a9-a21b-9cee133e278c

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

16 / Review the HTTPS transport policy

Low · Open · long-authorized-domain-2-for-local-layout-verification.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/b1fc3a99-52d8-45ec-8183-811d78456e46

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776927 not_after: 1793295327 protocol: TLSv1.3	01f51a59-18c6-4885-9ef4-7959ba4de7ff
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	f044d3ca-a90f-4e72-93a0-67f22d932e80
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	0f2b821c-c8c1-4df3-8e10-be37c3eeb97c

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

17 / Review the response content-type safeguard

Low · Open · long-authorized-domain-2-for-local-layout-verification.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/820a4fa1-a90e-4fc5-9de7-c84f9ba3ccd2

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776927 not_after: 1793295327 protocol: TLSv1.3	01f51a59-18c6-4885-9ef4-7959ba4de7ff
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	f044d3ca-a90f-4e72-93a0-67f22d932e80
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	a34e557f-c96c-489d-bc07-b0511a0976a5

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

18 / HTTP root does not immediately redirect to HTTPS

Low · Open · long-authorized-domain-2-for-local-layout-verification.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/0732aa03-d4f7-4027-aa5c-fb0e0878f89d

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776927 not_after: 1793295327 protocol: TLSv1.3	01f51a59-18c6-4885-9ef4-7959ba4de7ff
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	f044d3ca-a90f-4e72-93a0-67f22d932e80
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	781bfed9-8a6f-4f70-a91d-604f6e615dbc

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

19 / HTTP root does not immediately redirect to HTTPS

Low · Open · long-authorized-domain-1-for-local-layout-verification.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/27dd0460-e229-4d06-a4b3-240c08712eee

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776926 not_after: 1793295326 protocol: TLSv1.3	32b84a55-8706-45c2-b7f6-edde717428ff
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	ac4d1d6f-e395-41d7-9dcc-9a01bc067d5a
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	95a3794c-f3e4-4962-88ef-3b08cad0dd18

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

20 / Review the HTTPS transport policy

Low · Open · long-authorized-domain-1-for-local-layout-verification.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/b6fff8aa-0401-4f58-bc2b-9443ac9793a7

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776926 not_after: 1793295326 protocol: TLSv1.3	32b84a55-8706-45c2-b7f6-edde717428ff
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	ac4d1d6f-e395-41d7-9dcc-9a01bc067d5a
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	cd7fc847-dba9-4e0e-b4e4-13a9e04cf052

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

21 / Review the response content-type safeguard

Low · Open · long-authorized-domain-1-for-local-layout-verification.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/6465ce1c-8b28-4239-8579-d7d3025096ea

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776926 not_after: 1793295326 protocol: TLSv1.3	32b84a55-8706-45c2-b7f6-edde717428ff
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	ac4d1d6f-e395-41d7-9dcc-9a01bc067d5a
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	420c4201-316e-465d-9740-cae8691344bd

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

22 / Review the response content-type safeguard

Low · Open · long-authorized-domain-0-for-local-layout-verification.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/5bbd44cc-a017-4216-b50c-b59f1823304e

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776925 not_after: 1793295325 protocol: TLSv1.3	8fcb1991-6dde-49a2-b7d2-f14b1fcf8ae5
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	54e1e672-19ae-4aab-94f2-e13c16029fa8
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	2f77865d-03d4-481e-bf7a-55ead6245b47

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

23 / Review the HTTPS transport policy

Low · Open · long-authorized-domain-0-for-local-layout-verification.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/c31a3d67-c803-4f05-bf1a-aed7373d8f07

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776925 not_after: 1793295325 protocol: TLSv1.3	8fcb1991-6dde-49a2-b7d2-f14b1fcf8ae5
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	54e1e672-19ae-4aab-94f2-e13c16029fa8
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	b39675f0-76d9-4aef-a8b0-225af1d149c0

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

24 / HTTP root does not immediately redirect to HTTPS

Low · Open · long-authorized-domain-0-for-local-layout-verification.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 17:35 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/03b86785-7513-42bb-9892-710f87369b58

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776925 not_after: 1793295325 protocol: TLSv1.3	8fcb1991-6dde-49a2-b7d2-f14b1fcf8ae5
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	54e1e672-19ae-4aab-94f2-e13c16029fa8
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	12f3e299-f165-41a8-89bf-5250f3a4d616

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

Remediation work

Human task status does not determine finding resolution.

Task status	Count
Done	1
In progress	1
To do	1

Certificate renewal was due within 7 days

long-authorized-domain-3-for-local-layout-verification.example.com · Task status: To do · Finding status: Open

Owner label: LOCAL QA — Әкімші / ИТ-провайдер

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

Updated: 2026-10-24 17:35 UTC · /app/tasks/3805803b-d7d5-43eb-9f2a-e4f84f0b99f8

Certificate renewal was due within 7 days

long-authorized-domain-2-for-local-layout-verification.example.com · Task status: In progress · Finding status: Open

Owner label: LOCAL QA — Әкімші / ИТ-провайдер

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

Updated: 2026-10-24 17:35 UTC · /app/tasks/7a7df7b4-de3f-473d-b9dd-1ee92d6c0e72

Certificate renewal was due within 7 days

long-authorized-domain-1-for-local-layout-verification.example.com · Task status: Done · Finding status: Open

Owner label: LOCAL QA — Әкімші / ИТ-провайдер

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

Updated: 2026-10-24 17:35 UTC · /app/tasks/8e7d00dd-64d8-4433-8b97-93daee519cf6

Task marked done - remediation not yet verified

Reading this assessment

A finding is a supported configuration condition, not necessarily an exploitable vulnerability. Severity and priority come from the recorded policy; no CVSS score or CVE is invented. Inconclusive means evidence was insufficient. Stale means the observation may no longer describe the current configuration. Only a later comparable check confirms resolution.

This is a limited external configuration assessment, not a penetration test, compliance audit or guarantee of safety. Missing, failed or stale checks do not prove security. Human task completion is not technical resolution.

Appendix: saved check inventory

Protocol identifiers, evidence values and source references below are preserved exactly. Empty values are not a claim of safety. References identify records inside the authenticated workspace; they grant no public access.

long-authorized-domain-0-for-local-layout-verification.example.com

Evidence available

Ownership proof valid until: 2026-11-23 17:35 UTC

52b1e78a-5e43-408f-943f-77fe1a53f2fe · /app/assets#asset-a5937391-3f95-4bae-ace2-6b786233c30a

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 17:35 UTC Informational	No additional retained values.	a7d4e8cf-01f3-4239-a231-a9719650b3f9
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	0908569f-b877-4fd6-b6a1-95b2181c67ee
DNS_MX_PRESENT 2026-10-24 17:35 UTC Informational	record_count: 1	0fe3422c-5513-4169-9fda-7ea07d23eb07
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	590a7025-216d-4eb7-8224-62c90faea2c4
HTTPS_CSP 2026-10-24 17:35 UTC Needs attention	No additional retained values.	ea67585c-4c17-4029-9e4c-081f8c72cc9f

Check / observation time	Recorded technical values	Observation ID:
HTTPS_FRAME 2026-10-24 17:35 UTC Needs attention	No additional retained values.	6358e460-b67f-4b9a-b165-b4f0b11e02db
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	b39675f0-76d9-4aef-a8b0-225af1d149c0
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	2f77865d-03d4-481e-bf7a-55ead6245b47
HTTPS_PERMISSIONS 2026-10-24 17:35 UTC Needs attention	No additional retained values.	d6505a44-0ad2-42ef-b55f-aeffe971dcd8
HTTPS_REFERRER 2026-10-24 17:35 UTC Needs attention	No additional retained values.	3e904c3a-df99-4864-b6f1-39c701ac37fc
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	54e1e672-19ae-4aab-94f2-e13c16029fa8
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	12f3e299-f165-41a8-89bf-5250f3a4d616
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776925 not_after: 1793295325 protocol: TLSv1.3	8fcb1991-6dde-49a2-b7d2-f14b1fcf8ae5

long-authorized-domain-1-for-local-layout-verification.example.com

Evidence available

Ownership proof valid until: 2026-11-23 17:35 UTC

6bc446a2-d33e-4f4d-bae8-35bdb44c6c7b · /app/assets#asset-81f1e2e1-2edb-4e2a-ba08-e54e04705684

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 17:35 UTC Informational	No additional retained values.	afa494f0-ad34-48d3-903b-34f3bfd5a279
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	f51df092-9d9b-456b-8b3c-9efeead63866
DNS_MX_PRESENT 2026-10-24 17:35 UTC Informational	record_count: 1	91cfb0a5-6a17-410a-8be9-842d2da89d0b
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	3d074d57-d02b-47b6-aa59-9160912fa29f

Check / observation time	Recorded technical values	Observation ID:
HTTPS_CSP 2026-10-24 17:35 UTC Needs attention	No additional retained values.	9176cd13-3886-465e-8d7e-7dbba5e3e135
HTTPS_FRAME 2026-10-24 17:35 UTC Needs attention	No additional retained values.	a3ae343f-70c6-40c3-b3ae-659a2950f57d
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	cd7fc847-dba9-4e0e-b4e4-13a9e04cf052
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	420c4201-316e-465d-9740-cae8691344bd
HTTPS_PERMISSIONS 2026-10-24 17:35 UTC Needs attention	No additional retained values.	d72e6bdf-0f5d-467e-acec-dfbc7cd26dc4
HTTPS_REFERRER 2026-10-24 17:35 UTC Needs attention	No additional retained values.	6c479698-9d44-41b0-a7cd-34aa9240d6e5
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	ac4d1d6f-e395-41d7-9dcc-9a01bc067d5a
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	95a3794c-f3e4-4962-88ef-3b08cad0dd18
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776926 not_after: 1793295326 protocol: TLSv1.3	32b84a55-8706-45c2-b7f6-edde717428ff

long-authorized-domain-2-for-local-layout-verification.example.com

Evidence available

Ownership proof valid until: 2026-11-23 17:35 UTC

81237018-50d7-4bbf-9038-e6d4e70e45b4 · /app/assets#asset-42d2eac4-9e00-4adb-aae2-49697c9d28d7

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 17:35 UTC Informational	No additional retained values.	5ab758f4-706d-4ac5-9808-0923c1dbaeef
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	baaa15d6-dbb2-443c-8053-a90b4df4b4da
DNS_MX_PRESENT 2026-10-24 17:35 UTC Informational	record_count: 1	6d5790ca-b74f-47a3-9b9f-7601b68826f6

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	2ce36568-1db4-4d25-aa3e-ac5be08f9cc9
HTTPS_CSP 2026-10-24 17:35 UTC Needs attention	No additional retained values.	78eef187-9980-4a0e-8740-6e548491fa41
HTTPS_FRAME 2026-10-24 17:35 UTC Needs attention	No additional retained values.	3f4c5b13-4d9b-4f60-b4c1-6d06dedbb715
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	0f2b821c-c8c1-4df3-8e10-be37c3eeb97c
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	a34e557f-c96c-489d-bc07-b0511a0976a5
HTTPS_PERMISSIONS 2026-10-24 17:35 UTC Needs attention	No additional retained values.	e0aa9715-6385-42df-9449-dc0d4f367bdb
HTTPS_REFERRER 2026-10-24 17:35 UTC Needs attention	No additional retained values.	30f63fa4-a07a-432e-a462-8bbd5e72a8e1
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	f044d3ca-a90f-4e72-93a0-67f22d932e80
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	781bfed9-8a6f-4f70-a91d-604f6e615dbc
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776927 not_after: 1793295327 protocol: TLSv1.3	01f51a59-18c6-4885-9ef4-7959ba4de7ff

long-authorized-domain-3-for-local-layout-verification.example.com

Evidence available

Ownership proof valid until: 2026-11-23 17:35 UTC

489c3c61-9c6f-4612-bd0b-ba17c17f56d8 · /app/assets#asset-358d5fad-31f4-46b5-8e11-48fb81407a55

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 17:35 UTC Informational	No additional retained values.	a07807a6-637f-422f-8a5d-6682cd5ee1c4
DNS_DMARC_PRESENT 2026-10-24 17:35 UTC Needs attention	policy: malformed record_count: 1	bf4ead72-5eff-4408-b73a-0e7f9bc063c5

Check / observation time	Recorded technical values	Observation ID:
DNS_MX_PRESENT 2026-10-24 17:35 UTC Informational	record_count: 1	e8e5ff69-d693-4ff6-8a74-7df7fdc98060
DNS_SPF_PRESENT 2026-10-24 17:35 UTC Needs attention	record_count: 2	c5ca0087-fa10-41da-bf89-98f3ca08855d
HTTPS_CSP 2026-10-24 17:35 UTC Needs attention	No additional retained values.	bbc47c9c-3124-4b67-8147-2e6192ef9ac1
HTTPS_FRAME 2026-10-24 17:35 UTC Needs attention	No additional retained values.	cf33c78b-a6f7-4727-991b-aa343a46d643
HTTPS_HSTS 2026-10-24 17:35 UTC Needs attention	header: strict-transport-security observation: missing	86e722c5-9fc1-40f5-aa66-0edacda37726
HTTPS_NOSNIFF 2026-10-24 17:35 UTC Needs attention	header: x-content-type-options observation: missing	6aa311db-9f22-40bf-8bf2-c9b1189780f2
HTTPS_PERMISSIONS 2026-10-24 17:35 UTC Needs attention	No additional retained values.	b1f94159-48d6-4a50-a1ee-6cd938a19dae
HTTPS_REFERRER 2026-10-24 17:35 UTC Needs attention	No additional retained values.	02ae0a01-b0c8-4506-a6bc-cbfb2d09a6ef
HTTPS_RESPONSE 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	181ffec4-3945-44b2-b5ea-3287f215d9f5
HTTP_REDIRECT 2026-10-24 17:35 UTC Informational	status: 200 method: HEAD path: /	1a1e3a51-4542-46a9-a21b-9cee133e278c
TLS_CERTIFICATE 2026-10-24 17:35 UTC pass	not_before: 1792776928 not_after: 1793295328 protocol: TLSv1.3	4ae7da79-a75b-49a0-a7e6-2edecd7ff494