External Security Configuration Assessment

LOCAL QA — Long report / ƏFĶĦΘ¥YhI <script> & "TOO"

Security Snapshot

Generated: 2026-10-24 19:03 UTC · Report: 81a07f08-4d2a-4a8f-90d6-007c8de6c54f

Policy: starter-risk-1 · assessment-2

Limited external configuration assessment

This is a limited external configuration assessment, not a penetration test, compliance audit or guarantee of safety. Missing, failed or stale checks do not prove security. Human task completion is not technical resolution.

Executive summary

Saved evidence is available for 4 of 4 enrolled domains. Assessment status: Ready. Findings below describe only the observed scope.

Coverage and recorded findings	Count
Currently authorized domains	4
Unverified or expired domains	0
Domains with usable saved evidence	4
Domains without usable evidence	0
Domains with stale evidence	0
Historical findings excluded from assessed scope	0

Open / High: 4 · Open / Low: 12 · Open / Medium: 8

Top priorities

No.	Risk level / domain	Recorded issue
1	High qa-long-authorized-domain-4-for-layout.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION
2	High qa-long-authorized-domain-3-for-layout.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION
3	High qa-long-authorized-domain-2-for-layout.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION

Scope and method

Only authorized domain names and saved, supported observations are assessed: DNS email-record context, TLS certificate trust/renewal, and root HTTP/HTTPS responses and selected headers. Observation times differ from the report creation time. Failed, inconclusive and unrecorded checks remain gaps, not successful checks.

Excluded: internal networks, malware detection, account auditing, exploitation, port sweeping, continuous monitoring and compliance certification. Current domain proof does not establish permission for every service behind a domain.

Domain	Scope status	Last collection (UTC)
qa-long-authorized-domain-1-for-layout.example.com	Evidence available Completed	2026-10-24 19:03 UTC
qa-long-authorized-domain-2-for-layout.example.com	Evidence available Completed	2026-10-24 19:03 UTC
qa-long-authorized-domain-3-for-layout.example.com	Evidence available Completed	2026-10-24 19:03 UTC
qa-long-authorized-domain-4-for-layout.example.com	Evidence available Completed	2026-10-24 19:03 UTC

Findings and evidence

01 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/d6764411-1480-46f5-a6db-36b28ee33cdc

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865036 not_after: 1793300636 protocol: TLSv1.3	4f30eeea-95ff-4338-894a-b0b767c1ccd4

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

02 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/9dd9497f-0a2e-4bec-9d1e-ebbf275870bb

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865035 not_after: 1793300635 protocol: TLSv1.3	4f2c10e6-ad9d-4cd2 -a4f8-fb2555abd5a1

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

03 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/4877d771-a7ce-4bdd-b814-e4e280988e01

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865034 not_after: 1793300634 protocol: TLSv1.3	9ebc12b0-11c8-4d0e-aed1-f53c4a5c620f

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

04 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/2c4d5c55-6d6f-4630-b970-33ae2b276850

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865033 not_after: 1793300633 protocol: TLSv1.3	286c16a4-3a2a-4a8e-bf7b-5415f952ebf5

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

05 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/bc098733-18ab-429c-a105-78824857626b

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	92dbc916-f20b-4709-9055-e25cbd1ac803

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

06 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/46a142c5-8dd6-4fea-8f78-9fe09f8dd78d

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	50810736-fb7e-4462-85d7-39456db43dd4

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

07 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/50eb9758-8cd3-42ca-9a03-4ebb89797f5d

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	f44026a9-acf2-455e-bca8-764b51cb5fe4

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

08 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/fdb913b7-0471-4b97-aa5d-2fa725b5ccc1

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	67e2fad8-b671-41fa -9ddf-1d15564ec76c

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

09 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/c8525820-c7b1-4001-8017-0f38d465c5aa

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	4534c3ef-2f00-4ffb-a39d-44579dbb3eb0

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

10 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/66eb34d5-f48e-4796-aa45-954c44522385

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	c9960d59-b1ff-4055-a70b-254e329ceae2

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

11 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/aad1da71-e5f6-4763-9b1a-1208c2721c4e

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	3adb57de-8c04-428c-bd19-f10b783cfc4d

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

12 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/5508cce2-031b-450f-add0-b6da523408d5

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	bf830bde-fd14-46ac-9166-3f0b0816577d

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

13 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/c7beda90-372a-4a4d-83ea-83dc4206cf7a

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865036 not_after: 1793300636 protocol: TLSv1.3	4f30eeea-95ff-4338-894a-b0b767c1ccd4
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	f26e3ffa-9194-425e-bf80-998f606ed3ff
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	7dbf8644-33f7-49da-9fbb-1c5616be5226

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

14 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/956d5b59-68be-4bdf-9d5d-02b4dd950eeb

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865036 not_after: 1793300636 protocol: TLSv1.3	4f30eeea-95ff-4338-894a-b0b767c1ccd4
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	f26e3ffa-9194-425e-bf80-998f606ed3ff
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	58d7d506-a138-42bb-ae73-0d4c9dde943f

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

15 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/55f7f786-b0bc-4504-bf17-12cf53072462

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865036 not_after: 1793300636 protocol: TLSv1.3	4f30eeea-95ff-4338-894a-b0b767c1ccd4
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	f26e3ffa-9194-425e-bf80-998f606ed3ff
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	b5ac87b1-a81a-469f-9979-f8ec25295fed

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

16 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/a6e412ad-d383-4a77-b8c8-802146294f54

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865035 not_after: 1793300635 protocol: TLSv1.3	4f2c10e6-ad9d-4cd2-a4f8-fb2555abd5a1
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	c0047ba0-dcc2-4417-8358-6045225b9d30
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	44f96f1a-5b2e-4cbd-885a-ce187d6d2230

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

17 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/ce52b1eb-bf44-4026-b02b-f3e535a89071

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865035 not_after: 1793300635 protocol: TLSv1.3	4f2c10e6-ad9d-4cd2-a4f8-fb2555abd5a1
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	c0047ba0-dcc2-4417-8358-6045225b9d30
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	cdfd42ef-659b-43d1-bb31-cceba3770ae5

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

18 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/09402c90-27bd-48dc-aac8-c15c6d86cc45

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865035 not_after: 1793300635 protocol: TLSv1.3	4f2c10e6-ad9d-4cd2-a4f8-fb2555abd5a1
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	c0047ba0-dcc2-4417-8358-6045225b9d30
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	0edfaf54-4499-4854-8cee-4f4bc4e51b81

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

19 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/bcf5b017-bbaf-4c41-9878-690721dbded8

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865034 not_after: 1793300634 protocol: TLSv1.3	9ebc12b0-11c8-4d0e-aed1-f53c4a5c620f
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	4dce39cd-85e7-4e82-a6fc-38e64e50c0f2
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	1ce57106-9221-4786-b865-7c942b9c9b4d

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

20 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/0505b09b-c9cd-4e57-a232-6af708094a0a

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865033 not_after: 1793300633 protocol: TLSv1.3	286c16a4-3a2a-4a8e-bf7b-5415f952ebf5
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	fb58fb75-2e69-4cef-9240-84763caf634f
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	dc2933ab-b414-44f8-804d-e4b4bf87c54a

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

21 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/be42ba45-a824-40c4-b7b5-df5c0299de33

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865034 not_after: 1793300634 protocol: TLSv1.3	9ebc12b0-11c8-4d0e-aed1-f53c4a5c620f
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	4dce39cd-85e7-4e82-a6fc-38e64e50c0f2
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	f08352d7-36fd-45f0-9924-5aca17b813be

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

22 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/23ecaac8-33ab-410b-8c5e-837e1bb9e16c

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865034 not_after: 1793300634 protocol: TLSv1.3	9ebc12b0-11c8-4d0e-aed1-f53c4a5c620f
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	4dce39cd-85e7-4e82-a6fc-38e64e50c0f2
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	a44126af-bef5-4d13-8619-253ceaed905a

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

23 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/2f093852-07dc-4124-9219-74a6eaabca54

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865033 not_after: 1793300633 protocol: TLSv1.3	286c16a4-3a2a-4a8e-bf7b-5415f952ebf5
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	fb58fb75-2e69-4cef-9240-84763caf634f
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	84857fd1-eb37-4a37-8a07-f015ad9b3cb2

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

24 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-24 19:03 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/ccc0c8ef-6173-472a-a6d3-45eae762f301

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865033 not_after: 1793300633 protocol: TLSv1.3	286c16a4-3a2a-4a8e-bf7b-5415f952ebf5
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	fb58fb75-2e69-4cef-9240-84763caf634f
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	820b683a-3f0f-4a35-b484-1f23cbcc38b7

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

Remediation work

Human task status does not determine finding resolution.

No tasks in the assessed scope.

Reading this assessment

A finding is a supported configuration condition, not necessarily an exploitable vulnerability. Severity and priority come from the recorded policy; no CVSS score or CVE is invented. Inconclusive means evidence was insufficient. Stale means the observation may no longer describe the current configuration. Only a later comparable check confirms resolution.

This is a limited external configuration assessment, not a penetration test, compliance audit or guarantee of safety. Missing, failed or stale checks do not prove security. Human task completion is not technical resolution.

Appendix: saved check inventory

Protocol identifiers, evidence values and source references below are preserved exactly. Empty values are not a claim of safety. References identify records inside the authenticated workspace; they grant no public access.

qa-long-authorized-domain-1-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-23 19:03 UTC

d8e50988-7e72-4f68-8670-cf36ecf6caf3 · /app/assets#asset-98a9adfd-fb8e-488e-aa6c-b151b37f2218

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 19:03 UTC Informational	No additional retained values.	377d667a-94d7-404f-bc23-dfe4a07bb5db
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	bf830bde-fd14-46ac-9166-3f0b0816577d
DNS_MX_PRESENT 2026-10-24 19:03 UTC Informational	record_count: 1	bf2f6b7e-e9bb-4132-afb0-ea16dbba1846
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	67e2fad8-b671-41fa-9ddf-1d15564ec76c
HTTPS_CSP 2026-10-24 19:03 UTC Needs attention	No additional retained values.	9f58f7e4-bce6-4b12-874f-4e3a2e2d974f
HTTPS_FRAME 2026-10-24 19:03 UTC Needs attention	No additional retained values.	4e33915d-36c7-4bf6-b850-3044774ec8a5
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	84857fd1-eb37-4a37-8a07-f015ad9b3cb2
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	820b683a-3f0f-4a35-b484-1f23cbcc38b7
HTTPS_PERMISSIONS 2026-10-24 19:03 UTC Needs attention	No additional retained values.	fffcc307-689d-43a9-aec9-8915a0f4462a
HTTPS_REFERRER 2026-10-24 19:03 UTC Needs attention	No additional retained values.	d8d5aed7-9f94-4e76-9dea-831311c635a9
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	fb58fb75-2e69-4cef-9240-84763caf634f
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	dc2933ab-b414-44f8-804d-e4b4bf87c54a

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865033 not_after: 1793300633 protocol: TLSv1.3	286c16a4-3a2a-4a8e-bf7b-5415f952ebf5

qa-long-authorized-domain-2-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-23 19:03 UTC

87f3f299-6a44-4fd7-bb36-18e6ee3ba922 · /app/assets#asset-1227b12d-8dd4-4d2a-aab4-7feccd0e1b17

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 19:03 UTC Informational	No additional retained values.	a51285cc-be1f-42c6-ae33-ea1ba5f5690c
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	3adb57de-8c04-428c-bd19-f10b783cfc4d
DNS_MX_PRESENT 2026-10-24 19:03 UTC Informational	record_count: 1	f116d581-50c3-49fe-92b7-1491a821e8c6
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	f44026a9-acf2-455e-bca8-764b51cb5fe4
HTTPS_CSP 2026-10-24 19:03 UTC Needs attention	No additional retained values.	65f95536-cb58-493b-8502-c6c325408903
HTTPS_FRAME 2026-10-24 19:03 UTC Needs attention	No additional retained values.	1694051b-cfad-4c2a-9238-c086aadb5b34
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	f08352d7-36fd-45f0-9924-5aca17b813be
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	a44126af-bef5-4d13-8619-253ceaed905a
HTTPS_PERMISSIONS 2026-10-24 19:03 UTC Needs attention	No additional retained values.	4cb6288e-7ea1-4002-87a5-1181672816ae
HTTPS_REFERRER 2026-10-24 19:03 UTC Needs attention	No additional retained values.	3f832614-01be-4618-b078-735a588f289a
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	4dce39cd-85e7-4e82-a6fc-38e64e50c0f2

Check / observation time	Recorded technical values	Observation ID:
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	1ce57106-9221-4786-b865-7c942b9c9b4d
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865034 not_after: 1793300634 protocol: TLSv1.3	9ebc12b0-11c8-4d0e-aed1-f53c4a5c620f

qa-long-authorized-domain-3-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-23 19:03 UTC

ab18695c-5a95-4fdf-95ad-cfd88872c18d · /app/assets#asset-74d6171f-998b-4ca3-8261-38bc0939eae0

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 19:03 UTC Informational	No additional retained values.	40bd7140-0710-4108-96ff-861c685bcec5
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	4534c3ef-2f00-4ffb-a39d-44579dbb3eb0
DNS_MX_PRESENT 2026-10-24 19:03 UTC Informational	record_count: 1	b6cd28aa-dea5-4acb-b1bf-a0366e05fdab
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	92dbc916-f20b-4709-9055-e25cbd1ac803
HTTPS_CSP 2026-10-24 19:03 UTC Needs attention	No additional retained values.	2be7d094-bb48-4bb8-a03c-06cb20c13841
HTTPS_FRAME 2026-10-24 19:03 UTC Needs attention	No additional retained values.	f9856ff7-919e-4b04-b54a-b631efa82005
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	cdfd42ef-659b-43d1-bb31-cceba3770ae5
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	0edfaf54-4499-4854-8cee-4f4bc4e51b81
HTTPS_PERMISSIONS 2026-10-24 19:03 UTC Needs attention	No additional retained values.	520ab328-f0ec-41c4-bdf6-16c6fbe83a25
HTTPS_REFERRER 2026-10-24 19:03 UTC Needs attention	No additional retained values.	1d29fbca-8d0c-48e8-889d-59452f79aa1d

Check / observation time	Recorded technical values	Observation ID:
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	c0047ba0-dcc2-4417-8358-6045225b9d30
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	44f96f1a-5b2e-4cbd-885a-ce187d6d2230
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865035 not_after: 1793300635 protocol: TLSv1.3	4f2c10e6-ad9d-4cd2-a4f8-fb2555abd5a1

qa-long-authorized-domain-4-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-23 19:03 UTC

aab4c5dd-3e30-4f76-92c1-a098395f5c70 · /app/assets#asset-15431c6a-1ae8-44a9-82f7-55688717c55a

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-24 19:03 UTC Informational	No additional retained values.	3122df44-8075-4bda-98dc-05e8afa9890b
DNS_DMARC_PRESENT 2026-10-24 19:03 UTC Needs attention	policy: malformed record_count: 1	c9960d59-b1ff-4055-a70b-254e329ceae2
DNS_MX_PRESENT 2026-10-24 19:03 UTC Informational	record_count: 1	558ca076-ef3b-4643-8c8a-637a7bb670ae
DNS_SPF_PRESENT 2026-10-24 19:03 UTC Needs attention	record_count: 2	50810736-fb7e-4462-85d7-39456db43dd4
HTTPS_CSP 2026-10-24 19:03 UTC Needs attention	No additional retained values.	7d251dd6-712e-4795-bc8c-e794a4caa50a
HTTPS_FRAME 2026-10-24 19:03 UTC Needs attention	No additional retained values.	f549011b-004d-4f67-88ab-8ff093e0277a
HTTPS_HSTS 2026-10-24 19:03 UTC Needs attention	header: strict-transport-security observation: missing	58d7d506-a138-42bb-ae73-0d4c9dde943f
HTTPS_NOSNIFF 2026-10-24 19:03 UTC Needs attention	header: x-content-type-options observation: missing	7dbf8644-33f7-49da-9fbb-1c5616be5226
HTTPS_PERMISSIONS 2026-10-24 19:03 UTC Needs attention	No additional retained values.	2b06b1d6-5ac7-428c-9f69-0e0707dde2bd

Check / observation time	Recorded technical values	Observation ID:
HTTPS_REFERRER 2026-10-24 19:03 UTC Needs attention	No additional retained values.	131f5525-23b3-4ee6-a3fd-b7edcd25a0a1
HTTPS_RESPONSE 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	f26e3ffa-9194-425e-bf80-998f606ed3ff
HTTP_REDIRECT 2026-10-24 19:03 UTC Informational	status: 200 method: HEAD path: /	b5ac87b1-a81a-469f-9979-f8ec25295fed
TLS_CERTIFICATE 2026-10-24 19:03 UTC pass	not_before: 1792865036 not_after: 1793300636 protocol: TLSv1.3	4f30eeea-95ff-4338-894a-b0b767c1ccd4