External Security Configuration Assessment

LOCAL QA — Long report / ƏFĶĦΘ¥YhI <script> & "TOO"

Security Snapshot

Generated: 2026-10-25 12:18 UTC · Report: 14c02040-dfb7-45d6-b158-309ed762866b

Policy: starter-risk-1 · assessment-2

Limited external configuration assessment

This is a limited external configuration assessment, not a penetration test, compliance audit or guarantee of safety. Missing, failed or stale checks do not prove security. Human task completion is not technical resolution.

Executive summary

Saved evidence is available for 4 of 4 enrolled domains. Assessment status: Ready. Findings below describe only the observed scope.

Coverage and recorded findings	Count
Currently authorized domains	4
Unverified or expired domains	0
Domains with usable saved evidence	4
Domains without usable evidence	0
Domains with stale evidence	0
Historical findings excluded from assessed scope	0

Open / High: 4 · Open / Low: 12 · Open / Medium: 8

Top priorities

No.	Risk level / domain	Recorded issue
1	High qa-long-authorized-domain-4-for-layout.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION
2	High qa-long-authorized-domain-3-for-layout.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION
3	High qa-long-authorized-domain-2-for-layout.example.com	Certificate renewal was due within 7 days TLS_CERTIFICATE_ACTION

Scope and method

Only authorized domain names and saved, supported observations are assessed: DNS email-record context, TLS certificate trust/renewal, and root HTTP/HTTPS responses and selected headers. Observation times differ from the report creation time. Failed, inconclusive and unrecorded checks remain gaps, not successful checks.

Excluded: internal networks, malware detection, account auditing, exploitation, port sweeping, continuous monitoring and compliance certification. Current domain proof does not establish permission for every service behind a domain.

Domain	Scope status	Last collection (UTC)
qa-long-authorized-domain-1-for-layout.example.com	Evidence available Completed	2026-10-25 12:18 UTC
qa-long-authorized-domain-2-for-layout.example.com	Evidence available Completed	2026-10-25 12:18 UTC
qa-long-authorized-domain-3-for-layout.example.com	Evidence available Completed	2026-10-25 12:18 UTC
qa-long-authorized-domain-4-for-layout.example.com	Evidence available Completed	2026-10-25 12:18 UTC

Findings and evidence

01 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/56b14c91-74b6-43fe-9bb1-a749c51eea26

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927087 not_after: 1793362687 protocol: TLSv1.3	387c07af-2d47-439c-af61-a09164d8fd2d

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

02 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/fbb0cfc1-a70d-44b1-a6aa-493e14462cf2

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927086 not_after: 1793362686 protocol: TLSv1.3	6bf452c4-653c-4907-b5f7-9e64b69a7f38

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

03 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/46209f31-cf12-4937-8c68-3f0abb3a2aa4

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	b83adca4-e27e-4e7e-be09-67a8ce165eb3

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

04 / Certificate renewal was due within 7 days

High · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

Certificate problems can stop customers or staff reaching this exact website over trusted HTTPS.

Recommended next step

Ask the hosting contact to check renewal, the certificate names and full trusted chain. Install the correct certificate, then run an authorized scan again.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

An explicit trust error or a measured renewal deadline supports a transport maintenance priority.

Ordering labels: urgency 2/3; observed relevance 2/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

TLS_CERTIFICATE_ACTION · starter-risk-1 · /app/findings/595f8642-3c3b-41a9-b11c-f1061f087cd5

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	5be02ff2-5fb3-46a2-b56e-9fbbe41ad0c9

Limits of this conclusion

One exact hostname and pinned endpoint was checked. This does not enumerate every certificate, cipher or supported protocol.

05 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/0342d15a-a271-4dd2-9c3e-d4e3361db93d

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	c3087167-e31a-4b9d-952c-035a1b86bb27

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

06 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/cdf84c78-7665-4409-8be7-de38bb377925

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	9ff7c40a-82e9-4009-a30f-641b300e623f

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

07 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/21de9719-4d18-4bbe-a827-9bc92de5024a

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	0adc258e-b997-4fcc-993f-08b803a64957

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

08 / Multiple SPF policies were observed

Medium · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

Multiple SPF policies at the same name can cause mail-authentication evaluation errors if this domain sends mail.

Recommended next step

Ask the mail administrator to consolidate intended senders into one SPF policy at this exact name. Do not overwrite the DNS ownership challenge. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

The persisted exact v=spf1 record count identifies multiplicity; medium priority reflects configuration correctness, not compromise.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Conclusive

DNS_SPF_MULTIPLE · starter-risk-1 · /app/findings/448d7cad-4b4c-48af-85a9-0b6974305be0

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	35df4b42-5fd8-44d2-b08e-cc1ba5655a07

Limits of this conclusion

Outbound email use and SPF mechanisms/includes are unknown. One record or no record is not proof that outbound email is correctly authorized.

09 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/081684fe-2f13-4c41-9637-91d30510cf4e

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	71dc1767-3dba-476f-9bd7-ccab4b5f6ff3

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

10 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/32592bac-8940-4abf-81a9-7d19dd45ab25

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	29aa5be6-41b8-4dc1-84c6-d56e71020748

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

11 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/c7f56f3a-7dc6-4b10-bc33-b8dc8abdef8c

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	4e981d81-1414-4fab-b1c0-dc6806d2c90a

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

12 / Review a basic DMARC policy format problem

Medium · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The saved basic DMARC observation warrants a mail-policy review; it does not establish email compromise.

Recommended next step

Ask the mail administrator to confirm whether this exact domain sends mail, review DMARC syntax and alignment, and stage enforcement after monitoring legitimate senders. Rerun the authorized DNS check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or monitor-only policy with inbound-mail context is low priority. A single basic malformed policy is medium priority for configuration review.

Ordering labels: urgency 1/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

DNS_DMARC_POLICY · starter-risk-1 · /app/findings/24307520-fe16-42e3-a983-f8006347672d

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	d1b3b488-04d9-41c1-a081-5a7cc875bff7

Limits of this conclusion

MX suggests inbound handling only. Outbound email, alignment, reporting and full DMARC syntax were not assessed; p=none can be intentional.

13 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/10d53045-2b53-4ded-94ff-a4d250d90c82

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927087 not_after: 1793362687 protocol: TLSv1.3	387c07af-2d47-439c-af61-a09164d8fd2d
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	154cfdcb-031b-4857-a069-881c1b11a7ce
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	c52aebcf-8196-4ffc-9b1b-d310198a0c42

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

14 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/4668961f-e74d-4a05-9455-252b61e15a9d

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927087 not_after: 1793362687 protocol: TLSv1.3	387c07af-2d47-439c-af61-a09164d8fd2d
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	154cfdcb-031b-4857-a069-881c1b11a7ce
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	c65137b3-3bac-477e-8918-fca29cb93af1

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

15 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-4-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/d1fb8452-7afb-46d1-967a-8c2b31fa0c54

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927087 not_after: 1793362687 protocol: TLSv1.3	387c07af-2d47-439c-af61-a09164d8fd2d
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	154cfdcb-031b-4857-a069-881c1b11a7ce
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	78387ed0-29c3-4cb2-be41-2dd49778b61b

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

16 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/9e3a7ef5-abbb-4bf6-bf0d-9d9051089de4

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927086 not_after: 1793362686 protocol: TLSv1.3	6bf452c4-653c-4907-b5f7-9e64b69a7f38
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	27cde039-13a5-4282-bbc4-25f040b2f2c8
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	8b042ed6-810f-4ead-83da-346bdd9d89f7

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

17 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/1c0a9654-7b9b-40d0-978f-9ba719ebad98

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	b83adca4-e27e-4e7 e-be09-67a8ce165e b3
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	e0fc8cb7-6244-44b9 -b5f3-eaf4f3f0dcec
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	03446959-a854-4e7 c-a0c4-ab13ca1015d 6

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

18 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/31256784-02bc-4d88-a670-b0b27ecef2a7

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927086 not_after: 1793362686 protocol: TLSv1.3	6bf452c4-653c-4907-b5f7-9e64b69a7f38
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	27cde039-13a5-4282-bbc4-25f040b2f2c8
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	8ca9aa4f-ebd6-40cb-b569-798d802f9e4c

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

19 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-3-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/6c0e63c4-5a95-46d6-9c8e-7d5601f52d60

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927086 not_after: 1793362686 protocol: TLSv1.3	6bf452c4-653c-4907-b5f7-9e64b69a7f38
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	27cde039-13a5-4282-bbc4-25f040b2f2c8
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	9d699da9-f167-421e-a141-201b1bab404a

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

20 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/9d265f44-7a85-402e-95c5-82b78b67edb6

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	b83adca4-e27e-4e7e-be09-67a8ce165eb3
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	e0fc8cb7-6244-44b9-b5f3-eaf4f3f0dcec
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	d2df6635-5fa4-4920-90dd-d319f46eb593

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

21 / HTTP root does not immediately redirect to HTTPS

Low · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The observed HTTP root can be reached without the HTTPS redirect expected for this site's public entry point.

Recommended next step

Ask the hosting contact to redirect the HTTP root to HTTPS on the same exact hostname. Recheck both root responses with an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A successful HTTP root response alongside inspected HTTPS supports a low-priority entry-point hardening recommendation.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTP_ROOT_REDIRECT · starter-risk-1 · /app/findings/8338ce1a-e918-4994-a0f6-54faded9c19a

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	5be02ff2-5fb3-46a2-b56e-9fbbe41ad0c9
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	ea03b8c8-f6dc-4a42-9bb5-6606f03c3cf6
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	1aa393fe-0ea0-4e3e-8401-0132a071f694

Limits of this conclusion

Only HEAD/GET at / was observed. No credentials, other paths or later redirect hops were tested; this is not proof of interception.

22 / Review the response content-type safeguard

Low · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The inspected response did not demonstrate nosniff, a browser content-type hardening control.

Recommended next step

Ask the application contact to review MIME types and set X-Content-Type-Options: nosniff where appropriate, then rerun an authorized scan.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

Missing or unexpected nosniff is low-priority contextual hardening, never proof of XSS.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_NOSNIFF · starter-risk-1 · /app/findings/f06813ee-bc5b-4943-892f-08d9549c3a84

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	5be02ff2-5fb3-46a2-b56e-9fbbe41ad0c9
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	ea03b8c8-f6dc-4a42-9bb5-6606f03c3cf6
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	d863b514-b861-4df2-96f3-42b9e2695335

Limits of this conclusion

Response content type and body were not collected. Browser applicability needs review; API or non-browser services may have different requirements.

23 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-2-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/bc7f45bb-dfa6-4d3f-bbbf-c1045fc76aaf

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	b83adca4-e27e-4e7e-be09-67a8ce165eb3
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	e0fc8cb7-6244-44b9-b5f3-eaf4f3f0dcec
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	c1bf116c-9254-47ad-9090-9ead37a42635

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

24 / Review the HTTPS transport policy

Low · Open · qa-long-authorized-domain-1-for-layout.example.com

Why this matters

The inspected HTTPS root did not demonstrate the limited HSTS condition used by this policy.

Recommended next step

Have the hosting contact review Strict-Transport-Security and deploy a suitable positive max-age after checking HTTPS coverage. Do not enable includeSubDomains or preload without checking their scope. Rerun the authorized check.

How to verify the change

Rerun this rule in a new authorized check. A completed task alone does not confirm resolution.

Why this priority

A missing or unrecognized HSTS value on an inspected HTTPS response is contextual, low-priority hardening.

Ordering labels: urgency 0/3; observed relevance 1/2. These are not risk scores.

Last observation: 2026-10-25 12:18 UTC · Confidence: Contextual

HTTPS_HSTS · starter-risk-1 · /app/findings/57c9439c-5da4-429d-9101-13a7d88c234f

Technical evidence

Check / observation time	Recorded technical values	Observation ID:
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	5be02ff2-5fb3-46a2-b56e-9fbbe41ad0c9
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	ea03b8c8-f6dc-4a42-9bb5-6606f03c3cf6
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	7114267c-39e6-4f76-9346-82c8ae81c106

Limits of this conclusion

Only the root response and a simple max-age condition were checked. No exploitation or whole-origin coverage is established.

Remediation work

Human task status does not determine finding resolution.

No tasks in the assessed scope.

Reading this assessment

A finding is a supported configuration condition, not necessarily an exploitable vulnerability. Severity and priority come from the recorded policy; no CVSS score or CVE is invented. Inconclusive means evidence was insufficient. Stale means the observation may no longer describe the current configuration. Only a later comparable check confirms resolution.

This is a limited external configuration assessment, not a penetration test, compliance audit or guarantee of safety. Missing, failed or stale checks do not prove security. Human task completion is not technical resolution.

Appendix: saved check inventory

Protocol identifiers, evidence values and source references below are preserved exactly. Empty values are not a claim of safety. References identify records inside the authenticated workspace; they grant no public access.

qa-long-authorized-domain-1-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-24 12:18 UTC

c52ea490-8870-4f59-bae3-53c79e9a3aca · /app/assets#asset-ca901ef8-3f62-49ec-b6e1-987d85381f2c

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-25 12:18 UTC Informational	No additional retained values.	50c28783-9f69-4381-ada0-a04a8dd7c9ec

Check / observation time	Recorded technical values	Observation ID:
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	d1b3b488-04d9-41c1-a081-5a7cc875bff7
DNS_MX_PRESENT 2026-10-25 12:18 UTC Informational	record_count: 1	186dce61-b455-4451-8525-5b2716cb0a35
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	35df4b42-5fd8-44d2-b08e-cc1ba5655a07
HTTPS_CSP 2026-10-25 12:18 UTC Needs attention	No additional retained values.	83bdec82-3e2f-4dcb-93da-c3511bc115ff
HTTPS_FRAME 2026-10-25 12:18 UTC Needs attention	No additional retained values.	e71398a2-aaf6-4ed7-8c5f-d1831e241e9c
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	7114267c-39e6-4f76-9346-82c8ae81c106
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	d863b514-b861-4df2-96f3-42b9e2695335
HTTPS_PERMISSIONS 2026-10-25 12:18 UTC Needs attention	No additional retained values.	5a2e119b-6c1f-4182-ad7a-4df570289870
HTTPS_REFERRER 2026-10-25 12:18 UTC Needs attention	No additional retained values.	aa615a12-7372-4834-9b5d-980a6c3c3e16
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	ea03b8c8-f6dc-4a42-9bb5-6606f03c3cf6
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	1aa393fe-0ea0-4e3e-8401-0132a071f694
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	5be02ff2-5fb3-46a2-b56e-9fbbe41ad0c9

qa-long-authorized-domain-2-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-24 12:18 UTC

6a2a7cdc-bad5-443f-9353-3d5c9a832fce · /app/assets#asset-e3e7ddca-6d68-47da-bf7f-cbcfd8949ab1

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-25 12:18 UTC Informational	No additional retained values.	46f8069d-e127-4902-ad70-c997ff86ad82
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	4e981d81-1414-4fab-b1c0-dc6806d2c90a
DNS_MX_PRESENT 2026-10-25 12:18 UTC Informational	record_count: 1	ad8d374e-98cb-4c03-8439-78ecae2bf1d7
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	0adc258e-b997-4fcc-993f-08b803a64957
HTTPS_CSP 2026-10-25 12:18 UTC Needs attention	No additional retained values.	40c2060a-0c4b-4a46-b23a-5276803494ea
HTTPS_FRAME 2026-10-25 12:18 UTC Needs attention	No additional retained values.	c58b753c-d88f-48dc-bc20-c601a6900737
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	c1bf116c-9254-47ad-9090-9ead37a42635
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	d2df6635-5fa4-4920-90dd-d319f46eb593
HTTPS_PERMISSIONS 2026-10-25 12:18 UTC Needs attention	No additional retained values.	8fd7615d-50fd-4892-89e0-654c57103b87
HTTPS_REFERRER 2026-10-25 12:18 UTC Needs attention	No additional retained values.	6753db7d-063a-45bf-a08a-6be8f3d55d7c
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	e0fc8cb7-6244-44b9-b5f3-eaf4f3f0dcec
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	03446959-a854-4e7c-a0c4-ab13ca1015d6
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927085 not_after: 1793362685 protocol: TLSv1.3	b83adca4-e27e-4e7e-be09-67a8ce165eb3

qa-long-authorized-domain-3-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-24 12:18 UTC

1c67d383-6d91-4154-81e8-d6cc5d00acbd · /app/assets#asset-d950c3ec-478e-48f6-a984-6472aa7fcbd1

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-25 12:18 UTC Informational	No additional retained values.	7d7cacab-2485-4bfc-8e90-6eb8c9c13266
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	29aa5be6-41b8-4dc1-84c6-d56e71020748
DNS_MX_PRESENT 2026-10-25 12:18 UTC Informational	record_count: 1	94e555f8-d2a9-4850-82fb-a9b0f2ae8b03
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	9ff7c40a-82e9-4009-a30f-641b300e623f
HTTPS_CSP 2026-10-25 12:18 UTC Needs attention	No additional retained values.	dc7eecc8-f8b3-4ae9-8aa3-7176753f5956
HTTPS_FRAME 2026-10-25 12:18 UTC Needs attention	No additional retained values.	d9cc91da-1882-4da2-9594-ff9ee4bb2b86
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	9d699da9-f167-421e-a141-201b1bab404a
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	8b042ed6-810f-4ead-83da-346bdd9d89f7
HTTPS_PERMISSIONS 2026-10-25 12:18 UTC Needs attention	No additional retained values.	3101e2bd-4c56-4ba4-a5f7-1b89ac75c0ef
HTTPS_REFERRER 2026-10-25 12:18 UTC Needs attention	No additional retained values.	b3564b7d-4928-47d6-9123-f0bdd39e91ec
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	27cde039-13a5-4282-bbc4-25f040b2f2c8
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	8ca9aa4f-ebd6-40cb-b569-798d802f9e4c
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927086 not_after: 1793362686 protocol: TLSv1.3	6bf452c4-653c-4907-b5f7-9e64b69a7f38

qa-long-authorized-domain-4-for-layout.example.com

Evidence available

Ownership proof valid until: 2026-11-24 12:18 UTC

84f2554a-5da2-4dec-99fa-03c80c8d8498 · /app/assets#asset-e77b325c-729b-4e28-9cc2-14742b222c5e

Needs attention: 8 · Informational: 4 · Not checked: 0 · pass: 1

Check / observation time	Recorded technical values	Observation ID:
DNS_ADDRESS 2026-10-25 12:18 UTC Informational	No additional retained values.	eac0aa20-c1f5-429a-9840-858485a42fc4
DNS_DMARC_PRESENT 2026-10-25 12:18 UTC Needs attention	policy: malformed record_count: 1	71dc1767-3dba-476f-9bd7-ccab4b5f6ff3
DNS_MX_PRESENT 2026-10-25 12:18 UTC Informational	record_count: 1	caf114f1-9ab3-4768-980e-2cb0a8dd9d0b
DNS_SPF_PRESENT 2026-10-25 12:18 UTC Needs attention	record_count: 2	c3087167-e31a-4b9d-952c-035a1b86bb27
HTTPS_CSP 2026-10-25 12:18 UTC Needs attention	No additional retained values.	f69be6fb-c0a7-484b-a493-f6e227f33462
HTTPS_FRAME 2026-10-25 12:18 UTC Needs attention	No additional retained values.	5e5411f5-07a6-4a50-8719-a48a794907a6
HTTPS_HSTS 2026-10-25 12:18 UTC Needs attention	header: strict-transport-security observation: missing	78387ed0-29c3-4cb2-be41-2dd49778b61b
HTTPS_NOSNIFF 2026-10-25 12:18 UTC Needs attention	header: x-content-type-options observation: missing	c52aebcf-8196-4ffc-9b1b-d310198a0c42
HTTPS_PERMISSIONS 2026-10-25 12:18 UTC Needs attention	No additional retained values.	e6b10392-e783-4a08-ac4d-0e77b8e74e55
HTTPS_REFERRER 2026-10-25 12:18 UTC Needs attention	No additional retained values.	a111e3a9-3e7f-47aa-ad57-9b9d8697acd3
HTTPS_RESPONSE 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	154cfdcb-031b-4857-a069-881c1b11a7ce
HTTP_REDIRECT 2026-10-25 12:18 UTC Informational	status: 200 method: HEAD path: /	c65137b3-3bac-477e-8918-fca29cb93af1
TLS_CERTIFICATE 2026-10-25 12:18 UTC pass	not_before: 1792927087 not_after: 1793362687 protocol: TLSv1.3	387c07af-2d47-439c-af61-a09164d8fd2d