

A photograph of a construction worker from behind, wearing a yellow hard hat and an orange safety vest. The worker is looking towards a landscape with hills and trees under a clear sky. Overlaid on the bottom left is a red trapezoidal graphic containing white text.

**2024-2025**  
**PERSONAL PROTECTIVE**  
**EQUIPMENT**

**PRODUCT RANGE CATALOG**

# about us

**We are devoted to providing you with quality products and brands, ensuring punctual and complete delivery.**

Create Industry is an international company unifying development, production, finishing, sales, distribution and promotion of various Personal Protective Equipment

The guiding principles in the development of our protective, work and outdoor clothing workwear are safety, functionality, appearance and durability.

"Create Industry" is certified by AZS ISO-TÜV for the production of safety shoes.

**Create  
INDUSTRY  
GARMENT & RAHAT**

**SINCE 2016**  
Of Industry Experience

## OUR MAIN PRODUCT RANGE 9 MAIN CATEGORIES



**Foot Protection**



**Head Protection**



**Hearing Protection**



**Face Protection**



**Eye Protection**



**Body Protection**



**Fall Protection**



**Hand Protection**

1

2

3

4

5

6

7

8

1

# Foot protection




MUROV

YAMAC

<b>Upper</b>	split leather
<b>Outsole</b>	injected, dual density polyurethane
<b>Insole</b>	hygienic, breathable, PU FOAM
<b>Midsole</b>	steel
<b>Toecap</b>	steel
<b>Slip resistance</b>	SRC
<b>Protection level</b>	S1/S2/S3



KÜR

YAMAC

<b>Upper</b>	grain leather
<b>Outsole</b>	injected, dual density polyurethane
<b>Insole</b>	hygienic, breathable, PU FOAM
<b>Midsole</b>	steel
<b>Toecap</b>	steel
<b>Slip resistance</b>	SRC
<b>Protection level</b>	S1/S2/S3



QAYA

YAMAC

<b>Upper</b>	grain leather & cordura
<b>Outsole</b>	injected, dual density polyurethane
<b>Insole</b>	hygienic, breathable, PU FOAM
<b>Midsole</b>	steel
<b>Toecap</b>	steel
<b>Slip resistance</b>	SRC
<b>Protection level</b>	S1/S2/S3



**JUPITER 023R**

**Upper** split leather  
**Outsole** injected, dual density polyurethane  
**Insole** hycienic, breathable, PU FOAM  
**Midsole** steel  
**Toecap** steel  
**Slip resistance** SRC  
**Protection level** S1/S2/S3

**ARAZ**

**Upper** grain leather  
**Outsole** injected, dual density polyurethane  
**Insole** hycienic, breathable, PU FOAM  
**Midsole** steel  
**Toecap** steel  
**Slip resistance** SRC  
**Protection level** S1/S2/S3

**KƏPƏZ**

**Upper** split leather  
**Outsole** injected, dual density polyurethane  
**Insole** hycienic, breathable, PU FOAM  
**Midsole** steel  
**Toecap** steel  
**Slip resistance** SRC  
**Protection level** S1/S2/S3

**ŞİRVAN**

**Upper** grain leather  
**Outsole** injected, dual density polyurethane  
**Insole** hycienic, breathable, PU FOAM  
**Midsole** steel  
**Toecap** steel  
**Slip resistance** SRC  
**Protection level** S1/S2/S3

**JUPITER 101R**

**Upper** split leather  
**Outsole** injected, dual density polyurethane  
**Insole** hycienic, breathable, PU FOAM  
**Midsole** steel  
**Toecap** steel  
**Slip resistance** SRC  
**Protection level** S1/S2/S3

**MİL**

**Upper** suede leather  
**Outsole** injected, dual density polyurethane  
**Insole** hycienic, breathable, PU FOAM  
**Midsole** steel  
**Toecap** steel  
**Slip resistance** SRC  
**Protection level** S1/S2/S3



**TUFAN****YAMAC**

<b>Upper</b>	split leather
<b>Outsole</b>	injected, dual density polyurethane
<b>Insole</b>	hygienic, breathable, PU FOAM
<b>Midsole</b>	steel
<b>Toecap</b>	steel
<b>Slip resistance</b>	SRC
<b>Protection level</b>	S1/S2/S3

**BATABAT****YAMAC**

<b>Upper</b>	rubber
<b>Outsole</b>	rubber
<b>Toecap</b>	steel
<b>Slip resistance</b>	SRC
<b>Protection level</b>	S4/S5

**ARMY BOOT****YAMAC**

<b>Upper</b>	grain leather & cordura
<b>Outsole</b>	injected, dual density polyurethane
<b>Insole</b>	hygienic, breathable, PU FOAM



2

## Head protection

### SAFETY CAP



Available colours



### HELMET



Available colours



### HELMET



Available colours



#### Description:

- 100% Cotton
- EN ISO 13688:2013

3

## Hearing protection



### HEADSET



#### Description:

- Material ABS, POM
- Certification EN352-1
- Soft extra comfortable headband
- Can be used with hard hat and protective headgear

### HEADSET



#### Description:

- Material ABS, POM
- Certification EN352-3 : 2002 CE ANSI S3.19 SNR : 24 dB
- Soft extra comfortable headband



#### Description:

- With ventilation holes, headphones can be attached
- It is produced as shock resistance +50C -10C against cold and moisture
- It has a sweatband and covers the entire forehead
- 6 air loops provide the user with comfort
- The neck band adapts to any head with the screw system
- Head Circumference: 52-64cm
- Conforms to CE EN 397



### EAR PLUG


**Description:**

- Certification EN352-2 : 2002 CE ANSI S3.19 SNR : 24dB
- Material: PU




### FACE SHIELD



**Description:**

- Shock protection function
- 3 levels of adjustment
- Sweating on the forehead
- Flip type is configurable
- Sensitive neck level adjustment available
- Material: HDPE
- Colour: yellow

### EAR PLUG


**Description:**


- Certification EN352-2 : 2002 CE ANSI S3.19 SNR : 24dB
- Material: PU



### Half Face Mask


**Description:**

- Silicone material soft interior a comfortable solution for professionals working in heavy conditions
- ISO13485:2016, ISO9001:2015, EU 2016/425



## FACE SHIELD



### Description:

- It is used to protect the face and eyes from liquid chemicals, metal sprays, grinding, sparks, foundry works, laboratories
- Certification CE EN 166

## RESPIRATORY PROTECTIVE MASK



### Description:

- Protection Against Low Level Hazardous
- Solid and Water Based Aerosol
- Certification EN 149:2001+A1:2009 FFP2 NR D
- Certification ISO 13485:2016
- Conforms (EU) 2016/425 Regulation
- NR- Non Reusable Mask
- Does not cause skin irritation
- Nasal sponge for comfortable use

## RESPIRATORY PROTECTIVE MASK



### Description:

- It is a lightweight, aesthetic and user-friendly cartridge filter
- Designed to protect users against many dangerous vapours with a boiling point >65°C, inorganic gases, acid gases and ammonia



## WELDING HELMET



### Description:

- Disk 90x10 mm
- CE En 175
- Flexible adjustable

5

## Eye protection



### SAFETY GLASSES



### SAFETY GLASSES

**Description:**

- High protection against chemical, thermal and mechanical risk factors
- Material: High quality polycarbonate
- Weight 22,36 gr

6

## Body protection



### Safety overalls

**Description:**

- Material: 100% cotton
- Size: 44-72

Available colours



**SAFETY WORKWEAR****Description:**

- Material: 65% cotton, 35% polyester
- Size: 44-72

**Available colours** A row of five small color swatches representing available colors for the suit.**UNIFORM****Description:**

- Material: 65% cotton, 35% polyester
- Size: 44-72

**Available colours** A row of five small color swatches representing available colors for the scrubs.**SAFETY JACKET****Description:**

- Material: 100% polyester
- Size: 44-72

**Available colours** A row of five small color swatches representing available colors for the vest.**SAFETY T-SHIRT****Description:**

- Material: 100% cotton
- Material: 65% cotton, 35% polyester
- Size: S-XXXL

**Available colours** A row of five small color swatches representing available colors for the polo shirts.**SAFETY JACKET****Description:**

- Material: 100% polyester
- Size: 44-72

**Available colours** A row of five small color swatches representing available colors for the hooded jackets.**SAFETY T-SHIRT****Description:**

- Material: 100% cotton
- Material: 65% cotton, 35% polyester
- Size: S-XXXL

**Available colours** A row of five small color swatches representing available colors for the polo shirts.

**SAFETY RAIN SUIT****Description:**

- Material: 100% polyester

**Available colours****SAFETY RAIN SUIT****Description:**


- Material: 100% polyester

**Available colours****SAFETY APRON****Description:**

- Material: 100% polyester
- Material: 100% leather
- Size: 60\*90 / 80\*120 sm

**Available colours****7****Fall protection****SAFETY BELT****Description:**

- Compliance - Conform to EN355:2002  
Production controlled by Module D of EU Regulation 2016/425  
Strap of lanyard: Polyester - 28mm width  
Energy absorber 45mm width  
Max. rate load: 100kg  
Color of lanyard webbing and absorber of variant:  
Connector of end of absorber: 1 steel carabiner C1101  
Connector of end of lanyard loop  
2 forged steel scafflod hook H1201

**SAFETY BELT****Description:**

- Compliance - Conform to EN361:2002  
Production controlled by Module D of EU Regulation 2016/425  
Strap: Polyester webbing - 45mm width  
D-ring: Forged steel  
Buckles: Stamped steel  
Max. rate load: 120 kg  
Size: Universal  
Color of Strap: Optional



8

## Hands protection



### Nitrile glove



#### Description:

Green nitrile gloves

Material: Nitrile

Weight: 60-70 gr

Size: 10 inch

Color: Green

### WELDING GLOVES



#### Description:

Welding industrial gloves

Material: Premium cow split leather

Lenght: 14-16 inch

Compliance: EN 388, EN 470, EN12477

### RUBBER GLOVES



#### Description:

Polyester black nitrile coated gloves

Material: Fronside polyester, backside nitrille

Weight: 35 gr

Size: 10 inch

Color: blue

### RIGGER GLOVES



#### Description:

Rigger Gloves

Material: Front reinforced cow split leather, backside drilled cotton

Compliance: EN 420, EN 388

Lenght: 10 inch

Color: blue/requested

### NITRILE GLOVES



#### Description:

Knitted cuff with blue nitrile full coated gloves

Material: Nitrile

Weight: 105 g

Size: 10 inch

Color: blue

**Nitrile glove****Description:**

White green nitrile cuff fully coated heavy weight glove

Material: Nitrile

Weight:110g 120g

Size:10 inch

Color:blue

**RUBBER GLOVES****Description:**

Industrial rubber gloves

Material:

Weight:60 gr

Size:12.5 inch

Color:black/requested

**INDUSTRIAL GLOVES****Description:**

Industrial rubber gloves

Material: Cotton crinkle latex coated gloves

Weight:80 gr

Size:10 inch

Color:Orange/requested

# Create

## INDUSTRY

GÜVENLİ & RAHAT



[www.createindustry.az](http://www.createindustry.az)



@createindustry.az



+994 51 215 20 74