



2

2

Panel de Control **desafioCICD** **#46**

Status

Changes

Console Output

Edit Build Information

Delete build '#46'

Timings

Git Build Data

Pipeline Overview

Pipeline Console

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build



Salida de consola

Download

Copy

View as plain text

```
Lanzada por el usuario admin  
Obtained Jenkinsfile from git https://github.com/Isco16/DesafioCICD.git  
[Pipeline] Start of Pipeline  
[Pipeline] node  
Running on Jenkins in  
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD
```

```

[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
  > git.exe rev-parse --resolve-git-dir
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD\.git # timeout=10
Fetching changes from the remote Git repository
  > git.exe config remote.origin.url https://github.com/Isco16/DesafioCICD.git #
timeout=10
Fetching upstream changes from https://github.com/Isco16/DesafioCICD.git
  > git.exe --version # timeout=10
  > git --version # 'git version 2.46.2.windows.1'
  > git.exe fetch --tags --force --progress --
https://github.com/Isco16/DesafioCICD.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
  > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision af5da6811e0aa05981454c1d9aac6f220c014306
(refs/remotes/origin/main)
  > git.exe config core.sparsecheckout # timeout=10
  > git.exe checkout -f af5da6811e0aa05981454c1d9aac6f220c014306 # timeout=10
Commit message: "Correccion archivo Jenkinsfile."
  > git.exe rev-list --no-walk af5da6811e0aa05981454c1d9aac6f220c014306 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout)
[Pipeline] echo
📦 Clonando el repositorio...
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
  > git.exe rev-parse --resolve-git-dir
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD\.git # timeout=10
Fetching changes from the remote Git repository

```

```

> git.exe config remote.origin.url https://github.com/Isco16/DesafioCICD.git #
timeout=10
Fetching upstream changes from https://github.com/Isco16/DesafioCICD.git
> git.exe --version # timeout=10
> git --version # 'git version 2.46.2.windows.1'
> git.exe fetch --tags --force --progress --
https://github.com/Isco16/DesafioCICD.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision af5da6811e0aa05981454c1d9aac6f220c014306
(refs/remotes/origin/main)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f af5da6811e0aa05981454c1d9aac6f220c014306 # timeout=10
Commit message: "Correccion archivo Jenkinsfile."
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
  🌀 Instalando dependencias...
[Pipeline] bat

```

```
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD>npm install
```

```
up to date, audited 426 packages in 1s
```

```
65 packages are looking for funding
```

```
run `npm fund` for details
```

```
found 0 vulnerabilities
```

```
[Pipeline] bat
```

```
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD>npm run build
```

```
> task-api@1.0.0 build
```

```
> echo 'No hay proceso de compilación en este proyecto'
```

```
'No hay proceso de compilación en este proyecto'
```

```
[Pipeline] }
```

```
[Pipeline] // script
```

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
🚦 Ejecutando pruebas...
[Pipeline] bat
```

C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD>npm test

```
> task-api@1.0.0 test
> jest --coverage --forceExit
```

console.log

API is running on port 3000

at Server.log (app.js:25:32)

PASS test/apiRoutes.test.js

API Tests

✓ GET /api/tasks/:id - Obtener una tarea (46 ms)

✓ GET /tasks - Obtener todas las tareas (4 ms)

File	% Stmts	% Branch	% Funcs	% Lines	Uncovered Line #s
All files	95.45	50	100	100	
app.js	100	100	100	100	
appRoutes.js	92.3	50	100	100	16

Test Suites: 1 passed, 1 total

Tests: 2 passed, 2 total

Snapshots: 0 total

Time: 0.687 s, estimated 1 s

Ran all test suites.

Force exiting Jest: Have you considered using `--detectOpenHandles` to detect async operations that kept running after all tests finished?

```
[Pipeline] }
[Pipeline] // script
[Pipeline] }
```

```
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Docker Build & Run)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
🚀 Desplegando aplicación...
[Pipeline] bat
```

```
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD>docker build -t
desafio08grupo02 .
```

```
#0 building with "desktop-linux" instance using docker driver
```

```
#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 286B done
#1 DONE 0.0s
```

```
#2 [internal] load metadata for docker.io/library/node:18
#2 DONE 0.6s
```

```
#3 [internal] load .dockerignore
#3 transferring context: 2B done
#3 DONE 0.0s
```

```
#4 [1/4] FROM
docker.io/library/node:18@sha256:3c56248510700ddb4861bd478ea2ced828793fd5388a21adc527
0cdbbf7b7919
#4 DONE 0.0s
```

```
#5 [internal] load build context
#5 transferring context: 971.06kB 0.7s done
#5 DONE 0.7s
```

```
#4 [1/4] FROM
docker.io/library/node:18@sha256:3c56248510700ddb4861bd478ea2ced828793fd5388a21adc527
0cdbbf7b7919
#4 CACHED
```

```
#6 [2/4] COPY . .
#6 DONE 2.9s
```

```
#7 [3/4] RUN npm install
```

```
#7 3.229
#7 3.229 up to date, audited 426 packages in 3s
#7 3.229
#7 3.229 65 packages are looking for funding
#7 3.229   run `npm fund` for details
#7 3.230
#7 3.230 found 0 vulnerabilities
#7 3.232 npm notice
#7 3.232 npm notice New major version of npm available! 10.8.2 -> 11.2.0
#7 3.232 npm notice Changelog: https://github.com/npm/cli/releases/tag/v11.2.0
#7 3.232 npm notice To update run: npm install -g npm@11.2.0
#7 3.232 npm notice
#7 DONE 3.3s
```

```
#8 exporting to image
#8 exporting layers
#8 exporting layers 0.8s done
#8 writing image
sha256:56f65f5d640ee2898d0212b02a04d033d946df90d421236c01a48c65fcf413c4 done
#8 naming to docker.io/library/desafio08grupo02 0.0s done
#8 DONE 0.9s
```

View build details: [docker-desktop://dashboard/build/desktop-linux/desktop-linux/ve99pntdqythgrfou5pbiydii](https://dashboard.docker-desktop/build/desktop-linux/desktop-linux/ve99pntdqythgrfou5pbiydii)
[Pipeline] bat

```
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD>docker run -d -p
8083:3000 desafio08grupo02
521e163afe1a2a120f63a14c74afcde5411ea0fc8da78df0fb9a18d35be2243c
[Pipeline] bat
```

```
C:\Users\Isco\AppData\Local\Jenkins\.jenkins\workspace\desafioCICD>npm start
```

```
> task-api@1.0.0 start
> node app.js
```

API is running on port 3000

Cancelado por [admin](#)

Sending interrupt signal to process

❖Desea terminar el trabajo por lotes (S/N)?

script returned exit code 1

[Pipeline] error

```
[Pipeline] }  
[Pipeline] // script  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] }  
[Pipeline] // withEnv  
[Pipeline] }  
[Pipeline] // withEnv  
[Pipeline] }  
[Pipeline] // node  
[Pipeline] End of Pipeline  
ERROR: ❌ Error en la etapa de Deploy  
Finished: ABORTED
```