# Replication

## Applied Stats II

### Iselina hernandez

# Article: Honesty Requires Time (and Lack of Justifications)

- The research article "Honesty Requires Time (and Lack of Justifications)" by Shaul Shalvi, Ori Eldar, and Yoella Bereby-Meyer explores the connection between time pressure, justifications, and ethical behavior. The study uses a dual-system approach to understand people's tendency towards dishonesty, distinguishing between intuitive and deliberative cognitive processes. Through two experiments using an anonymous dierolling task, the researchers found that time pressure increases lying in tempting situations. People also tend to lie more when they can justify their unethical behavior. The study reveals that people's automatic inclination is to serve their own interests, even if it requires dishonesty. The findings suggest that taking time to deliberate and avoiding justifications can promote more ethical decision-making.
- People often lie to serve themselves. But given time, they can stop this. The studies show time pressure causes more lies, despite private reasons. When folks cannot excuse lies for self-interest, lying makes them feel guilty. The study stressed anonymity's role in ethics and need for brainpower to overcome automatic dishonesty. Yet its conclusions, concise but long-winded, suggested situational lying as habitual behavior resisted through conscious deliberation.

In order to replicate figure 1, I need to run several steps using R. This is the R Code used:

```
# Load necessary libraries
library(ggplot2)
library(dplyr)

update.packages(ask = FALSE, checkBuilt = TRUE)

install.packages("cli")

# Set the path to the dataset
```

```
dataset_path <- "/Users/iseli/Documents/GitHub/StatsII_Spring2024/replication/
      DataOriginalStudies.csv"
12 # Read the dataset
13 data <- read.csv(dataset_path)
15 # Read the dataset - Again due to error-
data <- read.csv("/Users/iseli/Documents/GitHub/StatsII_Spring2024/replication
      /DataOriginalStudies.csv", header=TRUE)
18 #Read data - Again due to another error
  data <- read.csv("/Users/iseli/Documents/GitHub/StatsII_Spring2024/replication
      /DataOriginalStudies.csv", header=TRUE, sep=";")
20 head (data)
21
22 #Add column names
colnames(data) <- c("Gender", "Time_pressure", "Experiment", "Dice_report", "
      Report_time", "Within_time", "Cheerful", "active", "active2", "happy", "loving", "worried", "tired", "tired2", "angry", "calm", "gloomy", "bored", "sad", "tense", "angry2", "satisfied", "pos_mood", "neg_mood", "filter_$"
25 # Filter data for Experiment 1 -ERROR while running this code-
26 data_exp1 <- filter(data, Experiment == 1)
28 # Load necessary libraries - Agian due to error
29 library (dplyr)
30
31 # Set the path to the dataset
  dataset_path <- "/Users/iseli/Documents/GitHub/StatsII_Spring2024/replication/
      DataOriginalStudies.csv"
33
34 # Filter data for Experiment 1 using column index
\frac{\text{data} \cdot \text{exp1}}{\text{data} \cdot \text{exp1}} \leftarrow \text{filter} \left(\frac{\text{data}}{\text{data}}, \frac{\text{data}}{\text{data}}, \frac{1}{\text{data}}\right)
37 # Load necessary libraries -Just double checking due to errors-
  library (ggplot2)
39 library (dplyr)
41 # Assuming data_summary is already created and contains 'Time_pressure' and '
      RollCategory'
42
43 # Convert 'Time_pressure' to a factor with labels 'Low' and 'High' within data
      _summary
  data_summary$Time_pressure <- factor(data_summary$Time_pressure, levels = c(0,
44
       1), labels = c("Low", "High"))
46 #MORE ERRORS
47 # Assuming data_exp1 is already filtered for Experiment 1
49 # Load necessary libraries
```

```
50 library (ggplot2)
  library(dplyr)
53 # Calculate proportions
54 # Assuming 'Time_pressure' is in the 2nd column and 'Dice_report' is in the 4
     th column
  data_summary <- data_exp1 %>%
    mutate(RollCategory = ifelse(Dice_report <= 3, "1 to 3", "4 to 6")) %%
56
    group_by(Time_pressure = data_exp1[,2], RollCategory) %>%
57
    summarise(Count = n(), .groups = 'drop') %%
58
    mutate(Proportion = Count / sum(Count))
59
61 # Convert 'Time_pressure' to a factor with labels 'Low' and 'High'
  data_summary$Time_pressure <- factor(data_summary$Time_pressure, levels = c(0,
      1), labels = c("Low", "High")
63
64 # Now plot using the corrected data_summary
65 ggplot(data_summary, aes(x = Time_pressure, y = Proportion, fill =
     RollCategory)) +
    geom_bar(stat = "identity", position = position_dodge()) +
66
    geom_hline(yintercept = 0.5, linetype = "dashed", color = "red") +
67
    labs(title = "Proportion of Reported Die Rolls by Time Pressure",
68
         x = "Time Pressure",
69
         y = "Proportion",
70
         fill = "Roll Category") +
71
    theme_minimal() +
72
    scale_fill_manual(values = c("1 to 3" = "blue", "4 to 6" = "green")) +
73
    geom_errorbar(aes(ymin = Proportion - 0.05, ymax = Proportion + 0.05), width
74
      = .2,
                   position = position\_dodge(.9)
75
```

#### Proportion of Reported Die Rolls by Time Pressure




Figure 1: Proportion of Reported Die Rolls by Time Pressure.

```
1 # Load necessary libraries
2 library (ggplot2)
3 library (dplyr)
5 # Set the path to the dataset
6 dataset_path <- "/Users/iseli/Documents/GitHub/StatsII_Spring2024/replication/
     my_answers/DataOriginalStudies.csv"
8 # Read the dataset
9 data <- read.csv(dataset_path, header=TRUE, sep=";")
11 # Filter data for Experiment 1 using column index
  data_exp1 \leftarrow filter(data, data[,3] == 1)
14 # Calculate proportions including Gender -MAJOR ERROR AGAIN-
  data_summary <- data_exp1 %>%
    mutate(RollCategory = ifelse(data[,4] <= 3, "1 to 3", "4 to 6"),
16
           Gender = factor(data[,1], levels = c(1, 2), labels = c("Female", "
17
     Male"))) %>%
    group_by(Gender, Time_pressure = data[,2], RollCategory) %%
18
    summarise (Count = n(), .groups = 'drop') %%
19
    mutate(Proportion = Count / sum(Count))
20
22 #Redoing due to non stopping errors
  # Assuming data_exp1 is already filtered for Experiment 1
25 # Load necessary libraries
26 library (ggplot2)
  library (dplyr)
27
29 # Calculate proportions including Gender
  data_summary <- data_exp1 %>%
    mutate(RollCategory = ifelse(Dice_report <= 3, "1 to 3", "4 to 6"),
31
           Gender = factor (Gender, levels = c(1, 2), labels = c("Female", "Male"
    group_by(Gender, Time_pressure, RollCategory) %>%
33
    summarise (Count = n(), .groups = 'drop') %%
34
    mutate(Proportion = Count / sum(Count))
35
36
37 # Convert 'Time_pressure' to a factor with labels 'Low' and 'High'
  data_summary$Time_pressure <- factor(data_summary$Time_pressure, levels = c(0,
      1), labels = c("Low", "High")
40 # Now plot using the corrected data_summary with Gender included
  ggplot(data_summary, aes(x = Time_pressure, y = Proportion, fill =
     RollCategory)) +
    geom_bar(stat = "identity", position = position_dodge()) +
42
    facet_wrap(~Gender) + # Add a facet for Gender
    geom_hline(yintercept = 0.5, linetype = "dashed", color = "red") +
```

```
labs(title = "Proportion of Reported Die Rolls by Time Pressure and Gender",
          x = "Time Pressure",
46
         y = "Proportion",
47
          fill = "Roll Category") +
48
    theme_minimal() +
49
    scale_fill_manual(values = c("1 to 3" = "blue", "4 to 6" = "green")) +
50
    geom\_errorbar\,(\,aes\,(ymin\,=\,Proportion\,-\,0.05\,,\,\,ymax\,=\,Proportion\,+\,0.05)\,\,,\,\,width
51
       = .2,
                    position = position_dodge(.9))
52
```

### Proportion of Reported Die Rolls by Time Pressure and Gender




Figure 2: Proportion of reported Die Rolls by Time pressure and Gender.