



Search models, datasets, users...



Datasets: ai4bharat/MSMARCO-XI

like

11

Follow AI4Bharat

1.94k

Modalities:



Text

Formats:



parquet

Size:

10M - 100M

ArXiv:



arxiv:2506.01615

Libraries:



Datasets



Dask



Polars

+ 1



Dataset card



Data Studio



Files



xet



Community 2

→ Copy to bucket

NEW

Use this dataset

▼

Edit dataset card



Downloads last month 1,262

Number of rows:

11,451,314

Total file size:

55.6 GB



Spaces using ai4bharat/MSMARCO-XI 5



http-pruthvi/voice-rag-indic



danishdhanjal23/RAG-HHG



ansh123456789/hackerhouse-go-a-indic-rag



lzhaar8455/voice-rag-msmarco-xi



Puroonjay/sonic-rag-backend



Collection including ai4bharat/MSMARCO-XI

IndicRagSuite



Collection

A comprehensive dataset collection for In... • 2 items • Updated Mar 2 • 3



Paper for ai4bharat/MSMARCO-XI

IndicRAGSuite: Large-Scale Datasets and a Benchmark for Indian Language RAG Systems

 Paper • 2506.01615 • Published Jun 2, 2025



 Dataset Viewer

 Auto-converted to Parquet

 API

 Embed

 Duplicate

 Data Studio

Split (2)

train · 10.1M rows



Search is not available for this dataset

► The dataset viewer is not available for this split.

YAML Metadata Warning:empty or missing yaml metadata in repo card
Check out the [documentation](#) for more information.

 MS MARCO Translations Dataset

 Dataset Description

This dataset contains the MS MARCO dataset translated into various Indic languages. The original MS MARCO dataset is a collection of queries, passages, and answers for machine reading comprehension and question answering tasks. Each example includes both the original English content and the translated content, along with translation metadata.

 Supported Languages

Language Code	Language Name	Train File	Validation File
as	Assamese	asmtrain.jsonl	asmval.jsonl
bn	Bengali	bentrain.jsonl	benval.jsonl

Language Code	Language Name	Train File	Validation File
gu	Gujarati	gutrain.jsonl	guval.jsonl
hi	Hindi	hintrain.jsonl	hinval.jsonl
kn	Kannada	kantrain.jsonl	kanval.jsonl
ml	Malayalam	maltrain.jsonl	malval.jsonl
mr	Marathi	martrain.jsonl	marval.jsonl
ne	Nepali	neptrain.jsonl	nepval.jsonl
or	Odia	ortrain.jsonl	orval.jsonl
pa	Punjabi	pantrain.jsonl	panval.jsonl
sa	Sanskrit	santrain.jsonl	sanval.jsonl
ta	Tamil	tamtrain.jsonl	tamval.jsonl
te	Telugu	teltrain.jsonl	telval.jsonl
ur	Urdu	urdtrain.jsonl	urdval.jsonl

Usage

```
from datasets import load_dataset
```

```
# Load Hindi training data
```

```
dataset = load_dataset("ai4bharat/MSMARCO-XI", "hi", split="train")
```

```
# Access the data
```

```
for example in dataset:
```

```
    print(f"Query: {example['query']}")
```

```
    print(f"Answers: {example['answers']}")
```

```
    print(f"Passages: {len(example['passages'])}")
```

break

Dataset Structure

Each example in the dataset contains:

Translation Metadata

- `source_lang` (string): Source language code (e.g., "eng_Latn")
- `target_lang` (string): Target language code (e.g., "asm_Beng")
- `meta` (dict): Translation model metadata including:
 - `model_name` (string): Name of the translation model used
 - `temperature` (float): Sampling temperature
 - `max_tokens` (int): Maximum tokens generated
 - `top_p` (float): Top-p sampling parameter
 - `frequency_penalty` (float): Frequency penalty
 - `presence_penalty` (float): Presence penalty

Main Content

- `query` (string): The translated search query
- `Answer` (string): The translated answer
- `query_id` (int): Unique identifier for the query
- `query_type` (string): Type/category of the query

Passages

- `passages` (dict): Contains passage information:
 - `is_selected` (list): List indicating which passages are selected (1) or not

(0)

- `English_passages` (list): List of original English passages
- `Translated_passages` (list): List of translated passages

Original English Content

- `Eng_Query` (string): Original English query
- `Eng_Answer` (string): Original English answer

Example

```
{
  "source_lang": "eng_Latn",
  "target_lang": "asm_Beng",
  "meta": {
    "model_name": "ckpt-3epochs-sft-then-400k-kd",
    "temperature": 0.0,
    "max_tokens": 4096,
    "top_p": 1.0,
    "frequency_penalty": 0.0,
    "presence_penalty": 0.0
  },
  "query": "মেনহাটন প্রকল্পৰ সফলতাৰ তাৎক্ষণিক প্ৰভাৱ কি আছিল?",
  "Answer": "মেনহাটন প্রকল্পৰ সফলতাৰ তাৎক্ষণিক প্ৰভাৱ আছিল...",
  "query_id": 1185869,
  "query_type": "DESCRIPTION",
  "passages": {
    "is_selected": [1, 0, 0, 0, 0, 0, 0, 0, 0, 0],
    "English_passages": ["The presence of communication amid sci",
    "Translated_passages": ["বৈজ্ঞানিক মনৰ মাজত যোগাযোগৰ উপস্থিতি..."]
  },
  "Eng_Query": ")what was the immediate impact of the success of t",
  "Eng_Answer": "The immediate impact of the success of the manhat",
}
```

 Citation

If you use IndicMSMARCO in your research, please cite:

```
@dataset{indic_msmarco_2024,  
  title={IndicRAGSuite: LargeScale Datasets and a Benchmark for Indi  
  author={Pasunuti Prasanjith,Prathmesh B More,Anoop Kunchukuttan, F  
  year={2025},  
  {journal} = {arXiv preprint arXiv:2506.01615},  
  url={https://huggingface.co/datasets/ai4bharat/IndicMSMARCO}  
}
```

 License

Please refer to the original MS MARCO dataset license terms.

 System theme

Company

- TOS
- Privacy
- About
- Careers

Website

- Models
- Datasets
- Spaces

Pricing

Docs



