Code :-

Webapp/CV.jsp:

```
<%@ page import="javax.servlet.*" %>
<html>
<head>
   <title>CV Form</title>
</head>
<body>
<h2>Enter Your CV Details</h2>
<form action="ConServlet" method="post">
   Name: <input type="text" name="name" required><br><br>
   Email: <input type="email" name="email" required><br><br>
   Qualification: <input type="text" name="qualification" required><br><br>
   City: <input type="text" name="city" required><br><br>
   Mobile: <input type="text" name="mobile" required><br><br>
   <input type="submit" value="Submit">
</form>
<hr>
<%
   ServletContext context = application;
   String msg = (String) context.getAttribute("msg");
   if (msg != null) {
%>
<h3><%= msg %></h3>
<%
      context.removeAttribute("msg");
   }
%>
</body>
</html>
```

Src/main/java/semester6/DBTransaction:

```
package semester6;
import java.sql.*;
public class DBTransaction {
   public Connection getConnection() {
      Connection con = null;
      try {
         Class.forName("com.mysql.cj.jdbc.Driver");
         con = DriverManager.getConnection(
               "jdbc:mysql://localhost:3306/studentdb",
```

```
            "root",
            ""
        );
    } catch (Exception e) {
        e.printStackTrace();
    }
    return con;
}
public boolean insertData(String name, String email, String qualification,
                          String city, String mobile) {
    boolean status = false;
    try {
        Connection con = getConnection();
        if (con == null) {
            System.out.println("DB Connection Failed ❌");
            return false;
        }
        String query = "INSERT INTO users4(name,email,qualification,city,mobile) VALUES(?,?,?,?,?)";
        PreparedStatement ps = con.prepareStatement(query);
        ps.setString(1, name);
        ps.setString(2, email);
        ps.setString(3, qualification);
        ps.setString(4, city);
        ps.setString(5, mobile);
        int rows = ps.executeUpdate();
        System.out.println("Rows inserted: " + rows);
        if (rows > 0) status = true;
        con.close();
    } catch (Exception e) {
        System.out.println("Insert Error: " + e.getMessage());
        e.printStackTrace();
    }
    return status;
}
}
```

Src/main/java/semester6/ConServlet:

```
package semester6;
import java.io.IOException;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;
@WebServlet("/ConServlet")
public class ConServlet extends HttpServlet {
```

```
  protected void doPost(HttpServletRequest req, HttpServletResponse resp)
        throws ServletException, IOException {
      // Get form data
      String name = req.getParameter("name");
      String email = req.getParameter("email");
      String qualification = req.getParameter("qualification");
      String city = req.getParameter("city");
      String mobile = req.getParameter("mobile");
      // DB object
      DBTransaction db = new DBTransaction();
      boolean result = db.insertData(name, email, qualification, city, mobile);
      ServletContext context = getServletContext();
      if (result) {
         context.setAttribute("msg", "Your CV is successfully submitted");
      } else {
         context.setAttribute("msg", "Submission Failed");
      }
      resp.sendRedirect("CV.jsp");
   }
}
```

webapp/WEB-INF/web.xml:

```
<?xml version="1.0" encoding="UTF-8" ?>
<web-app>
   <welcome-file-list>
         <welcome-file>  CV.jsp</welcome-file>
   </welcome-file-list>
</web-app>
```



Enter Your CV Details

Name:

Email:

Qualification:

City:

Mobile:

Submit

Your CV is successfully submitted

Conclusion:-

This experiment demonstrates how to insert user CV data using JSP, Servlet, JDBC, and ServletContext. The user inputs details through a JSP form, which are processed by a servlet acting as a controller. The servlet interacts with the database using a separate class to perform secure insertion using PreparedStatement. The result of the operation is then displayed back to the user using ServletContext.