Marwadi University Marwadi Chandarana Group NAAC A+	**Marwadi University** **Faculty of Technology** **Department of Information and Communication Technology**	
Subject: Advanced Java (01CT1623)	**Aim:** Create a User Management System with the following Features using MySQL database	
Task-1	**Date :-21-04-2026**	**Enrollment No:-** 92301733024

DBConnection.java

```
package com.user;

import java.sql.*;

public class DBConnection {
   public static Connection getConnection() {
      try {
         Class.forName("com.mysql.cj.jdbc.Driver");
         return DriverManager.getConnection(
               "jdbc:mysql://localhost:3306/userdb?useSSL=false",
               "root",
               ""
         );
      } catch (Exception e) {
         e.printStackTrace();
         return null;
      }
   }
}
```

User.java

```
package com.user;

public class User {
   int id;
   String name,email,password,role;
}
```

LoginServlet.java

```
package com.user;

import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;
import java.sql.*;

@WebServlet("/login")
public class LoginServlet extends HttpServlet {
```

```
  protected void doPost(HttpServletRequest req, HttpServletResponse res)
        throws ServletException, IOException {

    String email = req.getParameter("email");
    String password = req.getParameter("password");

    try {
        Connection con = DBConnection.getConnection();
        PreparedStatement ps = con.prepareStatement(
                "SELECT * FROM users1 WHERE email=? AND password=?"
        );

        ps.setString(1, email);
        ps.setString(2, password);

        ResultSet rs = ps.executeQuery();

        if (rs.next()) {
            HttpSession session = req.getSession();
            session.setAttribute("user", rs.getString("name"));
            session.setAttribute("role", rs.getString("role"));
            session.setAttribute("id", rs.getInt("id"));

            if (rs.getString("role").equals("admin")) {
                res.sendRedirect("viewUsers");
            } else {
                res.sendRedirect("userProfile.jsp");
            }
        } else {
            res.sendRedirect("login.jsp?error=1");
        }

    } catch (Exception e) {
        e.printStackTrace();
    }
  }
}
```

AddUserServlet.java

```
package com.user;
import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.WebServlet;
```

```
import java.io.IOException;
import java.sql.*;
@WebServlet("/addUser")
public class AddUserServlet extends HttpServlet {
   protected void doPost(HttpServletRequest req, HttpServletResponse res)
         throws ServletException, IOException {

      try {
         Connection con = DBConnection.getConnection();

         PreparedStatement ps = con.prepareStatement(
               "INSERT INTO users(name,email,password,role) VALUES(?,?,?,?)"
         );

         ps.setString(1, req.getParameter("name"));
         ps.setString(2, req.getParameter("email"));
         ps.setString(3, req.getParameter("password"));
         ps.setString(4, req.getParameter("role"));

         ps.executeUpdate();
         res.sendRedirect("viewUsers");

      } catch (Exception e) {
         e.printStackTrace();
      }
   }
}
```

UpdateUserServlet.java

```
package com.user;
import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;
import java.sql.*;
@WebServlet("/updateUser")
public class UpdateUserServlet extends HttpServlet {
   protected void doPost(HttpServletRequest req, HttpServletResponse res)
         throws ServletException, IOException {

      try {
         Connection con = DBConnection.getConnection();
```

```
        PreparedStatement ps = con.prepareStatement(
            "UPDATE users1 SET name=?, email=?, password=?, role=? WHERE id=?"
        );

        ps.setString(1, req.getParameter("name"));
        ps.setString(2, req.getParameter("email"));
        ps.setString(3, req.getParameter("password"));
        ps.setString(4, req.getParameter("role"));
        ps.setInt(5, Integer.parseInt(req.getParameter("id")));

        ps.executeUpdate();
        res.sendRedirect("viewUsers");

    } catch (Exception e) {
        e.printStackTrace();
    }
  }
}
```

DeleteUserServlet.java

```
package com.user;
import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;
import java.sql.*;
@WebServlet("/deleteUser")
public class DeleteUserServlet extends HttpServlet {
  protected void doGet(HttpServletRequest req, HttpServletResponse res)
        throws ServletException, IOException {

    try {
        Connection con = DBConnection.getConnection();
        PreparedStatement ps = con.prepareStatement(
            "DELETE FROM users1 WHERE id=?"
        );

        ps.setInt(1, Integer.parseInt(req.getParameter("id")));
        ps.executeUpdate();

        res.sendRedirect("viewUsers");

    } catch (Exception e) {
        e.printStackTrace();
```

```
        }
    }
}
```

ViewUsersServlet.java

```
package com.user;

import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;
import java.sql.*;

@WebServlet("/viewUsers")
public class ViewUsersServlet extends HttpServlet {

    protected void doGet(HttpServletRequest req, HttpServletResponse res)
            throws ServletException, IOException {

        try {
            Connection con = DBConnection.getConnection();
            Statement st = con.createStatement();
            ResultSet rs = st.executeQuery("SELECT * FROM users1");

            req.setAttribute("users", rs);
            RequestDispatcher rd = req.getRequestDispatcher("admin.jsp");
            rd.forward(req, res);

        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```

login.jsp

```
<html>
<head><link rel="stylesheet" href="style.css"></head>
<body>
<h2>Login</h2>

<form action="login" method="post" class="form">
    <input name="email" placeholder="Email"><br>
```

```
    <input name="password" type="password" placeholder="Password"><br>
    <button>Login</button>
</form>

</body>
</html>
```

admin.jsp

```
<%@ page import="java.sql.*" %>

<html>
<head>
    <link rel="stylesheet" href="style.css">
</head>
<body>

<h1>Admin Dashboard</h1>

<a href="addUser.jsp" class="btn">Add User</a>

<table>
    <tr>
        <th>ID</th><th>Name</th><th>Email</th><th>Role</th><th>Actions</th>
    </tr>

    <%
        ResultSet rs = (ResultSet) request.getAttribute("users");

        while(rs.next()){
    %>

    <tr>
        <td><%= rs.getInt("id") %></td>
        <td><%= rs.getString("name") %></td>
        <td><%= rs.getString("email") %></td>
        <td><%= rs.getString("role") %></td>

        <td>
            <a href="editUser.jsp?id=<%= rs.getInt("id") %>" class="edit">Edit</a>
            <a href="deleteUser?id=<%= rs.getInt("id") %>" class="delete">Delete</a>
        </td>
    </tr>

    <% } %>
```

```
</table>

</body>
</html>
```

addUser.jsp

```
<html>
<head>
   <title>Add User</title>
   <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="form-container">
   <h2>Add New User</h2>

   <form action="addUser" method="post">
      <input type="text" name="name" placeholder="Full Name" required>
      <input type="email" name="email" placeholder="Email" required>
      <input type="password" name="password" placeholder="Password" required>

      <select name="role">
         <option value="user">User</option>
         <option value="admin">Admin</option>
      </select>

      <button type="submit">Add User</button>
   </form>

   <a href="viewUsers" class="back">← Back</a>
</div>

</body>
</html>
```

editUser.jsp

```
<%@ page import="java.sql.*,com.user.DBConnection" %>

<%
   int id = Integer.parseInt(request.getParameter("id"));
```

```
    Connection con = DBConnection.getConnection();
    PreparedStatement ps = con.prepareStatement("SELECT * FROM users WHERE id=?");
    ps.setInt(1, id);

    ResultSet rs = ps.executeQuery();
    rs.next();
%>

<html>
<head>
    <title>Edit User</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="form-container">
    <h2>Edit User</h2>

    <form action="updateUser" method="post">
        <input type="hidden" name="id" value="<%= id %>">

        <input type="text" name="name" value="<%= rs.getString("name") %>" required>
        <input type="email" name="email" value="<%= rs.getString("email") %>" required>
        <input type="text" name="password" value="<%= rs.getString("password") %>" required>

        <select name="role">
            <option value="user" <%= rs.getString("role").equals("user")?"selected":"" %>>User</option>
            <option value="admin" <%= rs.getString("role").equals("admin")?"selected":"" %>>Admin</option>
        </select>

        <button type="submit">Update User</button>
    </form>

    <a href="viewUsers" class="back">← Back</a>
</div>

</body>
</html>
```

userProfile.jsp

```
<%
    String name = (String) session.getAttribute("user");
    String role = (String) session.getAttribute("role");
```

```
    if (name == null) {
        response.sendRedirect("login.jsp");
    }
%>

<html>
<head>
    <title>User Profile</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="profile-card">
    <h2>Welcome, <%= name %></h2>
    <p><strong>Role:</strong> <%= role %></p>

    <p>This is your personal dashboard.</p>

    <a href="login.jsp" class="logout">Logout</a>
</div>

</body>
</html>
```

style.css

```
body {
    font-family: Arial;
    background: #f0f2f5;
    margin: 0;
    padding: 20px;
}

h1, h2 {
    text-align: center;
}

.form-container, .profile-card {
    width: 350px;
    margin: auto;
    background: white;
    padding: 20px;
    border-radius: 10px;
    box-shadow: 0 4px 10px rgba(0,0,0,0.1);
```

```
}

input, select {
    width: 100%;
    padding: 10px;
    margin: 10px 0;
}

button {
    width: 100%;
    padding: 10px;
    background: #007bff;
    color: white;
    border: none;
    cursor: pointer;
}

.btn {
    display: block;
    width: 150px;
    margin: 10px auto;
    text-align: center;
    padding: 10px;
    background: green;
    color: white;
    text-decoration: none;
    border-radius: 5px;
}

table {
    width: 90%;
    margin: auto;
    border-collapse: collapse;
    background: white;
}

table, th, td {
    border: 1px solid #ddd;
    padding: 10px;
}

.edit {
    color: blue;
    margin-right: 10px;
}
```

```
.delete {
   color: red;
}

.back, .logout {
   display: block;
   text-align: center;
   margin-top: 10px;
   color: gray;
}
}
```

OUTPUT:





Marwadi University Marwadi Chandarana Group NAAC A+	**Marwadi University** **Faculty of Technology** **Department of Information and Communication Technology**
Subject: Advanced Java (01CT1623)	**Aim:** Create a User Management System with the following Features using MySQL database
Task-1	**Date :-21-04-2026** / **Enrollment No:-** 92301733024



ID	Name	Email	Role	Actions
1	Admin	admin@gmail.com	admin	Edit Delete
3	Isha Savaliya	isha@gmail.com	user	Edit Delete