Internet and Web Programming CSE3002 Fall Semester 2020-21

Lab Assignment 6

ISHAAN OHRI 18BCE0265

Question:

Write a Node JS program to perform database operations. Use MongoDB for data integration services.

i. Write a NodeJs program to perform debit operation for a bank account. The HTML form should get input for the account no and the amount to be debited. The entered amount has to be reduced from their balance. In the database, maintain account number and balance.

Procedure:

express: Importing the express framework

mongoose: Importing the mongoose library for MongoDB

path: Importing path library

mongoose.connect: Connect to MongoDB

app: Create instance of express

AccountSchema: Define the schema for Account

Account: Define modal for Account from AccountSchema

app.post: Define post route

res: Response object of the route

req: Request object of the route

PORT: Port on which app is listening

express.json(): Enable data to be excepted via body in a request

Account.findOne(): Find account in database

```
User.save(): Save user to database
```

<!DOCTYPE html>: Tells browser that it is an HTML document

<head>: Container for header elements

<title>: Name for toolbar

body>: Body element for document

<style>: Styles for the different elements

: Defines a paragraph

<input>: Declare input controls that allow users to input data.

type: Defines the type of input text/radio/checkbox

name: Defines the name of the <input> element

id: Unique id to identify

pattern: Defines pattern of input data

required: Compulsory to enter

value: Defines the value of the option in radio/checkbox

Code:

index.js (Backend)

```
);
const app = express();
app.use(express.json());
app.use(
    express.static(path.join(__dirname, './'), {
        index: 'index.html'
    })
);
const AccountSchema = new mongoose.Schema({
    account: {
        type: Number,
        required: true
    },
    balance: {
        type: Number,
       required: true
});
const Account = mongoose.model('Account', AccountSchema);
app.post('/debit', async (req, res) => {
    const { account, amount } = req.body;
    const user = await Account.findOne({ account });
    if(user.balance < amount){</pre>
        res.send({
            success: false,
            message: 'Insufficient balance'
        });
        return;
    user.balance -= amount;
    await user.save();
    res.send({
        success: true,
        message: `Balance deducted successfully. New balance is Rs ${user.balance}`
    });
});
app.post('/create', async (req, res) => {
    const { account, amount } = req.body;
```

```
const user = new Account({
        account,
        balance: amount
})

await user.save();

res.send({
        success: true
    });
});

const PORT = 4000;

app.listen(PORT, () => {
        console.log(`Server running on http://localhost:${PORT}`);
});
```

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Ishaan Ohri Bank</title>
   <link rel="stylesheet" type="text/css" href="./style.css">
   <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
</head>
<body>
      DEBIT FORM
      Enter Account Number:
      <input id="account" type="number" required>
      Enter Amount to debit:
      <input id="amount" type="number" required>
      <button id="submit">Sumbit</button>
</body>
<script src="app.js"></script>
</html>
```

style.css

```
div{
```

```
padding: 40px;
background-color: white;
margin: 0;
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}
input{
   font-family: Georgia, 'Times New Roman', Times, serif;
   font-size: 30px;
   margin: 20px;
}
body{
   background-color: coral;
   font-family: Georgia, 'Times New Roman', Times, serif;
   font-family: Georgia, 'Times New Roman', Times, serif;
   font-size: 30px;
}
```

app.js

```
$(document).ready(function() {
    $('#submit').click(function(){
        var account = $('#account').val();
        var amount = $('#amount').val();
        var settings = {
            "url": "http://localhost:4000/debit",
            "method": "POST",
            "timeout": 0,
            "headers": {
              "Content-Type": "application/json"
            "data": JSON.stringify({"account":account,"amount":amount}),
          };
          $.ajax(settings).done(function (response) {
            alert(response.message)
          });
    })
```

Output:









