E2Q2.c

```c
#include <stdio.h>
#include <string.h>

struct student {
    char name[50];
    int rollnum;
    char add[100];
};

int main() {
    int i = 0;
    struct student s[5];

    //-------Taking The data-------
    printf("Enter the data of students:\n");
    for(i = 0; i < 5; i++) {
        printf("\nEnter the name of %d's Student : ", i + 1);
        scanf(" %[^\n]", s[i].name);

        printf("Enter Roll No. for %d's Student: ", i + 1);
        scanf("%d", &s[i].rollnum);

        printf("Enter Address for %d's Student: ", i + 1);
        scanf(" %[^\n]", s[i].add);
    }

    //Displaying The Data
    printf("\n--- Displaying Student Data ---\n");
    for(i = 0; i < 5; i++) {
        printf("\n%d's Student's Name: %s", i + 1, s[i].name);
        printf("\n%d's Student Roll No.: %d", i + 1, s[i].rollnum);
        printf("\n%d's Student Address: %s\n", i + 1, s[i].add);
    }

    return 0;
}

```

Output :

```
Enter the data of students:

Enter the name of 1's Student : Ishan
Enter Roll No. for 1's Student: 113
Enter Address for 1's Student: Sec2, Gan

Enter the name of 2's Student : Dhanya
Enter Roll No. for 2's Student: 119
Enter Address for 2's Student: Vadodara

Enter the name of 3's Student : Vansh
Enter Roll No. for 3's Student: 141
Enter Address for 3's Student: Ahemdabad

Enter the name of 4's Student : Aakarshan
Enter Roll No. for 4's Student: 128
Enter Address for 4's Student: Sabarmati

Enter the name of 5's Student : Dhvani
Enter Roll No. for 5's Student: 143
Enter Address for 5's Student: Nikol

--- Displaying Student Data ---

1's Student's Name: Ishan
1's Student Roll No.: 113
1's Student Address: Sec2, Gan

2's Student's Name: Dhanya
2's Student Roll No.: 119
2's Student Address: Vadodara

3's Student's Name: Vansh
3's Student Roll No.: 141
3's Student Address: Ahemdabad

4's Student's Name: Aakarshan
4's Student Roll No.: 128
4's Student Address: Sabarmati

5's Student's Name: Dhvani
5's Student Roll No.: 143
5's Student Address: Nikol
```