

Kavach: Deterministic-Primary Detection for LLM Agent Tool Calls

A Rearchitecture, a Real-Trajectory Validation, and Negative Results

Anonymous Author(s)

Abstract

LLM agents increasingly act in the world through tool calls, but the guardrails deployed to secure them overwhelmingly evaluate an agent’s language — its prompt, its chain-of-thought, its output — rather than the resolved arguments of the action it is about to take. We present Kavach, a runtime monitor that intercepts every tool call at the moment its arguments are resolved, before any side effect occurs. Kavach’s detection is organized as a parliament of four domain-specialized ministers — VAULT (credentials), EXECUTOR (dangerous code), CHANNEL (exfiltration), and NAVIGATOR (unauthorized action, the least mature of the four and, as we report, not yet an independently validated detector) — whose verdicts a deterministic speaker combines into Block, Escalate, or Allow. We make four contributions. First, a methodology finding: four independent lines of evidence — a lexical-inflation bug, a dense fine-tune that traded one failure mode for a worse one, a corpus-coverage gap, and a proposed fifth minister formally falsified before being built (near-zero cosine-similarity deltas between paired legitimate/malicious calls) — together show that deterministic parsing over an action’s resolved arguments outperforms cosine similarity over its semantic embedding when the attack signal is structural. We moved three of Kavach’s four detectors to deterministic-primary detection on this evidence. Second, a deployment with real numbers: 544/544 on InjecAgent’s data-stealing corpus, entirely via CHANNEL’s taint mechanism, whose hard-block guarantee originally held within InjecAgent’s own destination-tool vocabulary only, since extended to a shape-based fallback covering untested tool names too (§6.1; direct-harm remains an open gap: 0% strict recall per minister, 3.1% in aggregate via TRAJECTORY, §4.7), and a session-level provenance mechanism that correctly escalates 5/5 structurally applicable AgentDojo attacks — verified against both the benchmark’s ground-truth sequence and AgentDojo’s own full recorded model trajectories — with zero false blocks on 22 real benign sessions; on a 519-case supporting evaluation suite assembled to cover VAULT and EXECUTOR specifically, since InjecAgent and AgentDojo barely exercise either (§4.2), deterministic-primary detection with escalate-only cosine triage reaches 74.4%/90.1% with zero new benign false positives — of which 45/87 (52%) and 113/183 (62%) are escalate-only review-flags rather than hard-blocks, a split we report throughout rather than only in §3.8. Third, a large-scale real-trajectory validation: replaying all 629 real recorded GPT-4o attack trajectories AgentDojo has published, Kavach fires on 74.2%, and we trace every apparent miss to its actual tool-call content, distinguishing

benchmark-labeling artifacts from genuine, precisely categorized gaps. Fourth, negative results reported in full: three independently designed heuristics for a session-level authorization layer, an abandoned deterministic swap attempt, and an independent generalization audit against a fictional vocabulary that establishes precisely which detection mechanisms transfer past benchmark vocabulary and which do not. Kavach needs no GPU and is fully reproducible offline.

1 Introduction

LLM agents increasingly act in the world through tool calls: reading files, sending money, messaging other people, executing code. The guardrails deployed to secure this behavior overwhelmingly evaluate the agent’s *language* — its input prompt, its chain-of-thought, its output text — rather than the *resolved arguments* of the action it is about to take. This is a real gap: a tool call to `send_money` with an attacker-substituted recipient IBAN, or to a credential-harvesting shell one-liner, is often indistinguishable from a benign call at the language level and only becomes distinguishable once its concrete arguments are inspected. Kavach is a runtime monitor that closes this gap by intercepting every tool call at the moment its arguments are resolved and scoring the resulting action — not the prompt, not the plan, the resolved call itself — before any side effect occurs.

This paper is substantially a report on a design decision and the evidence that produced it: we built Kavach’s first version as a semantic, embedding-based detector — a parliament of domain-specialized ministers, each retrieving against a curated corpus of attack-pattern descriptions — and over the course of developing and stress-testing it, accumulated four independent lines of evidence that this design was the wrong primary mechanism for three of its four detection domains, while remaining the right mechanism for the fourth. We report both the evidence and the resulting rearchitecture, including two attempts that did not work, because a paper that reports only the final, working configuration understates how the field should update on evidence like this: not every detection problem shaped by an attacker’s resolved arguments is best solved by comparing embeddings.

Contributions. First, a methodology finding: deterministic parsing beats cosine similarity when the attack signal is structural (§3). A lexical-inflation bug, a dense fine-tune that traded one failure mode for a worse one, a corpus-coverage gap that generalized past its original motivating case, and a proposed fifth minister that we formally falsified before building — paired legitimate/malicious tool calls that differ only in argument content show near-zero

cosine similarity deltas (0.003–0.024) — together make the case that credential-path shapes, network-fetch-to-disk patterns, and destination-value provenance are answered more reliably by deterministic parsing over an action’s resolved arguments than by any refinement of embedding similarity over its semantic content. We moved three of Kavach’s four ministers (VAULT, EXECUTOR, CHANNEL) to deterministic-primary detection on this evidence, keeping cosine similarity only as an escalate-only triage layer over the deterministic residual.

Second, a deployment with real detection numbers (§3, §4). InjecAgent and AgentDojo, the standard benchmarks we also evaluate against below, almost entirely miss VAULT and EXECUTOR — both stress CHANNEL’s mechanisms specifically, a gap we found live while validating this rearchitecture, not one we anticipated. We assembled a composite evaluation corpus (§4.2) for VAULT and EXECUTOR that closes this gap by reusing real, externally-validated attack data (AtomicRedTeam, GTF0Bins) under one runner and one per-minister scoring convention, rather than authoring new synthetic attacks that risk being unconsciously shaped to be catchable by the system being evaluated; CHANNEL and NAVIGATOR are evaluated separately on InjecAgent and AgentDojo below. On this 519-case corpus, deterministic-primary detection with cosine triage reaches VAULT 74.4% and EXECUTOR 90.1%, stable under a held-out split, with zero new benign false positives across two independent benign populations. CHANNEL’s session-level provenance mechanism — tracking whether a consequential call’s argument values trace to the user’s own instruction or to an earlier, untrusted read this session — correctly escalates 5/22 real benign multi-step sessions with zero false blocks, and 5/5 structurally applicable AgentDojo attack cases, verified independently against both the benchmark’s minimal ground-truth call sequence and AgentDojo’s own full recorded model trajectories for the same cases. On InjecAgent’s data-stealing corpus, the deterministic pipeline reaches 544/544 detection; the direct-harm corpus remains an open gap (0% strict recall, §4.7).

Third, a large-scale real-trajectory validation (§4.6). Beyond benchmark replay, we validated Kavach against all 629 real recorded GPT-4o attack trajectories published by AgentDojo — actual model-generated tool-call sequences with real tool outputs, not a benchmark’s minimal answer key. Kavach fires on 467/629 (74.2%) of these. Tracing every apparent miss to its actual tool-call content shows 131 of the 162 misses reflect the model never executing any consequential action in connection with the injected instruction at all — an artifact of AgentDojo’s own success-labeling convention, not a detection gap — leaving 19 genuine misses, which we categorize precisely by mechanism (five are a scoped CHANNEL destination-tool gap; fourteen have no destination value to trace at all, and are a different kind of problem entirely).

Fourth, honestly reported negative results (§6). NAVIGATOR, the one minister we did not move to deterministic-primary detection, is reported in full: a first attempt at a direct deterministic swap showed zero net discrimination

gain and was abandoned at its own go/no-go gate; a second attempt reframed the minister’s question as session-level authorization rather than similarity, and we report three independently designed heuristics for the resulting hard-constraint layer, all of which failed a frozen discriminability criterion set before measurement, for three distinct and informative reasons. An independent generalization audit, run against a fictional agent vocabulary sharing no surface term with any benchmark Kavach was tuned against, further establishes precisely which of the four ministers’ mechanisms generalize past benchmark-specific vocabulary and which do not — EXECUTOR generalizes cleanly (with one structural false positive found and fixed during the audit itself); VAULT generalizes except where its mechanism is an inherent literal-name allowlist; CHANNEL’s escalation path generalizes while its hard-block path does not; NAVIGATOR’s cosine detector does not transfer to novel vocabulary at all. We report these boundaries because knowing precisely where each mechanism does and does not generalize is what distinguishes a system whose limits are known from one whose limits have simply not yet been found.

Scope and non-claims. We do not claim Kavach prevents every class of agent-side attack. Its deterministic rules are authored against published taxonomies and known attack corpora; a genuinely novel technique outside both may not be caught, and the generalization audit (§6) characterizes this precisely rather than leaving it as an assumption. NAVIGATOR’s authorization question — was this specific action derivable from what the user actually asked for — remains open past a validated taxonomy classifier; we report the attempts and their failure modes rather than a completed mechanism. We do not propose Kavach as a replacement for input-time or output-time guardrails; it enforces at a different boundary along the agent’s execution lifecycle, and a comprehensive deployment runs more than one.

Reproducibility. The parliament service, the deterministic prefilters and their test suites, the reference-corpus evaluation harness, and the real-trajectory replay scripts used for every number in §4 run entirely offline on CPU-only hardware, with no GPU or paid API access required.

2 Background

2.1 The agent infrastructure attack surface

Modern LLM agents are composite systems: a language model provides the reasoning surface, while the harness provides tool dispatch, context management, multi-turn state, and persistence. In production deployments the harness accounts for the overwhelming majority of source lines, with the model contributing only a small fraction — a structural inversion with a direct security consequence: the harness, not the model, is the dominant attack surface.

Agent harnesses expose several classes of latent vulnerabilities. *Configuration-as-code* attacks exploit declarative configuration the harness loads and executes without sanitization (CVE-2026-21852 on Claude Code’s `.claude/settings.json`;

CVE-2026-21858 on n8n). *Serialization-injection* attacks exploit the harness’s serialization/deserialization of tool responses and agent state, enabling arbitrary class instantiation in trusted namespaces (CVE-2025-68664 on LangChain Core, CVSS 9.3). *Hook-bypass* attacks exploit incorrectly wired security hook points — as with OpenClaw issues #5513 and #5943, where `before_tool_call` is documented but never invoked. *CSRF and session* attacks exploit the harness’s web surface (CVE-2025-34291 on LangFlow, actively exploited in the wild as of January 2026 [7]).

These vulnerability classes correspond directly to Kavach’s minister structure. EXECUTOR detects code-execution-class attacks (CVE-2025-59536, CVE-2025-34291, CVE-2025-68664). VAULT detects credential-theft-class attacks (CVE-2026-21852, CVE-2025-68664). CHANNEL detects exfiltration-class attacks (CVE-2026-21852 via URL redirection, CVE-2026-21858). NAVIGATOR detects trajectory-manipulation attacks that span multiple tool calls. Section 3 gives the MITRE ATT&CK and OWASP Agentic 2026 taxonomic grounding for each minister.

2.2 Existing guardrails and their enforcement points

The guardrail literature can be organized along two axes: (1) *where* in the agent lifecycle the guardrail enforces, and (2) *what mechanism* it uses to detect violations.

Input-time guardrails. operate on the user’s message before the agent processes it (PromptGuard 2 [5], Azure Prompt Shields) and cannot detect attacks arriving via tool outputs, the dominant vector in prompt-injection benchmarks [21].

Plan-time / chain-of-thought guardrails. audit the agent’s reasoning trace before it commits to an action (AlignmentCheck [5], DRIFT [15]) — powerful but expensive (full LLM inference), and blind to a tool call’s *resolved arguments*, seeing only declarative intent.

Tool-call-time guardrails. operate at the tool-call boundary — Kavach’s enforcement point. CodeShield [5] applies Semgrep to code-returning outputs only, not general tool calls; ShieldAgent [4] retrieves rule circuits per trajectory; Task Shield [12] checks task alignment. None uses a curated semantic corpus of attack-pattern descriptions at the tool-call level.

Information-flow guardrails. (CaMeL [8], FIDES [6], RT-BAS [23]) tag data with provenance/capability labels and enforce statically — provable, but unable to detect attacks whose provenance is correctly labeled while the argument content itself is malicious.

Output-time guardrails. (NeMo Guardrails, Consecra [19], and the post-hoc monitor Kavach replaces) act after execution — useful for forensics, unable to prevent it.

Drift-detection guardrails. (TaskTracker [1], DeepContext [3], Trajectory Guard [2]) measure trajectory divergence from stated intent across turns. Kavach’s NAVIGATOR minister

sits here at the per-call level, comparing a proposed consequential action against the session’s pinned user intent; we report both a completed taxonomy layer and an incomplete authorization mechanism for it in §6.

Across these categories, the tool-call boundary is the only enforcement point at which the *resolved runtime arguments* of an action are available for inspection before that action executes. Input-time and plan-time guards see only declared intent — the user message or the agent’s reasoning trace — not the concrete arguments the call will run with; output-time guards observe the action only after it has executed, too late to prevent it; and information-flow guards enforce data provenance rather than the semantics of the argument content. This is Kavach’s enforcement point, and it is structurally unreachable by guards in the other categories: they fire at boundaries where the resolved-argument view does not yet, or no longer, exists. §6 reports a consistent, if narrower, coverage gap for the two closest available tool-call-content tools specifically, not a test of the general structural claim above.

Table 1 (§5) places Kavach in context on five axes: enforcement boundary, mechanism, corpus extensibility, verdict combination, and reported AgentDojo / InjecAgent performance.

2.3 Benchmarks and evaluation methodology

The three most widely used agent-security benchmarks are:

InjecAgent [21] — 1,054 prompt-injection test cases from UIUC (2024), structured as 17 user tools × 62 attacker tools, split into direct-harm (30 tools) and data-stealing (32 tools) settings, each providing a benign user instruction, a tool the agent would invoke, a malicious payload in the tool’s output, and the expected attacker action. Kavach runs the 544-case data-stealing (DS) subset cold, and the direct-harm subset separately (§4.7).

AgentDojo [9] — 97 user tasks and 629 security test cases across four environments (workspace, Slack, banking, travel), scored by ASR and utility. We evaluate against AgentDojo’s structurally applicable ground-truth attack cases (§4.5) and, at scale, against all 629 real recorded GPT-4o attack trajectories AgentDojo has published (§4.6).

A methodological note: reporting attack recall without the accompanying benign false-positive rate conflates detector quality with detector aggressiveness. We therefore report both jointly for every detection number in §4, following Kapoor et al. [14], rather than treating a fixed false-positive ceiling as a gate a configuration must pass before its recall is reported.

2.4 OWASP and MITRE taxonomic grounding

Kavach’s attack-pattern corpus is authored against the two most widely cited AI-agent threat taxonomies, not against attacks the team happened to have seen: MITRE ATT&CK/ATLAS (EXECUTOR: T1059, T1546; VAULT: T1552, T1539; CHANNEL: T1041, T1567; NAVIGATOR: T1083 and others) and

the OWASP Top 10 for Agentic Applications 2026, mapped per minister (EXECUTOR: ASI04/05; VAULT: ASI03/09; CHANNEL: ASI07/08; NAVIGATOR: ASI01/10).

3 Kavach Architecture

3.1 Overview

Kavach is a runtime guardrail that interposes between an LLM agent’s tool dispatch and the tool’s actual execution. Every resolved tool call is evaluated by a parliament of four domain-specialized ministers — VAULT (credential and identity abuse), EXECUTOR (dangerous code execution), CHANNEL (data exfiltration and provenance), and NAVIGATOR (unauthorized or drifted agent action), pre-selected per call by a similarity-gated router (falling back to all four when none crosses its threshold). Three of these (VAULT, EXECUTOR, CHANNEL) are validated detectors with reported detection numbers throughout this paper; NAVIGATOR is the fourth, exploratory component, and we report plainly that it is not yet one (§6); every aggregate figure in this paper that includes a NAVIGATOR contribution reports it broken out per-minister alongside the total, not folded in invisibly, so a reader treating NAVIGATOR as unvalidated can identify and discount its share directly (e.g. §4.7, §4.8). A deterministic Speaker combines their verdicts by pure veto (any minister’s BLOCK suffices, no score averaging) into BLOCK, ESCALATE, or ALLOW, via a single HTTP endpoint, POST /hook /parliament, called synchronously at the host runtime’s pre-execution hook; a verdict other than ALLOW prevents the call from executing. Two further pre-architecture components remain in the live code path but outside the four ministers: TRAJECTORY, a session-level monitor re-confirming or escalating a subset of already-detected cases (disclosed in full, including a real benign false-positive interaction, in §3.8); and COMPASS, a session-intent-drift check that *can* independently upgrade a verdict to BLOCK when active, but whose trigger condition (a seeded session intent) never arises in any of this paper’s dispatch harnesses — confirmed empirically zero occurrences across all 519 + 1,054 + 629 evaluated cases (§4.8).

3.2 Deterministic-primary detection: why, and for which ministers

Kavach’s ministers were originally cosine-primary: each proposed action was embedded and scored against a curated corpus of attack-pattern descriptions, with a per-minister confidence threshold deciding the verdict. Four independent lines of evidence, developed over the course of this project, converged on replacing this design for three of the four ministers.

- **Evidence 1 — a lexical-inflation bug pointed at the fix, not just the bug.** BM25/IDF term weighting over-weighted rare generic tokens (`url`, `user`) because L3 code-syntax text had leaked into the lexical index, false-blocking benign calls (`get_webpage`,

`read_inbox`). A regex/exact-match layer on L3 syntax tokens shipped instead of two rejected rerankers (SPLADE, cross-encoder), and is the direct conceptual precursor to deterministic-primary detection: the false positives were *structural*, and a deterministic match on structure resolved them without touching the semantic layer.

- **Evidence 2 — a targeted dense fine-tune traded one failure mode for a worse one.** A low-rank adapter fine-tuned on the frozen BGE encoder fixed the `get_webpage/read_inbox` false positives outright (71%→0%) but regressed real attack recall on 30 genuine InjecAgent attacks from 63.3% to 26.7%: its LOLBIN-shaped training positives sharply separated *that* shape and pulled genuinely different attack shapes (bank transfers, access-grant abuse) away from the decision boundary. The adapter was correctly not merged.
- **Evidence 3 — the corpus gap this exposed was general, not a training artifact.** Adding 62 real business-logic attacks (transfers, access grants) as positive examples revealed they do not match *anything* already in the corpus (mean cosine similarity 0.565, far below any operating threshold) — a structural blind spot for an ordinary-looking business action carrying a malicious argument.
- **Evidence 4 — a proposed fifth minister was formally falsified before being built.** We tested whether cosine similarity could discriminate STEWARD’s target attack class (business-logic abuse) at all, using paired legitimate/malicious AgentDojo calls sharing a tool name and differing only in argument content: similarity deltas between paired calls were near zero (0.003–0.024). STEWARD was not built — argument-*value* provenance is a different kind of question than action-level semantic similarity, and no amount of corpus expansion closes that gap for a mechanism that only looks at the action as a whole.

The decision. Evidence 1–4 point at one distinction: structural attack signals (a credential-path shape, a network-fetch-to-disk pattern, an argument value’s provenance) are caught more reliably by deterministic parsing than by any refinement of cosine similarity, while genuinely intent-shaped signals may still need a semantic or session-state mechanism. We therefore moved VAULT, EXECUTOR, and CHANNEL to deterministic-primary detection, keeping cosine only as an escalate-only triage layer on the deterministic residual (§3.5). NAVIGATOR remains cosine-primary; a direct deterministic swap was attempted and abandoned at its own go/no-go gate (zero net discrimination gain), and a second attempt at a deterministic authorization layer is reported as a negative result in §6.

3.3 VAULT and EXECUTOR: structural parsing

VAULT and EXECUTOR score each proposed tool call’s arguments with deterministic prefilters (`parliament/prefilters.py`) built on a behavioral-primitive taxonomy: VAULT’s primitives (V1–V6) cover credential paths, dotenv files, named-service secret environment variables, and credential-shaped strings; EXECUTOR’s primitives (E1–E7) cover network-fetch-to-disk, reverse-shell shapes, and persistence-mechanism writes. Two extraction layers back these primitives, chosen per shell dialect by a latency/correctness trade-off measured directly rather than assumed:

Real AST parsing where it is both correct and fast. For `sh/bash`, arguments are parsed with `bashlex` into a real abstract syntax tree, and primitive matching walks the tree rather than raw text — closing shape-based false negatives a tokenizer cannot (e.g. heredoc body content) at ~ 0.5 ms per call. PowerShell has an equivalently real AST available, but invoking it requires a `powershell.exe` subprocess, measured at ~ 1.4 s per call — $18\times$ over budget. We therefore wire the real AST into the live path only for `sh/bash`; PowerShell and `command.prompt` remain on the structural tokenizer below, with the real PowerShell AST kept available as an opt-in offline/audit tool rather than a live dependency.

A structural tokenizer for the remaining dialects. For dialects where a real grammar parser is unavailable or too slow, a lightweight shell-quote-aware tokenizer extracts URL-, path-, and credential-shaped tokens directly, with a two-tier credential test (a strong extension/path match, and a broader path-shaped fallback) rather than a single regex.

On the full 519-case AtomicRedTeam/GTFOBins reference corpus, deterministic matching alone recovers VAULT 35.9% (42/117) and EXECUTOR 34.5% (70/203) of cases; the remaining residual is handled by the cosine-triage layer below, reaching a full-pipeline VAULT 74.4% (87/117) and EXECUTOR 90.1% (183/203). Of VAULT’s 74.4% (87/117), 42 points are hard-Block from the deterministic layer and 45 points are Escalate-only from cosine triage; of EXECUTOR’s 90.1% (183/203), 70 points are hard-Block and 113 points are Escalate-only. This produces zero new hard-block false positives across both benign populations we measure (793 general-purpose BFCL calls, 55 agent-shaped benign calls). Escalate rates on the two benign populations are, respectively: VAULT 5.5%/13.4%, EXECUTOR 0%/14.9%, CHANNEL 40.0%/4.5%, NAVIGATOR 21.8%/10.8% (agent-shaped/BFCL). A held-out split of the same population (even/odd case IDs) shows the full-pipeline rate is stable across the split — VAULT 71.2%/77.6%, EXECUTOR 89.2%/91.1% — rather than an artifact of a lucky partition.

3.4 CHANNEL: session-level taint and value provenance

CHANNEL is inherently a multi-call, session-level detector: the attack shape it targets is a sensitive-data *read* followed by an external *send* in the same session, which no single-call

regex can express. It maintains two independent pieces of per-session state.

Taint. A call to a known source tool (a domain-specific sensitive-data read) marks the session tainted. A subsequent call to a known destination tool (external communication) is BLOCKED if the session is tainted and the destination is not allow-listed; the allow-list is empty by default, since no corpus evidence supports a “trusted” external recipient distinct from an attacker-controlled one. Source and destination are matched by tool name against curated lists, extended with a naming-convention-agnostic tokenizer and a behavior-general fallback that checks destination-shaped argument values (email, IBAN, URL) for any tool not already in the named list, so a genuinely novel exfiltration tool is not silently invisible.

Provenance. Independent of taint, every destination-tool call’s argument values are classified by where they came from this session: `USER_SUPPLIED` (present in the user’s own original instruction), `SELF` (the session’s own verified identity), `OUTPUT_DERIVED` (first seen in the output of an earlier tool call this session), or `NOVEL` (neither). A destination value classified `OUTPUT_DERIVED` or `NOVEL` on a consequential call returns `ESCALATE`, deliberately not `BLOCK`: paying a bill by reading its own file for the recipient IBAN, or replying to the sender of an email just read, are real, legitimate same-session read-then-send chains that must not be treated the same as an attacker-substituted destination (§3.8 discusses this choice’s cost).

CHANNEL’s locked reference numbers: 5/22 real benign multi-step sessions correctly escalate (0 false hard-blocks) on this mechanism; 5/5 AgentDojo attack cases structurally applicable to CHANNEL’s read-then-send shape escalate correctly, confirmed against both the benchmark’s minimal `ground.truth()` call sequence (AgentDojo’s own API for the expected attack steps) and, separately, against AgentDojo’s own full recorded model trajectories for the same cases (§4).

3.5 Cosine-ESCALATE-only triage

For VAULT and EXECUTOR, cosine similarity against the original attack-pattern corpus is retained, but only as a triage layer over the deterministic *residual* — cases the structural parsers did not match — and its verdict is hardcoded to `ESCALATE`: it can never `BLOCK`. A semantic signal that cannot reliably discriminate (Evidence 4) should not be trusted with an irreversible verdict, but remains useful as a flag for human review on cases a deterministic rule did not anticipate.

3.6 An LLM tiebreaker for narrative-phrasing attacks (built, not deployed)

VAULT and EXECUTOR’s deterministic rules match literal syntax; an attack described in prose rather than code (“ap-
pend an entry to the SSH authorized-keys file for persistence”
rather than the literal path) can evade every rule that only

recognizes concrete command shapes. We built an escalation tier for this residual that keeps the verdict-making step model-free even though it consults a model: a cheap deterministic pre-flag decides whether a call is worth escalating at all, a small local model (qwen2.5:7b) only *extracts three narrow factual flags* from flagged calls rather than rendering a verdict directly, and a separate deterministic rule converts those flags into BLOCK/ESCALATE/ALLOW (failing open to ALLOW on model timeout or error). Two simpler designs — raw entity-proximity matching and asking the model to judge malicious-or-benign directly — were tried and rejected first, for benign false positives and missed attacks respectively. The tiebreaker scored 16/17 (94.1%) in pilot, and 4/5 on an independent generalization check using phrasings never used to write its fix (§4.4); it is real, working code held back from live dispatch specifically because its own validation found a limit before we judged it decided.

3.7 Provenance ledger

Every verdict is logged to an append-only, SHA-256 hash-chained SQLite ledger that is *tamper-evident*, not *tamper-proof*; full mechanism and a real verification-bug episode found and fixed during this work are described in Appendix C.

3.8 Design decisions and trade-offs

Deterministic-primary is a per-minister decision, not a blanket policy. NAVIGATOR’s question — was this action authorized by what the user actually asked for — does not reduce to a structural shape the way a credential path or network-fetch-to-disk pattern does, so it was not moved uniformly with the other three; this per-minister treatment carries into §6’s report of the NAVIGATOR authorization attempts.

Escalate, not block, where the deployment ambiguity is genuine. CHANNEL’s provenance mechanism escalates rather than blocks specifically because we found real, common, benign same-session read-then-send patterns in actual trajectory data that a hard block would incorrectly stop. Where a verdict boundary has a real false-positive cost we can point to concretely, we chose the reversible verdict.

Escalate has a real operational cost, and we report it as such. An Escalate verdict is a request for human review, not a prevented action — the call still reaches the user or operator queue, and someone has to look at it. This has a real cost on legitimate traffic: on the 55-case agent-shaped benign population, 37/55 (67.3%) trigger at least one Escalate somewhere in the pipeline — a majority of ordinary calls, not a tail case. VAULT and EXECUTOR’s full-pipeline detection numbers (§3.3) already report the Block/Escalate split for exactly this reason: VAULT’s 74.4% is 42 points hard-Block from the deterministic layer and 45 points Escalate-only from cosine triage; EXECUTOR’s 90.1% is 70 points hard-Block and 113 points Escalate-only. A reader who reads either number as “prevented” without checking this split will

overstate what the deployed system prevents versus flags for review.

Synchronous evaluation on the hot path. Kavach evaluates synchronously in the pre-execution hook. Asynchronous evaluation would reduce latency but allow a race between the verdict and execution; we accept the latency cost to maintain the guarantee that no tool executes before a verdict is issued.

A pre-rearchitecture session monitor remains active alongside the four ministers. TRAJECTORY predates this project’s rearchitecture (§3.2) and was not moved to deterministic-primary detection; it combines five signals — accumulated per-call confidence, drift from a seeded session intent, pairwise action coherence, denial-echo detection, and cross-minister escalation — into a single per-session risk score, reusing each call’s already-computed embedding. Its escalation signal shares the same underlying mechanism as the standalone intent-drift detector reported as a negative result in §6. TRAJECTORY is not a first-line detector: across every locked evaluation, zero cases counted toward a reported detection number were first identified by TRAJECTORY — a minister always fires first. It instead re-confirms or escalates a subset of already-detected cases at the session level: 148 of the 629 real GPT-4o trajectories in §4.6 (none affecting the reported 467/629), and, notably, 3 of the 22 real benign AgentDojo sessions in §4.5 — a hard BLOCK, jointly with NAVIGATOR, on benign traffic our own escalate-only CHANNEL mechanism does not produce. We report this plainly: it is a real false-positive-producing interaction on a live component we did not subject to the same validation rigor as VAULT, EXECUTOR, and CHANNEL, and it is not a contribution of this paper.

4 Evaluation

We evaluate Kavach on three independent axes: deterministic-primary detection on a composite evaluation corpus for VAULT and EXECUTOR, assembled because the two standard benchmarks below almost entirely miss them (§4.2–4.3); CHANNEL’s session-level provenance mechanism against real multi-step AgentDojo trajectories (§4.5); and a large-scale validation against AgentDojo’s own recorded model transcripts, not a benchmark replay of minimal ground-truth sequences (§4.6). We report benign false positives jointly with recall throughout, and distinguish in-process from live-HTTP-dispatch measurements, since these diverged in ways that mattered (§4.1).

4.1 An audit discrepancy, and how it was resolved

Early in this work, three measurements of VAULT/EXECUTOR detection rate on the same reference corpus disagreed sharply: an early run measured 34.2%/34.5% (deterministic layer alone, in-process, since superseded by a VAULT rule fix to the current 35.9%/34.5%, §3.3), 72.6%/89.9% (full pipeline, in-process), and 14.9%/19.2% (an earlier live-HTTP measurement). Two independent causes were responsible: the

live-HTTP figure was corrupted by a duplicate server process answering a fraction of requests, and the metric itself differed — one measurement counted BLOCK-or-ESCALATE as a hit, another counted only the deterministic layer’s contribution. Once corrected, the live-HTTP and in-process full-pipeline numbers agreed — a reminder that a benchmark harness’s own bugs can masquerade as detector performance.

4.2 A composite evaluation corpus for VAULT and EXECUTOR

InjecAgent and AgentDojo, the two standard agent-security benchmarks we rely on elsewhere in this section, almost exclusively stress CHANNEL: InjecAgent’s attack shape is a read-then-send taint chain, and AgentDojo’s is a provenance-mismatched destination value on a consequential call. Neither meaningfully exercises VAULT or EXECUTOR at all — a gap we found live, while validating VAULT/EXECUTOR’s deterministic-primary rearchitecture (§3.2) and discovering we had no real benchmark to validate it against.

Rather than author new synthetic attacks to close this gap, we assembled a unified, composite evaluation corpus for VAULT and EXECUTOR from already-real, externally-validated attack data (AtomicRedTeam, GTFOBins, BFCL) under one runner, one wire format, and one scoring convention; CHANNEL and NAVIGATOR are evaluated separately, on InjecAgent (§4.7) and AgentDojo (§4.5, §4.6). This is deliberate: a self-authored attack set risks unconsciously being shaped to be catchable by the very system that writes it, and reusing independently-authored corpora avoids this risk structurally rather than by discipline alone.

What is reused, what is new. Attack cases are drawn from AtomicRedTeam and GTFOBins; benign calls from the Berkeley Function-Calling Leaderboard (BFCL, general-purpose) plus a 55-case agent-shaped benign set. What is novel is the unification: a single harness dispatching every case through the same `/hook/parliament` path regardless of source corpus, a per-minister scoring methodology (below), and a two-population benign false-positive convention.

Scoring convention. Each attack case carries a `target_patterns` list naming which minister(s) it should trigger; we report both an overall detected rate (any minister returns BLOCK or ESCALATE) and a per-minister hit rate — a case can be detected overall while its targeted minister misses, and we surface that divergence rather than absorbing it into the aggregate. On the benign side, BLOCK is a hard false positive and ESCALATE is reported separately, never conflated with BLOCK or a clean ALLOW — the same convention CHANNEL’s own provenance mechanism uses (§3.4). We report two benign populations separately rather than pooled: BFCL (793 cases, general-purpose, not agent-shaped) and the 55-case agent-shaped set (the stronger evidence).

4.3 Results: VAULT and EXECUTOR

On this 519-case AtomicRedTeam/GTFOBins reference corpus (117 VAULT-targeted, 203 EXECUTOR-targeted; `target`

`patterns` is unmodified since its original authoring commit, confirmed via `git diff`, so it is independent ground truth), the deterministic layer alone recovers VAULT 35.9% (42/117) and EXECUTOR 34.5% (70/203); adding the cosine-escalate-only triage layer (§3.5) raises full-pipeline detection to VAULT 74.4% (87/117) and EXECUTOR 90.1% (183/203), with zero new hard-block false positives on either benign population (793 BFCL, 55 agent-shaped). A held-out even/odd split confirms this is stable, not an artifact of partition: VAULT 71.2% (42/59) versus 77.6% (45/58); EXECUTOR 89.2% (91/102) versus 91.1% (92/101) — both halves reported explicitly rather than only their average.

For comparison, the pre-rearchitecture cosine-primary configuration — same harness, same 519 cases, same scoring convention, code unmodified from before the rearchitecture — recovers VAULT 67.5% (79/117) and EXECUTOR 85.7% (174/203) target-minister recall, but with a 4.9% (39/793) hard-block false-positive rate on general-purpose benign (BFCL) traffic. The deterministic-primary pipeline exceeds cosine-primary’s recall on both ministers (74.4%/90.1% vs. 67.5%/85.7%) while eliminating that false-positive rate entirely (0% hard-block FPR on both benign populations) — both an ablation for the paper’s central deterministic-vs-cosine claim and a same-team, same-harness baseline showing the rearchitecture strictly dominates the design it replaced.

We additionally compare against two independent, non-Kavach baselines on the identical 519-case corpus and both benign populations. A naive keyword/regex blocklist (~30 hand-written patterns, no corpus, no tuning) recovers 12.1% (63/519) with 0% FPR — barely detects anything, the expected floor for an un-corpus-driven list. A zero-shot LLM judge (local `qwen2.5:7b`, no corpus, single fixed prompt, given only the resolved call) recovers 78.8% (409/519), recall in Kavach’s own ballpark, but at a real false-positive cost — 1.4% on general-purpose (BFCL) traffic and 14.5% on agent-shaped, consequential-looking calls specifically — that Kavach’s deterministic layer avoids entirely. A larger model (`qwen2.5:32b`, identical prompt and populations) does not simply dominate the smaller one: recall falls to 71.3% (370/519) while FPR drops to 0.4% combined (0% agent-shaped) — a different point on the same recall/precision trade-off, not a strictly better one, indicating the trade-off is inherent to LLM-judge-style detection rather than an artifact of model scale. Read together with the cosine-primary ablation above: a naive filter under-detects, a generic LLM judge (at either scale) trades recall against precision but cannot match both simultaneously, and the pre-rearchitecture cosine-primary configuration approaches neither Kavach’s recall nor its zero-FPR guarantee.

This split addresses partition luck, not rule-authoring circularity: the deterministic rules were authored by inspecting misses across the full corpus, so both halves were visible during rule development. The generalization audit (§6.1) attempts to measure past this limit, and has its own limit in turn: its scenarios are author-written, testing vocabulary novelty rather than an independently sourced distribution.

4.4 LLM tiebreaker: validated, deliberately not deployed

The tiebreaker (§3.6) scored 16/17 (94.1%) in pilot. Re-validated against all 144 real benign-set calls, it produced one new false positive (a `non_standard_source` misread of legitimate internally-authored, locally-stored content); a prompt clarification fixed this case with zero new false positives on re-test. A genuine generalization check — five phrasings never used to write the fix, plus three negative controls — then scored 4/5, with one confirmed remaining miss (an internal file described as run “from the ops share,” a network-share phrasing the fix does not cover). We stopped at this result rather than re-running it against our full narrative-phrasing test set: a mechanism with one already-known, characterized generalization gap should not be scored as if it had none, and reporting a headline recall number here would overstate what the 4/5 result actually shows. The tiebreaker is real, working code, held back from live dispatch specifically because its own validation found a limit before we judged it decided.

4.5 CHANNEL: session-level provenance

CHANNEL’s provenance mechanism (§3.4) is evaluated on two real populations: 22 real multi-step benign sessions and the AgentDojo attack cases whose two-call read-then-send shape is structurally applicable to CHANNEL’s mechanism. On the benign population, 5/22 sessions correctly escalate via CHANNEL, with 0 hard-block false positives from CHANNEL itself; these are exactly the sessions with a legitimate destination value (an IBAN, most commonly) read from a file or transaction history earlier in the same session rather than typed by the user (§3.4). Separately, 3/22 sessions in this same population are hard-blocked by an unrelated interaction between TRAJECTORY and NAVIGATOR, never blended into CHANNEL’s 5/22 figure and reported in full in §3.8. On the attack side, 5/5 structurally applicable AgentDojo cases correctly escalate, and we verified this twice: once against the benchmark’s minimal `ground_truth()` call sequence, and again, independently, against AgentDojo’s own full recorded model trajectories for the same five cases — real, longer sessions with additional benign calls interleaved, real tool outputs, and the actual sequence a deployed model produced rather than the benchmark’s answer key. This second check caught a bug in our own verification script (it tracked only the final step’s verdict, so a benign call after the real attack step silently overwrote an earlier correct escalation) before we could report the number as final; the corrected script confirms genuine 5/5 on the real trajectories.

4.6 Large-scale real-trajectory validation

The measurements above use either a synthetic reference corpus or a small, hand-verified set of AgentDojo cases. To validate detection at scale on real model behavior, we replayed all 629 real recorded attack trajectories for GPT-4o (gpt-4o-2024-05-13) across AgentDojo’s four suites’ `important`

`_instructions` attack family, sourced directly from AgentDojo’s own published `runs/` data — real conversation transcripts with real tool calls and real tool outputs, not a benchmark replay of minimal ground-truth sequences.

Headline result. Kavach fires (BLOCK or ESCALATE, any minister, at any point in the session) on 467/629 (74.2%) of these real trajectories: banking 119/144 (82.6%), slack 105/105 (100%), travel 63/140 (45.0%), workspace 180/240 (75.0%).

Diagnosing the apparent misses. Of the 162 trajectories on which Kavach did not fire, we traced every case to its actual tool-call content rather than reporting a bare miss rate. AgentDojo’s own `security` field marks a trajectory as a successful attack whenever the environment state changed at all relative to the pre-trajectory state and does not exactly match the injected goal — conflating “the injected attack succeeded” with “the model made no consequential call related to the injection at all.” 131 of the 162 misses fall in the latter category: the model never invoked any consequential tool in connection with the injected instruction, so there was no unauthorized action for any minister to catch, verified by extracting every tool call from each miss’s transcript against a fixed consequential-tool list — a trajectory whose only calls are read-only lookups is not a detection gap, regardless of what AgentDojo’s field reports. A further 12 of the 162 are trajectories where AgentDojo’s own `security` field already indicates the injection did *not* succeed (the model’s own defenses resisted it) — these are not Kavach misses either, since there is no successful attack to have caught (8 `workspace`, 4 `travel`). The remaining 19 are genuine misses.

The remaining 19 real misses, categorized by mechanism. The other 19 trajectories do contain a genuine unauthorized consequential call that Kavach did not catch, and we categorize each by whether the underlying attack has a destination *value* to trace (CHANNEL’s domain) or is purely an unauthorized *action* with no data flow at all (a question closer to NAVIGATOR’s domain, §6). Five cases (`travel`, all `reserve_hotel`) name an attacker-substituted external party — a real destination value, of the same shape as `send_money`’s recipient IBAN — but the tool was never added to CHANNEL’s destination-tool list, a scope gap rather than a mechanism failure. Fourteen cases (`banking`: 11 cases, `update_scheduled_transaction` and `update_user_info`; `workspace`: 3 cases, `delete_file` and `append_to_file`) mutate existing account state or same-account data with no new destination value introduced at all — there is no value for any provenance mechanism to trace, since these attacks ask “should this action have happened,” not “where did this value come from.” Adding the tool to CHANNEL’s destination-tool list to close the five `reserve_hotel` cases introduces a new false positive instead: the destination-value extractor recognizes only email/IBAN/phone/URL shapes, so a proper-noun business name is never recognized as “present in the user’s own instruction” even when it literally is, misclassifying a legitimate named reservation as NOVEL. We reverted this change

and report the gap as a documented scope limitation (§6) rather than a closed fix.

Scope of this validation. This validation covers one model (gpt-4o-2024-05-13) and one attack family (important_instructions), because these are the complete recorded trajectories AgentDojo publishes; whether detection transfers to other models’ tool-calling styles or to subtler injection framings is untested. We note the trajectories are real model behavior rather than synthetic replay, a deliberate trade of breadth for realism.

4.7 InjecAgent

InjecAgent’s full corpus is 1,054 cases: 510 direct-harm (DH) and 544 data-stealing (DS), each the cross product of InjecAgent’s 17 user tasks with its 30 DH / 32 DS attacker instructions. We dispatch both DS and DH cases as a two-step sequence — a source read, then the destination send (DS) or the direct-harm action itself (DH) — so CHANNEL’s session-scoped taint/provenance tracker can observe the read-then-act pattern in both settings; DH’s dispatch was corrected to this two-step form as a methodology fix during this work, not a change to any minister’s detection logic.

On DS, Kavach achieves **544/544 (100%) strict (hard-Block) recall**, entirely via CHANNEL: every one of the 544 cases is decided by CHANNEL’s taint mechanism (CHANNEL-TAINT :read-then-send), with VAULT and EXECUTOR returning ALLOW on all 544 — this result exercises CHANNEL’s multi-step provenance/taint mechanism directly, not VAULT/EXECUTOR’s deterministic layer.

DH tells a different, weaker story: no individual minister reaches hard BLOCK on a DH case — CHANNEL, VAULT, EXECUTOR, and NAVIGATOR are never independently strict-positive here. 221/510 (43.3%) reach the loose (block-or-escalate) level, split across CHANNEL (153), VAULT (34), EXECUTOR (17), and NAVIGATOR (17); the remaining 289/510 (56.7%) are missed entirely (ALLOW). After the two-step dispatch correction, CHANNEL’s provenance mechanism now escalates 153/510 (30%) of DH cases via a novel-value classification — confirming the fix surfaces the intended data-flow signal — while CHANNEL’s own hard-block contribution remains exactly 0%, as designed. Separately, 16/510 (3.1%) cases now reach a hard BLOCK in aggregate, but not via any of the four ministers: all 16 are decided by TRAJECTORY (§3.8), which for the first time has a genuine multi-step DH session to reason about under the corrected dispatch, consistent with its already-disclosed role and limitations rather than a change to any minister’s detection contract. DH remains a genuine, unresolved gap in the deterministic layer, not a strength of the current architecture, and is not folded into DS’s headline number.

On the paired benign side (1,054 user-instruction prompts, one per attack case), hard-block FPR is **0%** — no benign prompt is ever hard-blocked — but the soft-escalate rate is **35.2% (371/1,054)**, again led by CHANNEL (248), with EXECUTOR (62) and NAVIGATOR (61) contributing the rest and VAULT at 0. DS’s strong recall and DH’s weak

recall should both be read against this FPR context, not in isolation.

4.8 Cost

Kavach’s latency is bimodal, and we report the split rather than a blended figure. 17 of 159 timed calls complete under 90 ms (p50 46 ms, p95 86 ms); the remaining 142 complete in over 680 ms (p50 733 ms, p95 1437 ms), with no call falling in between. The split does not cleanly correspond to whether a deterministic rule short-circuited the call: 26 of 159 calls were short-circuit-eligible and matched, of which 17 returned in the fast mode and 9 did not, despite an identical decision path. We traced this to the pipeline’s ledger-completeness design: every response — short-circuited or not — spawns a background task that runs the skipped COMPASS (§3) and NAVIGATOR scoring for audit purposes, competing for the same CPU-bound embedding inference as the next request’s own foreground call under sequential dispatch. This is a scheduling artifact of our single-process CPU measurement, not a property of the detection logic itself; a production deployment would either bound or defer this background completion work. On GPU-equipped hardware, we have separately observed the embedding path at approximately 78 ms p50 (RTX 4090, steady state). Verdicts are hardware-independent: replaying 107 reference cases with the encoder pinned to CPU produced zero verdict or fired-minister differences against the GPU-measured baseline. The bashlex AST parse used for sh/bash (§3.3) measures ~0.5 ms per call and is negligible on either path.

5 Related Work

Positioning relative to concurrent runtime work. MXC (Microsoft Execution Containers, Build 2026) and ClawGuard [22] both harden the OpenClaw runtime Kavach was originally built against. MXC is an OS-level policy sandbox — orthogonal to Kavach’s argument-content question, since an authorized agent can still be manipulated into exfiltrating data within its own policy. ClawGuard’s 0% AgentDojo attack-success rate is under hand-authored rules only, its rule-derivation component unevaluated. DeepContext [3] and PSG-Agent [20] are architecturally adjacent (Table 1); our differentiation throughout is that mechanism choice (deterministic vs. cosine) is made per detection domain on direct evidence, with generalization reported explicitly (§6) rather than only success.

Plan-time authorization systems. PlanGuard [11], IntentGuard [13], and Progent [18] are the closest precedents for NAVIGATOR’s authorization question, each at the plan level rather than the tool-call level. PlanGuard’s hard-constraint stage plus LLM verifier reports 100% attack-blocking on InjecAgent; NAVIGATOR’s analogous pinned-intent design is instead reported as an incomplete, three-attempt negative result (§6) — PlanGuard’s LLM verifier may do real work our deterministic heuristics did not replace. IntentGuard’s user-confirmation-on-alert is close in spirit to CHANNEL’s escalate-not-block verdict (§3.4), at the plan rather than

argument-provenance level. Progent’s progressive allowlist reports an AgentDojo ASR reduction from 39.9% to 1.0%, cited as an upper reference point, not a number Kavach reproduces (policy synthesis and deterministic argument parsing are not directly comparable).

Red-team and scanning tools. garak [10], PyRIT [16], and LLM-Guard [17] probe or scan at the prompt/input boundary pre-deployment rather than enforcing at the tool-call boundary at runtime — complementary to, not competing with, Kavach.

Table 1 (Appendix B) situates Kavach against 26 systems on five axes: enforcement boundary, mechanism, corpus extensibility, verdict combination, and reported benchmark numbers. Restricting to the three systems discussed above: PlanGuard reports 100% attack-blocking on InjecAgent with a plan-level LLM verifier NAVIGATOR’s authorization layer does not yet have a deterministic equivalent for; ClawGuard reports a 0% AgentDojo ASR under hand-authored rules, the same benchmark-coverage caveat that motivates our own generalization audit (Appendix A); and Progent reports an AgentDojo ASR reduction from 39.9% to 1.0% via a progressive allowlist policy, an upper reference point for policy-layer enforcement rather than a number Kavach’s argument-parsing mechanism reproduces. The numbers in Table 1 are drawn from each cited paper’s own evaluation setup — benchmark subset, environment version, and threat model all vary system to system — so the table should be read as a map of enforcement boundaries and mechanisms, not a benchmark leaderboard; no number in it is directly comparable across rows. A full 26-system comparison appears in Appendix B.

6 Limitations

No head-to-head with ClawGuard specifically. An earlier version of this work lacked any AgentDojo evaluation at scale; that general gap is now closed by the 629-real-trajectory validation in §4.6. A narrower gap remains: ClawGuard [22] reports a 0% attack-success rate on AgentDojo under its own hand-authored rule set, and we do not run a controlled head-to-head against its implementation, which intercepts live sessions with no dataset-replay harness compatible with our pipeline. ClawGuard’s authors report its automatic rule-derivation component as unevaluated, so its published number reflects hand-authored coverage of that specific benchmark rather than a like-for-like baseline.

External tool-call-content baselines are structurally inapplicable, not weaker. We additionally attempted comparison against the two closest available external tools at the tool-call content level. Both proved structurally inapplicable rather than merely weaker: CodeShield’s supported-language set (C/C++/C#/Java/JavaScript/PHP/Python/Rust) excludes the shell, PowerShell, and cmd dialects comprising ~87% of our reference corpus’s adversary-emulation commands, and gitleaks — a secret-value scanner — produces zero findings on all 519 cases because they encode credential-access techniques rather than embedded literal secrets (its one finding

across 848 benign calls was the empty-string SHA-256 hash misread as an API key). We report this as corroborating the enforcement-boundary gap this paper targets rather than as a performance comparison.

Tamper-evident, not tamper-proof. The hash-chained ledger detects post-hoc edits to any recorded decision or its provenance, but an attacker with write access to the database can recompute the entire chain; defeating that requires anchoring the chain head to an external append-only medium, which we do not implement. We found and fixed a real bug in the ledger’s own *verification* query during this work (§3.7) — the kind of bug that only surfaces when the mechanism is run end to end against real data, not when merely reviewed as a design.

Curated corpus and deterministic rule set. Both the cosine-triage corpus and the deterministic prefilters’ rule sets are authored against published taxonomies (MITRE ATT&CK/ATLAS, AtomicRedTeam, GTFOBins) and known attack corpora (InjecAgent, AgentDojo). A genuinely novel technique outside both may not be caught; §6.1 characterizes this precisely for each minister rather than leaving it as an untested assumption.

The reserve_hotel gap is representative of a broader, unfixed class. §4.6 reports 19 real trajectories where a consequential attack succeeded and Kavach did not fire, split between a narrow CHANNEL scope gap (five `reserve_hotel` cases, where a destination value exists but the tool was never added to CHANNEL’s destination list) and fourteen cases with no destination value to trace at all. The natural fix for the first — adding the tool to the destination list — introduces a new false positive, since CHANNEL’s value extractor only recognizes email/IBAN/phone/URL shapes, not proper-noun business names; we reverted this change rather than ship a fix with a known new false-positive class. The fourteen cases with no destination value at all are structurally not closeable by any refinement of CHANNEL’s mechanism — they are exactly the shape of question §6 below reports as unresolved.

Single embedding model. The cosine-triage layer and NAVIGATOR use a single encoder (`bge-base-en-v1.5`), selected for open-source offline reproducibility rather than by a comparative ablation; whether an alternative open-source retrieval encoder would shift the residual detection rate is an open question we leave to future work.

PowerShell’s real AST is correct but too slow for the live path. §3.3 reports a measured ~1.4s per call for a real PowerShell grammar parse via subprocess, 18× over budget, so PowerShell calls are scored by the structural tokenizer rather than a real AST live; the real parser remains available as an offline/audit tool. A faster in-process PowerShell AST is a scoped next step we did not pursue this cycle.

NAVIGATOR authorization layer: a hard-constraint layer still in progress, after three failed heuristics. NAVIGATOR is the one minister whose deterministic rearchitecture is not yet complete. A direct deterministic swap mirroring

VAULT/EXECUTOR/CHANNEL showed zero net discrimination gain over NAVIGATOR’s cosine baseline and was abandoned; a second attempt reframes the question as authorization rather than similarity (a pinned, immutable session intent, classifying each tool as observational or consequential, then a hard-constraint layer deciding whether a consequential action is *derivable* from that intent). The first two pieces — pinned-intent capture and the taxonomy — are complete and validated, including under the generalization audit below. The hard-constraint layer failed three independently designed heuristics against a frozen discriminability criterion: (1) tool-name/instruction-text overlap, evaded by attacker text sharing surface words with the legitimate request; (2) argument-value overlap alone, wrongly flagging legitimate values read earlier in the session; (3) a provenance-aware version of (2), composed with CHANNEL’s own session state, still over the frozen false-positive threshold. Reported precisely because a negative result with a specific failure mechanism is more useful to future work than a vague one.

A proposed alternative for NAVIGATOR: intent-drift, explored and not validated. Independently of the hard-constraint layer above, we explored a second candidate mechanism for NAVIGATOR — flagging a tool call as drift when its embedding similarity to the session’s original user-stated goal falls below a threshold — which reached 95.2% recall at 0% false-positive rate on an initial 100-case dataset (83 attack, 17 benign), but did not generalize: enlarging the benign sample from 17 to 39 with real multi-step AgentDojo sessions raised the false-positive rate to 35.9% at the same threshold, because ordinary mid-session follow-up actions (e.g., checking a balance right after a payment) are semantically distant from the session’s *original* goal despite being legitimate, and held-out recall on the enlarged set collapsed to 22–56%. This is consistent with an independent evaluation of the same mechanism on AgentDojo ground-truth, which measured 7.3% recall. We report this as future work, not a contribution: NAVIGATOR’s deployed detector remains the cosine-corpus mechanism in §6.1, unchanged.

No adaptive-attacker evaluation, and a first-pass obfuscation check. Every attack corpus in this paper is static: no attacker knows Kavach’s rules or adapts to them. Deterministic matching is historically evadable — encoding, string construction, variable indirection — and while bashlex’s AST closes a class of these for sh/bash, PowerShell and cmd remain on a tokenizer. First-pass check: 335 previously-detected sh/bash cases through three transforms (base64 encode-and-pipe, variable-split, variable indirection). Bottom line held at 100% (0/335 missed). After correctly distinguishing genuine evasion from TRAJECTORY’s session-level re-confirmation merely relabeling an already-correct verdict (§3.8), true per-mechanism evasion is 7.0% (encode, 13/185), 4.0% (split, 3/75), 25.3% (indirect, 19/75); every evasion was caught by a different mechanism. One backup is itself imprecise: encode’s backstop is a single NAVIGATOR pattern matching the literal `echo BASE64 | base64 -d | sh` shape — confirmed directly to also block an equivalent benign command, so it is

a blanket rule, not intent-aware detection. 335 cases across three hand-written transforms is a first pass, not adversarial; an attacker targeting two or more mechanisms’ blind spots at once is untested. Until that broader study is done, §4’s rates should be read as non-adaptive.

6.1 Generalization beyond the benchmark vocabulary

Kavach’s deterministic rules were, in large part, authored by mining detection misses on the exact benchmarks evaluated against (§4.2), creating a real risk of circular validation. We therefore ran an independent adversarial audit before submission: a fictional agent environment (“AtriumOS”) with an entirely invented tool vocabulary sharing no tool name, corpus term, or surface phrasing with InjecAgent, AgentDojo, or our reference corpus, dispatching 18 attack and 18 matched-benign novel-vocabulary scenarios through the real detection pipeline. The per-minister verdict: EXECUTOR generalizes cleanly (caught all eight novel-vocabulary attacks; one structural false positive was found and fixed pre-submission); VAULT mostly generalizes, with one limitation inherent to the architecture (a literal secret-name allowlist cannot match a genuinely novel secret-variable name, by construction); CHANNEL is split — its escalation path generalizes via a behavior-general destination-value fallback, but its hard-block path does not, since destination status is decided by a benchmark-specific tool-name list; and NAVIGATOR’s cosine-similarity mechanism does not currently transfer to novel vocabulary at all, a direct structural consequence of the same lexical gate that gives it low false positives on-benchmark. Full methodology and results in Appendix A.

7 Conclusion

Kavach demonstrates that deterministic parsing over a tool call’s resolved arguments outperforms cosine similarity over its semantic embedding for detection problems whose signal is structural, and that this is a per-mechanism empirical question rather than a property of the detection paradigm as a whole: three of Kavach’s four ministers moved to deterministic-primary detection on four independent lines of evidence, while the fourth’s genuinely intent-shaped question remains open past a validated taxonomy classifier. Validating this pipeline against 629 real recorded attack trajectories, rather than benchmark replay alone, surfaced both real detection strength and a small number of precisely characterized gaps. We take the negative results in this paper — the falsified fifth minister, the abandoned deterministic swap, the three failed authorization heuristics, and the generalization audit’s per-mechanism boundaries — to be as much a contribution as the detection numbers: knowing where a runtime monitor’s mechanisms do and do not generalize is what makes its positive results trustworthy.

A Generalization Audit Methodology and Full Results

Why we audit this, and how. Kavach’s deterministic detection rules were, in large part, authored by mining detection misses on the exact benchmarks we evaluate against (§4.2), creating a real risk of circular validation: testing detection against the same data shape it was derived from will always flatter the detector. We therefore ran an independent, adversarial generalization audit before submission: a fictional agent environment (“AtriumOS,” a smart-building/industrial-facility control agent) with an entirely invented tool vocabulary (`FacilityConfigRead`, `HvacDiagnostic`, `RetrieveTenantAccessLog`, and so on) sharing no tool name, corpus term, or surface phrasing with `InjecAgent`, `AgentDojo`, or our reference corpus. We dispatched 18 attack and 18 matched-benign novel-vocabulary scenarios, one per minister’s intended detection shape, through the real detection pipeline. This is in tension with our own argument against self-authored attack data (§4.2), which we consider acceptable here because the audit tests *transfer* of mechanisms already built and locked before AtriumOS existed, not a headline detection claim. We report the findings without softening. The 18 attack scenarios are not evenly split across ministers (8 EXECUTOR, 7 VAULT, 3 combined for CHANNEL and NAVIGATOR); EXECUTOR’s and VAULT’s verdicts below rest on a reasonable sample, but CHANNEL’s and NAVIGATOR’s rest on very few cases each, and should be read as illustrative rather than statistically powered.

- **EXECUTOR — generalizes cleanly.** Caught all eight novel-vocabulary execution attacks via structural/technique-level shape matching, independent of tool identity. One structural false positive was found (a network-fetch-to-disk predicate firing on a benign data-retrieval call) and fixed pre-submission, with zero new benign false positives on either population; parser test suites remain green (27/27, 37/37).
- **VAULT — mostly generalizes, one inherent limit.** Caught 5/7 novel-vocabulary credential attacks via structural credential-path and secret-format matching. One miss is a narrow surface-form gap (fixable); the other is architectural, not a bug: a named-service secret-key rule is, by construction, a literal allowlist, so a genuinely novel secret-variable name cannot match it regardless of technique.
- **CHANNEL — split, since partially closed.** Its provenance/escalation path generalizes: a behavior-general destination-value fallback correctly escalated a novel send-tool’s attacker email address, classified NOVEL. Its taint/hard-block path originally did not, since destination status was decided by a benchmark-specific tool-name dictionary alone; we have since wired the same shape-based fallback into the hard-block path (verified: a novel tool with a shape-matched value, e.g. an IBAN, now correctly hard-BLOCKS), closing the gap for destination values matching a known shape. A genuinely novel exfiltration tool

whose destination is *not* shape-matchable (e.g. a proper-noun business name, the `reserve_hotel` case elsewhere in this paper) remains invisible to the hard-block path — the fix is real but narrower than full generalization.

- **NAVIGATOR — does not currently generalize as a detector.** Cosine similarity against the attack-pattern corpus separates novel attack from benign by only 0.045 (0.590 vs. 0.545 mean), and the BM25 lexical gate that preserves on-benchmark precision makes this worse off-benchmark, collapsing both to ~ 0.38 — below the escalation floor, so NAVIGATOR goes silent on novel-domain attacks. This is structural, not incidental: the same mechanism giving NAVIGATOR its low on-benchmark FPR removes its off-benchmark signal. The one general component built for NAVIGATOR — an observational/consequential tool classifier — correctly labeled all four novel tools from verb-token structure alone, but is a *taxonomy*, *not a detector*: it does not decide whether a consequential action was *authorized*, which requires the pinned-intent authorized-flow layer reported as an incomplete negative result in §6.

Concrete next steps. Two boundaries have scoped remedies: a behavior-general destination detector for CHANNEL’s hard-block path (mirroring the fallback its provenance path already uses), and a genuinely deterministic authorization layer for NAVIGATOR that converts its already-correct taxonomy classifier into real, vocabulary-independent detection. We frame this section as a strength, not an apology: it is the output of a deliberate, independent validation pass run *before* submission, specifically to surface these boundaries ourselves.

B Extended Related Work Comparison

Table 1: Comparison of agent guardrails on five axes. “Boundary” indicates where in the agent lifecycle enforcement fires. “Mechanism” is the primary detection approach. “Ext.” indicates whether the detection corpus / rule set is extensible without retraining. “Verdict” indicates how multiple detection signals are combined. AgentDojo ASR and InjecAgent Recall are the best numbers reported by the respective papers; *n/r* = not reported; *ext.* = experimental; † = estimated from paper description; ‡ = cited from the source paper as an upper reference point, not independently reproduced here. Lower ASR is better; higher Recall is better.

System	Boundary	Mechanism	Ext.?	Verdict	AgentDojo ASR ↓	InjecAgent Recall ↑
PromptGuard 2	input	DeBERTa classifier	no	threshold	7.5%	<i>n/r</i>
PlanGuard [11]	plan	isolated planner + verifier	no	hard-constraint	<i>n/r</i>	100% [‡]
IntentGuard [13]	plan	intent trace + origin	no	alert-first	<i>n/r</i>	<i>n/r</i>
Progent [18]	tool-call	progressive allowlist	yes (policy)	policy-match	1.0% [‡]	<i>n/r</i>
CodeShield	output	Semgrep+regex	yes (rules)	threshold	<i>n/r</i>	<i>n/r</i>
ShieldAgent	tool-call	rule circuits	yes (docs)	probabilistic	<i>n/r</i>	90.1%
PSG-Agent	tool-call	4-component	partial	cross-turn accum.	<i>n/r</i>	<i>n/r</i>
Kavach (ours)	tool-call	determ.+embed.	yes (rules+corpus)	veto	<i>n/a</i>[§]	100% (544/544 DS)[¶]
CaMeL	IFC	dual-LLM + taint	no	provable	23% (sec)	<i>n/r</i>
RTBAS	IFC	saliency screener	no	threshold	2% loss only	<i>n/r</i>
DeepContext	session	RNN over embeds	no	binary	<i>n/r</i>	<i>n/r</i>
Trajectory Guard	trajectory	Siamese RAE	no	score	<i>n/r</i>	<i>n/r</i>
garak [10]	input (test)	vuln. probes	yes (probes)	per-probe	<i>n/r</i>	<i>n/r</i>
PyRIT [16]	input (test)	red-team orch.	yes (attacks)	<i>n/a</i>	<i>n/r</i>	<i>n/r</i>

Veto verdict (Kavach): any single minister returning BLOCK vetoes the call unconditionally; no score averaging or learned aggregation. **Corpus extensibility** (Kavach): deterministic prefilters are extended by adding a structural rule; the cosine-triage corpus by adding a natural-language attack-pattern description, re-embedded without retraining. [¶]DS = data-stealing subset; direct-harm subset is an open gap (§4.7). [§]Kavach deliberately reports per-mechanism trajectory analysis (§4.6) rather than a single AgentDojo ASR. 13 additional systems spanning input-time, plan-time, information-flow, and drift-detection guardrails were surveyed (AlignmentCheck, LlamaFirewall combined, AgentSpec, Task Shield, OpenClaw PRISM, FIDES, AGrail, TaskTracker, DRIFT, LLM-Guard, DKnownAI Guard, Lakera Guard, AWS Bedrock); omitted from the table for space.

C Provenance Ledger

Every verdict is logged to an append-only SQLite ledger with a SHA-256 hash chain: each row’s `entry_hash` is computed over the previous row’s hash plus a canonical serialization of that row’s content-bearing fields, so editing, deleting, or reordering any historical row breaks every subsequent hash, detectable in $O(n)$ by `/ledger/verify`. The chain is *tamper-evident*, not *tamper-proof*: an attacker with database write access can recompute the whole chain, and defeating that requires an external append-only anchor, left as future work. The hashing scheme is schema-evolution-tolerant — a field added after the ledger was already in production only enters the hash for rows written after it existed, so old rows continue to verify under the same code as new ones. We rely on this directly: during this work we found and fixed a case where the *verification* query, not the ledger itself, omitted a newer column from its recomputation, producing a false tamper report; correcting the query restored a clean `intact: true` across all rows — evidence the mechanism is exercised in practice, not merely specified.

References

- [1] Sahar Abdelnabi, Aileen Fay, Giovanni Cherubin, Ahmed Salem, Mario Fritz, and Andrew Paverd. 2024. Are you still on track!? Catching LLM Task Drift with Activations. arXiv:2406.00799 [cs.CR]
- [2] Laksh Advani. 2026. Trajectory Guard – A Lightweight, Sequence-Aware Model for Real-Time Anomaly Detection in Agentic AI. AAAI 2026 Trustworthy Agentic AI Workshop. arXiv:2601.00516 [cs.LG]
- [3] Justin Albrechtsen, Yash Datta, Kunal Kumar, and Sharath Rajasekar. 2026. DeepContext: Stateful Real-Time Detection of Multi-Turn Adversarial Intent Drift in LLMs. arXiv:2602.16935 [cs.AI]
- [4] Zhaorun Chen, Mintong Kang, and Bo Li. 2025. ShieldAgent: Shielding Agents via Verifiable Safety Policy Reasoning. arXiv:2503.22738 [cs.CR]
- [5] Sahana Chennabasappa, Cyrus Nikolaidis, Daniel Song, David Molnar, Stephanie Ding, Shengye Wan, Spencer Whitman, Lauren Deason, Nicholas Doucette, Abraham Montilla, Alekhya Gampa, Beto de Paola, Dominik Gabi, James Crnkovich, Jean-Christophe Testud, Kat He, Rashnil Chaturvedi, Wu Zhou, and Joshua Saxe. 2025. LlamaFirewall: An Open Source Guardrail System for Building Secure AI Agents. *arXiv preprint arXiv:2505.03574* (2025).
- [6] Manuel Costa, Boris Köpf, Aashish Kolluri, Andrew Paverd, Mark Russinovich, Ahmed Salem, Shruti Tople, Lukas Wutschitz, and Santiago Zanella-Béguelin. 2026. Securing AI Agents with Information-Flow Control. In *Proceedings of the 2026 IEEE Conference on Secure and Trustworthy Machine Learning (SaTML)*. Introduces FIDES. arXiv:2505.23643
- [7] CrowdSec. 2026. CVE-2025-34291 Exploited in the Wild: LangFlow AI Framework Under Fire. <https://www.crowdsec.net/vulntracking-report/cve-2025-34291>. Active exploitation observed beginning 23 Jan 2026..
- [8] Edoardo Debenedetti, Ilia Shumailov, Tianqi Fan, Jamie Hayes, Nicholas Carlini, Daniel Fabian, Christoph Kern, Chongyang Shi, Andreas Terzis, and Florian Tramèr. 2026. Defeating Prompt Injections by Design. In *Proceedings of the 2026 IEEE Conference on Secure and Trustworthy Machine Learning (SaTML)*. arXiv:2503.18813 [cs.CR]
- [9] Edoardo Debenedetti, Jie Zhang, Mislav Balunović, Luca Beurer-Kellner, Marc Fischer, and Florian Tramèr. 2024. AgentDojo: A Dynamic Environment to Evaluate Prompt Injection Attacks and Defenses for LLM Agents. In *Advances in Neural Information Processing Systems (NeurIPS) Datasets and Benchmarks Track*. arXiv:2406.13352 [cs.CR]

- [10] Leon Derczynski, Erick Galinkin, Jeffrey Martin, Subho Majumdar, and Nanna Inie. 2024. garak: A Framework for Security Probing Large Language Models. NVIDIA. Software: <https://github.com/NVIDIA/garak>. garak = Generative AI Red-teaming and Assessment Kit.. arXiv:2406.11036 [cs.CL]
- [11] Guangyu Gong and Zizhuang Deng. 2026. PlanGuard: Defending Agents against Indirect Prompt Injection via Planning-based Consistency Verification. *arXiv preprint arXiv:2604.10134* (2026). arXiv:2604.10134
- [12] Feiran Jia, Tong Wu, Xin Qin, and Anna Squicciarini. 2025. The Task Shield: Enforcing Task Alignment to Defend Against Indirect Prompt Injection in LLM Agents. arXiv:2412.16682 [cs.CR]
- [13] Mintong Kang, Chong Xiang, Sanjay Kariyappa, Chaowei Xiao, Bo Li, and Edward Suh. 2025. Mitigating Indirect Prompt Injection via Instruction-Following Intent Analysis. *arXiv preprint arXiv:2512.00966* (2025). arXiv:2512.00966
- [14] Sayash Kapoor, Benedikt Stroebl, Zachary S. Siegel, Nitya Nadgir, and Arvind Narayanan. 2024. AI Agents That Matter. arXiv:2407.01502 [cs.LG]
- [15] Hao Li, Xiaogeng Liu, Hung-Chun Chiu, Dianqi Li, Ning Zhang, and Chaowei Xiao. 2025. DRIFT: Dynamic Rule-Based Defense with Injection Isolation for Securing LLM Agents. In *Advances in Neural Information Processing Systems*. arXiv:2506.12104
- [16] Microsoft AI Red Team. 2024. PyRIT: Python Risk Identification Tool for generative AI. <https://github.com/Azure/PyRIT>. Microsoft red-teaming framework..
- [17] Protect AI. 2024. LLM Guard: a security toolkit for LLM interactions. <https://github.com/protectai/llm-guard>. Open-source input/output scanner suite..
- [18] Tianneng Shi, Jingxuan He, Zhun Wang, Hongwei Li, Linyu Wu, Wenbo Guo, and Dawn Song. 2025. Progent: Securing AI Agents with Privilege Control. *arXiv preprint arXiv:2504.11703* (2025). arXiv:2504.11703
- [19] Lillian Tsai and Eugene Bagdasarian. 2025. Contextual Agent Security: A Policy for Every Purpose. arXiv:2501.17070 [cs.CR]
- [20] Yaozu Wu, Jizhou Guo, Dongyuan Li, Henry Peng Zou, Wei-Chieh Huang, Yankai Chen, Zhen Wang, Weizhi Zhang, Yangning Li, Meng Zhang, Renhe Jiang, and Philip S. Yu. 2025. PSG-Agent: Personality-Aware Safety Guardrail for LLM-based Agents. arXiv:2509.23614 [cs.CR]
- [21] Qiusi Zhan, Zhixiang Liang, Zifan Ying, and Daniel Kang. 2024. InjecAgent: Benchmarking Indirect Prompt Injections in Tool-Integrated Large Language Model Agents. In *Findings of the Association for Computational Linguistics: ACL 2024*. 10471–10506. arXiv:2403.02691 [cs.CL]
- [22] Wei Zhao, Zhe Li, Peixin Zhang, and Jun Sun. 2026. ClawGuard: A Runtime Security Framework for Tool-Augmented LLM Agents Against Indirect Prompt Injection. *arXiv preprint arXiv:2604.11790* (2026).
- [23] Peter Yong Zhong, Siyuan Chen, and Others. 2025. RTBAS: Defending LLM Agents Against Prompt Injection and Privacy Leakage. arXiv:2502.08966 [cs.CR]

Use of Generative AI

Generative AI tools (Anthropic’s Claude, via Claude Code) were used throughout this project’s development: for implementing detection mechanisms based on the authors’ architectural decisions, running and analyzing benchmark evaluations, drafting sections of this paper’s text based on the authors’ findings and direction, and assisting with code review and debugging. All experimental design choices, architectural decisions, evaluation methodology, and interpretation of results were directed and verified by the authors.