

To be completed by the student PROJECT PROPOSAL 2022 Project no AOS Revision no 2							
Title	Surname	Initials	Student no	Study leader (t	itle, init	ials, surname)	
Mr	Ramedies	I	16023405	Mr A Oloo			
Project title A school intercom system that filters inappropriate phrases and plays emails as							

announcements in the voice of the sender.

Language editor name	Language editor signature		
N. Ramedies	Nat		
Student declaration	Study leader declaration		
I understand what	This is a clear and unambiguous		
plagiarism is and that I	description of what is required in		
have to complete my	this project. Approved for		
project on my own.	submission (Yes/No)		
Student signature	Study leader signature and date		
	See attached file.		
	N. Ramedies Student declaration I understand what plagiarism is and that I have to complete my project on my own.		

Changed problem motivation for project description to make it

more relevant to the present

1. Project description

What is your project about? What does your system have to do? What is the problem to be solved?

The problem addressed in this project, is the lack of physical contact between teachers and students in schools, due to traveling between classrooms after periods or possibly teacher unavailability. Teachers that make announcements and students that hear them, may not able to be in the same physical location. Employing an individual, to collate announcements would not be an efficient solution to this problem. Thus, the problem addressed in this project is to develop a school intercom system that will make announcements on behalf of the teacher, eliminating the need for announcers or any human intervention.

The concept is to have a system that receives a text-based email from a teacher, then announces this email to the students, in the voice of the teacher that sent the email. This may be accomplished by integrating natural language processing techniques, speech synthesis, and digital signal processing into a single intercom system. The system should also account for any inappropriate phrases received from the email and should be able to play the announcement over an integrated speaker, so that multiple students in a classroom are able to hear it.

2. Technical challenges in this project

Describe the technical challenges that are beyond those encountered up to the end of third year and in other final year modules.

2.1 Primary design challenges

A main design challenge would be accounting for multiple user's voices. Another is hardware allocation of the system resources. The overall system should be designed to work in real time, so all training of artificial intelligence systems, if used, will have to be conducted, prior to final product compilation. The linguistic analysis technique used will have an affect on the processing time of the overall implementation, and each technique has benefits over others. Selection of a specific technique, or development thereof, will be seen as a design challenge.

2.2 Primary implementation challenges


A system implementation challenge, is managing waveforms and assigning it to analyzed text, correctly. Testing results of synthesized audio, when compared to natural language audio, might be difficult to achieve, unless extra functional components are developed. It also might be challenging to develop bandpass filters with very narrow passbands, depending on the support that the development platform provides. Another implementation challenge would be within the natural language processing and linguistics analysis algorithms. The English language contains many rules and it might prove challenging to combine multiple rules without making design errors within the algorithms.

3. Functional analysis

3.1 Functional description

Describe the design in terms of system functions as shown on the functional block diagram in section 3.2. This description should be in *narrative format*.

The user input will be an email text announcement that is sent to the system via the internet. FU1 is a mail client that will receive these emails. The text is extracted from the email whereafter, natural language processing (NLP) and linguistics analysis is performed on the text from FU2 to FU7. The process involves detecting sentences (FU2), and creating tokens from those sentences (FU3). These tokens are run through a profanity filter (FU4) that removes all inappropriate phrases contained within a set of tokens, by checking the tokens against a database of profane words. The output of the profanity filter will be a set of tokens with some marked to be inappropriate, if applicable. The set of marked tokens will then go through a lemmatization and cleaning process, in FU5, where sentences are correctly formatted. Each token is then tagged with its part of speech (FU6), relevant to the whole sentence. A linguistics analysis technique, such as a rule-based technique, is then performed on the output, in FU7, to determine the meaning of the tagged sentences. The analyzed text is sent to FU8, a phonetic transcription function, that will append phonemes to every part of the word, representing what it will sound like. The analyzed text is simultaneously sent to a prosody generator (FU9), which determines the prosody information, i.e. the pitch, loudness, and duration of the words. The information generated from the combination of FU8 and FU9 are then used in FU10 and FU11, that make up a waveform generator or synthesizer. The synthesizer artificially creates a sound signal from the retrieved prosody information using formant synthesis combines 5 different frequencies (formants), of a user's voice, utilizing digital bandpass filters (FU10), into a single voice signal, by using a summing amplifier (FU11). Depending on the strength of the synthesized signal, it may be amplified through an audio power amplifier (FU12). The synthesized speech would then be output as an announcement through FU13, a speaker. The output shou



Changed priority of requirements to reflect importance and focus of the project, and removed redundant requirement.

nese are the core requirements t	of the system or product (the mission-critical requiremen		
	Requirement 1: the fundamental functional and performance requirement of your project	Requirement 2	Requirement 3 Main requirement is more accurately described.
1. Core mission requirements of the system or product. Focus on requirements that are core to solving the engineering problem. These will reflect the solution to the problem.	The announcement has to be broadcast in a synthetic voice that sounds similar to the senders voice, in terms of the pitch, loudness, length, and strength. Made the des more accurate Specification align with furth	cription a bit e. Changed specification to match research with unchanged motivation.	The message that is announced, should be filtered of all explicit inappropriate phrases. The system should consist of a comparative database with which to deal with all profanity (Changed to now or with all explicit profinstead of derivatio them.
2. What is the target specification (in measurable terms) to be met in order to achieve this requirement?	The fundamental frequencies, amplitude, duration, and amplitude dynamics of the formants in a speakers voice should be and limited. Formant peaks should not differentiate more than 10% of the original voice. Reworded motivation for easier understanding.	A linguistics analysis module produces word error rates (WER) of 40% or below, after processing text. Processing for short non-complex sentences comprising of around 15-20 words should provide speech information to the synthesizer within 2 seconds. Added indication processing speece	The accuracy of a large sample set, should be at 100%, to ensure that the profanity filter is operable for explicit profanity. Refined the specification to match description.
3. Motivation: how or why will meeting the specification given in point 2 above solve the problem? (Motivate the specific target specification selected)	Adults can differentiate a 1-2% change in 4000Hz tones. At lower voice frequencies reaching maximum ranges of 155Hz - 255Hz, people have less sensitive hearing. A 5-10% change in this metric will yield a similar sounding synthetic voice.	Developed STT transcribers of husestem. yield WERs between 15 to 40%. It is expected that synthesized speech will lie within this range. Performance measure is a non-deterministic polynomial (NP) problem, so a cubic bound complexity is assumed.	profanity filtering margin ensures that evident profanity is removed. This relies on the assumption that teacher are responsible in what they announce. Removed irrelevant remarks.
4. How will you demonstrate at the examination that this requirement (noint 1 above) and specific Explicitly mention that design contribution is TTS.	Recordings of multiple announcers' voices will be played, in conjunction with the synthesized speech for auditory comparison. Waveforms of the speech will also be displayed and may be	Text data will be fed into the based on linguistics linguistics analysis function synthesizer with speech information. A STT transcriber will interpret the perceived	a profanity filter. The filter will identify explicit profanity and the corresponding specification may be observed.
Also reduced redundancy in wording for easier understanding. 5. Your own design contribution: what are the aspects that you will design and implement yourself to meet the	A formant text-to-speech (TTS) synthesizer, consisting of DSP techniques, will be designed and implemented. A prosody generation function will be implemented.	execution time will be displayed. impleme	Rephrased to match requirement. That it works. A CATURE DESCRIPTION AND THE PROPERTY OF T
requirement in point 2? If none, remove this requirement.	will be implemented.	linguistics analysis module.	Added more detailed description of what will be
6. What are the aspects to be taken off the shelf to meet this requirement? If none, indicate "none"	A microcontroller board, capable of digital signal processing, will be purchased. Software to record user audio will be used. A speaker will be used for audio playback of the processed signal.	A microcontroller board with adequate processor speed. A speech-to-text (STT) software platform to evaluate the system will be used. An audio recorder will be used to store system output. A database of english words will be used.	None.
clear up co	description to infusion. Also eaker to list of	│	ohrased description to ke it a bit clearer. Also abase to be used is uded here.

System requirements and specifications page 2					
	Requirement 4	Requirement 5	Requirement 6		
1. Core mission requirements of the system or product. Focus on requirements that are core to solving the engineering problem. These will reflect the solution to the problem.	A mail system should receive emails from a user.				
2. What is the target specification (in measurable terms) to be met in order to achieve this requirement?	The text data that is sent by the user in the email, should be correctly reflected by the receiving end of the system, with no changes made to the input.				
3. Motivation: how or why will meeting the specification given in point 2 above solve the problem? (Motivate the specific target specification selected)	To ensure that the mail system receives emails correctly, it must prohibit the receiving end from making any changes to the user's input.				
4. How will you demonstrate at the examination that this requirement (point 1 above) and specification (point 2 above) has been met?	A display screen should indicate notification upon receiving the email. The output of the text should be displayed and confirmed by the user.				
5. Your own design contribution: what are the aspects that you will design and implement yourself to meet the requirement in point 2? If none, remove this requirement.	Implementation of an email text display feature.				
6. What are the aspects to be taken off the shelf to meet this requirement? If none, indicate "none"	A Wifi module, capable of Internet connection, and an LCD screen, for debugging and display purposes, will be purchased. An email library will be used for the implementation of the mail client.				

	Requirement 7	Requirement 8	Requirement 9	
1. Core mission requirements of the system or product. Focus on requirements that are core to solving the engineering problem. These will reflect the solution to the problem.				
2. What is the <u>target</u> <u>specification</u> (in <i>measurable</i> terms) to be met in order to achieve this requirement?				
3. Motivation: how or why will meeting the specification given in point 2 above solve the problem? (Motivate the specific target specification selected)				
4. How will you demonstrate at the examination that this requirement (point 1 above) and specification (point 2 above) has been met?				
5. Your own design contribution: what are the aspects that you will design and implement yourself to meet the requirement in point 2? If none, remove this requirement.				
6. What are the aspects to be taken off the shelf to meet this requirement? If none, indicate "none"				

	Requirement 10	Requirement 11	Requirement 12	
1. Core mission requirements of the system or product. Focus on requirements that are core to solving the engineering problem. These will reflect the solution to the problem.				
2. What is the target specification (in measurable terms) to be met in order to achieve this requirement?				
3. Motivation: how or why will meeting the specification given in point 2 above solve the problem? (Motivate the specific target specification selected)				
4. How will you demonstrate at the examination that this requirement (point 1 above) and specification (point 2 above) has been met?				
5. Your own design contribution: what are the aspects that you will design and implement yourself to meet the requirement in point 2? If none, remove this requirement.				
6. What are the aspects to be taken off the shelf to meet this requirement? If none, indicate "none"				

5. Field conditions

These are the REAL WORLD CONDITIONS under which your project has to work and has to be demonstrated.

	Field condition 1	Field condition 2	Field condition 3
Field condition requirement. In which field conditions does the system have to operate? Indicate the one, two or three most important field conditions.	The intercom system has to be audible enough for a noisy indoor room environment. It should be operable from any location with internet access.		
Field condition specification. What is the specification (in measurable terms) for this field condition?	A standard noisy environment for a classroom of students ranges between 65-70 dB.		

6. Student tasks

6.1 Design and implementation tasks

List your primary design and implementation tasks in bullet list format (5-10 bullets). These are not product requirements, but your tasks.

- The intercom system must be designed and implemented.
- An appropriate linguistics analysis technique has to be selected.
- Audio data from multiple people will have to be collected.
- Large sentence text data sets, with profanity, have to be collected and sorted.
- A physical cover for the system will have to be designed and built.
- The system should be integrated onto a PCB board.
- Simulated versions of the functions should be developed for debugging and demonstration purposes.

6.2 New knowledge to be acquired

Describe what the theoretical foundation to the project is, and which new knowledge you will acquire (beyond that covered in any other undergraduate modules).

- The student will be required to master theoretical background knowledge on Natural Language Processing and Speech Synthesis.
- The student will be required to acquire knowledge on Linguistics Analysis techniques.
- The student will need to learn how to work with audio data sets.
- The student will be required to learn about rulings of speech in the English language.
- The student will have to learn how various aspects of digital signals affect the auditory output of speech.