Cucumber Report

19 Dec 2023, 00:13:43

| Start : Dec 19, 12:12:18.862 am	End : Dec 19, 12:13:42.647 am	Duration : 1 m 23.785 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 13 SKIPPED - 0	PASSED - 47 FAILED - 13 SKIPPED - 67

2

14

127

Pass %

0 %

Pass %

7 %

Pass %

37 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Test Feature	47.153 s	7	1	6	0	35	26	6	3
User Test Feature	36.618 s	7	0	7	0	92	21	7	64

#	Feature Name	Scenario Name
1	Login Test Feature	User should login successfully
2		User should see the logo on homepage successfully
3		User should logout successfully
4		User should get error message for invalid credentials
5		User should get error message for invalid credentials
6		User should get error message for invalid credentials
7	User Test Feature	Admin should add user successFully().
8		Admin should search the created user and verify it
9		Admin should delete the user successFully
10		Admin should search the user and verify message record found

#	Feature Name	Scenario Name
11	*User Test Feature*	*Admin should search the user and verify message record found*
12		*Admin should search the user and verify message record found*
13		*Admin should search the user and verify message record found*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	0	2	0	2	0	2	0
@regression	14	1	13	0	2	0	2	0
@sanity	4	0	4	0	2	0	2	0

#	Feature Name	T	P	F	S	Duration
1	Login Test Feature	7	1	6	0	47.153 s
2	User Test Feature	7	0	7	0	36.618 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Test Feature	User should login successfully	4	3	1	0	11.319 s
2		User should see the logo on homepage successfully	4	3	1	0	10.386 s
3		User should logout successfully	7	3	1	3	6.404 s
4		User should get error message for invalid credentials	5	4	1	0	3.731 s
5		User should get error message for invalid credentials	5	4	1	0	5.806 s
6		User should get error message for invalid credentials	5	4	1	0	5.730 s
7		User should get error message for invalid credentials	5	5	0	0	3.584 s
8	User Test Feature	Admin should add user successFully().	15	3	1	11	5.699 s
9		Admin should search the created user and verify it	10	3	1	6	5.613 s
10		Admin should delete the user successFully	15	3	1	11	4.968 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	User Test Feature	Admin should search the user and verify message record found	13	3	1	9	5.585 s
12		Admin should search the user and verify message record found	13	3	1	9	4.464 s
13		Admin should search the user and verify message record found	13	3	1	9	5.493 s
14		Admin should search the user and verify message record found	13	3	1	9	4.681 s

Login Test Feature

FAILED	DURATION - 47.153 s	Scenarios		Steps	
		Total - 7		Total - 35	
/ 12:12:18.862 am // 12:13:06.015 am /		Pass - 1		Pass - 26	
		Fail - 6	7	Fail - 6	35
		Skip - 0		Skip - 3	

User should login successfully

FAILED	DURATION - 11.319 s		Steps	
			Total - 4	
/ 12:12:18.864 am // 12:12:30.183 am /			Pass - 3	
			Fail - 1	4
Login Test Feature			Skip - 0	
@smoke @regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	When I login to the application	PASSED	0.429 s
3	And I navigate to the Home page	PASSED	0.001 s
4	Then I get a message "Dashboard"	FAILED	7.650 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //h6[normalize-space()='Dashboard'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	    at com.orangehrm.demo.utilities.Utility.getTextFromElement(Utility.java:63)
	    at com.orangehrm.demo.pages.DashboardPage.verifyTextDashboard(DashboardPage.java:27)		

| #	Step / Hook Details	Status	Duration
	at com.orangehrm.demo.steps.LoginSteps.iGetAMessage(LoginSteps.java:13) at ?.I get a message "Dashboard"(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.043 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6697462de3964def43914584288995eb, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56205/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6697462de3964def43914584288995eb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353) at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

User should see the logo on homepage successfully

FAILED	*DURATION - 10.386 s*

/ 12:12:30.220 am // 12:12:40.606 am /

Login Test Feature

@regression @sanity

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	When I login to the application	PASSED	0.351 s
3	And I navigate to the Home page	PASSED	0.000 s
4	Then I should see the logo	FAILED	7.579 s

org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //img[@alt='client brand banner'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source)
   at com.orangehrm.demo.pages.HomePage.verifyOrangeHrmLogo(HomePage.java:74)
   at com.orangehrm.demo.steps.LoginSteps.iShouldSeeTheLogo(LoginSteps.java:18)
   at ?.I should see the logo(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:20)
* Not displayable characters are replaced by '?'.

	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [088a9d26460429be2ee9a02f8ba0d115, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56234}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56234/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 088a9d26460429be2ee9a02f8ba0d115

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353) at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

User should logout successfully

FAILED	DURATION - 6.404 s
/ 12:12:40.633 am // 12:12:47.037 am /	
Login Test Feature	
@regression	

Steps
Total - 7
Pass - 3
Fail - 1
Skip - 3

7

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	When I login to the application	PASSED	0.362 s
3	And I navigate to the Home page	PASSED	0.001 s
4	And I click on user profile logo	FAILED	3.634 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //p[@class='oxd-userdropdown-name'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52) at com.orangehrm.demo.pages.DashboardPage.clickOnUserProfileLogo(DashboardPage.java:33) at com.orangehrm.demo.steps.LoginSteps.iClickOnUserProfileLogo(LoginSteps.java:23) at ?.I click on user profile logo(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:25) * Not displayable characters are replaced by '?'.		
5	And I click on log out button	SKIPPED	0.000 s
6	And I logout successfully	SKIPPED	0.000 s
7	Then I should get a text "Login"	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.014 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2bd628f57f42d08b0300f05f698706d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56255}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56255/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d2bd628f57f42d08b0300f05f698706d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353) at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

User should get error message for invalid credentials

FAILED	DURATION - 3.731 s		Steps
/ 12:12:47.079 am // 12:12:50.810 am /			Total - 5
Login Test Feature			Pass - 4
			Fail - 1
@regression			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	And I enter an user ""	PASSED	0.337 s
3	And I enter a password ""	PASSED	0.087 s
4	And I click on login Button	PASSED	0.080 s
5	Then I should get a error message "Required"	FAILED	0.965 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //p[text()='Invalid credentials'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	  at com.orangehrm.demo.utilities.Utility.getTextFromElement(Utility.java:63)
	  at com.orangehrm.demo.pages.LoginPage.verifyErrorMessage(LoginPage.java:54)
	  at com.orangehrm.demo.steps.LoginSteps.iShouldGetAErrorMessage(LoginSteps.java:58)
	  at ?.I should get a error message "Required"(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:34)
	* Not displayable characters are replaced by '?'.		

| #	Step / Hook Details	Status	Duration
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.014 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [349e62bb290a031f433cab749fc9cb29, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56277}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56277/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 349e62bb290a031f433cab749fc9cb29
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	  at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

User should get error message for invalid credentials

FAILED	DURATION - 5.806 s
/ 12:12:50.835 am // 12:12:56.641 am /	
Login Test Feature	
@regression	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	And I enter an user "test123@gmail.com"	PASSED	0.429 s
3	And I enter a password ""	PASSED	0.098 s
4	And I click on login Button	PASSED	0.056 s
5	Then I should get a error message "Required"	FAILED	2.925 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //p[text()='Invalid credentials'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	    at com.orangehrm.demo.utilities.Utility.getTextFromElement(Utility.java:63)
	    at com.orangehrm.demo.pages.LoginPage.verifyErrorMessage(LoginPage.java:54)
	    at com.orangehrm.demo.steps.LoginSteps.iShouldGetAErrorMessage(LoginSteps.java:58)
	    at ?.I should get a error message "Required"(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:34)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aba05cc55dc6564aa26c149b8e096443, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56298}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56298/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: aba05cc55dc6564aa26c149b8e096443
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353) at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

User should get error message for invalid credentials

FAILED	DURATION - 5.730 s
/ 12:12:56.673 am // 12:13:02.403 am /	
Login Test Feature	
@regression	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	And I enter an user ""	PASSED	0.276 s
3	And I enter a password "test123"	PASSED	0.113 s
4	And I click on login Button	PASSED	0.077 s
5	Then I should get a error message "Required"	FAILED	2.930 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //p[text()='Invalid credentials'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)		
	at com.orangehrm.demo.utilities.Utility.getTextFromElement(Utility.java:63)		
	at com.orangehrm.demo.pages.LoginPage.verifyErrorMessage(LoginPage.java:54)		
	at com.orangehrm.demo.steps.LoginSteps.iShouldGetAErrorMessage(LoginSteps.java:58)		
	at ?.I should get a error message "Required"(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:34)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a7905c929391b597bc3561959b1a781, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56329}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56329/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7a7905c929391b597bc3561959b1a781
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	    at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	    at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

User should get error message for invalid credentials

PASSED	DURATION - 3.584 s

/ 12:13:02.431 am // 12:13:06.015 am /

Login Test Feature

@regression

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	And I enter an user "test123@gmail.com"	PASSED	0.372 s
3	And I enter a password "test123"	PASSED	0.091 s
4	And I click on login Button	PASSED	0.523 s
5	Then I should get a error message "Invalid credentials"	PASSED	0.225 s

User Test Feature

FAILED	DURATION - 36.618 s

/ 12:13:06.029 am // 12:13:42.647 am /

Scenarios
Total - 7
Pass - 0
Fail - 7
Skip - 0

Steps
Total - 92
Pass - 21
Fail - 7
Skip - 64

Admin should add user successFully().

FAILED	DURATION - 5.699 s

/ 12:13:06.029 am // 12:13:11.728 am /

User Test Feature

@smoke @regression @sanity

Steps
Total - 15
Pass - 3
Fail - 1
Skip - 11

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	When I login to the application	PASSED	0.373 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	3.080 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52)
	  at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54)
	  at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29)
	  at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11)
	* Not displayable characters are replaced by '?'.		

5	And I get a user text "System Users"	SKIPPED	0.000 s
6	And I click on add button	SKIPPED	0.000 s
7	And I get a add user text "Add User"	SKIPPED	0.000 s
8	And I select a role admin	SKIPPED	0.001 s
9	And I enter employee name "Ananya Dash"	SKIPPED	0.000 s
10	And I enter user name "ananya12"	SKIPPED	0.000 s
11	And I select status disable	SKIPPED	0.000 s
12	And I enter password "a123456"	SKIPPED	0.000 s
13	And I enter confirm password "a123456"	SKIPPED	0.000 s
14	And I click on save button	SKIPPED	0.000 s
15	Then I get a successfully save message "Successfully Saved"	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c932d4d12ee7abe7defaa43853aaff89, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...},		

#	Step / Hook Details	Status	Duration

	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56381}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56381/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c932d4d12ee7abe7defaa43853aaff89
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	  at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

Admin should search the created user and verify it

FAILED	DURATION - 5.613 s		Steps
/ 12:13:11.748 am // 12:13:17.361 am /			Total - 10
User Test Feature			Pass - 3
			Fail - 1
@regression @sanity			Skip - 6

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	When I login to the application	PASSED	0.314 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	2.889 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52)
	  at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54)
	  at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29)
	  at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11)
	* Not displayable characters are replaced by '?'.		

5	And I get a user text "System Users"	SKIPPED	0.001 s
6	And I enter user	SKIPPED	0.000 s
7	And I select user role	SKIPPED	0.000 s
8	And I click on status	SKIPPED	0.000 s
9	And I click on search button	SKIPPED	0.000 s
10	Then I get a user name in the list "user"	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [17d62fd845eddc33c2b955ea5168ac75, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56402}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56402/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 17d62fd845eddc33c2b955ea5168ac75
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)		
	at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)		
	at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

Admin should delete the user successFully

FAILED	DURATION - 4.968 s
/ 12:13:17.390 am // 12:13:22.358 am /	
User Test Feature	
@regression	

Steps
Total - 15
Pass - 3
Fail - 1
Skip - 11

15

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	When I login to the application	PASSED	0.306 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	2.388 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52) at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54) at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29) at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11) * Not displayable characters are replaced by '?'.		
5	And I get a user text "System Users"	SKIPPED	0.000 s
6	And I enter user	SKIPPED	0.000 s
7	And I select user role	SKIPPED	0.000 s
8	And I click on status	SKIPPED	0.000 s
9	And I click on search button	SKIPPED	0.000 s
10	And I get a user name in the list "user"	SKIPPED	0.000 s
11	And I click on check box	SKIPPED	0.000 s
12	And I click on delete button	SKIPPED	0.000 s
13	And I can see the popup	SKIPPED	0.000 s
14	And I click on ok button in popup	SKIPPED	0.000 s
15	Then I should get a message "Successfully Saved"	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ddf08f0a70c7f4d8783d538d3928779a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56421}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56421/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ddf08f0a70c7f4d8783d538d3928779a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353) at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

Admin should search the user and verify message record found

FAILED	DURATION - 5.585 s		Steps
/ 12:13:22.363 am // 12:13:27.948 am /			Total - 13
User Test Feature			Pass - 3
			Fail - 1
@regression			Skip - 9

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	When I login to the application	PASSED	0.470 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	2.666 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52)
	  at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54)
	  at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29)
	  at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11)		

| #	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
5	And I get a user text "System Users"	SKIPPED	0.000 s
6	And I enter username "Admin"	SKIPPED	0.000 s
7	And I select userRole "Admin"	SKIPPED	0.000 s
8	And I enter employee "Paul Collings"	SKIPPED	0.000 s
9	And I select status "Enable"	SKIPPED	0.000 s
10	And I click on search button	SKIPPED	0.000 s
11	And I get a message record found "(1) Records Found"	SKIPPED	0.000 s
12	And I get userName "Admin"	SKIPPED	0.000 s
13	Then I click on reset tab	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb568e047953956488c45477c50389af, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56441}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56441/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cb568e047953956488c45477c50389af
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	  at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

Admin should search the user and verify message record found

FAILED	DURATION - 4.464 s
/ 12:13:27.966 am // 12:13:32.430 am /	
User Test Feature	
@regression	

Steps
Total - 13
Pass - 3
Fail - 1
Skip - 9

13

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	When I login to the application	PASSED	0.326 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	1.783 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52)
	  at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54)
	  at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29)
	  at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11)
	* Not displayable characters are replaced by '?'.		

5	And I get a user text "System Users"	SKIPPED	0.000 s
6	And I enter username "Cassidy.Hope"	SKIPPED	0.000 s
7	And I select userRole "ESS"	SKIPPED	0.000 s
8	And I enter employee "Cassidy Hope"	SKIPPED	0.000 s
9	And I select status "Enable"	SKIPPED	0.001 s
10	And I click on search button	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
11	And I get a message record found "(1) Records Found"	SKIPPED	0.000 s
12	And I get userName "Cassidy.Hope"	SKIPPED	0.001 s
13	Then I click on reset tab	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d09daa2fc3808df98f938b0b1ccc4d39, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56464}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56464/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d09daa2fc3808df98f938b0b1ccc4d39
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	  at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

Admin should search the user and verify message record found

FAILED	*DURATION - 5.493 s*

/ 12:13:32.463 am // 12:13:37.956 am /

User Test Feature

@regression

Steps
Total - 13
Pass - 3
Fail - 1
Skip - 9

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	When I login to the application	PASSED	0.325 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	2.770 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52)
	    at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54)
	    at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29)
	    at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11)
	* Not displayable characters are replaced by '?'.		

5	And I get a user text "System Users"	SKIPPED	0.003 s
6	And I enter username "Nina.Patel"	SKIPPED	0.001 s
7	And I select userRole "ESS"	SKIPPED	0.001 s
8	And I enter employee "Nina Patel"	SKIPPED	0.000 s
9	And I select status "Enable"	SKIPPED	0.000 s
10	And I click on search button	SKIPPED	0.000 s
11	And I get a message record found "(1) Records Found"	SKIPPED	0.000 s
12	And I get userName "Nina.Patel"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	Then I click on reset tab	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2ae451f090c19cc7baeab46233eb2d8d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56490}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56490/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2ae451f090c19cc7baeab46233eb2d8d
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	  at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		

Admin should search the user and verify message record found

FAILED	DURATION - 4.681 s
/ 12:13:37.966 am // 12:13:42.647 am /	
User Test Feature	
@regression	

Steps
Total - 13
Pass - 3
Fail - 1
Skip - 9

13

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	When I login to the application	PASSED	0.305 s
3	And I navigate to the Home page	PASSED	0.000 s
4	And I click on Admin	FAILED	2.038 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[1]//a[1]//span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.orangehrm.demo.utilities.Utility.clickOnElement(Utility.java:52)
	  at com.orangehrm.demo.pages.HomePage.clickOnAdmin(HomePage.java:54)
	  at com.orangehrm.demo.steps.UserSteps.iClickOnAdmin(UserSteps.java:29)
	  at ?.I click on Admin(file:///C:/Users/devan/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/usertest.feature:11)
	* Not displayable characters are replaced by '?'.		

5	And I get a user text "System Users"	SKIPPED	0.000 s
6	And I enter username "Odis.Adalwin"	SKIPPED	0.001 s
7	And I select userRole "Admin"	SKIPPED	0.000 s
8	And I enter employee "Odis Adalwin"	SKIPPED	0.000 s
9	And I select status "Enable"	SKIPPED	0.000 s
10	And I click on search button	SKIPPED	0.000 s
11	And I get a message record found "(1) Records Found"	SKIPPED	0.000 s
12	And I get userName "Odis.Adalwin"	SKIPPED	0.000 s
13	Then I click on reset tab	SKIPPED	0.000 s
	AFTER - com.orangehrm.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3b1571b0c3c2624d5392c831c41e3e9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\devan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56515}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56515/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3b1571b0c3c2624d5392c831c41e3e9
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	    at com.orangehrm.demo.utilities.Utility.getScreenShot(Utility.java:353)
	    at com.orangehrm.demo.steps.Hooks.tearDown(Hooks.java:24)		