

Dated: _____

Qno. 2. Pseudocode

1 DECLARE CF, N, i, RF : INTEGER

CF = 0 // Floor = 0

// Current Floor

INPUT N

// No. of floor

FOR i = 1 to N

INPUT RF

// Requested floor

IF RF > CF

THEN

Print ("Moving up")

ELSE IF

RF < CF

THEN

Print ("Moving Down")

ELSE


PRINT ("Door Opening")

ENDIF

ENDIF

CF = RF

ENDFOR



Dated: _____

Q no 2.

RAC Chasb:-

INPUT	OUTPUT
• Total number of requests (N) • Requested floor (RF)	• Door status for each request: "Moving Up", "Moving Down", or "Door Opening".
PROCESSING REQUIRED	SOLUTION ALTERNATIVE
• Initialising current floor CF = 0 • Read number of requests N • Loop i from N: - Read destination RF - Compare RF with CF • If $RF > CF$, print "Moving Up" - Else if $RF < CF$, print "Moving Down" - Else print "Door Opening" - CF = RF • End when all N are used	• Can be controlled by a FOR Loop or a WHILE Loop • Setting boundary for floors.

Dated: _____

GPO chart:

INPUT	PROCESS	OUTPUT
• N (total floors requests) • RF (requested floor)	1) Initialize $CF = 0$ 2) For $i = 1$ to N: a) Input RF b) If $RF > CF$ then print "Moving Up" c) Else if $RF < CF$, then print "Moving Down" d) Else print "Doors Opening" e) $CF = RF$ 3) End	• Status messages - "Moving up" - "Moving down" - "Doors Opening"