

Qno. 2.

Pseudocode

DECLARE CF, N, i, RF : INTEGER

$CF \leftarrow 0$ // Floor = 0

// Current Floor

INPUT N

// No. of floors

FOR $i = 1$ to N

INPUT RF

// Requested floor

IF $RF > CF$

THEN

Print ("Moving up")

ELSE IF

$RF < CF$

THEN

Print ("Moving Down")

ELSE

Print ("Door Opening")

ENDIF

ENDIF

$CF = RF$

ENDFOR

Start

$i \leftarrow 0$

Input N



Yes

Input RF



Print "Moving up"

No



Print "Moving down"

No

Print "Downing"

$i = i + 1$

Dated: _____

Qno 2.

RAC Chast:-

INPUT	OUTPUT
• Total number of requests (N) • Requested floor (RF)	• Door status for each request: "Moving Up", "Moving Down", or "Door Opening".
PROCESSING REQUIRED	SOLUTION ALTERNATIVE
• Initialising current floor CF = 0 • Read number of requests N • Loop i from N: - Read destination RF - Compare RF with CF • If $RF > CF$, print "Moving Up" - else if $RF < CF$, print "Moving Down" - Else print "Door Opening" - CF = RF • End when all N are used	• Can be controlled using a FOR Loop or a WHILE Loop • Setting boundary for floors.

Dated: _____

GPO chart:

INPUT	PROCESS	OUTPUT
- N (total floors requested) - RF (requested floor)	1) Initialise CF = 0 2) For i = 1 to N: a) Input RF b) If RF > CF then print "Moving Up" c) Else if RF < CF, then print "Moving Down" d. Else print "Doors Opening" e. CF = RF 3) End	- Status messages - "Moving up" - "Moving down" - "Doors Opening"