

Dated: _____

Qno. 2. Pseudocode

DECLARE CF, N, i, RF : INTEGER

CF = 0 // Current Floor

INPUT N // No. of floor

FOR i = 1 to N

INPUT RF // Requested floor

IF RF > CF

THEN

Print ("Moving up")

ELSE IF

RF < CF

THEN

Print ("Moving Down")

ELSE

Print ("Door Opening")


ENDIF

ENDIF

CF = RF

ENDFOR

Dated: _____



Dated: _____

Q no 2.

RAC Chqsb:-

INPUT	OUTPUT
• Total number of requests (N) • Requested floor (RF)	• Door status for each request: "Move Up", "Move Down", or "Door Opening".
PROCESSING REQUIRED	SOLUTION ALTERNATIVE
• Initialising current floor $CF = 0$ • Read number of requests N • Loop i from N: - Read destination RF - Compare RF with CF - If $RF > CF$, print "Move Up" - Else if $RF < CF$, print "Move Down" - Else print "Door Opening" $CF = RF$ • End when all N are used	• Can be controlled using a FOR Loop or a WHILE Loop • Setting boundary for floors.

Dated: _____

GPO chart:

INPUT	PROCESS	OUTPUT
- N (total floors requested) - RF (requested floor)	1) Initialise $CF = 0$ 2) For $i = 1$ to N: a) Input RF b) If $RF > CF$ then print "Moving Up" c) Else if $RF < CF$, then print "Moving Down" d. Else print "Doors Opening" e. $CF = RF$ 3) End	- Status messages - "Moving Up" - "Moving down" - "Doors Opening"