



[Home](#)

[About](#)

[Contact](#)

PIZZA SALES ANALYSIS



[Home](#)[About](#)[Contact](#)

PROJECT OVERVIEW



I recently completed a data analysis project that dives into pizza sales data to uncover trends, patterns, and opportunities for growth. Through this project, I applied data visualization and statistical techniques to identify key drivers of sales and provide actionable insights.

KEY FINDINGS

Sales Trends: Analyzed sales data to identify peak periods, seasonal trends, and product performance

Customer Behavior: Gained insights into customer preferences, ordering habits, and demographics.

Product Performance: Evaluated the performance of different pizza types, toppings, and menu items.

TOOLS USED:- MYSQL

Retrieve the total number of orders placed.

```
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

Calculate the total revenue generated from pizza sales..

```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
          2) AS total_revenue
FROM
    order_details
    JOIN
    pizzas ON order_details.pizza_id = pizzas.pizza_id;
```

Identify the highest-priced pizza..

```
SELECT
    pizza_types.name , pizzas.price
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Identify the most common pizza size ordered.

```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC
LIMIT 1;
```

List the top 5 most ordered pizza types along with their quantities..

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

Join the necessary tables to find the total quantity of each pizza category ordered.

```
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

Determine the distribution of orders by hour of the day..

```
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY hour;
```

Join relevant tables to find the category-wise distribution of pizzas.

```
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

Group the orders by date and calculate the average number of pizzas ordered per day.

```
SELECT
    ROUND(AVG(quantity), 0) AS avg_pizza_ordered_per_day
FROM
    (SELECT
        orders.order_date AS date,
        SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY date) AS order_quantity;
```

Determine the top 3 most ordered pizza types based on revenue.

```
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

Calculate the percentage contribution of each pizza type to total revenue.

```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_revenue
        FROM
            order_details
            JOIN
                pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
        2) AS revenue
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
        order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

Analyze the cumulative revenue generated over time.

```
select order_date,  
sum(revenue) over(order by order_date) as cum_revenue  
from  
(select orders.order_date,  
sum(order_details.quantity* pizzas.price) as revenue  
from order_details join pizzas  
on order_details.pizza_id=pizzas.pizza_id  
join orders  
on orders.order_id=order_details.order_id  
group by orders.order_date) as sales;
```

Determine the top 3 most ordered pizza types based on revenue for each pizza category..

```
select name, revenue from
(select category, name, revenue,
rank() over(partition by category order by revenue desc) as rn
from
(select pizza_types.category, pizza_types.name,
sum(order_details.quantity * pizzas.price) as revenue
from pizza_types join pizzas on
pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details on
order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn<=3;
```



[Home](#)

[About](#)

[Contact](#)

THANK YOU

FOR ATTENTION

- PLEASE DON'T FORGET TO
LIKE, COMMENT AND FOLLOW FOR
MORE