```
MariaDB [(none)]>  CREATE DATABASE ecommerce_db;
Query OK, 1 row affected (0.002 sec)

MariaDB [(none)]> USE ecommerce_db;
Database changed
```

```
MariaDB [ecommerce_db]> CREATE TABLE users (
    ->     user_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     name VARCHAR(100) NOT NULL,
    ->     email VARCHAR(100) UNIQUE NOT NULL,
    ->     password VARCHAR(255) NOT NULL,
    ->     phone VARCHAR(15),
    ->     address TEXT,
    ->     role ENUM('customer','seller','admin') DEFAULT 'customer',
    ->     created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP);
Query OK, 0 rows affected (0.026 sec)

MariaDB [ecommerce_db]> CREATE TABLE categories (
    ->     category_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     category_name VARCHAR(100) NOT NULL);
Query OK, 0 rows affected (0.008 sec)

MariaDB [ecommerce_db]> CREATE TABLE products (
    ->     product_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     seller_id INT,
    ->     category_id INT,
    ->     product_name VARCHAR(150) NOT NULL,
    ->     description TEXT,
    ->     price DECIMAL(10,2) NOT NULL,
    ->     stock INT DEFAULT 0,
    ->     created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    ->     FOREIGN KEY (seller_id) REFERENCES users(user_id),
    ->     FOREIGN KEY (category_id) REFERENCES categories(category_id));
Query OK, 0 rows affected (0.023 sec)

MariaDB [ecommerce_db]> CREATE TABLE cart (
    ->     cart_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     user_id INT,
    ->     product_id INT,
    ->     quantity INT DEFAULT 1,
    ->     FOREIGN KEY (user_id) REFERENCES users(user_id),
    ->     FOREIGN KEY (product_id) REFERENCES products(product_id));
Query OK, 0 rows affected (0.031 sec)
```

```
MariaDB [ecommerce_db]> CREATE TABLE orders (
    ->     order_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     user_id INT,
    ->     total_amount DECIMAL(10,2),
    ->     order_status ENUM('pending','shipped','delivered','cancelled') DEFAULT 'pending',
    ->     order_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    ->     FOREIGN KEY (user_id) REFERENCES users(user_id));
Query OK, 0 rows affected (0.025 sec)

MariaDB [ecommerce_db]> CREATE TABLE order_items (
    ->     order_item_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     order_id INT,
    ->     product_id INT,
    ->     quantity INT,
    ->     price DECIMAL(10,2),
    ->     FOREIGN KEY (order_id) REFERENCES orders(order_id),
    ->     FOREIGN KEY (product_id) REFERENCES products(product_id));
Query OK, 0 rows affected (0.023 sec)

MariaDB [ecommerce_db]> CREATE TABLE payments (
    ->     payment_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     order_id INT UNIQUE,
    ->     payment_method ENUM('UPI','Credit Card','Debit Card','COD'),
    ->     payment_status ENUM('success','failed','pending') DEFAULT 'pending',
    ->     payment_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    ->     FOREIGN KEY (order_id) REFERENCES orders(order_id)
    -> );
Query OK, 0 rows affected (0.019 sec)

MariaDB [ecommerce_db]> CREATE TABLE reviews (
    ->     review_id INT AUTO_INCREMENT PRIMARY KEY,
    ->     product_id INT,
    ->     user_id INT,
    ->     rating INT CHECK (rating BETWEEN 1 AND 5),
    ->     comment TEXT,
    ->     review_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    ->     FOREIGN KEY (product_id) REFERENCES products(product_id),
    ->     FOREIGN KEY (user_id) REFERENCES users(user_id)
    -> );
Query OK, 0 rows affected (0.027 sec)
```


User
user_id PK
name
email
phone
1
Places
N
Order
order_id PK
order_date
total_amount
1
Writes
N
Review
review_id PK
rating
comment
1
Contains
N
Product
product_id PK
product_name
price
stock
N
Belongs To
1
Category
category_id PK
category_name
1
Pays
1
Payment
payment_id PK
payment_method
payment_status