DBMS LAB 8 – Functions and Procedures

By: Ishita Bharadwaj

SRN: PES1UG20CS648

Section: K

Roll No: 43

Q 1) Functions

```
MariaDB [cs_peslug20cs648_railways]> DELIMITER $$
MariaDB [cs_peslug20cs648_railways]> CREATE FUNCTION final_func(user varchar(20))
-> RETURNS varchar(20)
       -> BEGIN
-> DECLARE res varchar(20);
       -> DECLARE tot_count int;
-> SET tot_count = (SELECT COUNT(*) FROM ticket NATURAL JOIN ticket_passenger WHERE ticket.pnr=pnr AND
-> MONTH(ticket.travel_date)=MONTH(CURRENT_DATE) GROUP BY ticket.pnr);
       -> IF tot_count > 3 THEN
-> SET res = "NOT ELIGIBLE";
-> ELSE
-> ELSE
-> SET res = "ELIGIBLE";
-> END IF;
-> RETURN res;
-> END;$$
Query OK, 0 rows affected (0.013 sec)
MariaDB [cs_peslug20cs648_railways]> DELIMITER ;
MariaDB [cs_peslug20cs648_railways]> SELECT final_func(pnr),pnr from ticket;
 | final_func(pnr) | pnr
   ELIGIBLE
                                    PNR004
PNR010
   ELIGIBLE
                                    PNR014
PNR015
PNR003
   ELIGIBLE
ELIGIBLE
   ELIGIBLE
   ELIGIBLE
ELIGIBLE
ELIGIBLE
                                    PNR006
PNR005
PNR012
                                    PNR002
PNR008
PNR001
   ELIGIBLE
ELIGIBLE
   ELIGIBLE
                                    PNR007
PNR011
PNR021
   ELIGIBLE
ELIGIBLE
   ELIGIBLE
14 rows in set (0.037 sec)
```

Q 2) Procedure

```
MariaDB [cs_pes1ug20cs648_railways]> DELIMITER $$
MariaDB [cs_pes1ug20cs648_railways]> CREATE procedure age_updation(
-> IN UID varchar(30),IN DB date, OUT msg varchar(30))
     -> BEGIN
-> BEGIN
-> DECLARE age int; IF DB>sysdate() THEN
-> set msg= 'Invalid DoB';
-> ELSE
      -> update train_user
-> set age=(datediff(sysdate(),DB))/365 where user_id= UID;
-> update train_user
     - yet dob=DB where user_id=UID;
-> set msg='Age updated Successfully';
-> END IF;
-> END;$$
Query OK, 0 rows affected (0.017 sec)
MariaDB [cs_peslug20cs648_railways]> DELIMITER;
MariaDB [cs_peslug20cs648_railways]> CALL age_updation('USR_001','2002-08-26',@A);
Query OK, 2 rows affected (0.011 sec)
MariaDB [cs_pes1ug20cs648_railways]> SELECT @A;
I @A
| Age updated Successfully |
1 row in set (0.000 sec)
MariaDB [cs_pes1ug20cs648_railways]> select * from train_user where user_id='USR_001';
  user_id | user_type | firstname | lastname | age | dob
                                                                                                 | pincode | street_number |
 USR_001 | PSGR
                                                   Ullal
                                                                       20 | 2002-08-26 | 560001 | 10, Janpath
1 row in set (0.001 sec)
```