Name: Ishita Bhagat Class: SOC-15 Batch: A

Subject: PL Roll No.: 24 Exp. No.:

Name of the Experiment:

Performed on:

Submitted on:

Marks	Teacher's Signature with date
10	

UNIT 1

Q1. Program to make use of basic I/O functions using different data type.

Input

```
#include <stdio.h>
int main()
{ int age;
  float height;
  double salary;
  char grade;
printf("Enter age:");
scanf("%d, &age);
printf("Enter height:");
scanf("%f", &height);
printf("Enter salary:");
scanf("%lf", &salary);
printf("Enter grade:");
scanf("%c", &grade);
printf("Age = %d\n", age);
```

Incomplete for Theory ☐ Diagrams ☐ Observation Table ☐
Calculations ☐ Graphs ☐ Results ☐ Conclusion ☐
Understanding Through Q/A ☐ Late Submission ☐ Neatness ☐

Teacher's Signature

```
printf ("Height = %.2f \n", height);
printf ("Salary = %.2If \n", salary);
printf ("Grade = %.c \n", grade);
return 0; }
```

Output

```
Enter age : 25
Enter height: 176
Enter salary : 150000
Enter grade : B
Age = 25
Height = 176
Salary = 150000
Grade = B
```

Q2. Write Program To calculate the area of the circle

Input

```
#include <stdio.h>
int main ()
{ float radius, area;
const float PI = 3.14159;
printf ("Enter radius of circle:");
scanf ( "%f", &radius);
area = PI * radius * radius;
printf ("Area of circle = %.2f \n", area);
return 0; }
```

Output

```
Enter radius of circle: 5
Area of circle = 78.54
```

Q3 Write Program to calculate the Average of Three numbers.

Input -

```
#include <stdio.h>
int main ()
{ float a, b, c average;
printf ("Enter three numbers:")
sconf ("%f%f%f",&a,&b,&c);
average = (a+b+c)/3
```

$$\text{average} = \frac{(a+b+c)}{3}$$

```
printf ("Average = %.2f\n", average);
return 0; }
```

Output

Enter three numbers : 2 , 4 , 6

Average = 6

UNIT 2 :

Q1. Write program that demonstrates the order of execution of operators in expressions

Input

```
#include <stdio.h>
int main ()
{
int a = 10 , b = 5, c = 2
int result;
result = a+b*c
printf("Expression a+b*c\n");
printf("a = %d , b = %d , c = %d\n", a,b,c);
printf ("Result = %d\n", result);
return 0 ; }
```

Output

Expression: a+b*c

a=10, b=5, c=2

Result - 20

Q2. Write Program to check wheather a number is even or odd

Input

```
#include <stdio.h>
int main()
{ int num;
 printf("Enter a number:");
 Scanf("%d", &num);
if (num %.2==0)
{
printf("%d is an Even number.\n", num);
}          else {printf("%d is an odd number\n", num);
return 0;
}
```

Output

Enter a number = 25

25 is an odd number

Q3. Write program to determine wheather a number is Positive, Negative or zero

Input

```
#include <stdio.h>
int main()
{ int num;
printf("Enter a number:");
```

```
scanf ("%d", &num);
 if (num >0)
{ printf ("%d is a positive number\n", num);
}
else if (num < 0)
{ printf ("%d is a negative number.\n", num);
}
else
{ printf ("The number is zero.\n");
}
return 0;
}
```

Output

Enter a number = 10

10 is a positive number