DISEASE PREDICTION SYSTEM

Student Name:

2420030041 – L.Ishitha

2420030390 – T.Siri

2420030487 – Ch.Varshini
Department: Department of Computer Science and Engineering
Institution: Kl University Hyderabad

Guide: B. Prathusha Mam
Assistant Professor
Department of CSE

ABSTRACT

The increasing occurrence of chronic diseases such as diabetes and heart disease has become a major concern in the healthcare sector. Early identification of these diseases can help individuals take appropriate preventive measures and seek medical attention at the right time. However, identifying potential health risks through traditional methods may require several medical examinations, clinical consultations, and laboratory tests. Machine learning provides an opportunity to analyze medical data and identify patterns that may indicate the possibility of a disease.

This research presents a Machine Learning-Based Disease Prediction System designed to predict the possibility of diabetes and heart disease using patient-related clinical information. The system considers important health attributes such as age, blood pressure, glucose level, cholesterol level, body mass index, and other relevant medical parameters. Four machine learning algorithms, namely Decision Tree, Random Forest, K-Nearest Neighbors (KNN), and Naïve Bayes, are considered for building predictive models.

The proposed system follows a structured process that includes dataset collection, data preprocessing, feature selection, model training, and performance evaluation. The models are trained and tested using the same dataset partition to ensure a fair comparison. Their performance is evaluated using accuracy, precision, recall, F1-score, and confusion matrices. The results can help identify which algorithm performs more effectively on the selected dataset.

The primary objective of this project is to develop an accessible and understandable prediction system that demonstrates how machine learning can support preliminary health-risk assessment. The system is intended for educational and awareness purposes and cannot replace professional medical diagnosis or clinical advice.

Keywords: Disease Prediction, Machine Learning, Diabetes Prediction, Heart Disease Prediction, Decision Tree, Random Forest, K-Nearest Neighbors, Naïve Bayes, Healthcare.

I. INTRODUCTION

Healthcare is one of the most important sectors where technology can contribute to improving the quality and efficiency of services. Many diseases develop gradually and may not show noticeable symptoms during their early stages. Diabetes and heart disease are two examples of conditions that require continuous monitoring and early identification to reduce the possibility of serious complications.

Diabetes is a chronic health condition associated with elevated blood glucose levels. If it is not properly managed, it may lead to complications affecting the heart, kidneys, eyes, nerves, and other organs. Similarly, heart disease includes several conditions that affect the structure and functioning of the heart. Factors such as age, high blood pressure, cholesterol levels, obesity, smoking, and physical inactivity may contribute to cardiovascular risk.

Traditional disease identification generally depends on clinical examinations, laboratory investigations, and the interpretation of medical information by healthcare professionals. Although these methods are essential, analyzing multiple health parameters manually can be time-consuming. The availability of healthcare datasets creates an opportunity to use computational techniques for identifying relationships between different patient attributes.

Machine Learning (ML) is a branch of Artificial Intelligence that enables computer systems to learn patterns from existing data and use those patterns to make predictions. In healthcare applications, machine learning algorithms can examine historical patient records and identify combinations of features associated with particular diseases.

The proposed Disease Prediction System uses machine learning algorithms to analyze patient health information and estimate the possibility of diabetes or heart disease. The system focuses on comparing different classification algorithms under the same experimental conditions.

A. Problem Statement

Early identification of diabetes and heart disease is important for reducing health risks and encouraging timely medical consultation. However, evaluating multiple clinical parameters manually may be time-consuming, and individuals may not always recognize potential risk factors.

Therefore, there is a need for a simple machine learning-based system that can analyze selected patient health parameters and provide a preliminary prediction of disease risk. The system should also allow different algorithms to be compared using standard performance evaluation metrics.

B. Objectives

The major objectives of the proposed system are:

1. To develop a machine learning-based system for predicting diabetes and heart disease.
2. To collect and prepare suitable healthcare datasets for model development.
3. To identify relevant patient health attributes that contribute to prediction.
4. To implement Decision Tree, Random Forest, KNN, and Naïve Bayes algorithms.
5. To train and test the algorithms using a consistent dataset split.
6. To evaluate the models using accuracy, precision, recall, and F1-score.
7. To compare the performance of the selected algorithms.
8. To provide understandable prediction results for educational and health-awareness purposes.

C. Scope of the Project

The scope of this project is limited to the preliminary prediction of diabetes and heart disease using selected clinical attributes. The system uses existing datasets to train machine learning models and evaluates their ability to classify records into the available target categories.

The project demonstrates the application of machine learning in healthcare data analysis. It does not provide a confirmed medical diagnosis, prescribe medicines, or replace consultations with qualified healthcare professionals.

II. LITERATURE SURVEY

Machine learning has received considerable attention in healthcare research because of its ability to identify patterns in large datasets. Researchers have explored different classification and prediction algorithms to support medical data analysis.

A. Machine Learning in Healthcare

Machine learning techniques are widely studied for applications such as disease classification, medical image analysis, patient risk assessment, and clinical decision support. These techniques learn relationships between input variables and known outcomes from historical datasets.

The effectiveness of a machine learning model depends on several factors, including dataset quality, the number of available records, feature selection, missing-value treatment, and the

algorithm used. Therefore, proper preprocessing and evaluation are important when developing healthcare prediction systems.

B. Decision Tree-Based Classification

Decision Tree is a supervised learning algorithm that uses a tree-like structure to make predictions. It divides the dataset into smaller groups based on feature values. Each internal node represents a decision, each branch represents an outcome, and each leaf node represents a final class.

Decision Trees are relatively easy to understand and interpret. They can handle numerical and categorical features after suitable preprocessing. However, a Decision Tree may overfit the training data if its depth and complexity are not controlled.

C. Random Forest Classification

Random Forest is an ensemble learning algorithm that combines multiple Decision Trees to improve prediction performance. Each tree is trained using a different sample of the training data and considers a subset of features during splitting.

For classification, the final prediction is generally determined through majority voting among the individual trees. Random Forest can reduce the instability of a single Decision Tree and often provides good predictive performance. However, it may require more computational resources and can be less straightforward to interpret.

D. K-Nearest Neighbors

K-Nearest Neighbors is a supervised learning algorithm that classifies a new data point based on the classes of its nearest training examples. It calculates the distance between the new record and existing records and selects the nearest K neighbors.

The most common class among the selected neighbors is used as the prediction. KNN is simple to implement and does not require a complex training process. However, its performance can be affected by feature scaling, the choice of K, and the distance metric.

E. Naïve Bayes Classification

Naïve Bayes is a probabilistic classification algorithm based on Bayes' theorem. It estimates the probability of a particular class using the observed input features.

The algorithm assumes conditional independence between features given the class. Although this assumption may not always hold in real-world medical data, Naïve Bayes is computationally efficient and can provide useful classification results.

F. Research Gap

Existing machine learning studies demonstrate the usefulness of classification algorithms in healthcare-related prediction tasks. However, model performance can differ depending on the dataset, preprocessing techniques, and evaluation strategy.

This project focuses on implementing four commonly used classification algorithms within a consistent experimental framework. Instead of relying on a single model, the system compares their performance using multiple evaluation metrics. This provides a clearer understanding of the strengths and limitations of each algorithm on the selected datasets.

III. DATASET AND DATA PREPROCESSING

The quality of a machine learning model largely depends on the quality of the dataset used during training. Medical datasets contain patient-related attributes that can be used to identify patterns associated with different diseases.

The proposed system uses suitable datasets for diabetes and heart disease prediction. Each dataset contains input features and a target variable representing the corresponding disease classification.

A. Dataset Description

The diabetes dataset contains patient-related health attributes that may be associated with diabetes. Depending on the selected dataset, these attributes may include:

- Pregnancies
- Glucose level
- Blood pressure
- Skin thickness
- Insulin level
- Body Mass Index (BMI)
- Diabetes pedigree function
- Age
- Diabetes outcome

The heart disease dataset contains clinical attributes associated with cardiovascular health. Depending on the selected dataset, these may include:

- Age
- Sex

- Chest pain type
- Resting blood pressure
- Serum cholesterol
- Fasting blood sugar
- Resting electrocardiographic results
- Maximum heart rate achieved
- Exercise-induced angina
- ST depression
- Target outcome

The exact features depend on the datasets selected for implementation. The dataset name, source, number of records, and feature details should be reported according to the actual files used in the project.

B. Data Cleaning

Raw datasets may contain missing values, duplicate records, inconsistent entries, or invalid measurements. These issues can negatively affect the learning process.

Data cleaning is performed to improve the reliability of the input data. The process may include:

1. Identifying missing or null values.
2. Checking for duplicate records.
3. Detecting invalid or inconsistent values.
4. Correcting data types where required.
5. Removing or treating unsuitable records using an appropriate method.

Zero values should not automatically be treated as missing values. Their meaning must be checked against the dataset documentation and the corresponding medical attribute.

C. Data Preprocessing

Preprocessing converts the collected dataset into a suitable format for machine learning algorithms.

The major preprocessing steps include:

1. Handling Missing Values: Missing values are identified and treated using suitable techniques, such as removing incomplete records or replacing missing values with statistical estimates.

2. Feature Selection: Relevant features are selected based on their relationship with the target variable and their usefulness for prediction.

3. Feature Scaling: Algorithms such as KNN are sensitive to differences in feature ranges. Standardization or normalization can be applied where appropriate.

4. Encoding: Categorical variables are converted into numerical representations when required by the selected algorithm.

5. Train-Test Splitting: The dataset is divided into training and testing subsets. The training subset is used to build the model, while the testing subset is used to evaluate its performance on unseen records.

To maintain a fair comparison, the same training and testing split should be used for all four algorithms within each prediction task.

D. Dataset Preparation Workflow

The dataset preparation process can be represented as:

Raw Dataset → Data Inspection → Data Cleaning → Feature Preparation → Train-Test Split → Model Training

---

IV. PROPOSED SYSTEM

The proposed system is a machine learning-based application that analyzes patient health information and predicts the possibility of diabetes or heart disease. It uses multiple classification algorithms and compares their performance using standard evaluation metrics.

The system is designed to follow a modular structure so that data preprocessing, model training, prediction, and evaluation can be performed independently.

A. System Architecture

The proposed system consists of the following major components:

1. Data Collection Module

This module collects the healthcare datasets required for diabetes and heart disease prediction. The datasets contain medical attributes and corresponding target labels.

2. Data Preprocessing Module

This module performs data cleaning, missing-value treatment, feature preparation, and scaling where necessary. It prepares the dataset for model training.

3. Model Training Module

The processed data is provided to four machine learning algorithms: Decision Tree, Random Forest, KNN, and Naïve Bayes. Each algorithm learns patterns from the training data.

4. Prediction Module

The trained model receives input features and produces a predicted class based on the learned patterns. The prediction may indicate the presence or absence of the target condition according to the dataset's classification labels.

5. Evaluation Module

The models are evaluated using accuracy, precision, recall, F1-score, and confusion matrices. These metrics are used to compare their performance.

6. Result Display Module

The final prediction and evaluation information are displayed in an understandable format. The output is intended to support awareness and educational understanding rather than clinical diagnosis.

B. Proposed System Workflow

The overall workflow is as follows:

1. Load the selected healthcare dataset.
2. Inspect the dataset and identify its features.
3. Clean and preprocess the records.
4. Separate input features and target labels.
5. Divide the dataset into training and testing sets.
6. Train the four selected classification algorithms.
7. Generate predictions using the testing data.
8. Calculate evaluation metrics.
9. Compare the performance of all models.
10. Display the prediction and evaluation results.

C. Advantages of the Proposed System

- Uses multiple machine learning algorithms for comparison.

- Supports analysis of important patient health parameters.
- Provides a structured approach to data preprocessing and prediction.
- Uses standard performance metrics for model evaluation.
- Helps demonstrate the application of machine learning in healthcare.
- Can be extended with additional datasets and classification algorithms.

V. METHODOLOGY

The methodology describes the process followed to develop and evaluate the proposed Disease Prediction System.

A. Data Collection

The first stage involves obtaining suitable diabetes and heart disease datasets. The datasets should contain relevant health-related attributes and correctly labelled target variables.

The selected datasets are examined to understand the number of records, available features, target classes, and data types.

B. Feature and Target Separation

The input variables are separated from the target variable.

Let the dataset be represented as:

$$
D = \{(X_i,Y_i)\}_{i=1}^{n}
$$

where:

- (X_i) represents the input features of the (i^{th}) record.
- (Y_i) represents the corresponding target class.
- (n) represents the total number of records.

The machine learning model learns the relationship between the input features and the target class.

C. Model Training

Four supervised machine learning algorithms are implemented.

1. Decision Tree Algorithm

A Decision Tree selects features that best separate the target classes. It repeatedly divides the training dataset into smaller subsets until a stopping condition is reached.

Common splitting criteria include Gini impurity and entropy.

The Gini impurity is calculated as:

$$
Gini = 1-\sum_{i=1}^{C}p_i^2
$$

where p_i is the proportion of records belonging to class i, and C is the total number of classes.

2. Random Forest Algorithm

Random Forest creates multiple Decision Trees using different training samples and feature subsets. The predictions of individual trees are combined to obtain the final classification.

For a classification problem, the final class is selected using majority voting:

$$
\hat{Y} = Mode(T_1(X),T_2(X),...,T_m(X))
$$

where $T_1,T_2,...,T_m$ represent the individual decision trees.

3. K-Nearest Neighbors Algorithm

KNN calculates the distance between a new data point and the available training records. Euclidean distance is commonly used:

$$
d(X,Y)=\sqrt{\sum_{i=1}^{n}(x_i-y_i)^2}
$$

The algorithm identifies the K nearest records and assigns the class that appears most frequently among them.

The value of K should be selected using suitable validation or experimentation.

4. Naïve Bayes Algorithm

Naïve Bayes uses Bayes' theorem to calculate the probability of a class based on the observed features.

$$
P(C|X)=\frac{P(X|C)P(C)}{P(X)}
$$

where:

- $(P(C|X))$ is the posterior probability of class C.
- $(P(X|C))$ is the likelihood of the features given class C.
- $(P(C))$ is the prior probability of class C.
- $(P(X))$ is the probability of the observed features.

The class with the highest estimated posterior probability is selected as the prediction.

D. Model Testing

After training, each model is evaluated using the testing dataset. The testing data is kept separate from the training process to measure how well the model performs on unseen records.

The same data split is used for all algorithms within the same prediction task. This helps ensure that differences in performance are associated with the models rather than different testing records.

E. Performance Evaluation Metrics

The performance of the classification models is evaluated using the following metrics.

1. Accuracy

Accuracy measures the proportion of correctly classified records among all tested records.

$$
Accuracy=\frac{TP+TN}{TP+TN+FP+FN}
$$

2. Precision

Precision measures how many records predicted as positive are actually positive.

$$
Precision=\frac{TP}{TP+FP}
$$

3. Recall

Recall measures how many actual positive records are correctly identified by the model.

$$
Recall=\frac{TP}{TP+FN}
$$

4. F1-Score

F1-score is the harmonic mean of precision and recall.

[
F1=2\times\frac{Precision\times Recall}{Precision+Recall}
]

5. Confusion Matrix

A confusion matrix summarizes the actual and predicted classifications.

	Predicted Positive	**Predicted Negative**
Actual Positive	True Positive (TP)	False Negative (FN)
Actual Negative	False Positive (FP)	True Negative (TN)

In healthcare prediction, false negatives may be particularly important because a person with the condition may be incorrectly classified as negative. Therefore, recall and the confusion matrix should be considered along with accuracy.

VI. IMPLEMENTATION

The proposed system can be implemented using Python and commonly used machine learning libraries.

A. Technologies Used

Technology	**Purpose**
Python	Main programming language
Pandas	Dataset loading and manipulation
NumPy	Numerical operations
Scikit-learn	Machine learning algorithms and evaluation
Matplotlib	Graphical representation of results
Seaborn	Data visualization and confusion matrices
Jupyter Notebook / Google Colab	Development and experimentation
Streamlit (if implemented)	User interface for prediction

B. Implementation Process

The implementation begins by importing the required Python libraries and loading the selected datasets. The data is inspected to understand its structure and identify possible preprocessing requirements.

After preprocessing, the input features and target variables are separated. The dataset is then divided into training and testing subsets.

Each of the four algorithms is initialized and trained using the training data. Predictions are generated using the testing data, and evaluation metrics are calculated.

The calculated metrics are stored in a comparison table so that the performance of the algorithms can be analyzed.

C. Model Comparison

The four models are compared based on their evaluation metrics. The comparison helps determine which algorithm performs better on the selected dataset and under the chosen experimental settings.

A model should not be selected based only on accuracy. In a healthcare-related classification task, recall, precision, F1-score, and the types of classification errors should also be considered.

D. User Interface

If a Streamlit interface is implemented, the user can enter the required health-related values through input fields. The application processes these values using the selected trained model and displays the predicted class.

The interface should clearly communicate that the result is an experimental prediction and not a confirmed medical diagnosis.

VII. RESULTS AND DISCUSSION

The performance evaluation of the proposed Disease Prediction System is based on the predictions generated by the four machine learning algorithms. Each model is tested using the same testing subset to maintain consistency in the comparison.

The results are analyzed using accuracy, precision, recall, and F1-score. Confusion matrices are also used to understand the number of correctly and incorrectly classified records.

A. Performance Comparison

The following table can be completed using the actual results obtained from the project implementation.

Table I. Performance Comparison of Machine Learning Algorithms for Diabetes Prediction

Algorithm	Accuracy	Precision	Recall	F1-Score
Decision Tree	[Value]	[Value]	[Value]	[Value]
Random Forest	[Value]	[Value]	[Value]	[Value]
KNN	[Value]	[Value]	[Value]	[Value]
Naïve Bayes	[Value]	[Value]	[Value]	[Value]

Table II. Performance Comparison of Machine Learning Algorithms for Heart Disease Prediction

Algorithm	Accuracy	Precision	Recall	F1-Score
Decision Tree	[Value]	[Value]	[Value]	[Value]
Random Forest	[Value]	[Value]	[Value]	[Value]
KNN	[Value]	[Value]	[Value]	[Value]
Naïve Bayes	[Value]	[Value]	[Value]	[Value]

Note: Replace the placeholders with the actual evaluation values produced by the implementation. Do not use estimated or assumed values.

B. Discussion

The performance comparison provides an understanding of how different classification algorithms behave when applied to healthcare datasets.

Decision Tree provides an interpretable structure that makes it easier to understand the decisions made by the model. However, its performance may be affected by overfitting.

Random Forest combines multiple decision trees and may provide more stable predictions than an individual tree. Its performance depends on the number of trees, feature selection, and other hyperparameters.

KNN classifies records based on their similarity to existing training examples. It may perform differently depending on the selected K value, distance metric, and feature scaling.

Naïve Bayes uses probability-based classification and is computationally efficient. Its performance may be affected by the independence assumption between input features.

The best-performing algorithm should be identified separately for each dataset using the actual experimental results. An algorithm that performs well for diabetes prediction may not necessarily perform equally well for heart disease prediction.

C. Confusion Matrix Analysis

Confusion matrices provide additional information about the classification results. They help identify true positives, true negatives, false positives, and false negatives.

In the proposed system, the confusion matrix is useful for understanding whether the models correctly identify positive disease cases or incorrectly classify them as negative.

This analysis is important because two models with similar accuracy values may have different recall and false-negative rates.

D. Overall Findings

The proposed experiment provides a comparative analysis of four machine learning algorithms for diabetes and heart disease prediction. It demonstrates that the selection of a suitable algorithm should be based on multiple evaluation measures rather than accuracy alone.

The final findings will depend on the actual datasets, preprocessing techniques, model parameters, and test results obtained during implementation.

VIII. CONCLUSION AND FUTURE SCOPE

A. Conclusion

This research presents a Machine Learning-Based Disease Prediction System for the preliminary prediction of diabetes and heart disease using patient-related clinical information. The system demonstrates how machine learning techniques can be applied to healthcare datasets to identify patterns and classify records based on selected health attributes.

Four classification algorithms, namely Decision Tree, Random Forest, K-Nearest Neighbors, and Naïve Bayes, are considered in this study. The methodology includes dataset collection, data cleaning, preprocessing, feature preparation, model training, testing, and performance evaluation.

The algorithms are compared using accuracy, precision, recall, F1-score, and confusion matrices. This comparison provides a systematic way to understand the strengths and limitations of the selected models.

The project highlights the potential of machine learning as a supporting technology for preliminary health-risk awareness. However, its predictions are limited by the quality and representativeness of the datasets used. The system is not intended to provide medical diagnosis or replace professional healthcare services.

B. Future Scope

The proposed system can be improved in several ways:

1. **Additional Diseases:** The system can be extended to include other health conditions using suitable and reliable datasets.
2. **Larger Datasets:** Training with larger and more diverse datasets may help evaluate model performance across different populations.
3. **Advanced Algorithms:** Additional techniques such as Support Vector Machines, Gradient Boosting, and neural networks can be explored.
4. **Hyperparameter Optimization:** Techniques such as Grid Search and Randomized Search can be used to identify suitable model parameters.
5. **Improved User Interface:** A more interactive interface can be developed to make the system easier to use.
6. **Explainable Machine Learning:** Explainability techniques can be incorporated to help users understand which features influenced a prediction.
7. **Model Validation:** Future work can include external validation and testing on independent datasets to assess generalization.
8. **Privacy and Security:** Appropriate safeguards can be introduced if the system is extended to handle real patient information.

REFERENCES

[1] S. B. Kotsiantis, "Supervised Machine Learning: A Review of Classification Techniques," *Informatica*, vol. 31, pp. 249–268, 2007.

[2] L. Breiman, "Random Forests," *Machine Learning*, vol. 45, pp. 5–32, 2001.

[3] T. M. Mitchell, *Machine Learning*. New York, NY, USA: McGraw-Hill, 1997.

[4] C. M. Bishop, *Pattern Recognition and Machine Learning*. New York, NY, USA: Springer, 2006.

[5] D. G. Altman and J. M. Bland, "Diagnostic tests 2: Predictive values," *BMJ*, vol. 309, p. 102, 1994.

[6] F. Pedregosa et al., "Scikit-learn: Machine Learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.

[7] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed. New York, NY, USA: Springer, 2009.

[8] World Health Organization, "Diabetes," World Health Organization. Available: https://www.who.int/health-topics/diabetes

[9] World Health Organization, “Cardiovascular diseases (CVDs),” World Health Organization. Available: https://www.who.int/health-topics/cardiovascular-diseases

---

IMPORTANT SUBMISSION NOTES

Before submitting the paper:

1. Replace the student name and college details.
2. Add the exact dataset names, sources, and number of records used.
3. Fill both performance tables with your actual model results.
4. Add screenshots of the application and graphs if your faculty requires them.
5. Add a system architecture diagram and model workflow diagram.
6. Ensure that every reference is checked and formatted according to your department's requirements.

Under the Guidence of

B. Prathusha Mam
Assistant Professor
Department of CSE