Nova Wallet — Complete Source Code

Single-file HTML + CSS + JavaScript · Save as **index.html** to run

Important: This code is an educational simulator. It uses sample prices and balances only and cannot connect to real wallets or send funds.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Nova Wallet — Portfolio Simulator</title>
<style>
:root{--bg:#0b1020;--panel:#131b2e;--panel2:#19243a;--text:#f4f7ff;--muted:#9aa8c3;--accent:#76f0c1;--blue:
#7da8ff;--danger:#ff8b9a;--line:#27334d}
*{box-sizing:border-box}
body{margin:0;background:var(--bg);color:var(--text);font:15px/1.5 Inter,system-ui,-apple-system,Segoe UI,
Roboto,Arial,sans-serif}
button,input,select{font:inherit}
button{cursor:pointer;border:0}
.app{max-width:1200px;margin:auto;padding:22px}
.notice{background:#302b1c;border:1px solid #6a5b2b;color:#ffe9a3;border-radius:12px;padding:12px 14px;margin-
bottom:18px;font-size:13px}
.topbar{display:flex;justify-content:space-between;align-items:center;gap:16px;margin-bottom:24px}
.brand{display:flex;align-items:center;gap:10px;font-weight:800;font-size:21px}
.logo{width:38px;height:38px;border-radius:13px;background:linear-gradient(135deg,var(--accent),var(--blue));
display:grid;place-items:center;color:#0b1020;font-weight:900}
.pill{border:1px solid var(--line);border-radius:999px;padding:8px 12px;color:var(--muted);font-size:12px}
.layout{display:grid;grid-template-columns:220px 1fr;gap:22px}
.sidebar,.card{background:var(--panel);border:1px solid var(--line);border-radius:18px}
.sidebar{padding:12px;height:max-content;position:sticky;top:18px}
.nav{display:block;width:100%;text-align:left;padding:12px 13px;border-radius:11px;background:transparent;
color:var(--muted);margin:3px 0}
.nav.active,.nav:hover{background:var(--panel2);color:var(--text)}
main{min-width:0}
.page{display:none}.page.active{display:block}
h1{font-size:27px;margin:0 0 5px}h2{font-size:18px;margin:0 0 15px}
.sub{color:var(--muted);margin:0 0 22px}
.grid{display:grid;grid-template-columns:repeat(3,minmax(0,1fr));gap:14px;margin-bottom:18px}
.card{padding:19px;min-width:0}
.label{color:var(--muted);font-size:13px}
.balance{font-size:29px;font-weight:800;letter-spacing:-.7px;margin:8px 0}
.small{font-size:12px;color:var(--muted)}
.positive{color:var(--accent)}.negative{color:var(--danger)}
.actions{display:flex;flex-wrap:wrap;gap:9px;margin-top:15px}
.btn{background:var(--accent);color:#09131b;border-radius:10px;padding:10px 15px;font-weight:750}
.btn.secondary{background:var(--panel2);color:var(--text);border:1px solid var(--line)}
.btn.danger{background:#472431;color:#ffdce2;border:1px solid #71404e}
.btn:disabled{opacity:.4;cursor:not-allowed}
table{width:100%;border-collapse:collapse}
th,td{text-align:left;padding:13px 8px;border-bottom:1px solid var(--line);font-size:13px}
th{color:var(--muted);font-weight:600}
.coin{display:flex;align-items:center;gap:10px}
.coinicon{width:35px;height:35px;border-radius:50%;display:grid;place-items:center;background:var(--panel2);
font-weight:800}
.coinname strong{display:block}.coinname span{font-size:12px;color:var(--muted)}
.sectionhead{display:flex;align-items:center;justify-content:space-between;gap:10px;margin:24px 0 12px}
.form{max-width:560px}
.field{margin:14px 0}
label{display:block;font-size:13px;color:var(--muted);margin-bottom:7px}
input,select{width:100%;padding:12px 13px;border-radius:10px;border:1px solid var(--line);background:#0d1527;
color:var(--text);outline:none}
input:focus,select:focus{border-color:var(--blue)}
.message{padding:12px;border-radius:10px;background:var(--panel2);margin-top:12px;color:var(--muted);font-
size:13px}
.activity{display:flex;justify-content:space-between;gap:12px;padding:13px 0;border-bottom:1px solid var(--
line);font-size:13px}
.empty{padding:24px;color:var(--muted);text-align:center}
.progress{height:9px;background:#263149;border-radius:99px;overflow:hidden;margin:12px 0}
.progress span{display:block;width:0;height:100%;background:var(--accent);transition:width .3s}
.footer{text-align:center;color:var(--muted);font-size:12px;padding:25px 0 8px}
.mobile-nav{display:none}
@media(max-width:800px){.layout{grid-template-columns:1fr}.sidebar{display:none}.mobile-nav{display:flex;
overflow:auto;gap:7px;margin-bottom:17px}.mobile-nav .nav{white-space:nowrap;width:auto;margin:0}.grid{grid-
template-columns:1fr 1fr}.app{padding:14px}.balance{font-size:24px}}
@media(max-width:480px){.grid{grid-template-columns:1fr}.topbar{align-items:flex-start}.pill{display:
none}table th:nth-child(3),table td:nth-child(3){display:none}.card{padding:15px}}
</style>
</head>
<body>
<div class="app">
  <div class="notice"><strong>SIMULATION ONLY:</strong> This is a portfolio-learning interface. Prices and
balances are sample data. It does not connect to a blockchain, bank, exchange, or real wallet. No real
deposits or withdrawals can occur.</div>
  <header class="topbar">
    <div class="brand"><div class="logo">N</div> Nova Wallet</div>
    <div class="pill">Portfolio Simulator · Offline sample data</div>
  </header>
  <div class="mobile-nav" id="mobileNav"></div>
  <div class="layout">
    <aside class="sidebar" id="sidebar"></aside>
    <main>
      <section class="page active" id="dashboard">
        <h1>Overview</h1><p class="sub">Your simulated portfolio at a glance.</p>
        <div class="grid">
          <div class="card"><div class="label">Total portfolio value</div><div class="balance"
```

```
id="totalValue">$24,680.50</div><div class="small positive">Sample portfolio value</div></div>
          <div class="card"><div class="label">Available sample USD</div><div class="balance"
id="usdValue">$8,500.00</div><div class="small">For interface testing only</div></div>
          <div class="card"><div class="label">Assets held</div><div class="balance" id="assetCount">5</
div><div class="small">Illustrative assets</div></div>
        </div>
        <div class="card"><div class="sectionhead"><h2>My assets</h2><button class="btn secondary" data-
go="assets">View all</button></div><div id="dashboardAssets"></div></div>
        <div class="card" style="margin-top:16px"><h2>Recent activity</h2><div id="recentActivity"></div></
div>
      </section>
      <section class="page" id="assets"><h1>Assets</h1><p class="sub">Illustrative holdings and sample market
values.</p><div class="card" id="assetTable"></div></section>
      <section class="page" id="markets"><h1>Markets</h1><p class="sub">Static example prices — not live
market data.</p><div class="card" id="marketTable"></div></section>
      <section class="page" id="trade"><h1>Buy / Sell</h1><p class="sub">Change sample balances locally.
Nothing is purchased or sold.</p>
        <div class="card form"><div class="field"><label for="tradeType">Action</label><select
id="tradeType"><option value="buy">Buy asset with sample USD</option><option value="sell">Sell asset for
sample USD</option></select></div>
        <div class="field"><label for="tradeCoin">Asset</label><select id="tradeCoin"></select></div>
        <div class="field"><label for="tradeAmount">Amount in USD</label><input id="tradeAmount"
type="number" min="1" step="0.01" placeholder="e.g. 100"></div>
        <button class="btn" id="tradeSubmit">Review simulated trade</button><div class="message"
id="tradeMessage">Select an action and enter an amount.</div></div>
      </section>
      <section class="page" id="swap"><h1>Swap</h1><p class="sub">Convert between sample assets using the
fixed example prices below.</p>
        <div class="card form"><div class="field"><label for="fromCoin">From</label><select id="fromCoin"></
select></div>
        <div class="field"><label for="toCoin">To</label><select id="toCoin"></select></div>
        <div class="field"><label for="swapAmount">Amount to convert</label><input id="swapAmount"
type="number" min="0.000001" step="any" placeholder="Asset quantity"></div>
        <button class="btn" id="swapSubmit">Simulate swap</button><div class="message" id="swapMessage">No
real transaction will be made.</div></div>
      </section>
      <section class="page" id="withdraw"><h1>Withdrawal preview</h1><p class="sub">This form demonstrates
validation only. It cannot send funds.</p>
        <div class="card form"><div class="field"><label for="withdrawCoin">Asset</label><select
id="withdrawCoin"></select></div>
        <div class="field"><label for="withdrawAmount">Amount</label><input id="withdrawAmount" type="number"
min="0.000001" step="any" placeholder="Amount to preview"></div>
        <div class="field"><label for="network">Network (sample)</label><select id="network"><option>Ethereum
(sample)</option><option>Bitcoin (sample)</option><option>Solana (sample)</option></select></div>
        <div class="field"><label for="destination">Destination address (optional sample text)</label><input
id="destination" maxlength="120" placeholder="Enter a test address label"></div>
        <button class="btn" id="withdrawSubmit">Preview request</button><div class="message"
id="withdrawMessage">No funds can be transferred from this page.</div>
        <div id="progressWrap" style="display:none;margin-top:18px"><div class="small">Example request
progress — not a blockchain transaction</div><div class="progress"><span id="progressFill"></span></div><div
class="small" id="progressText">Preview only</div></div>
        </div>
      </section>
      <section class="page" id="activity"><h1>Activity</h1><p class="sub">Local sample actions in this
browser session.</p><div class="card" id="activityList"></div></section>
      <section class="page" id="settings"><h1>Settings</h1><p class="sub">Basic preferences for this local
prototype.</p><div class="card form"><div class="field"><label for="currency">Display currency</label><select
id="currency"><option value="USD">USD — US Dollar</option></select></div><button class="btn secondary"
id="resetButton">Reset sample balances</button><div class="message">All data stays in this page's memory and
resets when reloaded.</div></div></section>
    </main>
  </div>
  <div class="footer">Nova Wallet · Educational portfolio simulator · No real funds, accounts, or transfers</
div>
</div>
<script>
const originalCoins = [
  {id:"BTC",name:"Bitcoin",price:64200,change:1.42,qty:0.18,icon:"■"},
  {id:"ETH",name:"Ethereum",price:3150,change:0.84,qty:2.4,icon:"Ξ"},
  {id:"SOL",name:"Solana",price:148.5,change:2.16,qty:12,icon:"■"},
  {id:"ADA",name:"Cardano",price:0.46,change:-0.72,qty:850,icon:"A"},
  {id:"XRP",name:"XRP",price:0.58,change:0.31,qty:1200,icon:"X"}
];
let coins = originalCoins.map(c=>({...c}));
let sampleUSD = 8500;
let activity = [{type:"Welcome",detail:"Sample portfolio initialized",amount:"—",time:new Date().
toLocaleString()}];
const navItems = [["dashboard","Overview"],["assets","Assets"],["markets","Markets"],["trade","Buy / Sell"],[
"swap","Swap"],["withdraw","Withdrawal preview"],["activity","Activity"],["settings","Settings"]];
const $ = id => document.getElementById(id);
const money = n => new Intl.NumberFormat("en-US",{style:"currency",currency:"USD",maximumFractionDigits:2}).
format(n);
const qtyFmt = n => Number(n).toLocaleString("en-US",{maximumFractionDigits:8});
function total(){return sampleUSD+coins.reduce((s,c)=>s+c.qty*c.price,0)}
function coinOptions(id){$(id).innerHTML=coins.map(c=>`<option value="${c.id}">${c.name} (${c.id})</option>`).
join("")}
function coinRow(c){return `<div class="activity"><div class="coin"><div class="coinicon">${c.icon}</div><div
class="coinname"><strong>${c.name}</strong><span>${c.id} · ${qtyFmt(c.qty)} held</span></div></div><div
style="text-align:right"><strong>${money(c.qty*c.price)}</strong><div class="${c.change>=0?'positive':
'negative'} small">${c.change>=0?'+':''}${c.change}%</div></div></div>`}
function render(){
  $("totalValue").textContent=money(total());$("usdValue").textContent=money(sampleUSD);
  $("assetCount").textContent=coins.filter(c=>c.qty>0).length;
  $("dashboardAssets").innerHTML=coins.slice(0,4).map(coinRow).join("");
  $("assetTable").innerHTML=`<table><thead><tr><th>Asset</th><th>Quantity</th><th>Price</th><th>Value</th></
tr></thead><tbody>${coins.map(c=>`<tr><td><div class="coin"><div class="coinicon">${c.icon}</div><div
class="coinname"><strong>${c.name}</strong><span>${c.id}</span></div></div></td><td>${qtyFmt(c.qty)}</
td><td>${money(c.price)}</td><td>${money(c.qty*c.price)}</td></tr>`).join("")}</tbody></table>`;
  $("marketTable").innerHTML=`<table><thead><tr><th>Asset</th><th>Example price</th><th>24h change</th></tr></
thead><tbody>${coins.map(c=>`<tr><td>${c.name} (${c.id})</td><td>${money(c.price)}</td><td class="${c.
change>=0?'positive':'negative'}">${c.change>=0?'+':''}${c.change}%</td></tr>`).join("")}</tbody></table>`;
  const actHtml=activity.length?activity.map(a=>`<div class="activity"><div><strong>${a.type}</strong><div
class="small">${a.detail}</div><div class="small">${a.time}</div></div><strong>${a.amount}</strong></div>`).
```

```
join(""):`<div class="empty">No activity yet.</div>`;
  $("recentActivity").innerHTML=actHtml;$("activityList").innerHTML=actHtml;
}
function record(type,detail,amount){activity.unshift({type,detail,amount,time:new Date().toLocaleString()});
render()}
function showPage(id){document.querySelectorAll(".page").forEach(p=>p.classList.toggle("active",p.id===id));
document.querySelectorAll(".nav").forEach(b=>b.classList.toggle("active",b.dataset.go===id));window.scrollTo({
top:0,behavior:"smooth"})}
function makeNav(container){$(container).innerHTML=navItems.map(([id,label])=>`<button class="nav ${
id==="dashboard"?"active":""}" data-go="${id}">${label}</button>`).join("")}
makeNav("sidebar");makeNav("mobileNav");
document.addEventListener("click",e=>{const b=e.target.closest("[data-go]");if(b)showPage(b.dataset.go)});
["tradeCoin","fromCoin","toCoin","withdrawCoin"].forEach(coinOptions);
$("toCoin").value="ETH";
$("tradeSubmit").addEventListener("click",()=>{
  const type=$("tradeType").value,id=$("tradeCoin").value,amount=Number($("tradeAmount").value),c=coins.find(
x=>x.id===id);
  if(!Number.isFinite(amount)||amount<=0){$("tradeMessage").textContent="Enter a valid amount greater than
zero.";return}
  if(type==="buy"){
    if(amount>sampleUSD){$("tradeMessage").textContent="Not enough sample USD available.";return}
    sampleUSD-=amount;c.qty+=amount/c.price;record("Simulated buy",`${money(amount)} of ${c.id}`,`-${money(
amount)}`);$("tradeMessage").textContent=`Simulated purchase complete: ${qtyFmt(amount/c.price)} ${id}. No
real asset was purchased.`;
  }else{
    const units=amount/c.price;if(units>c.qty){$("tradeMessage").textContent="Not enough of this sample asset.
";return}
    c.qty-=units;sampleUSD+=amount;record("Simulated sell",`${qtyFmt(units)} ${id}`,`+${money(amount)}`);$(
"tradeMessage").textContent=`Simulated sale complete: ${money(amount)} added to sample USD.`;
  }
  $("tradeAmount").value="";
});
$("swapSubmit").addEventListener("click",()=>{
  const from=coins.find(c=>c.id===$("fromCoin").value),to=coins.find(c=>c.id===$("toCoin").value),
amount=Number($("swapAmount").value);
  if(from.id===to.id){$("swapMessage").textContent="Choose two different assets.";return}
  if(!Number.isFinite(amount)||amount<=0){$("swapMessage").textContent="Enter a valid quantity.";return}
  if(amount>from.qty){$("swapMessage").textContent="Not enough sample balance for that asset.";return}
  const received=amount*from.price/to.price;from.qty-=amount;to.qty+=received;record("Simulated swap",`${
qtyFmt(amount)} ${from.id} → ${qtyFmt(received)} ${to.id}`,"—");
  $("swapMessage").textContent=`Preview complete: ${qtyFmt(amount)} ${from.id} → ${qtyFmt(received)} ${to.id}.
 No real swap occurred.`;$("swapAmount").value="";
});
$("withdrawSubmit").addEventListener("click",()=>{
  const c=coins.find(x=>x.id===$("withdrawCoin").value),amount=Number($("withdrawAmount").value),dest=$(
"destination").value.trim();
  if(!Number.isFinite(amount)||amount<=0){$("withdrawMessage").textContent="Enter a valid amount greater than
zero.";return}
  if(amount>c.qty){$("withdrawMessage").textContent="The requested amount exceeds the sample balance.";return}
  if(!dest){$("withdrawMessage").textContent="Enter a test label or address to preview the form.";return}
  $("withdrawMessage").textContent=`Preview created for ${qtyFmt(amount)} ${c.id} on ${$("network").value}.
No funds were deducted or sent.`;
  $("progressWrap").style.display="block";$("progressFill").style.width="50%";$("progressText").
textContent="50% — visual preview only; not a real transaction";
  record("Withdrawal preview",`${qtyFmt(amount)} ${c.id} · ${$("network").value}`,"No transfer");
});
$("resetButton").addEventListener("click",()=>{
  coins=originalCoins.map(c=>({...c}));sampleUSD=8500;activity=[{type:"Reset",detail:"Sample balances
restored",amount:"—",time:new Date().toLocaleString()}];
  $("tradeMessage").textContent="Sample balances reset.";$("swapMessage").textContent="No real transaction
will be made.";$("withdrawMessage").textContent="No funds can be transferred from this page.";$(
"progressWrap").style.display="none";render();
});
render();
</script>
</body>
</html>
```