


FlowGrid


A considered home. A clearer digital experience.



PINE
#183B35



MIST
#DEE7E2



CLAY
#895239

PAPER
#F4F1E8

UI/UX DESIGN SYSTEM & CREATIVE DIRECTION

Research, page specifications, bilingual design, motion, generated references and implementation acceptance criteria.

Prepared for BB - Noble 26 September 2026 / Version 1.0

Design proposal for review. Generated interiors are concepts, not completed FlowGrid projects. No website has been built.

Reading guide


Start with the four visual boards on the following pages. Use the numbered specification for exact decisions and behavior. The written rules take precedence over small raster-text or layout differences in generated images.

01. Design direction and how to use this document
02. Recovered project context
03. Research findings and reference translation
04. Design principles and quality bar
05. Audience, journeys and conversion goals
06. Information architecture and navigation
07. Visual identity, palette and contrast
08. Typography and bilingual copy
09. Grid, spacing and responsive rules
10. Homepage specification
11. Projects: index and case-study template
12. Services and process
13. Studio, cross-site relationships and supporting pages
14. Enquiry form and conversation behavior
15. Component system and interaction states
16. Motion specification and linked-skill decisions
17. Photography and image-generation boundaries
18. Accessibility, performance and browser behavior
19. Content model and ownership
20. Generated visual references and discrepancy notes
21. Acceptance criteria and client decisions
22. Source register and research limitations

The final package also includes the editable Markdown specification, design-token JSON, exact generation prompts and four original reference boards.

01 / Desktop homepage

First three homepage sections in the proposed English version. Composition reference; section 10 specifies the full homepage.



02 / Project detail

A concept case study demonstrating evidence structure. Images and project descriptions are illustrative.

FLOWGRID

INTERIOR STUDIO

Projects

Services

Studio

বাংলা | EN

Discuss your space

Projects / Apartment study 01

Apartment study 01

Illustrative concept · Not a completed FlowGrid project

TYPE: FAMILY APARTMENT

FOCUS: LIVING + STORAGE

STATUS: DESIGN CONCEPT

01 / THE BRIEF

More space for everyday living.

A concept study exploring flexible seating, practical storage and a calmer shared space.

Design decisions

01

Make storage part of the room

02

Keep movement clear

03

Bring daylight further inside

What does your space need?

Discuss your space →

FlowGrid

Projects

Services

Rumi's portfolio

FLOWGRID / PROJECT DETAIL / CONCEPT 02

03 / Services and enquiry

Proposed service structure beside a short enquiry. Use section 14 for complete validation, delivery and failure behavior.

03 / SERVICES

FLOWGRID

INTERIOR STUDIO

ProjectsServicesStudioবাংলাENDiscuss your space

Design around your everyday.

A starting point for planning a more useful, comfortable home.

PROPOSED SERVICE STRUCTURE



01Home interiorsLayout, material direction and room-by-room planning.→

02Kitchens & storageMake daily routines easier through thoughtful planning.→

03Renovation planningUnderstand the scope before work begins.→



From the first conversation to a clear plan.

01 — 02 — 03 — 04 — 05
Brief — Visit — Design — Agree — Deliver

Tell us about your space.

Start an enquiry →

FLOWGRID / SERVICE + ENQUIRY / CONCEPT REFERENCES

04 / ENQUIRY

FLOWGRID

INTERIOR STUDIO

ProjectsServicesStudioবাংলাENDiscuss your space

Let's begin with your space.

Share a few details with the FlowGrid team.

Your name *

Mobile number *

01XXXXXXXX

Area or city *

e.g. Mirpur, Dhaka

What do you need? *

Choose a service

Approximate area (optional)

Square feet

Budget (optional)

Not decided yet

Tell us more (optional)

We will use these details to respond to your enquiry. [Privacy notice](#)

Send enquiry →

Prefer a conversation? [WhatsApp](#) / [Call](#)

What happens next?

The team reviews your request and contacts you to discuss the scope.

FlowGrid

Rumi's portfolio

Privacy

Review focus


Observe the clear reading order, restrained component language and visible form labels. Service claims remain provisional until the owner confirms scope.

Proposed design direction | BB - Noble

5

04 / Mobile in Bangla


Responsive composition for Home, Projects and Enquiry. Exact text remains in the editable specification.



Review focus

Mobile uses a paper-backed title, comfortable Bengali line spacing and a single-column form. Contact controls must retain reserved space and safe-area clearance.

Foundation sheet



PAPER
#F4F1E8

PINE
#183B35

MIST
#DEE7E2

CLAY
#895239

Calculated contrast

Solid color pair	Ratio	Permitted use
Primary text / paper	10.84:1	Ordinary text
Secondary text / paper	5.5:1	Ordinary text
White / primary action	12.24:1	Ordinary text
Clay / paper	5.58:1	Ordinary text
Error / paper	6.52:1	Ordinary text
Success / paper	6.92:1	Ordinary text
Control boundary / paper	3.64:1	Control boundary, not body text
Decorative line / paper	1.62:1	Decorative only
Primary text / mist	9.69:1	Ordinary text

Your home, thoughtfully considered.

আপনার জীবনের ছন্দে, আপনার ঘর।

Actual proposed font families: Bodoni Moda, Manrope and Noto Sans Bengali. The PDF uses static instances for consistent rendering. Recheck contrast in implementation, particularly image overlays and disabled/hover states.

01. Design direction and how to use this document

UI/UX design specification v1.0 | 26 September 2026 | BB - Noble

FlowGrid should feel like a thoughtful interior studio with a clear understanding of family life: visually confident, warm, practical and easy to contact. The recommended direction combines architectural photography, expressive serif headlines, an orderly grid and comfortable Bangla reading. Quality comes from proportion, authentic work and carefully edited content.

This is a design proposal and handoff, not an implemented website or an approved brand identity. It covers the complete launch experience, including pages that are not pictured in the visual references. All dimensions, colors and behavior below are proposed specifications. They have not yet been validated in a working FlowGrid interface.

The main recommendation: use Era Residence as the strongest art-direction reference; use Thirdway for project and expertise presentation; use Quinta D. Amália selectively for spacious pacing. Adapt these principles to a Bangladeshi service business with readable Bangla and direct enquiries.

The package contains this specification, a PDF review copy, four generated reference boards, a machine-readable token file and the generation prompts. The reference boards communicate composition and atmosphere. This written specification governs exact copy, accessibility, dimensions, interaction and business claims whenever an image differs.

The generated interiors are illustrative concepts, not FlowGrid work. The proposed wordmark is a typographic placeholder until the approved FlowGrid identity is supplied. No live website, enquiry, booking or message has been created or submitted. The built-in image generator was used; its interface does not expose a selectable model version called "2.5".

Decision status: recommended visual direction, ready for client/design review. Final content approval and implementation testing remain separate steps.

02. Recovered project context

The current brief and the earlier 14-page Rumi's_Fashionable_House_Final_Audit_Report.docx, dated 19 September 2026, establish three distinct websites. The audit was read in full for this work. Prior-context retrieval also returned the same core responsibilities. The full earlier development archive and current portfolio code were not re-audited in this task.

Website	Primary responsibility	Relationship to FlowGrid
Rumi's Fashionable House portfolio	Rumi's story, videos and community; clear gateways to both businesses	A discreet, clearly labelled link in the FlowGrid footer and Studio page
Onekta Product	Appliances, home essentials, product facts, purchases and order support	A sibling-business link in the footer; no product catalogue inside FlowGrid
FlowGrid	Interior services, project evidence, team roles, enquiries and service information	Independent service destination with its own visual emphasis and contact owner

The earlier client brief describes Rumi's established audience as largely Bangladeshi women around 35-50 and older. This describes the portfolio community; it is not verified demographic research about every prospective FlowGrid customer. New homeowners, couples, families and referrals outside that community are useful audience hypotheses to test.

The earlier audit recorded FlowGrid as an interior studio in Mirpur, Dhaka, with a family-oriented focus. Treat this as prior documented context, not a newly verified service-area promise. Exact address, service coverage, team qualifications, contact channels and delivery model require owner confirmation.

Reuse candidates from the portfolio include genuine project photographs, before/after material, service/process content and enquiry components. Review them individually. The audit identified unsupported counts, guarantee language, unrelated project descriptions and a form that displayed success without delivering an enquiry. None should transfer by default.

Use FlowGrid as the working spelling and Onekta Product as supplied in this brief. Resolve Product versus Products before publishing cross-site links. Do not describe Rumi as an architect or imply that she personally replies to every business enquiry without confirmation.

03. Research findings and reference translation

The three requested sites were opened through web retrieval and visually inspected in a desktop browser on 26 September 2026. This was a focused design study, not a complete mobile, accessibility or performance audit of those sites. Fonts described in the observations are visual descriptions, not assertions about their exact font files.

Reference	Observed design characteristics	Transfer to FlowGrid	Leave out of the FlowGrid direction
Era Residence [S1]	Large condensed serif display, immersive property imagery, restrained navigation, strong change of scale; a pale-blue circular section treatment appeared during scrolling	Confident image scale, editorial hierarchy and a deliberate transition from atmosphere to details	Its emblem, signature script, property-sales language, apartment selector and elaborate scroll-dependent presentation
Thirdway [S2]	Full-bleed moving imagery, prominent sans-serif headline, compact central menu, clear project/people/approach content	Specific project stories, identifiable expertise, clear invitation to contact	Office-sector positioning, multi-team complexity and decorative scroll counters
Quinta D. Amália [S3]	Centered serif opening, floating rounded navigation, soft color glow, image strips and lifestyle/service sections	Breathing room and a gentle rhythm between text and imagery	Glow effects, curved image presentation, pill navigation and generic luxury rhetoric

These are interpretations of observed design, not evidence that a particular treatment improves conversion. FlowGrid’s proposed composition is original; do not copy proprietary imagery, text, marks or animation choreography.

Two local sources grounded the content approach. Cubeinside’s project-led index demonstrates the usefulness of named local work [S4]. Studio Morphogenesis’ Gulshan residence narrative explains family needs, site constraints and design responses [S5]. For FlowGrid, describe the specific household problem and the response in every case study. These examples are not a market ranking or proof of what all Bangladeshi customers prefer.

A useful working emphasis is Era-led visual identity, Thirdway-informed evidence, Bangladesh-specific usability. This is a creative decision rather than a measured formula.

04. Design principles and quality bar

- 1. Show the space before describing excellence. One strong photograph is more convincing than a row of decorative quality badges.
- 2. Give each section one job. Introduce the studio, show work, explain scope, explain process or invite an enquiry. Remove sections that repeat the same promise.
- 3. Use real constraints as the story. Storage, circulation, maintenance, family routines, natural light and an agreed scope are useful discussion topics. Confirm what applies to each project.
- 4. Make essential actions visible. A visitor should find projects, services and a way to contact the team without discovering hidden hover behavior.
- 5. Keep brand expression in a few places. Large headlines, image composition and one strong pine closing panel provide enough character.
- 6. Respect local language. Bangla text gets its own line-height and layout rules. It is not squeezed into a Latin composition.
- 7. Explain commercial uncertainty honestly. An enquiry is not a booking. A concept is not a completed project. A budget discussion is not a fixed quotation.

Avoid	Use instead
Repeated three-card sections, glass panels and generic bento grids	Project spreads, ruled service rows and simple editorial text/image pairings
Glow gradients, floating orbs, animated counters and oversized badges	Solid surfaces, deliberate whitespace and strong photographic contrast
Default five-star testimonials and invented achievements	Permission-cleared quotes attached to the actual service or project
"Luxury redefined" and similar interchangeable claims	A precise statement of what the team does and how a client begins
Hover-only descriptions, cursor tricks and scroll hijacking	Persistent captions, ordinary links and native scrolling
Image-generation interiors presented as built work	Clearly marked concept studies, separated from completed projects

The premium result must survive removal of every animation. Evaluate the static page first. If it feels generic, improve the content, image selection or proportions before adding effects.

05. Audience, journeys and conversion goals

These are design hypotheses to validate with the client and representative visitors, not research findings about the entire Bangladesh market.

Visitor situation	First question	Design response	Desired next step
A viewer arriving from Rumi's portfolio	Is this the right business, and what does it do?	Clear FlowGrid identity, interior-service explanation and modest Rumi connection	View a relevant project or service
A homeowner comparing studios	Can this team solve a problem like mine?	Named work, honest status, scope, decisions and genuine team roles	Open a project detail, then enquire
Someone planning a kitchen or one room	Do I need a full-home project?	Plain service descriptions and confirmed minimum scope	Ask about the specific space
A visitor concerned about cost	What changes the price, and what happens first?	Explain quotation inputs, exclusions and approval steps	Share an optional budget or choose "Not decided"
A busy mobile visitor	Can I speak to someone quickly?	Labelled Call and WhatsApp alternatives using verified business channels	Start a conversation

The main conversion is a successfully received, relevant enquiry. Supporting measures are service-detail visits, project-detail visits and contact-link clicks. WhatsApp opens and Call clicks must remain separate from delivered leads and completed consultations.

Keep the path short: Home → relevant project or service → enquiry. Visitors may also arrive directly on a project through Facebook, search or a shared link. Every detail page must explain the brand and provide a next step without requiring a homepage visit.

Use four required form fields and optional project detail. Do not require an account, exact budget, floor plan or email address to start. If the business later accepts international/diaspora enquiries, add a deliberate international phone route rather than rejecting those visitors silently.

06. Information architecture and navigation

Page / template	Proposed Bangla route	Purpose and launch condition
Home	/	Studio introduction, selected work, service summary and enquiry path
Project index	/projects	Browse authentic work; show concepts with an explicit separate status
Project detail	/projects/[slug]	Brief, scope, decisions, photography and contextual enquiry
Services	/services	Explain confirmed service categories and what affects scope
Service detail	/services/[slug]	Publish only when there is enough distinct, approved content
Our process	/process	Stages, client inputs, approvals and quotation expectations
Studio	/studio	Real people, roles, approach and the Rumi connection
Enquiry / contact	/contact	Short request form, verified alternatives and actual location/service area
Privacy	/privacy	Actual handling of enquiries and any analytics
Service information / terms	/service-terms	Owner-approved operational terms; reviewed before launch
Thank-you state	Inside /contact	Display only after server-confirmed receipt; no independent public "success" shortcut
Not found	Appropriate 404 response	Plain recovery links to projects, services and contact

English equivalents use /en and the matching path. English is a recommended secondary version, contingent on the team maintaining complete reviewed translations. If only Bangla is ready, launch Bangla and omit the language switch until English exists.

Desktop navigation: Projects / Services / Studio / language / Discuss your space. Put Process under Services and in the footer. Use visible text links. At narrow widths, switch to a labelled Menu button before items collide. The FlowGrid mark links home.

The mobile menu is a simple full-height paper panel with Projects, Services, Our process, Studio and Contact, plus language choice. Include an explicit Close control. Preserve scroll position, move focus into the panel, contain focus, allow Escape, and return focus to Menu when closed. No staggered letter animation or buried business links.

Footer: FlowGrid contact details, primary links, Privacy, Service information, Rumi's portfolio, and Onekta Product - home appliances. Link only to verified destinations. If a business website is unavailable, label its Facebook destination accurately. Do not force a new tab for ordinary navigation.

07. Visual identity, palette and contrast

Use deep pine as the identifying ink and action color, warm paper as the main surface, and real materials as the source of warmth. The mist surface is for an occasional process or next-step panel. Clay is a small secondary accent, not a second competing action color.

Token	Value	Use
color.surface.page	#F4F1E8	Default background
color.surface.clean	#FFFFFF	Form surface or inverse text where needed
color.surface.mist	#DEE7E2	Supporting panel; use sparingly
color.text.primary	#183B35	Headings, body and essential icons
color.text.secondary	#56645E	Supporting copy and metadata
color.action.primary	#183B35	Main button background
color.action.hover	#102B26	Pointer hover on main action
color.accent.clay	#895239	Small emphasis and selected editorial detail
color.border.decorative	#B8C2BA	Nonessential section dividers
color.border.control	#718178	Input and outlined-control boundaries
color.focus	#895239	Outer focus ring on light surfaces
color.status.error	#9B302B	Error text and icon; always paired with words
color.status.success	#245C43	Received-state text/icon; never the only signal

Calculated WCAG contrast ratios for exact solid token pairs are included in the token file and PDF palette sheet. Check the implemented combinations again, especially alpha colors and image overlays. Ordinary text needs at least 4.5:1; qualifying large text needs 3:1 [S9]. Essential control boundaries need sufficient non-text contrast; decorative separators are not input borders.

Do not use bright WhatsApp green with white text. Render the label "WhatsApp" in the normal pine system, with an optional recognizable outline icon. Do not change the palette simply to imitate a platform button.

Use a 2px outer focus ring with a 2px paper gap. On dark surfaces, use a paper outer ring with a dark separation gap. Focus must remain visible around the entire control. Default to flat surfaces: shadows are reserved for an overlay where necessary to separate layers, not project cards.

08. Typography and bilingual copy

Recommended families are Bodoni Moda for large Latin editorial display, Manrope for Latin interface/body text, and Noto Sans Bengali for Bangla headings, body and controls [S12-S14]. These are proposed FlowGrid choices, not the detected fonts of the reference sites. Preserve supplied font licenses when hosting them.

Role	Desktop	Mobile	Weight / line-height
Latin hero	88-112px	44-52px	Bodoni Moda 500 / 1.02 desktop, 1.08 mobile
Bangla hero	56-64px	36-42px	Noto Sans Bengali 600 / 1.30-1.35
Latin section heading	48-64px	32-40px	Bodoni Moda 500 / 1.10
Bangla section heading	36-42px	28-32px	Noto Sans Bengali 600 / 1.40
Project / service title	28-36px	24-28px	Relevant language family / 1.25 Latin, 1.45 Bangla
Body	18px	18px	400 / 1.60 Latin, 1.75 Bangla
Navigation / button / label	16px	16-18px	500-600 / 1.5
Secondary metadata	14px Latin, 16px Bangla	Same	400-500 / 1.5-1.65

Never artificially condense Bengali text, apply letter spacing to Bengali words, use forced italic Bangla, or split it into individual animated characters. Keep body lines approximately 45-70 Latin characters; judge Bengali measure by comfortable reading rather than mechanically matching that count. Use at most 640px for long prose. Allow natural wrapping; do not insert desktop line breaks into mobile copy.

Purpose	Bangla draft	English equivalent
Hero	আপনার জীবনের ছন্দে, আপনার ঘর।	Room for everyday life.
Supporting sentence	আপনার প্রয়োজন, পছন্দ ও বাজেট বুঝে ঘরের পরিকল্পনা।	Thoughtful interiors shaped around your needs, preferences and budget.
View work	আমাদের কাজ দেখুন	Explore our work
Main enquiry	আপনার ঘর নিয়ে কথা বলি	Discuss your space
Services	আমাদের সেবা	Our services
Process	যেভাবে কাজ করি	How we work
Enquiry submit	অনুরোধ পাঠান	Send enquiry

Copy is proposed, not an operational promise. A native Bangla reviewer should check tone and terminology before launch. Use Bengali numerals where natural in Bangla editorial copy; allow both Bengali and Latin numeral input in phone, area and budget fields. Do not display both complete languages in every section. Preserve the same page when switching language.

09. Grid, spacing and responsive rules

Viewport	Grid	Outer gutter	Column gap	Typical section space
320-767px	4 columns; most content full width	20px, 16px at 320px if needed	16px	56-72px
768-1023px	8 columns	32px	24px	80-96px
1024-1439px	12 columns	48px	24px	96-120px
1440px and above	12 columns, max content 1312px	At least 64px	24px	112-144px

Spacing tokens: 4, 8, 12, 16, 24, 32, 48, 64, 80, 96, 128px. Use 8px multiples for major composition; 4px adjustments for fine alignment. Radius: 0px for media, 2px for controls, 4px maximum for an exceptional overlay. No default pill buttons.

At 1440px with 64px gutters and eleven 24px gaps, the 1312px content region yields twelve approximately 87.3px columns. Use 7/5 or 7/4-plus-one-empty-column compositions for feature spreads. Project listing rhythm may alternate 7/5 and 5/7; keep reading order logical.

Headers: 88px desktop, 72px mobile, allowed to grow with text zoom. Use a solid surface. A sticky header must not obscure anchors or keyboard focus. At 1024px, use the compact menu if the chosen translation does not fit with at least 24px between navigation groups.

Mobile rules: stack images and copy; remove asymmetrical vertical offsets; put title and primary action on paper before the hero image; use a 4:5 image crop; do not force a full-screen hero height. Project cards use a 4:3 image and visible caption. Form fields are always one column. Two-column facts collapse into a definition list.

The two-action mobile contact bar appears on content pages after the hero leaves view. Reserve its height plus safe-area inset; hide it while a dialog/menu is open, while the keyboard is active, and on Contact. It must not cover focused content. A visible ordinary Contact link remains available if the bar cannot be implemented reliably.

10. Homepage specification

The homepage is a concise introduction and route to evidence. Approximate desktop section heights below describe initial composition at 1440px; they are not fixed heights that may clip translated content.

Order	Section	Content and composition	Action
1	Header + hero	Solid 88px header; one strong authentic interior image around 640-760px high. Latin or Bangla headline, one sentence. Keep important furniture and room geometry clear of text	Explore our work → project index; header enquiry remains visible
2	Studio proposition	Short editorial introduction, around 280-360px. Explain how living needs and scope guide the work	Text link to Process
3	Selected projects	Two or three genuine examples, varied image proportions, persistent title/status/location where approved	Each opens its own case study; View projects opens index
4	Services	Up to three ruled rows with plain scope summaries. Proposed categories await confirmation	Service detail or relevant anchor
5	Process preview	Five short stages, one meaningful deliverable per stage, optional real work-in-progress photo	See how we work
6	Studio / trust	Real team image and concise roles, or one genuine attributable client story. A short Rumi connection may sit here	Meet the studio
7	Enquiry invitation + footer	One pine panel, clear invitation, ordinary contact alternatives and cross-site links	Discuss your space → Contact

On mobile, the first heading and work CTA are placed above the image on paper. This protects legibility across crops and allows a larger Bangla headline. The desktop may place light text over a photograph only when a tested dark text zone exists; otherwise use the paper-title arrangement there too. Do not assume a fixed overlay percentage guarantees contrast on every image.

No newsletter, generic logo wall, statistics strip, auto-playing testimonial carousel or duplicated introduction. Add a testimonial only when authentic material exists. If there is no approved completed project yet, replace "Selected projects" with Concept studies, label every example, and emphasize process and people. Never use generated images to fill a false track record.

Reference board 01 illustrates the first three sections in English. It is an art-direction crop; the table above specifies the remaining homepage.

II. Projects: index and case-study template

Project index. Start with the page title and a one-sentence explanation. Use a curated image grid, 2 columns desktop and 1 mobile. Place a title, project type, general location if approved, and status beneath each image. Status must distinguish Completed, In progress and Concept. Do not infer completion from photography style.

Show filters only when the collection makes them useful. For a small initial set, list everything. When introduced, use plain controls such as All / Homes / Kitchens with a clear selected underline and text state. Keep concepts visibly distinguishable or in a separate section. Preserve selected filter and scroll position on Back. Use a finite list or explicit Load more; no infinite scroll.

Case-study sequence: breadcrumb; title and status; hero; factual project strip; client brief; two or three design decisions; captioned photo sequence; actual scope/material notes; optional genuine before/after; optional approved client quote; related work; enquiry invitation.

Field	Publication rule
Title	Approved project name or anonymized descriptive name
Location	Area/city only unless detailed publication is authorized
Area	State square feet and whether it is total apartment area or the designed portion
Scope	Exactly what FlowGrid designed, supplied, executed or supervised
Status / dates	Verified; distinguish proposed and delivered work
Budget / duration	Optional; include date, scope and exclusions; never invent for completeness
Materials	Confirm actual specified or installed materials; separate suggestions from evidence
Credits	Team, collaborators, photographer and permissions where applicable

Explain decisions through an observable problem: for example, adding storage while preserving a passage. Avoid claiming health, safety, engineering or structural outcomes without evidence and the appropriate professional input.

Provide ordinary galleries with buttons, captions, keyboard navigation and a close control. Zoom is optional. A before/after comparison must use the same space with honest alignment; provide two labelled static views and keyboard/button alternatives to dragging. Avoid comparisons with mismatched cameras or generated "before" scenes.

Reference board 02 is a concept case-study example. Its neutral name and concept status deliberately avoid inventing a client or completed project.

12. Services and process

The proposed initial service categories are Home interiors, Kitchens & storage, and Renovation planning. Confirm the actual offer before publishing. Commercial interiors, turnkey construction, procurement, civil work, structural changes and full project management must not be implied just because they are common industry categories.

Each service row has a title, one useful sentence and a visible destination. For a service detail, provide the typical problem, included deliverables, exclusions, what the client provides, illustrative/real relevant work, cost drivers and a contextual enquiry action. Do not create thin pages that repeat the same marketing copy with different titles.

Proposed process stage	Explain to the visitor	Required owner clarification
1. Initial conversation	Needs, location, rough size and preferences	Who responds; whether the conversation is chargeable
2. Site understanding	Measurements and existing conditions	Availability, travel area and site-visit fee
3. Design proposal	Layout, material direction and agreed design deliverables	Deliverables, revisions and design fee
4. Scope and quotation approval	Itemized work, exclusions, timeline assumptions and approval	Payment schedule, change process and contract owner
5. Delivery and handover	Confirmed execution/supervision scope and final review	Who executes; completion criteria; actual aftercare

This five-stage model is provisional. If FlowGrid offers design-only service, the final stage becomes Design handover and does not imply construction delivery.

Budget guidance should explain area, rooms, design complexity, materials, existing condition and execution scope. Publish per-square-foot prices only if the business has an accurate dated rate and clearly defined inclusions. "Discuss your budget" is a sound initial alternative.

Add a compact FAQ after service content: service area, single-room work, first consultation, information needed, quotations, revisions and execution. Answers must come from the owner. Do not write "free visit", "fixed price", "lifetime warranty" or "guaranteed deadline" without approved terms.

Reference board 03 shows a proposed Services page beside the Enquiry page. The short process labels in that board are illustrative; the final published wording must match the confirmed business model above.

13. Studio, cross-site relationships and supporting pages

The Studio page should make responsibility visible. Lead with a real team or working image and a concise statement of the studio's approach. Follow with named people and their actual roles, two or three concrete working principles, a modest Rumi connection and a contact link.

Rumi's community reputation can help explain how someone discovered FlowGrid. It does not establish architectural credentials, client numbers or technical expertise. Introduce her approved founder/business role separately from the people responsible for design, quotation, execution and support. Do not generate portraits of a fictional team.

The Rumi connection may use an approved sentence such as "FlowGrid is one of Rumi's businesses" once ownership wording is confirmed. Link "Meet Rumi" to the portfolio. A visitor should understand which team receives an interior enquiry. Product promotions for Onekta remain a minor sibling link in the footer.

Contact page. Combine the short form with verified phone, WhatsApp and email if monitored. Show an address only if visitors may actually use it; distinguish office, studio and appointment-only location. Use an ordinary map link instead of an eager embedded map. State actual service coverage instead of assuming nationwide delivery of interior work.

Privacy page. Explain which form fields are collected, why, who handles them, where enquiries are processed, and the actual retention/contact process. Match the live system. This is a content requirement; final legal wording needs appropriate review.

Service information. Explain the business's real consultation, quotation, revision, payment, cancellation and aftercare arrangements. Do not reuse Onekta shipping or return policies for an interior service.

404 and unavailable content. Use plain copy, a clear page title and links to Projects, Services and Contact. Never substitute a successful project page for a deleted URL. Missing images retain their reserved dimensions with a text fallback; they must not break navigation.

14. Enquiry form and conversation behavior

The form asks for enough information to begin a conversation. Desktop form width is 560-640px; mobile uses the available content width. All labels are visible above controls. Required fields are marked and explained. Optional fields stay optional.

Field	Requirement	Control and validation
Name	Required	Plain text; allow Bangla and Latin names; no artificial two-word rule
Mobile number	Required for the Bangladesh-first route	Telephone input; accept local or +880 format, spaces and Bengali digits; normalize before validation
Area or city	Required	Free text; no full private address needed initially
Service need	Required	Select from actual services, plus "Not sure yet"
Approximate area	Optional	Numeric input with visible square-feet label; allow unknown
Budget	Optional	"Not decided" plus owner-approved ranges, or free text; no invented preset price anchors
Message	Optional	Plain multiline field; sensible character guidance; no forced long brief

On mobile, group the last three fields under More details (optional), initially collapsed. The disclosure must have a clear expanded state. If it contains an error after entry, open it automatically and move focus to the error summary. Do not ask for uploads at launch; floor plans and identifying documents can be discussed through a later approved process.

State	Visible response	Behavior
Ready	Normal Send enquiry button	Enabled; validate on submission and sensibly after field interaction
Invalid	Specific error next to field plus linked summary	Preserve values; focus summary; color is accompanied by text
Sending	"Sending..." and progress indication	Prevent duplicate requests; retain button width and form values
Received	"Your enquiry has been received."	Show only after confirmed server acceptance; explain next step without an unapproved response time
Delivery error	"We couldn't send your enquiry. Your details are still here."	Keep values; offer retry and verified alternative contact
Connection lost	Plain connection message	Do not claim receipt or silently discard the form

Opening WhatsApp is an outbound conversation handoff, not a form submission. Prefill only useful context such as service or project title; do not silently transfer every typed field into an external app. Keep the phone number visible as a fallback. A Call link opens the device dialer. No appointment is booked until the business actually agrees one.

15. Component system and interaction states

Component	Anatomy and rules	States to design
Primary button	Pine fill, paper text, 52px minimum height, 20-24px horizontal padding, 2px radius; label plus optional arrow	Default, hover, pressed, focus, busy, disabled where meaningful
Secondary button	Transparent/paper fill, control border, pine text; same size and focus rules	Default, hover, pressed, focus
Text link	Underlined in prose; sufficient hit area in navigation; descriptive label	Default, hover, focus, visited where useful
Project tile	Image, title, metadata/status, one primary link; no nested conflicting click areas	Default, focus, pointer hover, image unavailable
Service row	Index, title, scope sentence and arrow; entire clear destination	Default, focus, pointer hover
Form field	Label, input, optional helper, error; at least 52px tall; multiline 144px	Empty, filled, focus, invalid, disabled if needed
FAQ disclosure	Question button, plus/minus icon, answer panel; 56px minimum row	Collapsed, expanded, focus
Gallery dialog	Caption, close, previous/next and position; no action hidden on hover	Opening, open, closing, image loading/error
Language control	Current language and other-language destination; minimum touch area	Current, focus, unavailable translation handled without a dead link
Enquiry panel	One short headline and one main destination	Light and dark surface variants

Default button feedback is a color change plus a very small press response, never a bouncing label. Disabled controls retain readable text and an explanation where useful; do not make a required action mysteriously inactive. Loading is a textual state, not only a spinner.

Use one simple outline icon style, 20-24px with approximately 1.5px stroke. Phone, arrow, plus, close and menu are sufficient initially. Pair unfamiliar icons with words. Decorative icons are hidden from assistive technology.

Layer order: base content 0, sticky header 20, mobile contact bar 30, menu/dialog backdrop 80, menu/dialog 90, urgent system status 100. Do not use the same layer for a header and modal. Keep ordinary success feedback inline rather than a disappearing toast.

16. Motion specification and linked-skill decisions

The linked repositories were reviewed as design guidance. No packages were installed into a website and no website was built. Emil Kowalski's design-engineering and animate guidance supplies the primary decision framework: establish a purpose, then choose economical motion with suitable timing [S6]. iart-ai's relevant branch is its web-animation collection rather than its video/3D packs [S7]. Delphi's examples are useful secondary references, especially for state transitions [S8].

There is a concrete disagreement: Delphi's quick table suggests ease-in for exits, while Emil's guidance rejects ease-in for UI transitions. For FlowGrid, use the specified ease-out curve for short enters/exits, with faster exits. Do not combine conflicting recipes automatically.

Interaction	Proposed timing	Treatment	Reduced-motion mode
Button hover	150ms, ease	Small color change; no lift	Immediate color state
Pointer press	100ms, ease-out	At most scale 0.99 on button surface	No scale
Menu	220ms enter, 160ms exit	Opacity and up to 8px translation; interaction ready immediately	Instant open/close
FAQ	180ms	Discreet reveal; prevent jumps where feasible	Instant expansion
Project hover	240ms	Optional image scale 1.015 inside fixed crop; caption stays visible	No scale
Below-fold image reveal	360ms once	At most 12px translation plus opacity; never hold readable content invisible	Show final state immediately
Gallery change	180ms	Brief opacity transition after user action	Immediate replacement
Form state	150ms	Replace status text; preserve layout	Immediate state

Motion curve: cubic-bezier(0.23, 1, 0.32, 1) for the specified ease-out. No looping marquee, parallax, cursor follower, forced loader, letter-by-letter Bangla reveal, animated statistics or timed page-entry curtain. Keyboard-initiated state changes should be immediate. Hover effects apply only when a pointer actually supports hover.

Use ordinary scrolling. Content must be visible if enhancement fails. Prefer opacity and transforms for decorative motion, but do not claim those properties alone guarantee smoothness; profile the implemented behavior. Avoid a motion library solely for a fade. Honor reduced-motion preferences throughout. WCAG interaction-animation guidance is a useful enhanced accessibility reference; its cited criterion is AAA, not an AA requirement [S11].

17. Photography and image-generation boundaries

The photographic direction is warm daylight, believable urban proportions and carefully observed details. Use a few strong wide views, medium compositions that explain a layout, and close details that prove material quality. Include everyday objects sparingly so rooms feel usable. Avoid excessive HDR, identical beige rooms, impossible openings and unnaturally flawless materials.

Bangladesh relevance should come from the actual projects, people and living context. Do not insert token cultural props or assume every family has the same preferences. Discuss storage, maintenance, privacy, kitchen routines and household needs with real clients where relevant. The generated boards use wood, cane and screened light as visual exploration, not as claims about FlowGrid’s material standard.

Asset	Preferred source / capture
Hero	One strongest approved completed project; landscape master with a deliberate mobile crop
Project story	8-12 useful photographs per substantial case study, each with a purpose
Detail photos	Joinery, finish transitions, storage and real workmanship
Process	Genuine site review, drawings or material discussion, with permission
Studio	Real people and accurate names/roles; no generated team portraits
Before / after	Same space, comparable angles and truthful dates
Concept	Original design study, visible concept label, kept distinct from completed work

Image ratios: hero 16:9 or 1.8:1 desktop and 4:5 mobile; project index 4:3; portrait detail 4:5; supporting banner 2:1. Store a mobile focal point and caption. Do not crop out the feature explained by the text.

For every asset record the source, owner, permission, photographer, project status, caption, alternative text, crop and any privacy restrictions. Do not publish identifiable plans, exact residential addresses, family photographs or client possessions without appropriate permission.

Generated boards are creative references only. They must not be repurposed as testimonials, build evidence, before/after proof or technical construction drawings. The written specification takes precedence over raster text and minor image inconsistencies.

18. Accessibility, performance and browser behavior

Target WCAG 2.2 AA in implementation. The following checks support that target; passing this short list alone is not a conformance claim. Use real semantic headings, navigation landmarks, buttons for actions, links for destinations and associated field labels. Provide a skip link and meaningful page titles.

Ordinary text contrast must meet 4.5:1, with the standard large-text exception [S9]. FlowGrid's design target is at least 48px for principal touch controls, exceeding WCAG 2.2 AA's 24px minimum target-size criterion with its defined exceptions [S10]. Test text zoom at 200% and reflow at 320 CSS pixels. No clipped Bengali conjuncts, lost buttons or horizontal page scrolling.

Check keyboard navigation, visible focus, sensible order, dialog focus containment/return, gallery controls, disclosures and form-error announcements. When a fixed header or contact bar is present, focused items must stay visible. Do not depend on motion, drag, color or hover alone to communicate meaning.

Performance acceptance targets are LCP ≤ 2.5 seconds, INP ≤ 200 ms and CLS ≤ 0.1 at the 75th percentile in field data [S15]. These are targets, not achieved FlowGrid measurements. Lighthouse is useful diagnostic evidence, not a substitute for real visits.

Proposed initial budgets: mobile hero ≤ 250 KB, desktop hero ≤ 400 KB, initial viewport transfer around ≤ 1 MB, initial JavaScript around ≤ 150 KB compressed, and initial fonts around ≤ 200 KB compressed for the selected language. These are working budgets to test against visual quality and real font subsets, not universal requirements. Revise explicitly when evidence justifies it.

Use responsive images with reserved dimensions, load the hero promptly and lazy-load lower images. Deliver suitable modern formats with fallbacks. Load the requested language's font assets; preserve Bengali shaping tables when subsetting. Do not preload unused styles. Use posters with intentional video playback, no autoplay audio and no eager third-party players/maps.

Test current Android Chrome, iPhone Safari, desktop Chrome/Firefox/Safari, and Facebook/YouTube in-app browsing where available. Verify deep links, Back navigation, tel/WhatsApp fallbacks, slow connections and failed submissions. Reference-site behavior is not evidence that FlowGrid will behave correctly.

19. Content model and ownership

Design content as structured records so updates do not require changing layout. This is a content contract, not a recommendation for a specific CMS or framework.

Record	Required fields
Brand	Approved spelling, logo files, language names, service-area statement, cross-site destinations
Contact	Channel type, verified address/number, owner, availability statement if confirmed, last review date
Project	Stable identifier, translated title/slug, status, scope, area basis, general location, brief, decisions, gallery, credits, permission
Service	Name, summary, inclusions, exclusions, deliverables, client inputs, related projects, enquiry context
Person	Name, public role, biography, approved portrait, verified credentials if displayed
Quote	Exact words, speaker/approved attribution, associated service, source, reuse permission
Media	File, dimensions, focal point, alt text per language, caption, owner, permission, concept/built status
Policy	Owner, effective date, reviewed content, related workflow

The business owner approves factual and commercial content. The designer owns visual consistency and content fit. The developer owns working interactions, submission evidence and accessibility/performance testing. A named Bangla reviewer checks language. One person should own changing contact details across the site.

Maintain a private content register with source and approval status. Unsupported claims stay out of public pages. Do not infer follower counts as customer numbers or present a concept as an executed job. If a field has no verified value, omit it gracefully rather than printing a dash across a supposedly complete case study.

Optional analytics events: project opened, service opened, enquiry started, enquiry validation failed, enquiry received, contact channel clicked. Never put names, phone numbers, budget text or message content in analytics events or URLs. Distinguish receipt from a simple button click. Search metadata should describe FlowGrid’s actual interior service and use the final approved domain, not a preview URL.

20. Generated visual references and discrepancy notes

Board	What it demonstrates	What the handoff must correct or preserve
01 Desktop home	Header, photographic hero, proposition and selected-work composition in English	Only the first three sections are pictured. Finish the page using section 10. Preserve readable captions; use an approved logo
02 Project detail	Editorial case-study hierarchy, image sequence and closing enquiry panel	The name, interiors and decisions are a concept example. Replace with verified content for built work
03 Services + enquiry	Ruled service rows, compact process and a visible-label form	Services are provisional. Use exact validation, phone alternatives and received/error states from section 14
04 Mobile Bangla	Mobile composition, readable Bangla, single-column browsing and short enquiry	Raster text is not production text. Implement the exact copy; complete menus, focus behavior and safe-area spacing

The generated boards are consistent mood and composition references, not pixel-perfect deliverables. Some fine labels may be smaller than the final token specification, and generated interiors across separate images are not guaranteed to share physically identical geometry. Do not trace those inconsistencies into a real case study.

The actual source of truth is the hierarchy: approved business facts → written specification and exact tokens → responsive layout rules → reference-board composition → optional motion polish.

In Figma, create pages for Foundations, Components, Desktop, Mobile, Content states and Prototype notes. Use Auto Layout and shared text/color variables. Suggested frames are 1440px desktop, 768px tablet and 390px mobile, with additional checks at 320, 360, 430, 1024 and 1920px. Use separate component variants for real states, not detached copies with different colors.

The prototype should demonstrate five routes: home to project to enquiry; home to service to enquiry; direct project entry; mobile menu/language navigation; invalid, failed and received enquiry states. The generated images themselves do not demonstrate interactive behavior.

21. Acceptance criteria and client decisions

Area	Acceptance evidence
Identity	An unfamiliar visitor can explain that FlowGrid provides interior services and distinguish it from Onekta
Work evidence	Every displayed project has a truthful status and permission-cleared media
Navigation	Users find a service, open a relevant project and reach Contact without assistance
Language	Native review passes; Bangla and English equivalents preserve meaning and page context
Responsive layout	320-1920px checks and text enlargement show no clipping or covered controls
Enquiries	Real test requests reach the agreed destination; invalid, duplicate, offline and failure cases are handled
Accessibility	Automated checks plus manual keyboard, focus, screen-reader and reflow review
Motion	Static and reduced-motion experiences preserve all content and actions
Performance	Lab diagnostics meet agreed budgets; field monitoring is enabled when appropriate
Cross-site links	Verified destinations and accurate labels; business contacts reach the intended team

Run an initial qualitative study with 5-8 relevant participants, including Rumi viewers and people unfamiliar with her. Include some older members of the stated audience and modest mobile devices without assuming age predicts ability. Ask them to explain the business, find an applicable service, distinguish a concept from built work, and start an enquiry. Record task completion, confusion and misdirected actions. This is an early design test, not a statistically representative survey.

Client decisions needed to finalize content: approved logo and brand spelling; actual service categories and execution responsibility; service areas; contact owner and channels; fees/quotation/revision policy; two or three usable project stories or honest concept status; team roles and portraits; Rumi relationship wording; language coverage; final domains; media permissions.

These decisions do not prevent design review now. They prevent unsupported content from being treated as publication-ready later. The proposed system is concrete enough to approve composition, color, typography and page structure before every project fact is available.

Recommended next handoff: review the four boards together, approve the visual direction, replace provisional content, build the responsive Figma system, test the main journeys, then implement against this specification. No deployment is included in this task.

22. Source register and research limitations

Sources were accessed on 26 September 2026 unless noted. External content informed the study; FlowGrid-specific layouts, tokens, copy and acceptance rules are original recommendations. No private analytics, customer interviews or completed FlowGrid user tests were available.

ID	Source	Contribution
P1	Rumis_Fashionable_House_Final_Audit_Report.docx, 19 September 2026	Prior project responsibilities, audience brief, unresolved claims and reuse risks; read in full
S1	Era Residence	Primary requested visual reference; live desktop visual inspection and retrieved content
S2	Thirdway	Requested reference for projects, team and approach; live desktop inspection
S3	Quinta D. Amália	Requested reference; live desktop inspection after one successful reload
S4	Cubeinside	Local project-led content example; retrieved public content
S5	Studio Morphogenesis: Gulshan residence	Local case-study narrative; retrieved public content
S6	Emil Kowalski: design and motion skills	Primary linked design/motion collection; inspected design-engineering and animate guidance
S7	iart-ai: motion collection and web subset Web-animation subset	Linked collection and relevant web subset; inventory inspected; accessible-animation subfolder retrieval was blocked
S8	Delphi: animate skill	Linked secondary animation guidance and easing comparison
S9	W3C: Contrast (Minimum)	Text contrast thresholds
S10	W3C: Target Size (Minimum)	Target-size minimum and exceptions
S11	W3C: Animation from Interactions	Enhanced interaction-animation accessibility guidance
S12	Google Fonts: Bodoni Moda	Proposed Latin display family
S13	Google Fonts: Manrope	Proposed Latin interface family
S14	Google Fonts: Noto Sans Bengali	Proposed Bengali family
S15	web.dev: Web Vitals	Core Web Vitals metrics and targets

Current source pages can change. Reference-site fonts, backend behavior, exact animation timings and mobile conformance were not exhaustively measured. The old portfolio's reported implementation defects come from P1 and were not independently reproduced in this task. The proposed budgets, token ratios and layouts are design inputs, not performance or usability results for a built site.

The original FlowGrid Facebook reference retained from the earlier audit is <https://www.facebook.com/people/FlowGrid/61593130543449/>. Confirm current contact details directly with the owner before publishing them. No phone number or domain was guessed for this design.