Started on	Tuesday, 13 August 2024, 2:24 PM
State	Finished
Completed on	Tuesday, 13 August 2024, 2:31 PM
Time taken	7 mins 44 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
      printf("*");
    }
    else
    {
     for(int i=1; i<=n; i++)
     {
       for(int j=1; j<=n; j++)
       {
          printf("*");
          printf("*");
          break;
       }
     }
   }
 }
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
void func(int n)
{
    int c=0;
    if(n==1)
    {
        c++;
      //printf("*");
        c++;
    }
    else
    {
        c++;
     for(int i=1; i<=n; i++)
     { c++;
       for(int j=1; j<=n; j++)
       { c++;
          //printf("*");
          c++;
          //printf("*");
          c++;
          break; c++;
       }
       c++;
     }
     c++;
   }
   printf("%d",c);
 }
 int main()
 {
    int n;
```

```
33      scanf("%d",&n);
34      func(n);
35      return 0;
36  }
```

	Input	Expected	Got	
✔	2	12	12	✔
✔	1000	5002	5002	✔
✔	143	717	717	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

◄ Problem 1: Finding Complexity using Counter Method

Jump to...

Problem 3: Finding Complexity using Counter Method ►