

JAVA-OOPS
ISHWARI RAJMOHAN
230701118
CSE B

WEEK 5

CS23333-Object Oriented Programming Using Java-2023

Quiz navigation



Show one page at a time

Finish review

Status	Finished
Started	Tuesday, 1 October 2024, 8:07 AM
Completed	Tuesday, 1 October 2024, 8:34 AM
Duration	27 mins 18 secs

Question 1

Correct

Marked out of 5.00

Flag question

Create a class Mobile with constructor and a method basicMobile().
Create a subclass CameraMobile which extends Mobile class , with constructor and a method newFeature().
Create a subclass AndroidMobile which extends CameraMobile, with constructor and a method androidMobile().
display the details of the Android Mobile class by creating the instance. .

```
class Mobile{  
  
}  
class CameraMobile extends Mobile {  
  
}  
class AndroidMobile extends CameraMobile {  
  
}
```

expected output:
Basic Mobile is Manufactured
Camera Mobile is Manufactured
Android Mobile is Manufactured
Camera Mobile with 5MG px
Touch Screen Mobile is Manufactured

For example:

Result
Basic Mobile is Manufactured Camera Mobile is Manufactured Android Mobile is Manufactured Camera Mobile with 5MG px Touch Screen Mobile is Manufactured

Answer: (penalty regime: 0 %)

```
1 class Mobile{
2     public Mobile(){
3         System.out.println("Basic Mobile is Manufactured");
4     }
5 }
6 class CameraMobile extends Mobile{
7     CameraMobile(){
8         System.out.println("Camera Mobile is Manufactured");
9     }
10 }
11 public void newFeature(){
12     System.out.println("Camera Mobile with 5MG px");
13 }
14 }
15 class Android extends CameraMobile{
16     public Android(){
17         System.out.println("Android Mobile is Manufactured");
18     }
19     void androidMobile(){
20         System.out.println("Touch Screen Mobile is Manufactured");
21     }
22 }
23 class prog{
24     public static void main(String args[]){
25         Android o=new Android();
26         o.newFeature();
27         o.androidMobile();
28     }
29 }
```

	Expected	Got	
✓	Basic Mobile is Manufactured Camera Mobile is Manufactured Android Mobile is Manufactured Camera Mobile with 5MG px Touch Screen Mobile is Manufactured	Basic Mobile is Manufactured Camera Mobile is Manufactured Android Mobile is Manufactured Camera Mobile with 5MG px Touch Screen Mobile is Manufactured	✓

Passed all tests! ✓

Question **2**

Correct

Marked out of
5.00

🚩 Flag question

create a class called College with attribute String name, constructor to initialize the name attribute , a method called Admitted(). Create a subclass called CSE that extends Student class, with department attribute , Course() method to sub class. Print the details of the Student.

College:

```
String collegeName;
```

```
public College() { }
```

```
public admitted() { }
```

Student:

```
String studentName;
```

```
String department;
```

```
public Student(String collegeName, String studentName,String depart) { }
```

```
public toString()
```

Expected Output:

A student admitted in REC

CollegeName : REC

StudentName : Venkatesh

Department : CSE

For example:

Result
A student admitted in REC CollegeName : REC StudentName : Venkatesh Department : CSE

Answer: (penalty regime: 0 %)

Reset answer

```

1 class College
2 {
3     protected String collegeName;
4
5     public College(String collegeNameP) {
6         // initialize the instance variables
7         collegeName= collegeNameP;
8     }
9
10    public void admitted() {
11        System.out.println("A student admitted in "+collegeName);
12    }
13 }
14 class Student extends College{
15
16     String studentName;
17     String depart;
18
19     public Student(String collegeNameP, String studentNameP,String departP) {
20         // initialize the instance variables
21         super(collegeNameP);
22         studentName=studentNameP;
23         depart=departP;
24
25
26
27     }
28
29     public String toString(){
30         // return the details of the student
31         return "CollegeName : "+collegeName+"\nStudentName : "+studentName+"\nDepartment : "+depart ;
32     }
33 }
34 class prog {
35     public static void main (String[] args) {
36         Student s1 = new Student("REC","Venkatesh","CSE");
37
38         s1.admitted(); // invoke the admitted() method
39         System.out.println(s1.toString());
40     }
41 }
42

```

	Expected	Got	
✓	A student admitted in REC CollegeName : REC StudentName : Venkatesh Department : CSE	A student admitted in REC CollegeName : REC StudentName : Venkatesh Department : CSE	✓

Passed all tests! ✓

Question 3

Correct

Marked out of
5.00

Flag question

Create a class known as "BankAccount" with methods called deposit() and withdraw().

Create a subclass called SavingsAccount that overrides the withdraw() method to prevent withdrawals if the account balance falls below one hundred.

For example:

Result

Create a Bank Account object (A/c No. BA1234) with initial balance of \$500:
Deposit \$1000 into account BA1234:
New balance after depositing \$1000: \$1500.0
Withdraw \$600 from account BA1234:
New balance after withdrawing \$600: \$900.0
Create a SavingsAccount object (A/c No. SA1000) with initial balance of \$300:
Try to withdraw \$250 from SA1000!
Minimum balance of \$100 required!
Balance after trying to withdraw \$250: \$300.0

Answer: (penalty regime: 0 %)

Reset answer

```
1 class BankAccount {
2     private String accountNumber;
3     private double balance;
4
5     public BankAccount(String accountNumber, double balance){
6         this.accountNumber=accountNumber;
7         this.balance=balance;
8     }
9
10    // Method to deposit an amount into the account
11    public void deposit(double amount) {
12        // Increase the balance by the deposit amount
13        balance+=amount;
14    }
15
16
17    public void withdraw(double amount) {
18        if (balance >= amount) {
19            balance -= amount;
20        } else {
21            System.out.println("Insufficient balance");
22        }
23    }
24
25    // Method to get the current balance
26    public double getBalance() {
27        // Return the current balance
28        return balance;
29    }
30 }
31 }
```

```

32 class SavingsAccount extends BankAccount {
33     // Constructor to initialize account number and balance
34     public SavingsAccount(String accountNumber, double balance) {
35         // Call the parent class constructor
36         super(accountNumber, balance);
37     }
38 }
39
40 // Override the withdraw method from the parent class
41 @Override
42 public void withdraw(double amount) {
43     // Check if the withdrawal would cause the balance to drop below $100
44     if (getBalance() - amount < 100) {
45         // Print a message if the minimum balance requirement is not met
46         System.out.println("Minimum balance of $100 required!");
47     } else {
48         // Call the parent class withdraw method
49         super.withdraw(amount);
50     }
51 }
52 }
53
54 class prog {
55
56     public static void main(String[] args) {
57         // Print message to indicate creation of a BankAccount object
58         System.out.println("Create a Bank Account object (A/c No. BA1234) with initial balance of $500:");
59         // Create a BankAccount object (A/c No. "BA1234") with initial balance of $500
60         BankAccount BA1234 = new BankAccount("BA1234", 500);
61         // Print message to indicate deposit action
62         System.out.println("Deposit $1000 into account BA1234:");
63         // Deposit $1000 into account BA1234
64         BA1234.deposit(1000);
65
66         System.out.println("New balance after depositing $1000: $" + BA1234.getBalance());
67
68         // Print the new balance after deposit
69
70
71         // Print message to indicate withdrawal action
72         System.out.println("Withdraw $600 from account BA1234:");
73         // Withdraw $600 from account BA1234
74         BA1234.withdraw(600);
75
76         // Print the new balance after withdrawal
77         System.out.println("New balance after withdrawing $600: $" + BA1234.getBalance());
78
79         // Print message to indicate creation of another SavingsAccount object
80         System.out.println("Create a SavingsAccount object (A/c No. SA1000) with initial balance of $300:");
81         // Create a SavingsAccount object (A/c No. "SA1000") with initial balance of $300
82         SavingsAccount SA1000 = new SavingsAccount("SA1000", 300);

```

```

76 // Print the new balance after withdrawal
77 System.out.println("New balance after withdrawing $600: $" + BA1234.getBalance());
78
79 // Print message to indicate creation of another SavingsAccount object
80 System.out.println("Create a SavingsAccount object (A/c No. SA1000) with initial balance of $300:");
81 // Create a SavingsAccount object (A/c No. "SA1000") with initial balance of $300
82 SavingsAccount SA1000 = new SavingsAccount("SA1000", 300);
83
84 // Print message to indicate withdrawal action
85 System.out.println("Try to withdraw $250 from SA1000!");
86 // Withdraw $250 from SA1000 (balance falls below $100)
87 SA1000.withdraw(250);
88 // Print the balance after attempting to withdraw $250
89 System.out.println("Balance after trying to withdraw $250: $" + SA1000.getBalance());
90 }
91 }
92

```

	Expected	Got	
✓	Create a Bank Account object (A/c No. BA1234) with initial balance of \$500: Deposit \$1000 into account BA1234: New balance after depositing \$1000: \$1500.0 Withdraw \$600 from account BA1234: New balance after withdrawing \$600: \$900.0 Create a SavingsAccount object (A/c No. SA1000) with initial balance of \$300: Try to withdraw \$250 from SA1000! Minimum balance of \$100 required! Balance after trying to withdraw \$250: \$300.0	Create a Bank Account object (A/c No. BA1234) with initial balance of \$500: Deposit \$1000 into account BA1234: New balance after depositing \$1000: \$1500.0 Withdraw \$600 from account BA1234: New balance after withdrawing \$600: \$900.0 Create a SavingsAccount object (A/c No. SA1000) with initial balance of \$300: Try to withdraw \$250 from SA1000! Minimum balance of \$100 required! Balance after trying to withdraw \$250: \$300.0	✓

Passed all tests! ✓

Finish review