

DATABASE MANAGEMENT SYSTEM

CS23332

EXERCISE 1

CREATING AND MANAGING TABLES

ISHWARYA L
241801098

1. Create the DEPT table based on the DEPARTMENT following the table instance chart below. Confirm that the table is created.

```
1  create table DEPT(  
2      ID Number(7),  
3      NAME varchar2(25)  
4  );
```

Results	Explain	Describe	Saved SQL
---------	---------	----------	-----------

Table created.

0.02 seconds

2. Create the EMP table based on the following instance chart. Confirm that the table is created.

Language SQL ? Rows 10 ? Clear Command Find Tables

↶ ↷ 🔍 🔧 A=

```
1 CREATE TABLE EMP(  
2     ID Number(7),  
3     LAST_NAME VARCHAR2(25),  
4     FIRST_NAME VARCHAR2(25),  
5     DEPT_ID NUMBER(7)  
6 ); DESC EMP;
```

Results **Describe** Explain Saved SQL History

Object Type **TABLE** ? Object **EMP** ?

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP	ID	NUMBER	-	7	0	-	✓	-	-
	LAST_NAME	VARCHAR2	25	-	-	-	✓	-	-
	FIRST_NAME	VARCHAR2	25	-	-	-	✓	-	-
	DEPT_ID	NUMBER	-	7	0	-	✓	-	-

3. Modify the EMP table to allow for longer employee last names.
confirm the modification.(Hint: Increase the size to 50)


```
1 ALTER TABLE EMP MODIFY LAST_NAME VARCHAR2(50);
```

Results	Explain	Describe	Saved SQL	History
---------	---------	----------	-----------	---------

Table altered.

0.04 seconds

4. Create the EMPLOYEES2 table based on the structure of EMPLOYEES table. Include Only the Employee_id, First_name, Last_name, Salary and Dept_id column. Name the columns Id, First_name, Last_name, salary and Dept_id respectively.




The screenshot shows a SQL IDE interface. At the top, there's a toolbar with icons for undo, redo, search, and execution. Below the toolbar, the SQL editor contains the following code:


```
1 CREATE TABLE EMPLOYEES2(  
2     EMPLOYEE_ID NUMBER,  
3     FIRST_NAME VARCHAR2(25),  
4     LAST_NAME VARCHAR(25),  
5     SALARY NUMBER,  
6     DEPT_ID NUMBER  
7 );
```

Below the editor, there's a tabbed interface with 'Results' selected. The results pane shows the message 'Table created.' and the execution time '0.03 seconds'.

5. Drop the EMP table.



6. Rename the EMPLOYEES2 table as EMP.



7. Add a comment on DEPT and EMP tables. Confirm the modification by describing the table.

Language

SQL

?

Rows

10

?

Clear Command

Find Tables

↶

↷

🔍

🔗

A::

1

SELECT table_name, comments

2

FROM user_tab_comments

3

WHERE table_name IN ('DEPT', 'EMP');

4

Results

Explain

Describe

Saved SQL

History

TABLE_NAME	COMMENTS
DEPT	THIS TABLE CONTAINS DEPARTMENT DETAILS
EMP	THIS TABLE CONTAINS EMPLOYEES DETAILS

2 rows returned in 0.11 seconds

Download

8. Drop the First_name column from the EMP table and confirm it.

Language SQL ? Rows 10 ? Clear Command Find Tables

↶ ↷ 🔍 🔧 A=

```
1 ALTER TABLE EMP DROP COLUMN FIRST_NAME;  
2 DESC EMP;
```

Results **Describe** Explain Saved SQL History

Object Type **TABLE** ? Object **EMP** ?

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP	EMPLOYEE_ID	NUMBER	22	-	-	-	✓	-	-
	LAST_NAME	VARCHAR2	25	-	-	-	✓	-	-
	SALARY	NUMBER	22	-	-	-	✓	-	-
	DEPT_ID	NUMBER	22	-	-	-	✓	-	-

jothika.k.2024.aids@rajalakshmi.edu.in

jo_worksapce

en

Copyright © 1999, 2024, Oracle and/or its affiliates.