Rajalakshmi Engineering College

Name: Ishwarya L
Email: 241801098@rajalakshmi.edu.in
Roll no: 241801098
Phone: 7094493654
Branch: REC
Department: I AI & DS FB
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 7_COD_Question 2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Priya is developing a simple student management system. She wants to store roll numbers in a hash table using Linear Probing, and later search for specific roll numbers to check if they exist.

Implement a hash table using linear probing with the following operations:

Insert all roll numbers into the hash table.For a list of query roll numbers, print "Value x: Found" or "Value x: Not Found" depending on whether it exists in the table.

Input Format

The first line contains two integers, n and table_size — the number of roll numbers to insert and the size of the hash table.

The second line contains n space-separated integers — the roll numbers to insert.

The third line contains an integer q — the number of queries.

The fourth line contains q space-separated integers — the roll numbers to search for.

Output Format

The output print q lines — for each query value x, print: "Value x: Found" or "Value x: Not Found"

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 5 10
21 31 41 51 61
3
31 60 51
```

```
Output: Value 31: Found
Value 60: Not Found
Value 51: Found
```

Answer

```
#include <stdio.h>

#define MAX 100

// You are using GCC
void initializeTable(int table[], int size)
{
   //Type your code here
   for(int i=0;i<size;i++)
   {
      table[i]=-1;
   }
}

int linearProbe(int table[], int size, int num) {
    //Type your code here
}

void insertIntoHashTable(int table[], int size, int arr[], int n)
{
    //Type your code here
    for(int i=0;i<n;i++)
    {
        int index = arr[i]%size;
        while(table[index]!=-1)
        {
            index = (index+1)%size;
        }
        table[index]=arr[i];
    }
}

int searchInHashTable(int table[], int size, int num)
{
    //Type your code here
    int index = num % size;
    while(table[index]!=-1)
    {
        if (table[index]==num)
        {
            return 1;
        }
        index = (index+1) % size;
    }
    return 0;

}

int main() {
    int n, table_size;
    scanf("%d %d", &n, &table_size);

    int arr[MAX], table[MAX];
    for (int i = 0; i < n; i++)
        scanf("%d", &arr[i]);

    initializeTable(table, table_size);
    insertIntoHashTable(table, table_size, arr, n);
    int q, x;
    scanf("%d", &q);
    for (int i = 0; i < q; i++) {
        scanf("%d", &x);
        if (searchInHashTable(table, table_size, x))
            printf("Value %d: Found\n", x);
        else
            printf("Value %d: Not Found\n", x);
    }

    return 0;
}
```

Status : Correct ***Marks : 10/10***