

If by **CoT** you mean **Chain of Thought**, I can't provide private internal reasoning. But I can give you a concise **test/QA analysis** of the scenario.

Scenario Analysis

Given:

Customer attempts to transfer **₹50,000**.

When:

The transfer is submitted.

Then:

The transaction fails and the user sees:

"Transaction could not be completed."

Possible causes to investigate

1. **Insufficient balance** – customer may not have enough available funds.
2. **Daily transfer limit** – ₹50,000 may exceed the customer's permitted limit.
3. **Beneficiary restrictions** – beneficiary may be inactive, blocked, or recently added.
4. **Bank/API failure** – downstream payment or banking service may be unavailable.
5. **Authentication failure** – OTP, PIN, token, or authorization could have failed.
6. **Transaction timeout** – backend may not have responded within the expected time.
7. **Fraud/risk rules** – transaction may have been blocked by security rules.
8. **Invalid transaction state** – duplicate request or stale session could cause failure.
9. **Database/service issue** – transaction record may not have been created or updated correctly.

QA test scenarios

Test	Expected Result
Transfer ₹50,000 with sufficient balance	Transfer succeeds
Transfer ₹50,000 with insufficient balance	Appropriate insufficient-funds message
Transfer above daily limit	Appropriate limit-exceeded message

Test	Expected Result
Transfer when payment service is unavailable	User-friendly failure message
Transfer with invalid/expired authentication	Authentication error
Transfer after timeout	Transaction status handled correctly; no duplicate debit
Retry failed transaction	No duplicate transaction/debit
Verify account after failure	₹50,000 should not be incorrectly debited
Verify transaction history	Correct failed/pending status displayed
Verify backend/API response	Failure reason should be logged and traceable

Important QA observation:

The message "**Transaction could not be completed.**" is too generic for troubleshooting. Ideally, the system should show a meaningful user-facing reason while logging the detailed technical error internally.