

API to create Employee Address

DECLARE

In_address_id PER_ADDRESSES.ADDRESS_ID%TYPE;

In_object_version_number PER_ADDRESSES.OBJECT_VERSION_NUMBER%TYPE;

BEGIN

— Create Employee Address

hr_person_address_api.create_person_address

(— Input data elements

p_effective_date => TO_DATE('01-MAR-2012'),

p_person_id => 2436,

p_primary_flag => 'Y',

p_style => 'US',

p_date_from => TO_DATE('01-MAR-2012'),

p_address_line1 => '50 Main Street',

p_address_line2 => NULL,

p_town_or_city => 'White Plains',

p_region_1 => 'Westchester',

p_region_2 => 'NY',

p_postal_code => 10601,

p_country => 'US',

— Output data elements

p_address_id => ln_address_id,

p_object_version_number => ln_object_version_number

);

COMMIT;

EXCEPTION

WHEN OTHERS THEN

ROLLBACK;

dbms_output.put_line(SQLERRM);

END;

/

SHOW ERR;

The screenshot shows a web-based form for managing addresses. The title bar indicates the session is 'Address: 08-JUN-2012(TEST, PRAJKUMAR (PRAJ))'. The form contains the following fields and sections:

- Style:** A text field containing 'United States'.
- Address:** A text field containing 'United States.50 Main Street...White Plains.NY.10601.Westchester.United States..'.
- Details:** A section containing:
 - Type:** An empty text field.
 - Primary:** A checkbox that is checked.
 - Date From:** A text field containing '08-JUN-2011'.
 - Date To:** An empty text field followed by a date range icon (two small squares).

Personal Address Information

Address Style **United States** ... US Address Style

Address Line 1 **50 Main Street**

Address Line 2

Address Line 3

City **White Plains**

State **NY** New York

Zip Code **10601**

County **Westchester** Westchester

Country **United States**

Telephone

Telephone2

OK Cancel Clear Help

RELATED POSTS
