HTML Forms

Definition and Usage The <label> tag defines a label for several elements:

```
<input type="checkbox">
<input type="color">
<input type="date">
<input type="datetime-local">
<input type="email">
<input type="file">
<input type="month">
<input type="month">
<input type="number">
<input type="password">
```

```
<input type="radio">
<input type="range">
<input type="search">
<input type="tel">
<input type="text">
<input type="text">
<input type="time">
<input type="url">
<input type="url">
<input type="week">
<meter>
<progress>
<select>
<textarea>
```

Tips and Notes

Tip: The for attribute of <label> must be equal to the id attribute of the related element to bind them together. A label can also be bound to an element by placing the element inside the <label> element.

Proper use of labels with the elements above will benefit:

- Screen reader users (will read out loud the label, when the user is focused on the element)
- Users who have difficulty clicking on very small regions (such as checkboxes) because when a user clicks the text within the <label> element, it toggles the input (this increases the hit area).

<input type="checkbox">

Code

```
<!DOCTYPE html>
<html>
<body>
<h1>Show Checkboxes</h1>
<form action="/action_page.php">
 <input type="checkbox" id="vehicle1"</pre>
name="vehicle1" value="Bike">
 <label for="vehicle1"> I have a bike</label><br>
 <input type="submit" value="Submit">
</form>
</body>
</html>
```

Output

Show Checkboxes

☐ I have a bike

<input type="color">

Code

```
<!DOCTYPE html>
<html>
<body>
<h1>Show a Color Picker</h1>
<form action="/action_page.php">
 <label for="favcolor">Select your favorite
color:</label>
 <input type="color" id="favcolor"
name="favcolor" value="#ff0000"><br><br></
 <input type="submit">
</form>
<b>Note:</b> type="color" is not
supported in Internet Explorer 11 or Safari 9.1
(or earlier).
</body>
</html>
```

Output

Show a Color Picker

Select your favorite color:



Submit

Note: type="color" is not supported in Internet Explorer 11 or Safari 9.1 (or earlier).

```
<!DOCTYPE html>
 <html>
 <body>
 <h1>Show a Date and Time Control</h1>
 <form action="/action_page.php">
   <label for="birthdaytime">Birthday (date and time):</label>
   <input type="datetime-local" id="birthdaytime" name="birthdaytime">
   <input type="submit">
 </form>
 <strong>Note:</strong> type="datetime-local" is not supported in Internet
 Explorer 11 or prior Safari 14.1.
 </body>
 </html>
<!DOCTYPE html>
<html>
<body>
<h1>Show a Color Picker</h1>
<form action="/action page.php">
  <label for="favcolor">Select your favorite color:</label>
  <input type="color" id="favcolor" name="favcolor" value="#ff0000"><br></pr>
  <input type="submit">
</form>
<b>Note:</b> type="color" is not supported in Internet Explorer 11 or
Safari 9.1 (or earlier).
</body>
</html>
```

Show a Date and Time Control

Birthday (date and time): mm/dd/yyyy --:--

Submit

Note: type="datetime-local" is not supported in Internet Explorer 11 or prior Safari 14.1.

Show a Color Picker

Select your favorite color:

Submit

Note: type="color" is not supported in Internet Explorer 11 or Safari 9.1 (or earlier).

```
<html>
 <body>
 <h1>Show Email Fields</h1>
 <h3>Show an email field (allows only one email address):</h3>
 <form action="/action page.php">
   <label for="email">Enter your email:</label>
   <input type="email" id="email" name="email">
   <input type="submit">
 </form>
 <h3>Show an email field (allows multiple email addresses). Separate each email
 address with a comma:</h3>
 <form action="/action page.php">
   <label for="emails">Enter email addresses:</label>
   <input type="email" id="emails" name="emails" multiple>
   <input type="submit">
 </form>
 </body>
 </html>
<!DOCTYPE html>
<html>
<body>
<h1>Show File-select Fields</h1>
<h3>Show a file-select field which allows only one file to be chosen:</h3>
<form action="/action page.php">
  <label for="myfile">Select a file:</label>
  <input type="file" id="myfile" name="myfile"><br><br><br>
  <input type="submit">
</form>
<h3>Show a file-select field which allows multiple files:</h3>
<form action="/action page.php">
  <label for="myfile">Select files:</label>
  <input type="file" id="myfile" name="myfile" multiple><br><br>
  <input type="submit">
</form>
</body>
```

<!DOCTYPE html>

</html>

Show Email Fields

Show an email field (allows only one email address):

Enter your email:		Submit
-------------------	--	--------

Show an email field (allows multiple email addresses). Separate each email address with a comma:

Enter email addresses:		Submit
------------------------	--	--------

Show File-select Fields

Show a file-select field which allows only one file to be chosen:

Select a file: Choose File No file chosen

Submit

Show a file-select field which allows multiple files:

Select files: Choose Files No file chosen

```
<!DOCTYPE html>
 <html>
 <body>
 <h1>Display a Month Input Control</h1>
 If the browser supports it, a date picker pops up when entering the input
 field.
 <form action="/action page.php">
   <label for="bdaymonth">Birthday (month and year):</label>
   <input type="month" id="bdaymonth" name="bdaymonth">
   <input type="submit">
 </form>
 <strong>Note:</strong> type="month" is not supported in Firefox, Safari or
 Internet Explorer 11 and earlier versions.
 </body>
 </html>
<!DOCTYPE html>
<html>
<body>
<h1>Display a Number Field</h1>
<form action="/action page.php">
  <label for="quantity">Quantity (between 1 and 5):</label>
  <input type="number" id="quantity" name="quantity" min="1" max="5">
  <input type="submit">
</form>
</body>
</html>
```

Display a Month Input Control

If the browser supports it, a date picker pops up when entering the input field.

Birthday (month and year): Submit

Note: type="month" is not supported in Firefox, Safari or Internet Explorer 11 and earlier versions.

Display a Number Field

Quantity (between 1 and 5): Submit

```
<!DOCTYPE html>
<html>
<body>
<h1>Display a Password Field</h1>
<form action="/action page.php">
  <label for="email">Email:</label>
  <input type="email" id="email" name="email"><br><br></pr>
  <label for="pwd">Password:</label>
  <input type="password" id="pwd" name="pwd" minlength="8"><br><br></pr>
  <input type="submit">
</form>
</body>
</html>
<!DOCTYPE html>
<html>
<body>
<h1>Display Radio Buttons</h1>
<form action="/action_page.php">
  Please select your favorite Web language:
  <input type="radio" id="html" name="fav language" value="HTML">
  <label for="html">HTML</label><br>
  <input type="radio" id="css" name="fav_language" value="CSS">
  <label for="css">CSS</label><br>
  <input type="submit" value="Submit">
</form>
</body>
</html>
```

Display a Password Field

Email:	
Password:	
Submit	

Display Radio Buttons

Please select your favorite Web language:

_	
	TITTS AT
	HIMI
-	

CSS

Submit

```
<!DOCTYPE html>
<html>
<body>
<h1>Display a Search Field</h1>
<form action="/action page.php">
  <label for="gsearch">Search Google:</label>
  <input type="search" id="gsearch" name="gsearch">
  <input type="submit">
</form>
</body>
</html>
<!DOCTYPE html>
<html>
<body>
<h1>Display a Telephone Input Field</h1>
<form action="/action page.php">
  <label for="phone">Enter a phone number:</label><br><br>
  <input type="tel" id="phone" name="phone" placeholder="123-45-678" pattern="</pre>
[0-9]{3}-[0-9]{2}-[0-9]{3}" required><br><br>
  <small>Format: 123-45-678</small><br><br>
 <input type="submit">
</form>
</body>
</html>
```

Display a Search Field

Search Google:			Submit
----------------	--	--	--------

Display a Telephone Input Field

Enter a phone number:

123-45-678

Format: 123-45-678

Submit

```
<!DOCTYPE html>
<html>
<body>
<h1>Show a Time Input Control</h1>
If the browser supports it, a time picker pops up when entering the input
field.
<form action="/action_page.php">
  <label for="appt">Select a time:</label>
  <input type="time" id="appt" name="appt">
  <input type="submit">
</form>
<strong>Note:</strong> type="time" is not supported in Internet Explorer 11
or prior Safari 14.1.
</body>
</html>
<!DOCTYPE html>
<html>
<body>
<h1>Display a URL Input Field</h1>
<form action="/action page.php">
  <label for="homepage">Add your homepage:</label>
  <input type="url" id="homepage" name="homepage"><br><br><br>
  <input type="submit">
</form>
</body>
</html>
```

Show a Time Input Control

If th	ie browser	supports it,	a time	nicker	nons III	n when	entering	the in	nut field
11 11	ic orowsci	supports it,	a unic	picker	pops u	o which	cincing	tite in	put men

Select a time: --:-- O Submit

Note: type="time" is not supported in Internet Explorer 11 or prior Safari 14.1.

Display a URL Input Field

Submit

```
<!DOCTYPE html>
<html>
<body>
<h1>Display a Week Input Control</h1>
If the browser supports it, a date picker pops up when entering the input
field.
<form action="/action_page.php">
 <label for="week">Select a week:</label>
 <input type="week" id="week" name="week">
 <input type="submit">
</form>
<strong>Note:</strong> type="week" is not supported in Firefox, Safari or
Internet Explorer 11 and earlier versions.
</body>
</html>
<!DOCTYPE html>
<html>
<body>
<h1>The meter element</h1>
The meter element is used to display a gauge:
<label for="disk c">Disk usage C:</label>
<meter id="disk c" value="2" min="0" max="10">2 out of 10</meter><br>
<label for="disk d">Disk usage D:</label>
<meter id="disk d" value="0.6">60%</meter>
<strong>Note:</strong> The meter tag is not supported in Edge 12 (or
earlier).
</body>
</html>
```

Display a Week Input Control

If the browser supports it, a date picker pops up when entering the input field.

Select a week: Week --, ---- 🗂 Submit

Note: type="week" is not supported in Firefox, Safari or Internet Explorer 11 and earlier versions.

The meter element

The meter element is used to display a gauge:

Disk usage C: Disk usage D:

Note: The meter tag is not supported in Edge 12 (or earlier).

```
<!DOCTYPE html>
<html>
<h1>The progress element</h1>
<label for="file">Downloading progress:</label>
cprogress id="file" value="32" max="100"> 32% 
</body>
</html>
<!DOCTYPE html>
<html>
<body>
<h1>The select element</h1>
The select element is used to create a drop-down list.
<form action="/action page.php">
 <label for="cars">Choose a car:</label>
 <select name="cars" id="cars">
    <option value="volvo">Volvo</option>
   <option value="saab">Saab</option>
   <option value="opel">Opel</option>
 </select>
 <br><br><br>>
 <input type="submit" value="Submit">
</form>
Click the "Submit" button and the form-data will be sent to a page on the
server called "action page.php".
</body>
</html>
```

The progress element

Downloading progress:

The select element

The select element is used to create a drop-down list.

Choose a car: Volvo 🗸

Submit

Click the "Submit" button and the form-data will be sent to a page on the server called "action page.php".

```
<!DOCTYPE html>
<html>
<body>
<h1>The textarea element</h1>
<form action="/action_page.php">
<label for="w3review">Review of W3Schools:</label>
<textarea id="w3review" name="w3review" rows="4" cols="50">
  At w3schools.com you will learn how to make a website. They offer free
tutorials in all web development technologies.
 </textarea>
 <br><br><br><
  <input type="submit" value="Submit">
</form>
Click the "Submit" button and the form-data will be sent to a page on the
server called "action page.php".
</body>
</html>
```

The textarea element

At w3schools.com you will learn how to make a website. They offer free tutorials in all web development technologies.

Review of W3Schools:

Submit

Click the "Submit" button and the form-data will be sent to a page on the server called "action page.php".