Menu Access Control

& Page Permission for Insert, Update & Delete

for Apex

By-Muhammad Nur E Alam

```
drop table menu cascade constraints ;

create table menu
(
menu_id                 number,
menu_name               varchar2(100),
action_user             varchar2(100),
action_date_time        date default sysdate
);

alter table menu
add   constraint menu_menu_id_pk primary key(menu_id) ;

create or replace trigger Menu_id_PK_TRIG
before
insert
on Menu
for each row
begin
 select nvl(max(to_number(Menu_ID)), 0) + 1
 into   :new.Menu_ID
 from   Menu ;
end ;
/
```

Teacher Muhammad Nur E Alam nurealam.rajjak@gmail.com WhatsApp: +8801917975575

Process for Action User:

==========

```
begin
 :P55_ACTION_USER := V('APP_USER') ;
exception
 when others then
   null ;
end ;
```

```
insert into menu(menu_id, menu_name)
values(1, 'Administration');

insert into menu(menu_id, menu_name)
values(2, 'Employee');

insert into menu(menu_id, menu_name)
values(3, 'Accounts');

insert into menu(menu_id, menu_name)
values(4, 'Stacked');
```

==========

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

```
drop table Menu_Access_m cascade constraints ;

create table Menu_Access_m
(
Menu_Access_m_id       number,
username               varchar2(100) constraint Menu_Access_m_username_uk unique
                                     constraint Menu_Access_m_username_nn not null,
action_user            varchar2(100),
action_date_time       date default sysdate
);

alter table Menu_Access_m
add   constraint Menu_Access_m_ID_pk primary key(Menu_Access_m_id) ;

drop table Menu_Access_d ;

create table Menu_Access_d
(
Menu_Access_d_id       number,
Menu_Access_m_id       number,
menu_id                number,
status                 varchar2(100) ,
insert_allow           varchar2(100) ,
update_allow           varchar2(100) ,
delete_allow           varchar2(100) ,
action_user            varchar2(100),
action_date_time       date default sysdate
) ;

alter table Menu_Access_d
add   constraint Menu_Access_d_ID_pk primary key(Menu_Access_d_id) ;

alter     table Menu_Access_d
add       constraint Menu_Access_m_id_fk foreign key(Menu_Access_m_id)
references Menu_Access_m(Menu_Access_m_id);

alter     table Menu_Access_d
add       constraint menu_id_fk foreign key(menu_id)
references menu(menu_id) ;
```

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

==========

```
create or replace trigger Menu_Access_m_id_TRIG
before
insert on Menu_Access_m
for each row
begin
 select nvl(max(to_number(Menu_Access_m_id)),0) + 1
 into   :new.Menu_Access_m_id
 from   Menu_Access_m ;
end;
/
```

==========

```
create or replace trigger Menu_Access_d_id_TRIG
before
insert on Menu_Access_d
for each row
begin
 select nvl(max(to_number(Menu_Access_d_id)),0) + 1
 into   :new.Menu_Access_d_id
 from   Menu_Access_d ;
end;
/
```

==========

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

Application 16704\Shared Components\Navigation Menu\Navigation Menu\ er vitor sob Menu dekha jabe ter vitor theke je je menu te control korte chai seta te click kore tar vitore dhuke then:

==========

Prothome Meue Table Apex er Menu Gulo entry kore aste hobe.
Prottekta Menu List er moddhe giye ai code dhoriye dite hobe
Menu_id onujai manu list a dhorate hobe,
Like: menu_id = 1 mane Administrator, menu_id=2 mane Employee Management, evabe dhorate hobe..

Conditions Group :

Condition Type: Exist (SQL query returns at least one row)

Expression 1:
==========

```
select V('APP_USER')
FROM   DUAL
WHERE  V('APP_USER') IN
        (
         SELECT UPPER(MENU_ACCESS_M.USERNAME)
         FROM   MENU_ACCESS_M, MENU_ACCESS_D
         WHERE  MENU_ACCESS_M.Menu_Access_m_id = MENU_ACCESS_D.Menu_Access_m_id
         AND    MENU_ACCESS_D.MENU_ID = 1
         AND    MENU_ACCESS_D.STATUS = 'Yes'
        )
```

@@@@@@@@@@@@@@ End of Menu Access @@@@@@@@@@@@@@

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

Page Permission for Insert, Update & Delete

Create Button Code
@@@@@@@@@@

Go to Create button Property:

Server-side Condition: **Rows Returned**

SQL Query:

```
select V('APP_USER')
FROM DUAL
WHERE V('APP_USER') IN
 (
 SELECT UPPER(MENU_ACCESS_M.USERNAME)
 FROM MENU_ACCESS_M, MENU_ACCESS_D
 WHERE MENU_ACCESS_M.Menu_Access_m_id = MENU_ACCESS_D.Menu_Access_m_id
 AND MENU_ACCESS_D.MENU_ID = 2
 AND MENU_ACCESS_D.STATUS = 'Yes'
 AND nvl(insert_allow, 'No') = 'Yes'
 )
AND V('APP_USER') IS NOT NULL ;
```

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

Save or Update Button Code
@@@@@@@@@@@@@@

Go to Create button Property:

Server-side Condition: **Rows Returned**

SQL Query:

```
select V('APP_USER')
FROM DUAL
WHERE V('APP_USER') IN
 (
 SELECT UPPER(MENU_ACCESS_M.USERNAME)
 FROM MENU_ACCESS_M, MENU_ACCESS_D
 WHERE MENU_ACCESS_M.Menu_Access_m_id = MENU_ACCESS_D.Menu_Access_m_id
 AND MENU_ACCESS_D.MENU_ID = 2
 AND MENU_ACCESS_D.STATUS = 'Yes'
 AND nvl(update_allow, 'No') = 'Yes'
 )
AND V('APP_USER') IS NOT NULL ;
```

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

Delete Button Code
@@@@@@@@@

Go to Create button Property:

Server-side Condition: **Rows Returned**

SQL Query:

```
select V('APP_USER')
FROM DUAL
WHERE V('APP_USER') IN
 (
 SELECT UPPER(MENU_ACCESS_M.USERNAME)
 FROM MENU_ACCESS_M, MENU_ACCESS_D
 WHERE MENU_ACCESS_M.Menu_Access_m_id = MENU_ACCESS_D.Menu_Access_m_id
 AND MENU_ACCESS_D.MENU_ID = 2
 AND MENU_ACCESS_D.STATUS = 'Yes'
 AND nvl(delete_allow, 'No') = 'Yes'
 )
AND V('APP_USER') IS NOT NULL ;
```

@@@@@@@ End of Page Permission for Insert, Update & Delete @@@@@@@

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575