Report Builder's Report Run from Apex Without Parameter

-By-Muhammad Nur E Alam

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@

1.

Ai Location a giye change korte hobe:
#################################

D:\DevSuiteHome_1\reports\conf\rwservlet.properties

```
RELOAD_KEYMAP=YES
```

R ai code ta # diye lock thakbe, aitake # tule diye running kore dite hobe:
==

```
KEYMAPFILE=CGICMD.DAT
```

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@

2.

Ai Location a giye change korte hobe:
################################

```
C:\WINDOWS\system32>hostname

ns1
```

D:\DevSuiteHome_1\reports\conf\cgicmd.dat

```
hr: userid=hr/hr@wdb19c server=nur_rw desformat=pdf destype=cache paramform=no %*

hr: userid=hr/hr@ns1db19c server=nur_rw desformat=pdf destype=cache paramform=no %*

hr: userid=hr/hr@wdb19c server=nur_rw desformat=pdf destype=cache paramform=no %*

ddd52_lab: userid=ddd52_lab/123@orcl server=ddd52_lab desformat=pdf destype=cache paramform=no %*
```

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@

3.

Restart your PC.

@@@
@@@@@@

VMWare er Network Service off korte hobe..

1. Open your OC4J from PC

2. Open Your Report Server from PC. Like: rwserver server=nur_rw

Minimize your OC4J & Report Server

And then try your reports builders report from Apex.

@@

@@

For PoPuP Window
=================

Go to Apex & Create a Page or your created Page.
Create a Button for Run your reports builders report.
And create a dynamic action with button.

Action
------

Type: Execute JavaScript Code

------------------------------

Code:
------

Code ti obosso e ak line a likhte hobe. Multiline a lekha jabe na

Report Location: D:\Accounts\Reports\Emp_Dept_T_HR_1

Report Location: D:/Accounts/Reports/Emp_Dept_T_HR_1

```
window.open('http://ns1:8889/reports/rwservlet?hr+report=D:/Accounts/Reports/Emp_Dept_T_HR_1.rdf','winnm','width=700, height=700') ;
```

@@@@@@@@@@ End @@@@@@@@@@