User Authentication

##

Go to Database User:

==========

```
create table user_info
(
username     varchar2(50),
password     varchar2(50)
) ;

insert into user_info
values('admin', 'admin') ;

insert into user_info
values('sakib', 123) ;

commit ;
```

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

Application 100/Shared Components/Security-Group/Authentication Schemes/Application Express Authentication - Current/:

==========

Name Group:

Name: Oracle APEX Accounts
Scheme Type: Custom

Settings Group:

Authentication Function Name: user_authentication

Source Group:

PL/SQL Code:

```
-------------------------------------------------------
FUNCTION user_authentication
 (P_USERNAME   USER_INFO.USERNAME%type,
  P_PASSWORD   USER_INFO.PASSWORD%type)
RETURN BOOLEAN
is
 v_user_info   NUMBER := 0 ;
BEGIN

 SELECT 1
 INTO    v_user_info
 FROM   USER_INFO
 WHERE  UPPER(USERNAME)  =  UPPER(P_USERNAME)
 AND     PASSWORD =  P_PASSWORD ;

RETURN TRUE;

EXCEPTION
 WHEN NO_DATA_FOUND THEN
  RETURN FALSE;
end;
-------------------------------------------------------
```

Teacher: Muhammad Nur E Alam, nurealam.rajjak@gmail.com WhatsApp: +8801917975575

@@@@@@@@@@@@@@@@ End @@@@@@@@@@@@@@@@