CryptoSender BTCTEST

№	Title/Action	Status	Comment
1.	Check request with correct fields. (check status code and response fields)	Failed	I use correct address, but still have status code 400, and message invalid address.
2.	Check request with invalid and empty fields. (check status code and response)	Failed	I have correct addresses and invalid other fields but have same message for different scenarios: "Invalid address"
3.	Check that the correct amount of money was withdrawn from the first wallet(with fee).	Blocked	Blocked because transaction sender doesn't work.
4.	Check that the correct amount of money has arrived in the second wallet.	Blocked	Blocked because transaction sender doesn't work.
5.	Check that tx was created in blockchain explorer.	Blocked	Blocked because transaction sender doesn't work.

PUT ∨ http://0.0.0.0:3023/bitcoin/transactions/send **Send** ∨

Params   Authorization   Headers (8)   Body ●   Pre-request Script   Tests   Settings   **Cookies**

⦾ none   ⦾ form-data   ⦾ x-www-form-urlencoded   ⦿ raw   ⦾ binary   ⦾ GraphQL   JSON ∨   **Beautify**

```
 1  {
 2      "config": {
 3          "address": "n4CzQFw75hnz1afLXENq3CN2rGfApvCCSr",
 4          "privateKey": "cT6zaiZGuB1dcQYdLtzxQUKgWjP38NbJCLPGwxqmEY8TEbuv1bGP",
 5          "wif": true
 6      },
 7      "data": [
 8      {
 9          "address": "mhtwzc6uVMsjgHTMVkwk8F3hUVQusao8Jj",
10          "amount": "0.001"
11      }
12      ]
13  }
```

Body   Cookies   Headers (7)   Test Results   ⊕ Status: 400 Bad Request   Time: 212 ms   Size: 269 B   **Save Response** ∨

Pretty   Raw   Preview   Visualize   JSON ∨   ⤵

```
1  {
2      "msg": "Invalid address"
3  }
```

Failed response with correct request(BTC)