

Estructura de Base de Datos

TutorMX — INTRU-HUB

Archivo de Origen:	data-1781759231492.CSV
Fecha de Generación:	17 de junio de 2026
Total de Tablas:	12
Total de Columnas:	76

Este documento detalla la estructura física de la base de datos de **TutorMX** (INTRU-HUB). Incluye los nombres de las tablas, sus columnas, tipos de datos asociados, nulabilidad y valores por defecto establecidos. Ha sido generado de forma automatizada a partir del diccionario de datos provisto en formato CSV.

Resumen del Esquema

Nombre de la Tabla	Total Columnas
achievements	7
conversations	4
documents	7
messages	5
reviews	7
subjects	4
tutor_availability	6
tutoring_sessions	8
universities	5
user_subjects	5
user_universities	6
users	12

Tabla: achievements

7 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('achievements_id_seq':regclass)
user_id	bigint	No	—
title	character varying	No	—
institution	character varying	Sí	—
achievement_year	integer	Sí	—
description	text	Sí	—
created_at	timestamp without time zone	Sí	CURRENT_TIMESTAMP

Tabla: conversations

4 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('conversations_id_seq'::regclass)
student_id	bigint	No	—
tutor_id	bigint	No	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: documents

7 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('documents_id_seq'::regclass)
user_id	bigint	No	—
document_type	USER-DEFINED	No	—
file_url	text	No	—
status	USER-DEFINED	No	'PENDING'::document_status_t
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP
reviewed_at	timestamp without time zone	Sí	—

Tabla: messages

5 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('messages_id_seq'::regclass)
conversation_id	bigint	No	—
sender_id	bigint	No	—
message	text	No	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: reviews

7 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('reviews_id_seq'::regclass)
tutor_id	bigint	No	—
student_id	bigint	No	—
tutoring_session_id	bigint	Sí	—
rating	smallint	No	—
comment	text	Sí	—
created_at	timestamp without time zone	Sí	CURRENT_TIMESTAMP

Tabla: subjects

4 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('subjects_id_seq'::regclass)
name	character varying	No	—
description	text	Sí	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: tutor_availability

6 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('tutor_availability_id_seq'::regclass)
user_id	bigint	No	—
day_of_week	smallint	No	—
start_time	time without time zone	No	—
end_time	time without time zone	No	—
created_at	timestamp without time zone	Sí	CURRENT_TIMESTAMP

Tabla: tutoring_sessions

8 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('tutoring_sessions_id_seq'::regclass)
student_id	bigint	No	—
tutor_id	bigint	No	—
subject_id	bigint	No	—
scheduled_at	timestamp without time zone	No	—
location	character varying	No	—
status	USER-DEFINED	No	'PENDING'::tutoring_status_t
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: universities

5 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('universities_id_seq': :regclass)
name	character varying	No	—
institutional_domain	character varying	No	—
is_active	boolean	No	true
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: user_subjects

5 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('user_subjects_id_seq' ::regclass)
user_id	bigint	No	—
subject_id	bigint	No	—
relationship_type	USER-DEFINED	No	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: user_universities

6 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('user_universities_id_seq'::regclass)
user_id	bigint	No	—
university_id	bigint	No	—
relationship_type	USER-DEFINED	No	—
is_primary	boolean	No	false
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: users

12 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
id	bigint	No	nextval('users_id_seq'::regclass)
name	character varying	No	—
lastname	character varying	No	—
email	character varying	No	—
password	character varying	No	—
role	USER-DEFINED	No	'USER'::system_role_t
verification_status	USER-DEFINED	No	'PENDING'::verification_status_t
is_tutor	boolean	No	false
bio	text	Sí	—
profile_image_url	text	Sí	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP
updated_at	timestamp without time zone	No	CURRENT_TIMESTAMP