

Diccionario de Datos Completo

TutorMX — Base de Datos Neon PostgreSQL

Servidor de BD:	Neon Cloud PostgreSQL (AWS us-east-1)
Fecha de Extracción:	17 de junio de 2026
Total de Tablas:	12
Total de Enums:	7
Llaves Foráneas:	17
Total de Columnas:	76

Este documento técnico es el Diccionario de Datos del proyecto **TutorMX**. Contiene el esquema completo inspeccionado directamente de la base de datos PostgreSQL, detallando las especificaciones físicas de cada tabla (columnas, tipos, restricciones PK/FK) así como los enums y las llaves foráneas definidas para mantener la integridad referencial.

Tipos Enumerados (ENUMs)

Los siguientes tipos personalizados (ENUMs) están definidos en el esquema público de la base de datos:

Nombre del ENUM	Valores Permitidos
document_status_t	'PENDING', 'APPROVED', 'DECLINED'
document_type_t	'INE', 'STUDENT_ID', 'PROOF_OF_ENROLLMENT', 'OTHER'
subject_relationship_t	'LEARNING', 'TEACHING'
system_role_t	'USER', 'ADMIN'
tutoring_status_t	'PENDING', 'ACCEPTED', 'REJECTED', 'COMPLETED', 'CANCELLED'
university_relationship_t	'STUDENT', 'TUTOR', 'PROFESSOR', 'EMPLOYEE', 'ALUMNI'
verification_status_t	'PENDING', 'APPROVED', 'DECLINED'

Llaves Foráneas y Relaciones

Detalle de las llaves foráneas que controlan la integridad referencial y las uniones entre tablas:

Tabla Origen	Columna Origen	Tabla Destino	Columna Destino
achievements	user_id	users	id
conversations	student_id	users	id
conversations	tutor_id	users	id
documents	user_id	users	id
messages	conversation_id	conversations	id
messages	sender_id	users	id
reviews	student_id	users	id
reviews	tutor_id	users	id
reviews	tutoring_session_id	tutoring_sessions	id
tutor_availability	user_id	users	id
tutoring_sessions	student_id	users	id
tutoring_sessions	subject_id	subjects	id
tutoring_sessions	tutor_id	users	id
user_subjects	subject_id	subjects	id
user_subjects	user_id	users	id
user_universities	university_id	universities	id
user_universities	user_id	users	id

Estructura de las Tablas

Tabla: achievements

7 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('achievements_id_seq': :regclass)
■ user_id [FK → users.id]	bigint	No	—
title	character varying	No	—
institution	character varying	Sí	—
achievement_year	integer	Sí	—
description	text	Sí	—
created_at	timestamp without time zone	Sí	CURRENT_TIMESTAMP

Tabla: conversations

4 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('conversations_id_seq' ::regclass)
■ student_id [FK → users.id]	bigint	No	—
■ tutor_id [FK → users.id]	bigint	No	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: documents

7 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('documents_id_seq'::regclass)
■ user_id [FK → users.id]	bigint	No	—
document_type	document_type_t	No	—
file_url	text	No	—
status	document_status_t	No	'PENDING'::document_status_t
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP
reviewed_at	timestamp without time zone	Sí	—

Tabla: messages

5 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('messages_id_seq'::regclass)
■ conversation_id [FK → conversations.id]	bigint	No	—
■ sender_id [FK → users.id]	bigint	No	—
message	text	No	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: reviews

7 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('reviews_id_seq'::regclass)
■ tutor_id [FK → users.id]	bigint	No	—
■ student_id [FK → users.id]	bigint	No	—
■ tutoring_session_id [FK → tutoring_sessions.id]	bigint	Sí	—
rating	smallint	No	—
comment	text	Sí	—
created_at	timestamp without time zone	Sí	CURRENT_TIMESTAMP

Tabla: subjects

4 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('subjects_id_seq'::regclass)
name	character varying	No	—
description	text	Sí	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: tutor_availability

6 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('tutor_availability_id_seq'::regclass)
■ user_id [FK → users.id]	bigint	No	—
day_of_week	smallint	No	—
start_time	time without time zone	No	—
end_time	time without time zone	No	—
created_at	timestamp without time zone	Sí	CURRENT_TIMESTAMP

Tabla: tutoring_sessions

8 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('tutoring_sessions_id_seq'::regclass)
■ student_id [FK → users.id]	bigint	No	—
■ tutor_id [FK → users.id]	bigint	No	—
■ subject_id [FK → subjects.id]	bigint	No	—
scheduled_at	timestamp without time zone	No	—
location	character varying	No	—
status	tutoring_status_t	No	'PENDING'::tutoring_status_t
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: universities

5 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('universities_id_seq':regclass)
name	character varying	No	—
institutional_domain	character varying	No	—
is_active	boolean	No	true
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: user_subjects

5 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('user_subjects_id_seq'::regclass)
■ user_id [FK → users.id]	bigint	No	—
■ subject_id [FK → subjects.id]	bigint	No	—
relationship_type	subject_relationship_t	No	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: user_universities

6 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('user_universities_id_seq'::regclass)
■ user_id [FK → users.id]	bigint	No	—
■ university_id [FK → universities.id]	bigint	No	—
relationship_type	university_relationship_t	No	—
is_primary	boolean	No	false
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP

Tabla: users

12 columnas

Columna	Tipo de Dato	Nulo	Valor por Defecto
■ id [PK]	bigint	No	nextval('users_id_seq'::regclass)
name	character varying	No	—
lastname	character varying	No	—
email	character varying	No	—
password	character varying	No	—
role	system_role_t	No	'USER'::system_role_t
verification_status	verification_status_t	No	'PENDING'::verification_status_t
is_tutor	boolean	No	false
bio	text	Sí	—
profile_image_url	text	Sí	—
created_at	timestamp without time zone	No	CURRENT_TIMESTAMP
updated_at	timestamp without time zone	No	CURRENT_TIMESTAMP