



Basics of Computer Networking

Last Updated : 17 May, 2023

Computer Networking is the practice of connecting computers together to enable communication and data exchange between them. In general, Computer Network is a collection of two or more computers. It helps users to communicate more easily. In this article, we are going to discuss the basics which everyone must know before going deep into Computer Networking.



Computer Networking

How Does a Computer Network Work?

Basics building blocks of a Computer network are Nodes and Links. A Network Node can be illustrated as Equipment for Data Communication like a Modem,

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Got It !

more. Link in Computer Networks can be defined as wires or cables or free space of wireless networks.

The working of Computer Networks can be simply defined as rules or protocols which help in sending and receiving data via the links which allow Computer networks to communicate. Each device has an IP Address, that helps in identifying a device.

Basic Terminologies of Computer Networks

- **Network:** A network is a collection of computers and devices that are connected together to enable communication and data exchange.
- **Nodes:** Nodes are devices that are connected to a network. These can include computers, Servers, Printers, [Routers](#), [Switches](#), and other devices.
- **Protocol:** A protocol is a set of rules and standards that govern how data is transmitted over a network. Examples of protocols include [TCP/IP](#), [HTTP](#), and [FTP](#).
- **Topology:** Network topology refers to the physical and logical arrangement of nodes on a network. The common network topologies include bus, star, ring, mesh, and tree.
- **Service Provider Networks:** These types of Networks give permission to take Network Capacity and Functionality on lease from the Provider. Service Provider Networks include Wireless Communications, Data Carriers, etc.
- **IP Address:** An IP address is a unique numerical identifier that is assigned to every device on a network. IP addresses are used to identify devices and enable communication between them.
- **DNS:** The [Domain Name System \(DNS\)](#) is a protocol that is used to translate human-readable domain names (such as [www.google.com](#)) into IP addresses that computers can understand.
- **Firewall:** A [firewall](#) is a security device that is used to monitor and control incoming and outgoing network traffic. Firewalls are used to protect networks from unauthorized access and other security threats.

Types of Enterprise Computer Networks

- **LAN:** A [Local Area Network \(LAN\)](#) is a network that covers a small area,

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

- **WAN:** A [Wide Area Network \(WAN\)](#) is a network that covers a large geographic area, such as a city, country, or even the entire world. WANs are used to connect LANs together and are typically used for long-distance communication.
- **Cloud Networks:** [Cloud Networks](#) can be visualized with a Wide Area Network (WAN) as they can be hosted on public or private cloud service providers and cloud networks are available if there is a demand. Cloud Networks consist of Virtual Routers, Firewalls, etc.

These are just a few basic concepts of computer networking. Networking is a vast and complex field, and there are many more concepts and technologies involved in building and maintaining networks. Now we are going to discuss some more concepts on Computer Networking.

- **Open system:** A system that is connected to the network and is ready for communication.
- **Closed system:** A system that is not connected to the network and can't be communicated with.

Types of Computer Network Architecture

Computer Network falls under these broad Categories:


- **Client-Server Architecture:** [Client-Server Architecture](#) is a type of Computer Network Architecture in which Nodes can be Servers or Clients.

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

- **Peer-to-Peer Architecture:** In [P2P \(Peer-to-Peer\) Architecture](#), there is not any concept of a Central Server. Each device is free for working as either client or server.

Network Devices


An interconnection of multiple devices, also known as hosts, that are connected using multiple paths for the purpose of sending/receiving data or media. Computer networks can also include multiple devices/mediums which help in the communication between two different devices; these are known as [Network devices](#) and include things such as routers, switches, hubs, and bridges.



Network Devices

Network Topology

The [Network Topology](#) is the layout arrangement of the different devices in a network. Common examples include Bus, Star, Mesh, Ring, and Daisy chain.



OSI Model

OSI stands for [Open Systems Interconnection](#). It is a reference model that specifies standards for communications protocols and also the functionalities of each layer. The OSI has been developed by the International Organization For Standardization and it is 7 layer architecture. Each layer of OSI has different functions and each layer has to follow different protocols. The 7 layers are as follows:


- [Physical Layer](#)
- [Data link Layer](#)
- [Network Layer](#)
- [Transport Layer](#)
- [Session Layer](#)
- [Presentation Layer](#)
- [Application Layer](#)

Protocol

A protocol is a set of rules or algorithms which define the way how two entities can communicate across the network and there exists a different protocol defined at each layer of the OSI model. A few such protocols are TCP, IP, UDP, ARP, DHCP, FTP, and so on.

Unique Identifiers of Network

Hostname: Each device in the network is associated with a unique device name known as Hostname. Type “hostname” in the command prompt(Administrator Mode) and press ‘Enter’, this displays the hostname of your machine.



```
Administrator: Command Prompt
Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.

C:\Windows\system32>hostname
kundana

C:\Windows\system32>
```

HostName

IP Address (Internet Protocol address): Also known as the Logical Address, the IP Address is the network address of the system across the network. To identify each device in the world-wide-web, the Internet Assigned Numbers Authority (IANA) assigns an IPV4 (Version 4) address as a unique identifier to each device on the Internet. The length of an IPv4 address is 32 bits, hence, we have 2^{32} IP addresses available. The length of an IPv6 address is 128 bits. Type “ipconfig” in the command prompt and press ‘Enter’, this gives us the IP address of the device.

MAC Address (Media Access Control address): Also known as physical address, the [MAC Address](#) is the unique identifier of each host and is associated with its [NIC \(Network Interface Card\)](#). A MAC address is assigned to the NIC at the time of manufacturing. The length of the MAC address is: 12-nibble/ 6 bytes/ 48 bits Type “ipconfig/all” in the command prompt and press ‘Enter’, this gives us the MAC address.

Port: A port can be referred to as a logical channel through which data can be sent/received to an application. Any host may have multiple applications running, and each of these applications is identified using the port number on which they are running.

A port number is a 16-bit integer, hence, we have 2^{16} ports available which are categorized as shown below:

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Port Types	Range
Well known Ports	0 – 1023
Registered Ports	1024 – 49151
Ephemeral Ports	49152 – 65535

Number of ports: 65,536

Range: 0 – 65535

Type “**netstat -a**” in the command prompt and press ‘Enter’, this lists all the ports being used.

```

Administrator: Command Prompt
C:\Windows\system32>netstat -a
Active Connections
Proto Local Address Foreign Address State
TCP 0.0.0.0:135 kundana:0 LISTENING
TCP 0.0.0.0:443 kundana:0 LISTENING
TCP 0.0.0.0:445 kundana:0 LISTENING
TCP 0.0.0.0:902 kundana:0 LISTENING
TCP 0.0.0.0:912 kundana:0 LISTENING
TCP 0.0.0.0:8092 kundana:0 LISTENING
TCP 0.0.0.0:49152 kundana:0 LISTENING
TCP 0.0.0.0:49153 kundana:0 LISTENING
TCP 0.0.0.0:49154 kundana:0 LISTENING
TCP 0.0.0.0:49155 kundana:0 LISTENING
TCP 0.0.0.0:49158 kundana:0 LISTENING
TCP 0.0.0.0:49160 kundana:0 LISTENING
TCP 127.0.0.1:5354 kundana:0 LISTENING
TCP 127.0.0.1:5939 kundana:0 LISTENING
TCP 127.0.0.1:8307 kundana:0 LISTENING
TCP 127.0.0.1:30000 kundana:0 LISTENING
TCP 192.168.1.99:139 kundana:0 LISTENING

```


List of Ports

Socket: The unique combination of IP address and Port number together is termed a Socket.

Other Related Concepts

DNS Server: [DNS](#) stands for **Domain Name System**. DNS is basically a server that translates web addresses or URLs (ex: [www.google.com](#)) into their corresponding IP addresses. We don't have to remember all the IP addresses of each and every website. The command '**nslookup**' gives you the IP address of the domain you are looking for. This also provides information on our DNS

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).



```
C:\Windows\system32>nslookup www.google.com
Server: UnKnown
Address: 192.168.43.1

Non-authoritative answer:
Name: www.google.com
Addresses: 2404:6800:4003:c00::6a
          74.125.200.106
          74.125.200.104
          74.125.200.99
          74.125.200.103
          74.125.200.147
          74.125.200.105

C:\Windows\system32>
```

Domain IP Address

ARP: [ARP](#) stands for **Address Resolution Protocol**. It is used to convert an IP address to its corresponding physical address(i.e., MAC Address). ARP is used by the Data Link Layer to identify the MAC address of the Receiver's machine.

RARP: [RARP](#) stands for **Reverse Address Resolution Protocol**. As the name suggests, it provides the IP address of the device given a physical address as input. But RARP has become obsolete since the time DHCP has come into the picture.

"GeeksforGeeks helped me ace the GATE exam! Whenever I had any doubt regarding any topic, GFG always helped me and made my concepts quiet clear." - **Anshika Modi | AIR 21**

Choose GeeksforGeeks as your perfect GATE 2025 Preparation partner with these newly launched programs

[GATE CS & IT](#)

[Aptitude](#) [Engineering Mathematics](#) [Discrete Mathematics](#) [Operating System](#) [DBMS](#) [Computer Networks](#) [D](#)

[GATE Offline \(Delhi/NCR\)](#)

Over 125,000+ students already trust us to be their GATE Exam guide. Join

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

[Next](#)

Types of Network Topology

Share your thoughts in the comments

[Add Your Comment](#)

Similar Reads

Advantages and Disadvantages of Computer Networking

MAN Full Form in Computer Networking

TCP/IP in Computer Networking

Importance of Computer Networking

Difference Between BOOTP and RARP in Computer Networking

Difference Between MSS and MTU in Computer Networking

How to Perform Bit Stuffing in Computer Networking?

OSI Model Full Form in Computer Networking

Basics of Computer and its Operations

Introduction to basic Networking Terminology



GeeksforGeeks

Article Tags : [Computer Networks](#) , [Misc](#)

Practice Tags : [Misc](#)

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).



A-143, 9th Floor, Sovereign Corporate
Tower, Sector-136, Noida, Uttar Pradesh -
201305



Company

About Us
Legal
Careers
In Media
Contact Us
Advertise with us
GFG Corporate Solution
Placement Training Program

Languages

Python
Java
C++
PHP
GoLang
SQL
R Language
Android Tutorial
Tutorials Archive

Explore

Hack-A-Thons
GfG Weekly Contest
DSA in JAVA/C++
Master System Design
Master CP
GeeksforGeeks Videos
Geeks Community

DSA

Data Structures
Algorithms
DSA for Beginners
Basic DSA Problems
DSA Roadmap
Top 100 DSA Interview Problems
DSA Roadmap by Sandeep Jain
All Cheat Sheets

Data Science & ML

HTML & CSS

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Machine Learning Tutorial
ML Maths
Data Visualisation Tutorial
Pandas Tutorial
NumPy Tutorial
NLP Tutorial
Deep Learning Tutorial

Python Tutorial

Python Programming Examples
Python Projects
Python Tkinter
Web Scraping
OpenCV Tutorial
Python Interview Question

DevOps

Git
AWS
Docker
Kubernetes
Azure
GCP
DevOps Roadmap

System Design

High Level Design
Low Level Design
UML Diagrams
Interview Guide
Design Patterns
OOAD
System Design Bootcamp
Interview Questions

Preparation Corner

Company-Wise Recruitment Process
Resume Templates
Aptitude Preparation
Puzzles
Company-Wise Preparation

Web Templates
CSS Frameworks
Bootstrap
Tailwind CSS
SASS
LESS
Web Design
Django Tutorial

Computer Science

Operating Systems
Computer Network
Database Management System
Software Engineering
Digital Logic Design
Engineering Maths

Competitive Programming

Top DS or Algo for CP
Top 50 Tree
Top 50 Graph
Top 50 Array
Top 50 String
Top 50 DP
Top 15 Websites for CP

JavaScript

JavaScript Examples
TypeScript
ReactJS
NextJS
AngularJS
NodeJS
Lodash
Web Browser

School Subjects

Mathematics
Physics
Chemistry
Biology
Social Science
English Grammar
World GK

Management & Finance

Free Online Tools

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Income Tax
Organisational Behaviour
Marketing

Code Converters
Currency Converter
Random Number Generator
Random Password Generator

More Tutorials

Software Development
Software Testing
Product Management
SAP
SEO - Search Engine Optimization
Linux
Excel

GeeksforGeeks Videos

DSA
Python
Java
C++
Data Science
CS Subjects

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved