Cucumber Report

| *Start : Mar 12, 3:05:15.803 PM*	*End : Mar 12, 3:05:32.485 PM*	*Duration : 16.682 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 13

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
_Search_Functionality_Test_Cases_	_16.682 s_	_2_	_1_	_1_	_0_	_26_	_13_	_0_	_13_

#	Feature Name	Scenario Name
1	*Search_Functionality_Test_Cases*	*Validate Sorting the search results by name, price or rating*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Validate_"Sorting_the_search_results_by_name,_price_or_rating"	2	1	1	0	1	0	1	0
@Tc_36	2	1	1	0	1	0	1	0
@Search_Functionality	2	1	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Search_Functionality_Test_Cases*	*2*	*1*	*1*	*0*	*16.682 s*

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search_Functionality_Test_Cases	Validate Sorting the search results by name, price or rating	13	13	0	0	11.857 s
2		Validate Sorting the search results by name, price or rating	13	0	0	13	4.800 s

Search_Functionality_Test_Cases

FAILED	DURATION - 16.682 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 26 Pass - 13 Fail - 0 Skip - 13	26
/ 3:05:15.803 PM // 3:05:32.485 PM /					

Validate Sorting the search results by name, price or rating

| PASSED	DURATION - 11.857 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	13
/ 3:05:15.811 PM // 3:05:27.668 PM /				
Search_Functionality_Test_Cases				
@Validate_"Sorting_the_search_results_by_name, _price_or_rating" @Tc_36 @Search_Functionality				

#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page	PASSED	0.005 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.745 s
	image		
2	When Locate the "Sort By" drop-down menu on the search results page	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	image		

#	Step / Hook Details	Status	Duration
3	Then Verify that the "Sort By" menu is visible	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.154 s
4	Then Click the drop-down and check for available sorting options Name (A-Z)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.158 s
5	And Click the drop-down and check for available sorting options Name (Z-A)	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.150 s
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.212 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.301 s

#	Step / Hook Details	Status	Duration
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	image		
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	image		
10	Then Verify that the search results are updated accordingly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	image		
11	And Confirm that the products are now sorted in ascending order by price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	image		

#	Step / Hook Details	Status	Duration
12	And Repeat for other sorting options to ensure each one sorts the results correctly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	image		
13	And Ensure that during and after sorting, each product listing still displays an image, name, and price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	image		

Validate Sorting the search results by name, price or rating

FAILED	DURATION - 4.800 s	Steps	
/ 3:05:27.685 PM // 3:05:32.485 PM /		Total - 13	
Search_Functionality_Test_Cases		Pass - 0	
@Validate_"Sorting_the_search_results_by_name,_price_or_rating" @Tc_36 @Search_Functionality		Fail - 0 / Skip - 13	13

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	4.241 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.		

#	Step / Hook Details	Status	Duration

	chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\tnazm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64012/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:124)
	  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	  at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138)
	  at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		

1	Given Perform a search using either keyword or category search to generate a results page	SKIPPED	0.004 s
2	When Locate the "Sort By" drop-down menu on the search results page	SKIPPED	0.002 s
3	Then Verify that the "Sort By" menu is visible	SKIPPED	0.001 s
4	Then Click the drop-down and check for available sorting options Name (A-Z)	SKIPPED	0.002 s
5	And Click the drop-down and check for available sorting options Name (Z-A)	SKIPPED	0.002 s
6	And Click the drop-down and check for available sorting options Price (Low-High)	SKIPPED	0.001 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	SKIPPED	0.002 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	SKIPPED	0.002 s
9	And Select a sorting option Price (Low-High) from the drop-down	SKIPPED	0.003 s
10	Then Verify that the search results are updated accordingly	SKIPPED	0.001 s
11	And Confirm that the products are now sorted in ascending order by price	SKIPPED	0.002 s
12	And Repeat for other sorting options to ensure each one sorts the results correctly	SKIPPED	0.001 s
13	And Ensure that during and after sorting, each product listing still displays an image, name, and price	SKIPPED	0.002 s