

Cucumber Report

Mar 13, 2025, 11:13:15 AM

Start : Mar 13, 11:13:00.653 AM

End : Mar 13, 11:13:13.011 AM

Duration : 12.358 s

Features




PASSED - 1
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 2
FAILED - 0
SKIPPED - 0


Steps

PASSED - 26
FAILED - 0
SKIPPED - 0




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Search_Functionality_Test_Cases</u>		12.358 s		2	2	0	0	26	26	0	0

TAG	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@Validate_ "Sorting_the_search_results_by_name,_price_or_rating"	2	2	0	0	1	1	0	0
@Tc_36	2	2	0	0	1	1	0	0
@Search_Functionality	2	2	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	2	2	0	0	12.358 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	9.711 s
2		<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	2.617 s

Search_Functionality_Test_Cases

PASSED	DURATION - 12.358 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 26 Pass - 26 Fail - 0 Skip - 0	
/ 11:13:00.653 AM // 11:13:13.011 AM /					

Validate Sorting the search results by name, price or rating

PASSED	DURATION - 9.711 s	Search_Functionality_Test_Cases		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 11:13:00.669 AM // 11:13:10.380 AM /		@Validate_"Sorting_the_search_results_by_name,_ _price_or_rating" @Tc_36 @Search_Functionality			


#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.004 s
		PASSED	0.699 s
2	When Locate the “Sort By” drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
		PASSED	0.185 s

#	Step / Hook Details	Status	Duration
3	Then Verify that the "Sort By" menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
6	And Click the drop-down and check for available sorting options Price (Low-High) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
7	And Click the drop-down and check for available sorting options Price (High-Low) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
			
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.004 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
			
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
			
10	Then Verify that the search results are updated accordingly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
			
11	And Confirm that the products are now sorted in ascending order by price	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
			

#	Step / Hook Details	Status	Duration
			
12	And Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
13	And Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

Validate Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	image	PASSED	0.198 s

#	Step / Hook Details	Status	Duration
			
2	When Locate the “Sort By” drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s
		PASSED	0.155 s
3	Then Verify that the “Sort By” menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.003 s
		PASSED	0.171 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.002 s
		PASSED	0.159 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.000 s
		PASSED	0.138 s

#	Step / Hook Details	Status	Duration
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s

#	Step / Hook Details	Status	Duration
			
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
11	And Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
12	And Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
13	And Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	 A screenshot of a web browser window titled "Qufox.com". The page displays a file upload form with a large input field containing the text "Choose file...". To the right of the input field is a small thumbnail image of a file named "Screenshot_2023-09-11_14-54-23.jpg". The browser's address bar shows the URL "https://qufox.com/".		