

Cucumber Report

Mar 10, 2025, 10:06:32 AM

Start : Mar 10, 10:06:02.609 AM

End : Mar 10, 10:06:30.203 AM

Duration : 27.594 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 30
FAILED - 6
SKIPPED - 96




| Feature | | | | Scenario | | | | Step | | | |
|--|--|-----------------|--|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | | Duration | | T | P | F | S | T | P | F | S |
| <u>Registration_Mandatory_Field_Test_cases</u> | | 27.594 s | | 6 | 0 | 6 | 0 | 132 | 30 | 6 | 96 |

| # | Feature Name | Scenario Name |
|---|--|--|
| 1 | <u>Registration_Mandatory_Field_Test_cases</u> | <u>03_Validate User registers for an account</u> |
| 2 | | <u>03_Validate User registers for an account</u> |
| 3 | | <u>03_Validate User registers for an account</u> |
| 4 | | <u>03_Validate User registers for an account</u> |
| 5 | | <u>03_Validate User registers for an account</u> |
| 6 | | <u>03_Validate User registers for an account</u> |

| TAG | Scenario | | | | Feature | | | | |
|---|-----------------|----------|----------|----------|----------------|----------|----------|----------|----------|
| | Name | T | P | F | S | T | P | F | S |
| @Validate_User_registers_for_an_account | | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |
| @Registration | | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |
| @Tc_03 | | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Registration_Mandatory_Field_Test_cases</u> | 6 | 0 | 6 | 0 | 27.594 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|---|---|----|----------|
| 1 | <u>Registration_Mandatory_Field_Test_cases</u> | <u>03_Validate User registers for an account</u> | 22 | 5 | 1 | 16 | 9.047 s |
| 2 | | <u>03_Validate User registers for an account</u> | 22 | 5 | 1 | 16 | 3.884 s |
| 3 | | <u>03_Validate User registers for an account</u> | 22 | 5 | 1 | 16 | 3.700 s |
| 4 | | <u>03_Validate User registers for an account</u> | 22 | 5 | 1 | 16 | 3.708 s |
| 5 | | <u>03_Validate User registers for an account</u> | 22 | 5 | 1 | 16 | 3.524 s |
| 6 | | <u>03_Validate User registers for an account</u> | 22 | 5 | 1 | 16 | 3.591 s |





Registration_Mandatory_Field_Test_cases




03_Validate User registers for an account




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.061 s |
| | | PASSED | 0.301 s |
| 2 | Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.103 s |
| | | PASSED | 0.270 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 3 | And I enter a valid password that adheres to policy requirements | PASSED | 0.075 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| |  | | |
| 4 | And The "teamA1234@" and "teamA1234@" fields match | PASSED | 0.392 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| |  | | |
| 5 | When I insert invalid data inputs | PASSED | 0.237 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.213 s |
| |  | | |
| 6 | Then The system rejects the invalid inputs | FAILED | 0.052 s |
| | <pre>java.lang.AssertionError: E-Mail Address does not appear to be valid! expected [System rejects invalid email] but found [Register Account] at org.testng.Assert.failAssert(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)</pre> | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.testng.Assert.assertEqualsImpl	Assert.java:150) at org.testng.Assert.assertEquals	Assert.java:132) at org.testng.Assert.assertEquals	Assert.java:656) at com.pdl.pages.Registration_Quafox.invalid_input_email_rejected(Registration_Quafox.java:231) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. the_system_rejects_the_invalid_inputs(AA_Registration_02_Step_Definition.java:43) at ?.The system rejects the invalid inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/ 1_REGISTRATION/Registration_Mandatory_Field_02.feature:15) * Not displayable characters are replaced by '?'. </pre> | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.196 s |
| 7 | When I insert a duplicate email address | SKIPPED | 0.003 s |
| 8 | Then The system does not accept duplicate email addresses | SKIPPED | 0.001 s |
| 9 | When I complete the form with valid details | SKIPPED | 0.001 s |
| 10 | When I enter the correct "123456" | SKIPPED | 0.001 s |
| 11 | Then "<Registration status>" is successful | SKIPPED | 0.001 s |
| 12 | When I enter an incorrect OTP | SKIPPED | 0.001 s |
| 13 | Then An error message is displayed | SKIPPED | 0.003 s |
| 14 | And The OTP expires after a set time | SKIPPED | 0.001 s |
| 15 | When I request to resend the OTP | SKIPPED | 0.002 s |
| 16 | Then The OTP is resent successfully | SKIPPED | 0.001 s |
| 17 | When Registration is successful | SKIPPED | 0.001 s |
| 18 | Then The user is redirected to the homepage | SKIPPED | 0.002 s |
| 19 | And A welcome message appears with the user's name | SKIPPED | 0.001 s |
| 20 | And The user can log in immediately | SKIPPED | 0.001 s |
| 21 | When Registration is unsuccessful | SKIPPED | 0.001 s |
| 22 | Then The user is unable to access restricted pages without logging in | SKIPPED | 0.002 s |

03_Validate User registers for an account








| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.034 s |
| 2 | Then I enter an "user2@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.181 s |
| 3 | And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.178 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | And The "WeakPass" and "WeakPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.513 s |
| 5 | When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.303 s |
| 6 | Then The system rejects the invalid inputs <pre>java.lang.AssertionError: E-Mail Address does not appear to be valid! expected [System rejects invalid email] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.invalid_input_email_rejected(Registration_Quafox.java:231) at com.pdl.step_definitions_AA_Registration_02_Step_Definition. the_system_rejects_the_invalid_inputs(AA_Registration_02_Step_Definition.java:43) at ?.The system rejects the invalid inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/ 1_REGISTRATION/Registration_Mandatory_Field_02.feature:15) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.025 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.210 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 7 | When I insert a duplicate email address | SKIPPED | 0.002 s |
| 8 | Then The system does not accept duplicate email addresses | SKIPPED | 0.001 s |
| 9 | When I complete the form with valid details | SKIPPED | 0.001 s |
| 10 | When I enter the correct "123456" | SKIPPED | 0.001 s |
| 11 | Then "<Registration status>" is successful | SKIPPED | 0.001 s |
| 12 | When I enter an incorrect OTP | SKIPPED | 0.001 s |
| 13 | Then An error message is displayed | SKIPPED | 0.002 s |
| 14 | And The OTP expires after a set time | SKIPPED | 0.001 s |
| 15 | When I request to resend the OTP | SKIPPED | 0.001 s |
| 16 | Then The OTP is resent successfully | SKIPPED | 0.000 s |
| 17 | When Registration is successful | SKIPPED | 0.001 s |
| 18 | Then The user is redirected to the homepage | SKIPPED | 0.001 s |
| 19 | And A welcome message appears with the user's name | SKIPPED | 0.001 s |
| 20 | And The user can log in immediately | SKIPPED | 0.001 s |
| 21 | When Registration is unsuccessful | SKIPPED | 0.001 s |
| 22 | Then The user is unable to access restricted pages without logging in | SKIPPED | 0.001 s |

03_Validate User registers for an account


| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 3.700 s |  | Steps Total - 22 Pass - 5 Fail - 1 Skip - 16 |  |
| / 10:06:15.617 AM // 10:06:19.317 AM / | | | | |
| <i>Registration_Mandatory_Field_Test_cases</i> | | | | |
| @Validate_User_registers_for_an_account @Registration @Tc_03 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.044 s |
| 2 | Then I enter an "user3@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.145 s |
| 3 | And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.137 s |
| 4 | And The "Strong@123" and "WrongPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.446 s |
| 5 | When I insert invalid data inputs PASSED | PASSED | 0.374 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.210 s |
| 6 | Then The system rejects the invalid inputs java.lang.AssertionError: E-Mail Address does not appear to be valid! expected [System rejects invalid email] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.invalid_input_email_rejected(Registration_Quafox.java:231) at com.pdl.step_definitions_AA_Registration_02_Step_Definition. the_system_rejects_the_invalid_inputs(AA_Registration_02_Step_Definition.java:43) at ?.The system rejects the invalid inputs(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:15) * Not displayable characters are replaced by '?'. | FAILED | 0.017 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.186 s |
| 7 | When I insert a duplicate email address | SKIPPED | 0.001 s |
| 8 | Then The system does not accept duplicate email addresses | SKIPPED | 0.002 s |
| 9 | When I complete the form with valid details | SKIPPED | 0.002 s |
| 10 | When I enter the correct "123456" | SKIPPED | 0.002 s |
| 11 | Then "<Registration status>" is successful | SKIPPED | 0.002 s |
| 12 | When I enter an incorrect OTP | SKIPPED | 0.003 s |
| 13 | Then An error message is displayed | SKIPPED | 0.003 s |
| 14 | And The OTP expires after a set time | SKIPPED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 15 | When I request to resend the OTP | SKIPPED | 0.001 s |
| 16 | Then The OTP is resent successfully | SKIPPED | 0.001 s |
| 17 | When Registration is successful | SKIPPED | 0.001 s |
| 18 | Then The user is redirected to the homepage | SKIPPED | 0.001 s |
| 19 | And A welcome message appears with the user's name | SKIPPED | 0.001 s |
| 20 | And The user can log in immediately | SKIPPED | 0.001 s |
| 21 | When Registration is unsuccessful | SKIPPED | 0.001 s |
| 22 | Then The user is unable to access restricted pages without logging in | SKIPPED | 0.001 s |

03_Validate User registers for an account




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the registration page . | PASSED | 0.068 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| | image | | |
| | | | |
| 2 | Then I enter an "existing@test.com" address and verify proper email format validation | PASSED | 0.149 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.215 s |
| | image | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | | | |
| 3 | And I enter a valid password that adheres to policy requirements | PASSED | 0.168 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | | | |
| 4 | And The "Strong@123" and "Strong@123" fields match | PASSED | 0.425 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | | | |
| 5 | When I insert invalid data inputs | PASSED | 0.366 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| | | | |
| 6 | Then The system rejects the invalid inputs | FAILED | 0.016 s |
| | <pre>java.lang.AssertionError: E-Mail Address does not appear to be valid! expected [System rejects invalid email] but found [Register Account] at org.testng.Assert.failAssert(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)</pre> | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.testng.Assert.assertEqualsImpl	Assert.java:150) at org.testng.Assert.assertEquals	Assert.java:132) at org.testng.Assert.assertEquals	Assert.java:656) at com.pdl.pages.Registration_Quafox.invalid_input_email_rejected(Registration_Quafox.java:231) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. the_system_rejects_the_invalid_inputs(AA_Registration_02_Step_Definition.java:43) at ?.The system rejects the invalid inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/ 1_REGISTRATION/Registration_Mandatory_Field_02.feature:15) * Not displayable characters are replaced by '?'. </pre> | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.186 s |
| 7 | When I insert a duplicate email address | SKIPPED | 0.001 s |
| 8 | Then The system does not accept duplicate email addresses | SKIPPED | 0.001 s |
| 9 | When I complete the form with valid details | SKIPPED | 0.001 s |
| 10 | When I enter the correct "123456" | SKIPPED | 0.000 s |
| 11 | Then "<Registration status>" is successful | SKIPPED | 0.000 s |
| 12 | When I enter an incorrect OTP | SKIPPED | 0.001 s |
| 13 | Then An error message is displayed | SKIPPED | 0.001 s |
| 14 | And The OTP expires after a set time | SKIPPED | 0.000 s |
| 15 | When I request to resend the OTP | SKIPPED | 0.001 s |
| 16 | Then The OTP is resent successfully | SKIPPED | 0.003 s |
| 17 | When Registration is successful | SKIPPED | 0.001 s |
| 18 | Then The user is redirected to the homepage | SKIPPED | 0.001 s |
| 19 | And A welcome message appears with the user's name | SKIPPED | 0.001 s |
| 20 | And The user can log in immediately | SKIPPED | 0.001 s |
| 21 | When Registration is unsuccessful | SKIPPED | 0.001 s |
| 22 | Then The user is unable to access restricted pages without logging in | SKIPPED | 0.001 s |

03_Validate User registers for an account









| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.068 s |
| 2 | Then I enter an "user5@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.148 s |
| 3 | And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.086 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.520 s |
| 5 | When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.266 s |
| 6 | Then The system rejects the invalid inputs java.lang.AssertionError: E-Mail Address does not appear to be valid! expected [System rejects invalid email] but found [Register Account] at org.testng.Assert.failAssert.java:111) at org.testng.Assert.failNotEqualsAssert.java:1578) at org.testng.Assert.assertEqualsImplAssert.java:150) at org.testng.Assert.assertEqualsAssert.java:132) at org.testng.Assert.assertEqualsAssert.java:656) at com.pdl.pages.Registration_Quafox.invalid_input_email_rejected(Registration_Quafox.java:231) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. the_system_rejects_the_invalid_inputs(AA_Registration_02_Step_Definition.java:43) at ?.The system rejects the invalid inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:15) * Not displayable characters are replaced by '?'. | FAILED | 0.016 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.172 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 7 | When I insert a duplicate email address | SKIPPED | 0.001 s |
| 8 | Then The system does not accept duplicate email addresses | SKIPPED | 0.001 s |
| 9 | When I complete the form with valid details | SKIPPED | 0.001 s |
| 10 | When I enter the correct "000000" | SKIPPED | 0.001 s |
| 11 | Then "<Registration status>" is successful | SKIPPED | 0.001 s |
| 12 | When I enter an incorrect OTP | SKIPPED | 0.001 s |
| 13 | Then An error message is displayed | SKIPPED | 0.001 s |
| 14 | And The OTP expires after a set time | SKIPPED | 0.001 s |
| 15 | When I request to resend the OTP | SKIPPED | 0.001 s |
| 16 | Then The OTP is resent successfully | SKIPPED | 0.001 s |
| 17 | When Registration is successful | SKIPPED | 0.001 s |
| 18 | Then The user is redirected to the homepage | SKIPPED | 0.001 s |
| 19 | And A welcome message appears with the user's name | SKIPPED | 0.001 s |
| 20 | And The user can log in immediately | SKIPPED | 0.000 s |
| 21 | When Registration is unsuccessful | SKIPPED | 0.002 s |
| 22 | Then The user is unable to access restricted pages without logging in | SKIPPED | 0.001 s |

03_Validate User registers for an account

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 3.591 s |  | Steps Total - 22 Pass - 5 Fail - 1 Skip - 16 |  |
| / 10:06:26.612 AM // 10:06:30.203 AM / | | | | |
| <i>Registration_Mandatory_Field_Test_cases</i> | | | | |
| @Validate_User_registers_for_an_account @Registration @Tc_03 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.044 s |
| 2 | Then I enter an "user6@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.179 s |
| 3 | And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.135 s |
| 4 | And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.484 s |
| 5 | When I insert invalid data inputs PASSED | PASSED | 0.195 s |
| 5 | When I insert invalid data inputs | PASSED | 0.280 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.210 s |
| 6 | Then The system rejects the invalid inputs java.lang.AssertionError: E-Mail Address does not appear to be valid! expected [System rejects invalid email] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.invalid_input_email_rejected(Registration_Quafox.java:231) at com.pdl.step_definitions_AA_Registration_02_Step_Definition. the_system_rejects_the_invalid_inputs(AA_Registration_02_Step_Definition.java:43) at ?.The system rejects the invalid inputs(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:15) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | FAILED | 0.015 s |
| | image  | PASSED | 0.181 s |
| 7 | When I insert a duplicate email address | SKIPPED | 0.000 s |
| 8 | Then The system does not accept duplicate email addresses | SKIPPED | 0.001 s |
| 9 | When I complete the form with valid details | SKIPPED | 0.001 s |
| 10 | When I enter the correct "Expired" | SKIPPED | 0.000 s |
| 11 | Then "<Registration status>" is successful | SKIPPED | 0.000 s |
| 12 | When I enter an incorrect OTP | SKIPPED | 0.000 s |
| 13 | Then An error message is displayed | SKIPPED | 0.000 s |
| 14 | And The OTP expires after a set time | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 15 | When I request to resend the OTP | SKIPPED | 0.000 s |
| 16 | Then The OTP is resent successfully | SKIPPED | 0.000 s |
| 17 | When Registration is successful | SKIPPED | 0.001 s |
| 18 | Then The user is redirected to the homepage | SKIPPED | 0.000 s |
| 19 | And A welcome message appears with the user's name | SKIPPED | 0.002 s |
| 20 | And The user can log in immediately | SKIPPED | 0.000 s |
| 21 | When Registration is unsuccessful | SKIPPED | 0.000 s |
| 22 | Then The user is unable to access restricted pages without logging in | SKIPPED | 0.001 s |