Duration: 1 m 40.421 s Start: Mar 12, 9:55:35.279 PM End: Mar 12, 9:57:15.700 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 16 24 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 80 80 20 80 90 90 10 16 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Static_Header_Test_cases	1 m 40.421 s	4	0	4	0	24	4	4	16

#	Feature Name	Scenario Name
1	Static_Header_Test_cases	09_validate Contacts Are Accessible
2		09_validate Contacts Are Accessible
3		09_validate Contacts Are Accessible
4		09_validate Contacts Are Accessible


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Tc_09	4	0	4	0	1	0	1	0
@Static_Header	4	0	4	0	1	0	1	0
@Validate_Contacts_Are_Accessible	4	0	4	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Static_Header_Test_cases	4	0	4	0	1 m 40.421 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Static_Header_Test_cases	09_validate Contacts Are Accessible	6	1	1	4	29.690 s
2		09_validate Contacts Are Accessible	6	1	1	4	23.003 s
3	_	09_validate Contacts Are Accessible	6	1	1	4	23.744 s
4		09_validate Contacts Are Accessible	6	1	1	4	23.660 s

DETAILED SECTION -- 7 --

Static_Header_Test_cases






#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.404 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	image Variable Va		
2	And I locate the Contact option in the header or footer. org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/foter/div/div/div/2]/ul/li[1]/a "} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53743cbb30b027e16f0536b9f20d1c11, findElement {using=xpath, value=/html/body/foter/div/div/div/2]/ul/li[1]/a }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61551}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:	FAILED	20.133 s

#	Step / Hook Details	Status	Duration
#	Step / Hook Details ws://localhost:61551/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miniPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: 53743cbb30b027e16f0536b9t20d1c11 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DolegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:165) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:369) at org.openqa.selenium.remote.RemoteWebDriver.findElement(DefaultElementLocator.java:368) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(Locat	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.locate_the_contact_option_in_the_header_or_footer(Homepage_Quafox.java:302) at com.pdl.step_definitions.C_Static_Header_Steps.i_locate_the_contact_option_in_the_header_or_footer(C_Static_Header_Steps.java:74) at ?.I locate the Contact option in the header or footer.(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/ resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:31)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber.java.Scenario) image Registr Accord Regis	PASSED	0.426 s
3	When I click on the Contact option.	SKIPPED	0.008 s
4	Then I ensure that the "Contact" page displays the required "Phone number":	SKIPPED	0.005 s
5	And I check if the contact form (if present) is functional.	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
6	Then I ensure the page is accessible on different "Desktop":	SKIPPED	0.004 s




#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.305 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	image		
	Name: Name Name		
2	And I locate the Contact option in the header or footer.	FAILED	20.084 s
2	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/foter/div/div/div/[2]/ul/li[1]/a "} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53743cbb30b027e16f0536b9f20d1c11, findElement {using=xpath, value=/html/body/foter/div/div/div[2]/ul/li[1]/a }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141} (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61551}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61551/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 53743cbb30b027e16f0536b9f20d1c11 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.locate_the_contact_option_in_the_header_or_footer(Homepage_Quafox.java:302) at com.pdl.step_definitions.C_Static_Header_Steps.j_locate_the_contact_option_in_the_header_or_footer(C_Static_Header_Steps.java:74) at ?! locate the Contact option in the header or footer.(file:///C./EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/ resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image Imag	PASSED	0.336 s
3	When I click on the Contact option.	SKIPPED	0.006 s
4	Then I ensure that the "Contact form" page displays the required "Email":	SKIPPED	0.010 s
5	And I check if the contact form (if present) is functional.	SKIPPED	0.008 s
6	Then I ensure the page is accessible on different "Mobile":	SKIPPED	0.006 s

DETAILED SECTION -- 11 --




#	Step / Hook Details	Status	Duration					
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.328 s					
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s					
	image							
	Transit Variation States of Parister States of Pari							
	Register Account							
	we broad of the control of the contr							
	Type Name Management Not Hossel sea ass sea							
	Notice .							
2	And I locate the Contact option in the header or footer.	FAILED	20.089 s					
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/foter/div/div/div/2]/ul/li[1]/a "} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53743cbb30b027e16f0536b9f20d1c11, findElement {using=xpath, value=/html/body/foter/div/div/div/2]/ul/li[1]/a }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61551}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61551/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:							
	true} Session ID: 53743cbb30b027e16f0536b9f20d1c11 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)							
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)							
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)							
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)							
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)							
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)							
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)							
	at org.openga.seremum.remote.couec.wsc.wsc.wscmtpresponsecouec.uecoue(wscmtpresponsecouec.java.se)							

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.locate_the_contact_option_in_the_header_or_footer(Homepage_Quafox.java:302) at com.pdl.step_definitions.C_Static_Header_Steps.i_locate_the_contact_option_in_the_header_or_footer(C_Static_Header_Steps.java:74) at ?.I locate the Contact option in the header or footer.(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/ resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.323 s
	Colors com S S S S S S S S S S S S S S S S S S S		
3	When I click on the Contact option.	SKIPPED	0.004 s
4	Then I ensure that the "Contact Us" page displays the required "Address":	SKIPPED	0.004 s
5	And I check if the contact form (if present) is functional.	SKIPPED	0.004 s
6	Then I ensure the page is accessible on different "Tablet":	SKIPPED	0.007 s

DETAILED SECTION -- 13 --



#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.271 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	image		
	Confidence Communication Segretar Account Segretar Account Secretar Segretar Segr		
2	And I locate the Contact option in the header or footer.	FAILED	20.041 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/foter/div/div/div/[2]/ul/li[1]/a"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53743cbb30b027e16f0536b9f20d1c11, findElement {using=xpath, value=/html/body/foter/div/div/qiv/[2]/ul/li[1]/a]} [] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61551}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61551/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 53743cbb30b027e16f0536b9f20d1c11 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.		

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.locate_the_contact_option_in_the_header_or_footer(Homepage_Quafox.java:302) at com.pdl.step_definitions.C_Static_Header_Steps.i_locate_the_contact_option_in_the_header_or_footer(C_Static_Header_Steps.java:74) at ?.I locate the Contact option in the header or footer.(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/ resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image Ima	PASSED	0.533 s
3	When I click on the Contact option.	SKIPPED	0.002 s
4	Then I ensure that the "Help Center" page displays the required "Help Center":	SKIPPED	0.008 s
5	And I check if the contact form (if present) is functional.	SKIPPED	0.002 s
6	Then I ensure the page is accessible on different "Desktop":	SKIPPED	0.002 s