Start: Mar 15, 10:43:15.768 PM End: Mar 15, 10:43:30.992 PM **Duration: 15.224 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 9 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 88 % 100

| Feature | | Scenario | | | | Step | | | |
|-------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Registration_Test_cases | 15.224 s | 1 | 0 | 1 | 0 | 9 | 8 | 1 | 0 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|-------------------------|---|
| 1 | Registration_Test_cases | 01_Validate User accesses the registration web page |


| TAG | | Scei | nario | | Feature | | | |
|---|---|------|-------|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Validate_User_accesses_the_registration_web_page | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Registration | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Tc_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|-------------------------|---|---|---|---|----------|
| 1 | Registration_Test_cases | 1 | 0 | 1 | 0 | 15.224 s |

SCENARIOS SUMMARY -- 6 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------|---|---|---|---|---|----------|
| 1 | Registration_Test_cases | 01_Validate User accesses the registration web page | 9 | 8 | 1 | 0 | 15.208 s |

DETAILED SECTION -- 7 --

Registration_Test_cases

| FAILED DURA | TION - 15.224 s | Scenarios | | Steps | |
|-------------------------------|-----------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 9 | |
| / 10:43:15.768 PM // 10:43:30 | 0.992 PM / | Pass - 0 | 1 | Pass - 8 | 9 |
| | | Fail - 1 | | Fail - 1 | ı |
| | | Skip - 0 | | Skip - 0 | |

01_Validate User accesses the registration web page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the registration page using the provided URL | PASSED | 0.985 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.328 s |
| | image | | |
| | Quinc com | | |
| | President Account | | |
| | Management | | |
| | va (1 | | |
| | ************************************** | | |
| 2 | Then Click the link | PASSED | 0.981 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.495 s |
| | image | 1 | |

| 3 When clicking on the link it should redirect the user to the registration web page. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario) PASSED 0.182 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario) PASSED 0.332 s 4 Then Insert all the valid credentials "Team" "aqa" "teamaqa35@gmail.com" "teamA1234@". AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario) PASSED 0.348 s Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario) PASSED 0.233 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario) PASSED 0.265 s AFTER_STEP - com.pdl.hooks.Hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario) PASSED 0.256 s AFTER_STEP - com.pdl.hooks.Hooks. | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s 4 Then Insert all the valid credentials "Team" "aqa" "teamaqa35@gmail.com" "teamA1234@". AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.323 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.283 s 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s PASSED 0.270 s | | The state of the s | | |
| ### Then Insert all the valid credentials "Team" "aqa" "teamaqa35@gmail.com" "teamA1234@". ### AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | 3 | When clicking on the link it should redirect the user to the registration web page. | PASSED | 0.182 s |
| 4 Then Insert all the valid credentials "Team" "aqa""teamaqa35@gmail.com" "teamA1234@". AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 0.323 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 0.283 s 6 Then Insert "4438832669" in the field of telephone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s | | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.332 s |
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s PASSED 0.270 s | | image | | |
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s PASSED 0.270 s | | Colfox com Register Account Register Account Note and the second of | | |
| Image | 4 | Then Insert all the valid credentials "Team" "aqa""teamaqa35@gmail.com" "teamA1234@". | PASSED | 1.264 s |
| 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s | | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.348 s |
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED | | image | | |
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED | | Confine Come See See See See See See See See See S | | |
| 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 0.270 s | 5 | Then Insert "teamA1234@" in the field of confirm password. | PASSED | 0.323 s |
| 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 0.270 s | | · | PASSED | 0.283 s |
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s | | image |] | |
| AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s | | Manual M | | |
| | 6 | Then Insert "4438832669" in the field of teleohone number. | PASSED | 0.256 s |
| image | | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.270 s |
| | | image | 1 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | The content of the | | |
| 7 | Then Click on the continue button. | PASSED | 0.653 s |
| | AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber.java.Scenario) image Rights Account Figure Account Figu | PASSED | 0.517 s |
| 8 | Then select the privacy policy box in order to agree . | PASSED | 0.256 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | image Figure Accord | | |
| 9 | And Click on the attached link and it redirect them to the login page. org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8378bff2f1bb24450f88b70fa4a49951, findElement {using=css selector, value=//*[@id="content"]/div/div/[2]/div/form/input]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58607}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58607/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8378bff2f1bb24450f88b70fa4a49951 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | FAILED | 0.799 s |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at org.openqa.selenium.remote.RemoteWebDriver. | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image Right Account To the Control of the Control | PASSED | 0.303 s |