Start: Mar 15, 10:50:47.953 PM End: Mar 15, 10:51:03.294 PM **Duration: 15.341 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 9 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 88 % 100

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Registration_Test_cases	15.341 s	1	0	1	0	9	8	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Registration_Test_cases	01_Validate User accesses the registration web page


TAG		Scei	nario			Feature		
Name	T	P	F	S	T	P	F	S
@Validate_User_accesses_the_registration_web_page	1	0	1	0	1	0	1	0
@Registration	1	0	1	0	1	0	1	0
@Tc_01	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Registration_Test_cases	1	0	1	0	15.341 s


SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Registration_Test_cases	01_Validate User accesses the registration web page	9	8	1	0	15.330 s

DETAILED SECTION -- 7 --

## **Registration\_Test\_cases**



## 01\_Validate User accesses the registration web page



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page using the provided URL	PASSED	0.885 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	image		
	Quinc com		
	President Account		
	va		
	**************************************		
2	Then Click the link	PASSED	0.763 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	image	1	

3 When clicking on the link it should redirect the user to the registration web page.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 0.153 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 1.205 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 0.333 s  Then Insert "learnA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 0.377 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 0.377 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 0.378 s  PASSED 0.378 s  PASSED 0.379 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(jo.cucumber.java.Scenario)  PASSED 0.334 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.298 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  1.205 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.333 s  Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  PASSED  0.334 s		The state of the s		
Then Insert all the valid credentials "Team" "aqa" "teamaqa38@gmail.com" "teamA1234@".  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED 0.333 s  Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED 0.279 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED 0.334 s	3	When clicking on the link it should redirect the user to the registration web page.	PASSED	0.153 s
4 Then Insert all the valid credentials "Team" "aqa""teamaqa38@gmail.com" "teamA1234@".  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  passed  5 Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  passed  0.271 s  6 Then Insert "4438832669" in the field of telephone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  passed  5 Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  passed  6 Then Insert "4438832669" in the field of teleohone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.333 s		image		
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  passed  5 Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  passed  6 Then Insert "4438832669" in the field of teleohone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.333 s		Colfox Com  See See See See See See See See See Se		
image  5 Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  6 Then Insert "4438832669" in the field of teleohone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	4	Then Insert all the valid credentials "Team" "aqa""teamaqa38@gmail.com" "teamA1234@".	PASSED	1.205 s
5 Then Insert "teamA1234@" in the field of confirm password.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  6 Then Insert "4438832669" in the field of teleohone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)    AFTER_STEP - com.pdl.hooks.Hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)    AFTER_STEP - com.pdl.hooks.Hoo		image	]	
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)    AFTER_STEP - com.pdl.hooks.Hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)    AFTER_STEP - com.pdl.hooks.Hoo		Confine Com  See See See See See See See See See Se		
6 Then Insert "4438832669" in the field of teleohone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s  0.334 s	5	Then Insert "teamA1234@" in the field of confirm password.	PASSED	0.377 s
6 Then Insert "4438832669" in the field of teleohone number.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED 0.279 s  0.334 s		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s		image	]	
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s		Manual   M		
	6	Then Insert "4438832669" in the field of teleohone number.	PASSED	0.279 s
image		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
		image	1	

#	Step / Hook Details	Status	Duration
	Section   Sect		
7	Then Click on the continue button.	PASSED	0.741 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  Rigitir Account  Right Rigitir Account  Right	PASSED	0.305 s
8	Then select the privacy policy box in order to agree .	PASSED	0.188 s
	AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.290 s
9	And Click on the attached link and it redirect them to the login page.  org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3b8cbfee4af07b009e57e6703daa7e31, findElement {using=css selector, value=//*[@id="content"]/div/div/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60000}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60000/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3b8cbfee4af07b009e57e6703daa7e31 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)	FAILED	1.172 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
	at com.pdl.pages.Registration_Quafox.Verify_user_link_direct_them_to_log_in_page(Registration_Quafox.java:151)		
	at com.pdl.step_definitions.A_Registration_Steps.		
	click_on_the_attached_link_and_it_redirect_them_to_the_login_page(A_Registration_Steps.java:71)		
	at ?.Click on the attached link and it redirect them to the login page.(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/		
	src/test/resources/features/1_REGISTRATION/1_Registration_Mandatory_Field_01.feature:19)		
	* Not displayable characters are replaced by '?'.		
	AFTER STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	image	1	
	Colfox com  S S S S S S S S S S S S S S S S S S S		