

# Cucumber Report

Mar 15, 2025, 4:04:48 PM

**Start : Mar 15, 4:04:23.595 PM**

**End : Mar 15, 4:04:46.361 PM**

**Duration : 22.766 s**

Features







PASSED - 8  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 9  
FAILED - 1  
SKIPPED - 0

Steps

PASSED - 67  
FAILED - 0  
SKIPPED - 7




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Quick_Access_Panel_Test_Cases</u>	7.128 s	1	1	0	0	4	4	0	0
<u>Quick_Access_Panel_Test_Cases</u>	1.097 s	1	1	0	0	4	4	0	0
<u>Search_Functionality_Test_Cases</u>	5.006 s	2	2	0	0	26	26	0	0
<u>Add_To_Cart_Test_Cases</u>	2.446 s	1	1	0	0	8	8	0	0
<u>Add_To_Cart_Test_Cases</u>	1.262 s	1	1	0	0	5	5	0	0
<u>Checkout_Functionality_Test_Cases</u>	0.473 s	1	0	1	0	7	0	0	7
<u>Checkout_Functionality_Test_Cases</u>	1.773 s	1	1	0	0	8	8	0	0
<u>Checkout_Functionality_Test_Cases</u>	2.014 s	1	1	0	0	8	8	0	0
<u>Checkout_Functionality_Test_Cases</u>	1.406 s	1	1	0	0	4	4	0	0


#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Checkout_Functionality_Test_Cases</u>	<u>Validate Checkout Button</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@Validate_ "User_Clicks_On_Returns_Option"	1	1	0	0	1	1	0	0
@Quick_Access_Panel	2	2	0	0	2	2	0	0
@Tc_43	1	1	0	0	1	1	0	0
@Validate_ "User_Clicks_On_Transactions_Option"	1	1	0	0	1	1	0	0
@Tc_44	1	1	0	0	1	1	0	0
@Validate_ "Sorting_the_search_results_by_name,_price_or_rating"	2	2	0	0	1	1	0	0
@Tc_36	2	2	0	0	1	1	0	0
@Search_Functionality	2	2	0	0	1	1	0	0
@Add_To_Cart	2	2	0	0	2	2	0	0
@Validate_ "Adding_a_product_to_the_cart_from_the_Any_page_that_-contains_Product_View"	1	1	0	0	1	1	0	0
@Tc_37	1	1	0	0	1	1	0	0
@Tc_38	1	1	0	0	1	1	0	0
@Validate_ "Add_multiple_products_to_cart"	1	1	0	0	1	1	0	0
@Checkout_Functionality	3	2	1	0	3	2	1	0
@Tc_39	1	0	1	0	1	0	1	0
@Validate_Checkout_Button	1	0	1	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Tc_40		1	1	0	0	1	1	0	0
@Validate_Checkout_As_A_Guest_Button		1	1	0	0	1	1	0	0
@Checkout_Functionality		1	1	0	0	1	1	0	0
@Validate_"Checkout_As_A_Registered_Customer"		1	1	0	0	1	1	0	0
@Tc_41		1	1	0	0	1	1	0	0
@Validate_"Order_Confirmation_Page"		1	1	0	0	1	1	0	0
@Tc_42		1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Quick_Access_Panel_Test_Cases</u>	1	1	0	0	7.128 s
2	<u>Quick_Access_Panel_Test_Cases</u>	1	1	0	0	1.097 s
3	<u>Search_Functionality_Test_Cases</u>	2	2	0	0	5.006 s
4	<u>Add_To_Cart_Test_Cases</u>	1	1	0	0	2.446 s
5	<u>Add_To_Cart_Test_Cases</u>	1	1	0	0	1.262 s
6	<u>Checkout_Functionality_Test_Cases</u>	1	0	1	0	0.473 s
7	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.773 s
8	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	2.014 s
9	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.406 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Quick_Access_Panel_Test_Cases</u>	<u>Validate User Clicks On Returns Option</u>	4	4	0	0	7.123 s
2		<u>Validate User Clicks On Transactions Option</u>	4	4	0	0	1.097 s
3	<u>Search_Functionality_Test_Cases</u>	<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	2.389 s
4		<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	2.600 s
5	<u>Add_To_Cart_Test_Cases</u>	<u>Validate Adding a product to the cart from the Any page that contains Product View</u>	8	8	0	0	2.446 s
6		<u>Validate Add multiple products to cart</u>	5	5	0	0	1.262 s
7	<u>Checkout_Functionality_Test_Cases</u>	<u>Validate Checkout Button</u>	7	0	0	7	0.473 s
8		<u>Validate Checkout As A Guest Button</u>	8	8	0	0	1.773 s
9		<u>Validate Checkout As A Registered Customer</u>	8	8	0	0	2.014 s
10		<u>Validate Order Confirmation Page</u>	4	4	0	0	1.406 s

## Quick\_Access\_Panel\_Test\_Cases

PASSED	DURATION - 7.128 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:04:23.595 PM // 4:04:30.723 PM /					


## Validate User Clicks On Returns Option

PASSED	DURATION - 7.123 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:04:23.600 PM // 4:04:30.723 PM /					
Quick_Access_Panel_Test_Cases					
@Validate_ "User_Clicks_On_Returns_Option" @Quick_Access_Panel @Tc_43					


#	Step / Hook Details	Status	Duration
1	Given Verify the Returns option is visible in the Quick Access Panel  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.003 s
		PASSED	0.185 s
2	Then Verify clicking the Returns option redirects to the returns page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.001 s
		PASSED	0.148 s


#	Step / Hook Details	Status	Duration
3	And Verify that the Returns option is clickable and not blocked by any other elements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.002 s
4	And Verify the return page loads properly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.001 s
		PASSED	0.128 s

## Quick\_Access\_Panel\_Test\_Cases



## Validate User Clicks On Transactions Option




#	Step / Hook Details	Status	Duration
1	Given Verify the Transactions option is visible in the Quick Access Panel AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.000 s
2	Then Verify clicking the Transactions option redirects to the transactions page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
3	And Verify that the Transactions option is clickable and not blocked by any other elements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
4	And Verify the transaction page loads properly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s

## Search\_Functionality\_Test\_Cases



### Validate Sorting the search results by name, price or rating




#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.038 s
2	When Locate the Sort By drop-down menu on the search results page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.001 s
3	Then Verify that the Sort By menu is visible  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	image 		
4	Then Click the drop-down and check for available sorting options Name (A-Z)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	image 		
5	And Click the drop-down and check for available sorting options Name (Z-A)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	image 		
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	image 		
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	image 		

#	Step / Hook Details	Status	Duration
			
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
			
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
			
10	Then Verify that the search results are updated accordingly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
			
11	Then Confirm that the products are now sorted in ascending order by price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
			

#	Step / Hook Details	Status	Duration
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

### Validate Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.029 s
	image 	PASSED	0.149 s

#	Step / Hook Details	Status	Duration
			
2	When Locate the Sort By drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
3	Then Verify that the Sort By menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.002 s
		PASSED	0.150 s

#	Step / Hook Details	Status	Duration
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s

#	Step / Hook Details	Status	Duration
			
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
			
11	Then Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
			
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.002 s
			

#	Step / Hook Details	Status	Duration
			

### Add\_To\_Cart\_Test\_Cases

PASSED	DURATION - 2.446 s  / 4:04:36.915 PM // 4:04:39.361 PM /	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
--------	--	--	---	--	---

### Validate Adding a product to the cart from the Any page that contains Product View


PASSED	DURATION - 2.446 s  / 4:04:36.915 PM // 4:04:39.361 PM /  Add_To_Cart_Test_Cases  @Add_To_Cart @Validate_"Adding_a_product_to_the_cart_from_the_- Any_page_that_contains_Product_View" @Tc_37	0.15 0.1 0.05 0 1 2 3 4 5 6 7 8	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
--------	---	---	--	---

#	Step / Hook Details	Status	Duration
1	Given Ensure that that the Add to Cart button is visible and clickable	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.222 s
2	When Hover over the Add to Cart button	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s


#	Step / Hook Details	Status	Duration
	image 		
3	Then Check if product is in stock	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.434 s
4	And Check if product is out of stock	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.244 s
5	Then Click Add to Cart for an in-stock product	PASSED	0.007 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.179 s
6	Then Ensure confirmation message style	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.174 s

#	Step / Hook Details	Status	Duration
			
7	Then Add the product to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
8	And Add another product to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.000 s

### Add\_To\_Cart\_Test\_Cases



Validate Add multiple products to cart




#	Step / Hook Details	Status	Duration
1	Given Ensure that each Add to Cart button is visible and clickable  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.000 s
2	When Click Add to Cart for the first product  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.001 s
3	And Click Add to Cart for the second product  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.001 s
4	Then Add more products to the cart  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.001 s
			0.134 s

#	Step / Hook Details	Status	Duration
			
5	Then Check the cart icon updates after each addition AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.001 s
		PASSED	0.218 s

## Checkout\_Functionality\_Test\_Cases




## Validate Checkout Button




#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp() org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'normal', current state is 'maximized' (Session	FAILED	0.432 s

#	Step / Hook Details	Status	Duration
	info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9f2b597802501eaed17646ee9606167b, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: C:\Users\tnazm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59223}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59223/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f2b597802501eaed17646ee9606167b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:978) at com.pdl.hooks.Hooks.setUp(Hooks.java:58)		
1	Given Launch the browser and navigate to the correct URL	SKIPPED	0.001 s
2	Then Verify that the shopping cart option is visible and accessible	SKIPPED	0.000 s
3	When Verify that user are able to search for a product and add it to the shopping cart	SKIPPED	0.001 s
4	Then Verify that the checkout button is enabled	SKIPPED	0.001 s
5	When Verify that user are able to Remove all items from the shopping cart	SKIPPED	0.001 s
6	Then Verify that the checkout button is disabled	SKIPPED	0.001 s
7	Then Attempt to click the disabled checkout button and verify the displayed error message	SKIPPED	0.001 s

## Checkout Functionality Test Cases



## Validate Checkout As A Guest Button



#	Step / Hook Details	Status	Duration
1	When Add a product to the shopping cart  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.000 s
2	And Click on the checkout button  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.000 s
3	Then Verify that the checkout page displays the "Checkout as a Guest" option  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
		PASSED	0.165 s


#	Step / Hook Details	Status	Duration
	image 		
4	When Select "Checkout as a Guest" and proceed	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	image 		
5	Then Verify that the billing and delivery details fields include first name, last name, email, telephone, address, city, postcode, and country	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	image 		
6	And Verify that at least one delivery method and one payment method is available	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	image 		
7	When Complete the checkout process as a guest	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	image 		

#	Step / Hook Details	Status	Duration
8	Then Verify that the order confirmation page displays the order number, order details, payment details, and delivery details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
		PASSED	0.150 s

## Checkout\_Functionality\_Test\_Cases



## Validate Checkout As A Registered Customer




#	Step / Hook Details	Status	Duration
1	Given Click on the login button and enter valid credentials	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s

#	Step / Hook Details	Status	Duration
	image 		
2	When Verify that the user is successfully logged in	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.277 s
3	Then Search for a product and add it to the shopping cart	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.182 s
4	Then Verify that the checkout button on the shopping cart page is visible and clickable	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.174 s
5	Then Locate and select the Check out with my account option	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.184 s

#	Step / Hook Details	Status	Duration
			
6	When Verify that the checkout form is pre-filled with saved billing and delivery details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.000 s
7	Then Update billing, delivery, and payment method details, if needed AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.000 s
8	And Verify that at least one delivery method and one payment method is available AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.000 s

## Checkout\_Functionality\_Test\_Cases

PASSED	DURATION - 1.406 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:04:44.955 PM // 4:04:46.361 PM /						

## Validate Order Confirmation Page

PASSED	DURATION - 1.406 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:04:44.955 PM // 4:04:46.361 PM /					
Checkout_Functionality_Test_Cases					
@Checkout_Functionality @Validate_"Order_Confirmation_Page" @Tc_42					

#	Step / Hook Details	Status	Duration
1	Given Complete the checkout process as a registered customer	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	image 		
2	When Verify that the order confirmation page displays the order number, order details, payment details, and delivery details	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	image 		
3	Then Verify that the error message Products marked with *** are not available in the desired quantity or not in stock! is displayed	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
4	And Verify that an error message is displayed when the required quantity of stock is exceeded	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <p>image</p> 	PASSED	0.222 s