

Cucumber Report

Mar 15, 2025, 2:37:30 PM

Start : Mar 15, 2:37:12.671 PM

End : Mar 15, 2:37:29.496 PM

Duration : 16.825 s

Features







PASSED - 6
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 7
FAILED - 0
SKIPPED - 0


Steps

PASSED - 62
FAILED - 0
SKIPPED - 0




Feature				Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S		
<u>Search_Functionality_Test_Cases</u>	9.050 s	2	2	0	0	26	26	0	0		
<u>Add_To_Cart_Test_Cases</u>	1.536 s	1	1	0	0	8	8	0	0		
<u>Add_To_Cart_Test_Cases</u>	1.111 s	1	1	0	0	5	5	0	0		
<u>Checkout_Functionality_Test_Cases</u>	1.732 s	1	1	0	0	7	7	0	0		
<u>Checkout_Functionality_Test_Cases</u>	1.755 s	1	1	0	0	8	8	0	0		
<u>Checkout_Functionality_Test_Cases</u>	1.567 s	1	1	0	0	8	8	0	0		

TAG	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@Validate_ "Sorting_the_search_results_by_name,_price_or_rating"	2	2	0	0	1	1	0	0
@Tc_36	2	2	0	0	1	1	0	0
@Search_Functionality	2	2	0	0	1	1	0	0
@Add_To_Cart	2	2	0	0	2	2	0	0
@Validate_ "Adding_a_product_to_the_cart_from_the_Any_page_that_-contains_Product_View"	1	1	0	0	1	1	0	0
@Tc_37	1	1	0	0	1	1	0	0
@Tc_38	1	1	0	0	1	1	0	0
@Validate_ "Add_multiple_products_to_cart"	1	1	0	0	1	1	0	0
@Checkout_Functionality	2	2	0	0	2	2	0	0
@Tc_39	1	1	0	0	1	1	0	0
@Validate_Checkout_Button	1	1	0	0	1	1	0	0
@Tc_40	1	1	0	0	1	1	0	0
@Validate_Checkout_As_A_Guest_Button	1	1	0	0	1	1	0	0
@Checkout_Funtionality	1	1	0	0	1	1	0	0
@Validate_ "Checkout_As_A_Registered_Customer"	1	1	0	0	1	1	0	0
@Tc_41	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	2	2	0	0	9.050 s
2	<u>Add_To_Cart_Test_Cases</u>	1	1	0	0	1.536 s
3	<u>Add_To_Cart_Test_Cases</u>	1	1	0	0	1.111 s
4	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.732 s
5	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.755 s
6	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.567 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	6.740 s
2		<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	2.292 s
3	<u>Add_To_Cart_Test_Cases</u>	<u>Validate Adding a product to the cart from the Any page that contains Product View</u>	8	8	0	0	1.536 s
4		<u>Validate Add multiple products to cart</u>	5	5	0	0	1.111 s
5	<u>Checkout_Functionality_Test_Cases</u>	<u>Validate Checkout Button</u>	7	7	0	0	1.732 s
6		<u>Validate Checkout As A Guest Button</u>	8	8	0	0	1.755 s
7		<u>Validate Checkout As A Registered Customer</u>	8	8	0	0	1.567 s

Search_Functionality_Test_Cases

PASSED	DURATION - 9.050 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 26 Pass - 26 Fail - 0 Skip - 0	
/ 2:37:12.671 PM // 2:37:21.721 PM /					

Validate Sorting the search results by name, price or rating

PASSED	DURATION - 6.740 s	Search_Functionality_Test_Cases		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 2:37:12.678 PM // 2:37:19.418 PM /		@Validate_"Sorting_the_search_results_by_name,_ _price_or_rating" @Tc_36 @Search_Functionality			


#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.031 s
		PASSED	0.506 s
2	When Locate the Sort By drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
		PASSED	0.163 s


#	Step / Hook Details	Status	Duration
3	Then Verify that the Sort By menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
6	And Click the drop-down and check for available sorting options Price (Low-High) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
7	And Click the drop-down and check for available sorting options Price (High-Low) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
			
8	And Click the drop-down and check for available sorting options Rating (Highest) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.189 s
9	And Select a sorting option Price (Low-High) from the drop-down AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.145 s
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
		PASSED	0.133 s
11	Then Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.196 s

#	Step / Hook Details	Status	Duration
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

Validate Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.036 s
	image 	PASSED	0.180 s

#	Step / Hook Details	Status	Duration
			
2	When Locate the Sort By drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.002 s
		PASSED	0.159 s
3	Then Verify that the Sort By menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s
		PASSED	0.151 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s
		PASSED	0.115 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s
		PASSED	0.151 s

#	Step / Hook Details	Status	Duration
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s


#	Step / Hook Details	Status	Duration
			
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
11	Then Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.002 s
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s
		PASSED	0.161 s

#	Step / Hook Details	Status	Duration
			

Add_To_Cart_Test_Cases

PASSED	DURATION - 1.536 s / 2:37:21.740 PM // 2:37:23.276 PM /	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
--------	--	--	---	--	---

Validate Adding a product to the cart from the Any page that contains Product View


PASSED	DURATION - 1.536 s / 2:37:21.740 PM // 2:37:23.276 PM /		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
	Add_To_Cart_Test_Cases @Add_To_Cart @Validate_"Adding_a_product_to_the_cart_from_the_- Any_page_that_contains_Product_View" @Tc_37			

#	Step / Hook Details	Status	Duration
1	Given Ensure that that the Add to Cart button is visible and clickable	PASSED	0.005 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.156 s
2	When Hover over the Add to Cart button	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s


#	Step / Hook Details	Status	Duration
	image 		
3	Then Check if product is in stock	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.138 s
4	And Check if product is out of stock	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.127 s
5	Then Click Add to Cart for an in-stock product	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.122 s
6	Then Ensure confirmation message style	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.139 s

#	Step / Hook Details	Status	Duration
			
7	Then Add the product to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s
8	And Add another product to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s

Add_To_Cart_Test_Cases



Validate Add multiple products to cart




#	Step / Hook Details	Status	Duration
1	Given Ensure that each Add to Cart button is visible and clickable AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s
2	When Click Add to Cart for the first product AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
3	And Click Add to Cart for the second product AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
4	Then Add more products to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s
			0.130 s

#	Step / Hook Details	Status	Duration
			
5	Then Check the cart icon updates after each addition AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED PASSED	0.000 s 0.126 s


Checkout_Functionality_Test_Cases



Validate Checkout Button




#	Step / Hook Details	Status	Duration
1	Given Launch the browser and navigate to the correct URL	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s


#	Step / Hook Details	Status	Duration
	image 		
2	Then Verify that the shopping cart option is visible and accessible	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	image 		
3	When Verify that user are able to search for a product and add it to the shopping cart	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	image 		
4	Then Verify that the checkout button is enabled	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	image 		
5	When Verify that user are able to Remove all items from the shopping cart	PASSED	0.004 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	image 		

#	Step / Hook Details	Status	Duration
			
6	Then Verify that the checkout button is disabled AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s
7	Then Attempt to click the disabled checkout button and verify the displayed error message AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.003 s

Checkout_Functionality_Test_Cases



Validate Checkout As A Guest Button



#	Step / Hook Details	Status	Duration
1	When Add a product to the shopping cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
2	And Click on the checkout button AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
3	Then Verify that the checkout page displays the “Checkout as a Guest” option AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.003 s
4	When Select “Checkout as a Guest” and proceed AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
			
5	Then Verify that the billing and delivery details fields include first name, last name, email, telephone, address, city, postcode, and country	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	image 		
6	And Verify that at least one delivery method and one payment method is available	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	image 		
7	When Complete the checkout process as a guest	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	image 		
8	Then Verify that the order confirmation page displays the order number, order details, payment details, and delivery details	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	image 		

#	Step / Hook Details	Status	Duration


Checkout_Functionality_Test_Cases



Validate Checkout As A Registered Customer



#	Step / Hook Details	Status	Duration
1	Given Click on the login button and enter valid credentials	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
2	When Verify that the user is successfully logged in	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s

#	Step / Hook Details	Status	Duration
			
3	Then Search for a product and add it to the shopping cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.137 s
4	Then Verify that the checkout button on the shopping cart page is visible and clickable AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.140 s
5	Then Locate and select the Check out with my account option AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.173 s
6	When Verify that the checkout form is pre-filled with saved billing and delivery details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.140 s

#	Step / Hook Details	Status	Duration
			
7	Then Update billing, delivery, and payment method details, if needed AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.001 s
8	Then Verify that at least one delivery method and one payment method is available AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.000 s